



## **Table of Contents**

<b>Type I Chevrolet C-4500 Ambulance</b>	<b>Section 1</b>
<b>Type I Ford F-350 Ambulance</b>	<b>Section 2</b>
<b>Type II Ford Ambulance</b>	<b>Section 3</b>
<b>Type II Chevrolet Ambulance</b>	<b>Section 4</b>
<b>Type III Ford Ambulance</b>	<b>Section 5</b>
<b>Type III Chevrolet Ambulance</b>	<b>Section 6</b>
<b>Type III Ford Mini-Mod Ambulance</b>	<b>Section 7</b>
<b>Type III Chevrolet Mini-Mod Ambulance</b>	<b>Section 8</b>

# QUOTATION

Wheeled Coach Ind.

State of Ohio

**Exp. Date:** 02/21/2009

**Quote No:** 08-0017

**Job/Order No:** TBA

**T9 - 170:** 0999030 Chevy/GMC 4500, (SO) 170" module

**T9 - 170:** 200060 Type 9 - 170" Module, Custom Series

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION	
1		== Chevy/GMC 4500, (SO) 170" module - ==	
1		CHASSIS:	
1	00-90-2301	2008 Chevy/GMC 4500, WC Spec, w/Link Susp System 08-3	
		<b>SHOP NOTE:</b>	
		WC std spec.(attached as PDF to QW option)	
1		CAB TO MODULE MOUNTING:	
		<b>SHOP NOTE:</b>	
		Cutaway (chassis bolted to module)	
1	15-10-0000	BASE BILL OF MATERIALS	
1	15-11-9974	2008, Base, Chevy/GMC 4500,170" Module, Custom	
		<b>SHOP NOTE:</b>	
		for use with #00-90-2301 chassis only	
1		CHASSIS ADD-ONS:	
1	1A-10-0100	Lettering, By Outside Vendor	
		<b>SHOP NOTE:</b>	
		Location:	
		# of Days:	
1		SUSPENSION:	
1	1F-30-7900	Auto Dump w/override Sw, For Air Suspension	
		<b>SHOP NOTE:</b>	
		Dump feature to be activated by left rear	
		entry door	
		Override switch to be mounted on cabinet near	
		right rear entry door	

QTY	PART NO	DESCRIPTION
1	1F-31-2000	Suspension, Link, OEM Installed, GMC/GM 4500 <b>SHOP NOTE:</b> Chevrolet installed LINK air suspension system.  OEM installed Link suspension system. Only to dump in park/neutral when park brake is set.  Install air gauge in cab console
1		ALTERNATOR(S):
1	1K-40-5000	Alternator, OEM <b>SHOP NOTE:</b> Brand: Delco-Remy Size: 105 amp (2 each)
1		THROTTLE CONTROLS:
1	1P-50-5000	High Idle Controls, OEM
1		CAB STEP:
2	20-60-6000	Cover, Dia Plate, Chevy/GMC 4500, w/ (1) step <b>SHOP NOTE:</b>  For cab steps, on curbside and streetside. STD
1		FUEL FILL HOUSING:
1	3A-10-1000	Housing, Fuel Fill, Cast, F1/C1/D1
1		HEATING/AIR CONDITIONING:
1	5U-12-5000	Hoses, Heater, Nomex to Rear, STD
1	5U-14-1100	Heat & A/C, WC Pureair w/Ext Cond, GM/GMC 4500 <b>SHOP NOTE:</b> (SO-AC-259053)  With thermostat in A/A.  With external condenser mounted below module
1		BATTERY SWITCHES:
1	60-20-550A	Battery Config, Mod Fig 5A, Manual Sw <b>SHOP NOTE:</b> Chassis power and Module power are turned on/off through use of a single battery switch.  Manual switch in cab console.
1		BATTERIES:
		<b>SHOP NOTE:</b> OEM, (3)

QTY	PART NO	DESCRIPTION
		remove OEM battery isolator
1		BATTERY TRAY:
		<b>SHOP NOTE:</b>
		Battery tray, slide-out, OEM
1		CONSOLES:
1	7U-10-7000	Console, A/A, Wood, Angled
1	7U-13-SR01	Custom Console With Map Pockets
		<b>SHOP NOTE:</b>
		(SO-CONS-259053)
		Custom console with dividers
		Router slots in pocket at 1" spacing for mill finish aluminum divider
		Fabricate (6) mill finish aluminum dividers
		Console design to be approved by customer.
		Remove OEM cupholder/console to allow for wider console.
1		SIREN SPEAKERS:
1	DF-10-7100	Speakers, Siren, Int'l/Sterling/M2, Whelen, STD
1		== Type 9 - 170" Module, Custom Series - ==
1		RUSTPROOFING / UNDERCOATING:
1	2U-77-3000	Undercoating, Type 9, Florida Units
1	35-05-0300	Type 9 - 170" Module - Custom Series
1	35-05-0310	Type 9 - 170" Module General Body Construction Spec
1	35-05-0320	Type 9 - 170" Module Vehicle Body Structure Spec
1	35-05-2000	INTERIOR CABINETS -Duralite Construction, Wood
1		MODULE BODIES:
1	35-10-0960	Headroom, 72" H.R. Type 9 - 170" module
6	37-00-0300	Compartments, Zolatone Finish (1) per compt
		<b>SHOP NOTE:</b>
		Machine stamped louvers located above the floor line for venting
1	37-00-0710	Duraseam Doors, with Hidden Jambs
		<b>SHOP NOTE:</b>
		Magnetic door switches, STD
5	37-00-0900	Compartments, Std, Floor 3" Drop Down from Door Opening, MAV
		<b>SHOP NOTE:</b>
		Compartments A, B1,B2,D,& E are standard drop down floor

QTY	PART NO	DESCRIPTION	
1	37-00-1000	Compartments, Sweepout , MAV <b>SHOP NOTE:</b> Compartment F standard sweep out, 13" from wall #3	
1	3C-00-0000	Type 9 - 170" Module, EMS <b>SHOP NOTE:</b> With 0.125" module skins, standard	
1	3D-A0-0250	A, Compt, Std, Pureair, 170" Module, T9, EMS, 72" H.R. <b>SHOP NOTE:</b> compt A with single door  Machine louver compartment A door, IATS.	
1	3D-B1-0150	B1, Compt, Std, 170" Module, T9, 72" H.R. <b>SHOP NOTE:</b> Std compt B1 with single door	
1	3D-B2-0100	B2, Compt, 7/8 height, Std, 170" Module, T9, 72" H.R. <b>SHOP NOTE:</b> Std 25" wide compartment B2 with single door  Machine louver compartment door for ventilation	
1	3D-D0-0350	D, Compt, 3/4, Std, 170" Module, T9, 72" H.R. <b>SHOP NOTE:</b> With single door  Machine louver door the same as the compt F door	
1	3D-E0-0100	E, Compt, Std, 170" Module, T9 <b>SHOP NOTE:</b> With double doors  (allow for 100" cab to axle)	
1	3D-F0-0272	F, Compt, Std, 7/8 Height, 170" Module, T9, 72" H.R. <b>SHOP NOTE:</b> Std compartment F with single door  Compt F to be sweepout 18" from wall #3  Reinforce wall #2 for electric O2 rack.	
1		EXTERIOR DIVIDERS:	
1	3F-10-1100	Divider, Vertical, B2, 3/16" Thick <b>SHOP NOTE:</b> Centered in compartment B2	

QTY	PART NO	DESCRIPTION	
1	3F-10-5500	Divider, Vertical, Custom, (1), Mounted: <b>SHOP NOTE:</b> Compartment F, std depth  between wall #1 and elect O2 rack, very close to elect O2 rack.	
1		SHELF- COMPARTMENT "A"/RF CABINET:	
1	3F-20-1000	Shelf, Adjustable,(1), RF Cabt Custom	
1	3F-20-1500	Shelf, Additional, Adjustable, (1), RF Cab Custom	
1		SHELF- COMPARTMENT "D":	
1	3F-40-3000	Shelf, Custom, Adj, Cmpt "D", (1) <b>SHOP NOTE:</b> Set at bottom of cabinet H opening	
1	3F-40-3500	Shelf, Custom, Adj, Cmpt "D", (1), Additional <b>SHOP NOTE:</b> Set at bottom of cabinet I opening	
1		SHELF- COMPARTMENT "E":	
1	3F-50-0100	Shelf STD for Electrical in compt "E" W/Bio Divider <b>SHOP NOTE:</b>  No biowaste in A/A  Area to right of divider is for customer use. (Do not cover this area)	
1	3F-50-2000	Shelf, Custom, Adj, Cmpt "E", (1)	
1		MODULE ENTRY DOOR HANDLES:	
1	3U-30-1050	Handle, Entry, Max Grip,J236,Trailing Door, ILOS <b>SHOP NOTE:</b> With additional inside/outside handle on rear trailing door  Both doors will open from the outside	
1		EXTERIOR COMPT DOOR HANDLES:	
3	3U-40-0500	Handle, Compt, C/S, Max Grip Eberhard, J236	
3	3U-40-0505	Handle, Compt, S/S, Max Grip Eberhard, J236	
1	3U-40-0508	Handle, Compt, S/S, Blank, Max Grip Eberhard, J236 <b>SHOP NOTE:</b> Compartment E trailing door	
1		DOOR HOLD OPENS:	
1	40-10-1600	Hold Opens, Rear Doors, Cast, Grabber (4), 4.5 in., ILOS <b>SHOP NOTE:</b> For rear entry doors, ILOS	

QTY	PART NO	DESCRIPTION
		Upper and lower outer corners
1		DOOR PANELS:
1	45-10-0800	Door Panels,CS-Care Caddy,rear-Diaplate,Pan
		<b>SHOP NOTE:</b>
		Upper panels C/S and rear mica
1	45-10-4505	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD
		<b>SHOP NOTE:</b>
		Durasafe Design
		Aluminum Center Panels covered in white/red reflective tape.
1		FENDER FLARES:
1	4A-10-1000	Flare, Fender, Rear, Black Rubber
1		BUMPERS:
1	4F-12-0000	Bumper,Rear,Mav,Std,W/Skids & Marker Lights
		<b>SHOP NOTE:</b>
		Reinforced, std on MAV
1		SKIRTRAILS W/BODY SPACERS:
1	4U-10-6000	Skirtrails, Diamond Plate, 170in Box, FrtInr/Sterling
1		STONE GUARDS (FRONT):
1	4U-11-7000	Stone Guard, Frt, Diamond Plate, 17", FrtInr/Sterling
1		KICKPLATES (w/STD. REAR STONEGUARDS):
1	50-10-SR01	Kickplate, With Custom Recess, Trucklites, Pan
		<b>SHOP NOTE:</b>
		(SO-KICK-259053)
		No tail lights
		Tag recess to be deep enough to accept Trucklite #15205 LED tag lights
		Lights mount in sides of recess to shine on license tag
1		SPARE TIRE BRACKET
1	55-20-1000	Bracket, Spare Tire Mounting
		<b>SHOP NOTE:</b>
		DO NOT INSTALL
		Ship loose
1		MODULE STEPWELL:
1	55-90-5000	Step Well, Removable Grate, W/Drain, ILOS
1	55-90-SR00	Step, Carr 20" Super Hoop # 112
		<b>SHOP NOTE:</b>

QTY	PART NO	DESCRIPTION
		(SO-STEP-269010)
		Installed centered under C/S door, for step on module. Mounted approx 2" from inside edge.
1		MUD FLAPS:
1	5A-10-1000	Mud Flaps, Rear, W/Logo
1		PAINT/BELTS:
1	5F-10-8400	Paint Belt, Belt Line Down, Red/Metallic
		<b>SHOP NOTE:</b> Red
		FLNA to be determined
2	5K-10-1100	Pinstripe, Black, Reflective, 3/8 In
1		DECAL PACKAGES INSTALLED:
1	5P-10-5000	Roof Star, White Border, Installed
1		ELECTRICAL SYSTEM:
1		COAX CABLES/ANTENNAS:
1	65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate:
		<b>SHOP NOTE:</b> Terminate in cab console
		With 6' pigtail
1	65-30-1500	Coax Cable, RG58/U, (1) Each, Additional, Terminate:
		<b>SHOP NOTE:</b> Terminate behind A/A switch panel
		With 6' pigtail
1		12VDC POWER SOURCES & OUTLETS:
1	6A-22-200E	Outlet, Cigar Lighter, STD, (2), A/A
		<b>SHOP NOTE:</b> on std 20amp battery switch hot circuit
1		POWER SOURCE, 12 VDC
1	6A-23-1200	Power Source, 12 VDC, 15 Amp (+-)
		<b>SHOP NOTE:</b> (1) Battery hot to power Maglight chargers on cab console
3	6A-23-2200	Power Source, 12 VDC, 20 Amp (+-)
		<b>SHOP NOTE:</b> (1) Battery switch hot to power customer supplied two-way radio. Terminate in cab console with 6' tail
		(1) Battery switch hot to power customer supplied two-way radio.



QTY	PART NO	DESCRIPTION
		Terminate behind A/A switch panel with 6' tail
		(1) Constant hot to power customer supplied laptop computer. Terminate in cab console
1		ELECTRICAL ACCESSORIES
1		SHORELINE INLETS:
1	6F-80-3400	Auto Eject, Kussmaul, 20A, Yellow, ILOS <b>SHOP NOTE:</b> Above compartment E
1		110 VAC OUTLETS:
1	6K-40-1000	Outlet, 110 VAC, Duplex, (2), STD <b>SHOP NOTE:</b> (1) Outlet in A/A  (1) Outlet C/S wall at foot of S/B
2	6K-40-2000	Outlet, 110 VAC, Duplex, IATS <b>SHOP NOTE:</b> (1) Above cabinet P, wall #2, same level as O2 outlets (in extended action area)  (1) RF cabinet, E2, wall #2, centered, up high
1	6U-10-1500	Battery Charger, Kussmaul, Auto Charge 1200, 40 amp <b>SHOP NOTE:</b> Charger/Conditioner
1		CHARGERS/CONVERTERS:
1		GAUGES/METERS:
1	D0-10-1000	Meter, Amps, TSD, Hall Affect, Ford E-Series
1		SEQUENCING/LOAD MANAGEMENT:
1	DA-10-1000	Sequencer, Kussmaul, Load Manager, w/In Gear Override
1		SIRENS:
1	DK-10-1400	Siren, Whelen, WS-295-SLSA1, Standard
1		AIR HORNS:
1	DP-10-3000	Airhorn, Buell 5440 Comp, 12"&15" Horns <b>SHOP NOTE:</b> Mount compressor on elect shelf in compt E, to left of divider.  Mount trumpets on sides of hood
1		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:
1	DP-11-1000	Switch, Siren/Horn Thru Horn Ring
1	DP-11-4000	Horns, Active, w/ Separate Switch

QTY	PART NO	DESCRIPTION
		<b>SHOP NOTE:</b> Airhorns (eng to dupl #243171)
1		SWITCHES ADDITIONAL:
1	DU-10-2500	Switch, 12VDC, Rocker, Amber, Additional <b>SHOP NOTE:</b> In A/A for Flourescent lights
1	DU-10-6000	Switch, Momentary, Rocker, (1) <b>SHOP NOTE:</b> in cab console, to activate airhorns
1		AUDIBLE ALARMS:
1	F0-11-4500	Alarm, Back-up, Auto Reset, ILOS
1		VEHICLE EXTERIOR LIGHTING
1		WHELEN FLANGES FOR 9E SERIES LIGHTS:
16	FU-38-0100	Flange, Super 9L, #90FLANGC, (1) Each
4	FU-38-0500	Flange, 97 Series, (1) Each
1		WHELEN SUPER LED 9L FLASHING LIGHTS T1,3,9:
8	FU-40-0105	Light, 9L, Super LED, Whelen, Red,Clear Lens,ILOS, 90RR5FCR <b>SHOP NOTE:</b> Front light pattern: R,C,R,C,R,C,R  (2) On front, upper outer corners SWITCHED: Primary / Secondary FLASH: Moduflash  (2) Each side, standard locations SWITCHED: Primary / Secondary FLASH: Moduflash  (2) On rear, upper outer corners SWITCHED: Primary / Secondary FLASH: Moduflash
4	FU-40-0107	Light, 9L, Super LED, Whelen, Red,Clear Lens,IATS, 90RR5FCR <b>SHOP NOTE:</b> Front light pattern: R,C,R,C,R,C,R  (2) On front, IATS SWITCHED: Primary FLASH: Rapidfire 375 Single Flashes per minute  (2) To show through rear windows SWITCHED: Primary/Secondary FLASH: Rapidfire 375 Single Flashes per minute

QTY	PART NO	DESCRIPTION
1	FU-40-0110	Light, 9L, Super LED, Whelen, Amber, Clear Lens, ILOS, 90AA5FCR <b>SHOP NOTE:</b> Center rear, ILOS SWITCHED: Primary / Secondary FLASH: Moduflash
1	FU-40-0114	Light, 9L, Super LED, Whelen, Clear, ILOS, 90CC5FCR <b>SHOP NOTE:</b> Center front SWITCHED: Primary FLASH: Moduflash
2	FU-40-0115	Light, 9L, Super LED, Whelen, Clear, IATS, 90CC5FCR <b>SHOP NOTE:</b> Front light pattern: R,C,R,C,R,C,R  On front, IATS SWITCHED: Primary FLASH: Rapidfire, 375 Single FPM
1		WHELEN 6E FLANGES:
8	H2-10-0050	Flange, 6E Series, (1) each
1		WHELEN SUPER LED 7L LIGHTS W/FLASHERS:
4	H5-58-0320	Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS, 70R02FCR <b>SHOP NOTE:</b> (2) As grille lights SWITCHED: Primary FLASH: Rapidfire, 375 FPM  (2) As front intersectors SWITCHED: Primary FLASH: Rapidfire, 375 FPM
2	H5-58-0325	Light, 7L, Super LED, Whelen, Red, Clear Lens, IATS, 70R02FCR <b>SHOP NOTE:</b> As rear intersectors SWITCHED: Primary FLASH: Rapidfire, 375 FPM
1		WHELEN FLANGES 7 SERIES LIGHTS
4	H5-59-1000	Flange, Whelen, For 7E lights (1), Mods <b>SHOP NOTE:</b> For all 7 Series lights
1		CORNER CAP LIGHTS

QTY	PART NO	DESCRIPTION	
1	HF-11-6050	Corner Cap Lts, LED, (2) Amber (2) Red Corner Flashers <b>SHOP NOTE:</b> High intensity flashers SWITCHED: Separate switch in cab console	
1		CLEARANCE LIGHTS:	
1	HF-12-9100	Light, Clearance, Amber LED, ILOS <b>SHOP NOTE:</b> On front as clearance lights	
1	HF-12-9600	Light, Clearance, Red LED, ILOS <b>SHOP NOTE:</b> On rear as clearance lights.	
1		SCENE AND LOAD LIGHTS	
4	HK-20-110E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b> (2) Each side as scene lights	
2	HK-20-130E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b> (2) On rear as load lights	
1		HEADLIGHT FLASHER:	
1	J0-42-3500	Flasher, Headlight, Code 3, 710	
1		HARNESS LAYOUT:	
1	J5-13-4000	Mod Ty 1 Whelen "E" Spec, No LB	
1		STOP/TURN/TAIL LIGHTS:	
1	JA-10-800E	Lights, Reverse, Whelen 6H, ILOS , Pair <b>SHOP NOTE:</b> On rear above kickplate	
1	JA-10-SR01	Light, License Tag, (2), Trucklite #15205 LED, ILOS <b>SHOP NOTE:</b> (SO-TAG-231273)  On sides of tag recess, facing tag (Same as Orange County)	
1	JA-14-120E	Lts, Tail/Stop, Whelen, Red, 6LED, ILOS, Pair <b>SHOP NOTE:</b> On rear above turn signal	
1	JA-14-350E	Turn Signal, Whelen, Amber Arrow, 6LED, ILOS, Pair <b>SHOP NOTE:</b> On rear above reverse light  Sequential flash of LED's	

QTY	PART NO	DESCRIPTION
1	JA-14-360E	Turn Signal, Whelen, Amber Arrow, 6LED, IATS, Pair <b>SHOP NOTE:</b> Front of module below LB  Sequential flash of LED's
1		MODULE OVERHEAD HEADLINER:
1	JK-10-5510	Headliner, Flat, Expanded PVC, MAV
1		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:
1	JP-10-1000	Lights,Weldon 8040-0520-80, (4)S/S,(3)C/S,Incand
1	JP-10-7005	Light, Stepwell, Trucklite, 2in, Std
1	JP-10-8000	Light, Xantech, 105-500, 5 Inch,In A/A
1		12VDC INTERIOR LIGHTING - FLUORESCENT:
1	JP-16-1107	Lights, Fluor, Liteco #17918265,Recessed,18IN, (3), W/Switch <b>SHOP NOTE:</b>  Mount in liner positions F, G, and H  With switch in A/A
1		LIGHTS & MISCELLANEOUS:
1	JR-50-1000	Spotlight, Handheld, 100,000 CP
2	JR-50-SR00	Light, Whelen #52 LED, Amber, Flashing, IATS <b>SHOP NOTE:</b> (SO-LIGHT-239001)  (1) Mounted on interior panel C/S entry door, in center section of door, below grabhandle, near door handle  (1) On exterior panel of door, approx 7"(center) from outboard edge of door and 26.5"(center) from bottom of door  Ignition hot, C/S door activated
1	JR-60-2000	Timer, 15 Minute, Intermatic, Constant Hot <b>SHOP NOTE:</b> C/S wall at head of S/B  Wired to Str/S domes, high intensity
1	JR-60-5000	Circuit, Check Out Lights
1	JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting <b>SHOP NOTE:</b> Battery hot, with switch
1		CLOCKS:

QTY	PART NO	DESCRIPTION	
1	L0-10-1500	Clock, Analog, Self Cont, 12/24 Hr, 8" <b>SHOP NOTE:</b> above rear entry doors	
1		SUCTION PUMPS:	
1	LP-10-2000	Suction Pump, Thomas, Upgrade	
1		INSULATION:	
1	LU-10-3000	Insulation, Severe Weather Package <b>SHOP NOTE:</b> One inch block foam in modular floor, walls and roof covered with reflective insulation	
1		OVERHEAD GRABRAIL:	
1	N0-10-1200	Grabrail, Overhead, 59IN Handicap, IATS <b>SHOP NOTE:</b> Over edge of S/B	
1	N0-10-9000	Grabrail, Overhead, 117 In, Handicap Style	
1	N0-11-0500	Handrails, (3), "L" Shape, 1", on Each Entry Door , ILOS <b>SHOP NOTE:</b>  ILOS	
1	N0-11-1500	Grabhandle, 1" X 13.5", Aluminum, (1), On Exterior, IATS <b>SHOP NOTE:</b> Behind C/S entry door  Color: White	
1		O2 CYLINDER RACKS:	
1	NA-10-2500	Rack, Cylinder, Ziamatic, "M", QRM-2	
1		O2 SYSTEMS COMPLETE:	
1	NF-50-1500	O2 System, LF Stor, (2) O2/(1) Vac Outlet in A/A, (1) O2 C/S <b>SHOP NOTE:</b> Ohio style  (2) Oxygen outlets in A/A (1) Vacuum outlet in A/A (1) Oxygen outlet C/S wall at head of S/B	
1		SUCTION CONTAINERS:	
1	PA-10-7000	Regulator/Holder, SSCOR 22000	
1		COT MOUNTS:	
1	PF-26-3100	Cot Mount, Stryker 6360-30-10, Dual	
1	PF-35-4200	Cot Mount, Stryker, Mods, Rear Safety Hook Installed	
1		IV HOOKS:	
2	PP-20-1000	IV Hook, Perko, (1), W/Straps, STD <b>SHOP NOTE:</b>	

QTY	PART NO	DESCRIPTION
		C/S and S/S standard locations
2	PP-20-9000	IV Hook, Cast, Fold Down Recessed, IATS <b>SHOP NOTE:</b> (1) Centered above S/S mounted cot  (1) Centered above S/B
1		KICK PLATES STAINLESS STEEL, ON CABINETS:
1	PU-10-1000	Kickplate, Brushed S/S, Face Of Squad Bench
1	PU-10-2000	Kickplate, Brushed S/S, On Face of Basewall
1	PU-10-3000	Kickplate, Brushed SS, Head of Squad Bench
1		MISC. INSTALLED HARDWARE/EQUIPMENT:
1	R5-10-8000	Wrench, Oxygen, Tethered, Mods <b>SHOP NOTE:</b> Compartment F
1	R5-11-5500	Seatbelt, Addtl, Wall of B-2 foot of S/B
1		DRI-DECK/TURTLETILE:
1	RA-10-2000	Dri Deck, Black, All compt. Floors and Shelves
1		REFLECTORS:
10	RP-10-1000	Reflector, 3 In, Red, Screw-On, (1) <b>SHOP NOTE:</b> (1) On the low outside corner of all entry and compartment doors
1		MICA COLOR:
1	RU-14-1900	Mica, Dove Gray Over Pewter Brush
1		SUB FLOORING:
1	RZ-99-0100	Floor, Interior, Non Wood, Type 3/9, ILOS
1		FLOORING:
1	T0-15-5600	Flooring, Lonplate, #176, Gray, ILOS
1		SEAMLESS ATTENDANT SEATS:
1	T5-10-0500	Chair, Attn dt, Gunmetal, Seamless
1		SEAMLESS UPHOLSTERY:
1	T5-25-0500	Uph, Smless, Gunmetal, No Bio, No Post & Wheel <b>SHOP NOTE:</b> Allow for Sage Five Quart sharps container in wire bracket on C/S wall at head of S/B above and forward of backrest pad
1		BULKHEAD CABINET:
1	TF-50-1500	Cabinet, B/H, WT, EMS- F/R MAV, W/72"HR
1		O2 DOOR:
1	TK-10-4000	Wrap Around Plexi W/Hinge, MAV's
1		BULKHEAD SLIDING DOOR:
1	TP-11-0000	Door, Sliding, Bulkhead, STD, Type 1/9
1		RIGHT FRONT CABINET:
1	TU-20-2800	Cab, RF, W/Pureair, 72" Hdrm, "VA Style"

QTY	PART NO	DESCRIPTION
		<b>SHOP NOTE:</b>
		Cabinet E1 door to be top hinged
		Make cabinet E3 open to the A split door
1		RF CABINET DOORS W/PUREAIR A/C
1	TU-20-9600	Doors, Virginia Style split horizontal E2 & E3
		<b>SHOP NOTE:</b>
		E-2 hinged on right
		E-3 hinged on left
1		LEFT FRONT CABINET:
1	TU-50-2100	Cabinet, Left Front, EMS F/R, MAV, W/72" H.R.
		<b>SHOP NOTE:</b>
		Full height cabinet behind attendant's seat for circuit board.
		No cabinet S.
1		HARDWARE, LATCHES AND LOCKS:
2	V0-10-0500	Handle, C, Pull, Installed, (1) Ea, STD
		<b>SHOP NOTE:</b>
		cabts "E2" & "E3"
4	V0-10-2000	Latch, Plunger Roller, Installed
		<b>SHOP NOTE:</b>
		(2) Cabinet E2
		(2) Cabinet E3
1	V0-10-7900	Lock, Key, KV-70, Installed, Std E1
		<b>SHOP NOTE:</b>
		For cabinet E1 (Pureair)
		Hinge at top
2	V0-13-9000	Latch, Lever, No Key, Installed, IATS
		<b>SHOP NOTE:</b>
		(1) Cabinet E2
		(1) Cabinet E3
1	V0-15-SR00	Strut, Gas, 20 Pound
		<b>SHOP NOTE:</b>
		(SO-STRUT-233598)
		on top hinged E1 door



QTY	PART NO	DESCRIPTION
1		SQUAD BENCH:
1	V5-20-6300	Squad Bench, 160/170 EMS MAV, (2)"D" Cyl @ Hd
		<b>SHOP NOTE:</b>
		No bio-waste
		No Nylon strips in "D" cylinder storage areas.
1	V5-20-SR00	Sharps Container, Sage, Five Quart, Installed
		<b>SHOP NOTE:</b>
		(SO-CONT-231135)
		Sage Five Quart sharps container in wire bracket
		(1) Mount bracket on C/S wall at head of S/B above and forward of backrest pad
1		LID 170 INCH BOX:
1	V5-64-0500	Lid, Squad Bench, Single
1		HARDWARE:
1	V5-80-1000	Handle, Paddle, Squad Bench, STD
1	V5-82-0500	Strut, Gas, 30 LB, Installed, ILOS
		<b>SHOP NOTE:</b>
		Head of S/B
1	V5-82-1500	Strut, Gas, 30 LB, Installed, IATS
		<b>SHOP NOTE:</b>
		Foot of S/B
1		CURBSIDE REAR CABINET:
1	VF-20-5300	Cabinet, C/S Rear, 170 EMS MAV, W/72" H.R.
		<b>SHOP NOTE:</b>
		Mount exhaust fan above compartment B2, standard
1		CABINET H, BASEWALL, 170", T9
1	VH-H4-0300	H, Cabinet, Inside/ Outside Access
1		CABINET I, BASEWALL 170", T9
1	VH-I4-0300	I, Cabinet, Inside/ Outside Access
1		CABINET M, BASEWALL 160" & 170", T9
1	VH-M2-0100	M, Cabinet, 1/2 height, std
1		CABINET O, BASEWALL 160" & 170", T9
1	VH-O2-0100	O, Cabinet, full height, std
1	VH-Q0-0200	CPR, side seat, drop down tray
1	VH-Q0-0300	CPR, side seat, flip up lid
1		CABINET CPR, BASEWALL, 160" & 170", T9
1	VH-Q1-0100	CPR, side seat, std
1		CABINET J, STREETSIDE UPPER 170", T9
1	VI-J4-0300	J, Cabinet, 72" H.R.

QTY	PART NO	DESCRIPTION
1		CABINET K, STREETSIDE UPPER 160" & 170", T9
1	VI-K3-0200	K, Cabinet, 72" H.R.
1		CABINET L, STREETSIDE UPPER 160" & 170", T9
1	VI-L2-SR00	L, Cabinet, L1, L2, L3 Custom
		<b>SHOP NOTE:</b>
		(SO-L-259053)
		Combine L1 & L2
		Make L3 the size of a standard L1 cabinet
1		CABINET OPTIONS:
1		BASEWALL DOORS:
1	VK-15-4000	Cab H, Gray Lexan Slider
1	VK-15-9000	Cab I, Gray Lexan Slider
1	VK-16-1000	Cab M, Gray Lexan Slider
1	VK-16-5000	Cab O, Gray Lexan Slider
1		TELEMETRY AREA WORK SURFACE
1	VP-10-5462	Telemetry Tray, Poured, Gray, Narrow, 50" Aisle
		<b>SHOP NOTE:</b>
		**only for 50" aisle space units**
1		CPR DROP DOWN TRAY WORK SURFACE
1	VP-10-5600	CPR Drop Down Tray, ABS, White
1		ACTION AREA WORK SURFACE
1	VP-10-5908	A/A Tray, 160-170", W/O Bio, ABS, White
		<b>SHOP NOTE:</b>
		White
1		ACTION AREA CABINET:
1	VP-15-9500	Cabinet, A/A, EMS MAV, No Biowaste
		<b>SHOP NOTE:</b>
		ABS tray and rounded corner package
		No biowaste in A/A. Area to right of divider in compt "E" for customer use.
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
		<b>SHOP NOTE:</b>
		Cabinet J
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
		<b>SHOP NOTE:</b>
		(1) Cabinet K
2	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
		<b>SHOP NOTE:</b>
		(1) Cabinet L1

QTY	PART NO	DESCRIPTION	
		(1) Cabinet L2	
1	VU-15-2000	Cab "J" Gray Lexan Slider	
1	VU-15-4000	Cab "K" Gray Lexan Slider	
1	VU-15-8000	Cab "L1" Gray Lexan Slider	
		<b>SHOP NOTE:</b>	
		Cabinet L1 & L2 combined	
1	VU-16-8000	Cab "L3" Wood Door	
		<b>SHOP NOTE:</b>	
		Hinged on right	
1		ATTENDANT SEATBASE:	
1	X0-10-4000	Att Seat Base, Pedestal, Swivel	
		<b>SHOP NOTE:</b>	
		Must swivel 360 degrees	
1		SHIP LOOSE ITEMS:	
1	YY-10-6400	Ship Loose, W.C. Standard Items	
1	YY-12-1000	Fire Extinguisher. (1) 5Lb. Abc, Ship Loose, IATS	
1	YY-13-3000	Spare Tire, Ship Loose	
		<b>SHOP NOTE:</b>	
		OEM Spare	
1		DECAL PACKAGES LOOSE:	
1	YY-15-0500	Decal, Dot Package, Black Border, Ship Loose	
1		WARRANTIES	
1	ZZ-10-0100	Warranty, Conversion, 12 Month/12K Miles, Std.	
1	ZZ-10-0200	Warranty, Paint, 12 Month/12K Miles, Std.	
1	ZZ-10-0300	Warranty, Structural, 15 Years, Std., Mods	
1	ZZ-10-1800	Warranty, Lifetime, Mod Electrical	
1	ZZ-10-9900	EMS SUPPLIES SHIP LOOSE	
		<b>SHOP NOTE:</b>	
		(EMS-259056)	
2	ZZ-25-0610	FLOWMETER, 0-15LPM,W/OHIO ADAP• •	
1	ZZ-25-1030	REGULATOR, LARGE CYLINDER, PRESET 50PSI• •	
1	ZZ-ZZ-0200	End Of Order	
		<b>Total</b>	<b>137,601.00</b>

# QUOTATION

# Wheeled Coach

State of Ohio

**Exp. Date:** 04/02/2008  
**Quote No:** 08-0016

**Job/Order No:** TBA

**T1 - 153:** 0990009STD Ford, F-350,165"WB,4x2, XLT,153", #1153F  
**T1 - 153:** 200010 STD Type 1 Ford - 153" Module - #1153F

03/03/2008

WO#: TBA

Page 1

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
		== Ford, F-350,165"WB,4x2, XLT,153", #1153F - 9	1	WC		
		CHASSIS:	1	WC		
00-10-3100	<	Ford 2008 F-350, 4x2, XLT, 6.4L,153", #1153F 0	1	WC		
		CAB TO MODULE MOUNTING:	1	WC		
10-10-1001	< >	Bellows, Passthru, Unigrip, F1 2008+, Std	1	WC		
		CHASSIS ADD-ONS:	1	WC		
2F-71-7101		Mat,Black Rubber,ILO Cab Carpet,2008+, F350/45	1	WC		
		HEATING/AIR CONDITIONING:	1	WC		
5U-10-1510	<	Heat/AC, F1, Pureair, 2001 Style, ILOS	1	WC		
5U-12-5000		Hoses, Heater, Nomex to Rear, STD	1	WC		
		BATTERY SWITCHES:	1	WC		
60-20-050E	<	Battery Conf, Fig 5B, Electric Sw, F1/D1, Batt Unde	1	WC		
		CONSOLES:	1	WC		
7U-10-0602		Console, Center, Pass-thru, Zolatone Painted, F1,	1	WC		
7U-10-7000		Console, A/A, Wood, Angled	1	WC		
		BULKHEAD CABINET:	1	WC		
TF-50-1000		Bulkhead, Unigrip, Pass Thru,153/170x67, Ford	1	WC		
		WHEELCOVERS:	1	WC		
X5-10-3801	>	Covers, Wheel,Phoenix,F350 2005+,Installed,#114	1	WC		
		== Type 1 Ford - 153" Module - #1153F - 905.070	1	WC		
35-05-0005		Type 1 - 153" Module - Standard Model Series	1	WC		
35-05-0010		Type 1 - 153" Module General Body Construction	1	WC		
35-05-0020		Type 1 - 153" Module Vehicle Body Structure Spec	1	WC		
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wo	1	WC		
		MODULE BODIES:	1	WC		
35-10-0068	<	Aisle Space, 50 inches, STD, Type 1, Std Model On	1	WC		
35-10-0501	>	Headroom, 72 in. Type 1 - 153" module, #1153F/D	1	WC		
37-00-0300	<	Compartments, Zolatone Finish (1) per compt	6	WC		
37-00-0500	< >	Compartments, Std, Floor 3" Drop Down from Door	4	WC		
37-00-0600	< >	Compartments, Sweepout	2	WC		
37-00-0710	<	Duraseam Doors, with Hidden Jambs	1	WC		
37-A0-0173	>	A, Compt, Single Door, Pureair, 153" Module, 72" H	1	WC		
37-B1-0126	>	B1, Compt, Std, 153" Module , T1, 72"HR, #1153F/	1	WC		
37-B2-0173	>	B2, Compt, Std, 153" Module, T1, 72"H.R.	1	WC		
37-D0-0351	< >	D, Compt, 3/4, 153" Module, T1, 72" H.R, #1153F/	1	WC		
37-E0-0101	< >	E, Compt, Std, 153" Module, T1, #1153F/D only	1	WC		
37-F0-0151		F, Compt, Std, 3/4 High, 153" Module,T1,72" HR,#1	1	WC		
		FUEL FILL HOUSING:	1	WC		
3A-10-1000	>	Housing, Fuel Fill, Cast, F1/C1/D1	1	WC		
		EXTERIOR DIVIDERS:	1	WC		
3F-10-1101	<	Divider, Vertical, B2, .090" Thick, Std Model only	1	WC		
		SHELF- COMPARTMENT "A"/RF CABINET:	1	WC		
3F-20-1000	<	Shelf, Adjustable,(1), RF Cabt Custom	1	WC		

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
		SHELF- COMPARTMENT "D":	1	WC		
3F-40-3001	<	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only	1	WC		
		SHELF- COMPARTMENT "E":	1	WC		
3F-50-0100	<	Shelf, Fixed, Cmpt E, for Electrical storage, w/ Divid	1	WC		
		WINDOWS:	1	WC		
3P-10-5201	>	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,St	1	WC		
		MODULE ENTRY DOOR HANDLES:	1	WC		
3U-30-1000		Handle, Entry, Max Grip Eberhard, J236	1	WC		
		EXTERIOR COMPT DOOR HANDLES:	1	WC		
3U-40-0500	>	Handle, Compt, C/S, Max Grip Eberhard, J236	3	WC		
3U-40-0505	>	Handle, Compt, S/S, Max Grip Eberhard, J236	3	WC		
		DOOR HOLD OPENS:	1	WC		
40-10-1601	< >	Hold Opens,Rr Doors,Cast,Grabber (4),4.5", Std M	1	WC		
40-10-7200		Hold Open, Gas Strut, Ext Compt, 30lb, Std	5	WC		
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC		
		DOOR PANELS:	1	WC		
45-10-4505	< >	Panels, Entry, Durasafe, Stainless Steel, w/ Chevro	1	WC		
		FENDER FLARES:	1	WC		
4A-10-3001		Flare, Fender, Bright Finish, Std Model only	1	WC		
		BUMPERS:	1	WC		
4F-10-1101	<	Bumper,Rear,w/ Skids & Flip Up,F1,w/LED DOT lig	1	WC		
		RUNNING BOARDS:	1	WC		
4K-10-2101		Running Boards, Standard,F350, w/ Gator Grip, #1	1	WC		
		SKIRTRAILS W/BODY SPACERS:	1	WC		
4U-10-1000		Skirtrails, Diamond Plate, 153in Box,F-350/Dodge 3	1	WC		
		STONE GUARDS (FRONT):	1	WC		
4U-11-2000		Stone Guard, Front, Dia Plate, 13.38"	1	WC		
		KICKPLATES (w/STD. REAR STONEGUARDS):	1	WC		
50-10-2100		Kickplate, W/Recess, No Light Holes,Pan	1	WC		
55-10-3000	<	Holder, License Plate, Cast, C30002, STD	1	WC		
		SILL PROTECTORS	1	WC		
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model onl	1	WC		
		MUD FLAPS:	1	WC		
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1	WC		
		PAINT/BELTS:	1	WC		
5F-10-1800	>	Paint Belt, Belt Line Down, 20% Upch	1	WC		
5K-10-5100	>	Pinstripe, Black, Non-Reflective, 1/4 In	2	WC		
		DECAL PACKAGES INSTALLED:	1	WC		
5P-10-5001		Roof Star, White Border, Installed, Std Model Only	1	WC		
		ELECTRICAL SYSTEM:	1	WC		
		COAX CABLES/ANTENNAS:	1	WC		
65-10-3001	< >	Coax Cable, RG58/U, (1), Additional, Std Model onl	1	WC		
65-30-1000	< >	Coax Cable, RG58/U, (1) Each, Standard, Terminat	1	WC		
		12VDC POWER SOURCES & OUTLETS:	1	WC		
6A-22-200E	< >	Outlet, Cigar Lighter, STD, (2), A/A	1	WC		
		POWER SOURCE, 12 VDC	1	WC		
6A-23-1201	< >	Power Source,12 VDC,15 Amp (+-), Std Model only	1	WC		
6A-23-3001	< >	Power Source,12 VDC,30 Amp (+-), Std Model only	1	WC		
		SHORELINE INLETS:	1	WC		
6F-90-4101	< >	Super Auto Eject,20 amp,w/interrupter,ILOS, Std M	1	WC		
		110 VAC OUTLETS:	1	WC		
6K-40-1000	<	Outlet, 110 VAC, Duplex, (2), STD	1	WC		
		GAUGES/METERS:	1	WC		
D0-10-1200		Meter, Analog, Volts, Datcon, F1	1	WC		
		SIREN SPEAKERS:	1	WC		
DF-10-1240	<	Siren Speakers, Cast SAD/P4314, F1, 2008, Std	1	WC		
		SIRENS:	1	WC		
DK-10-1400	>	Siren, Whelen, WS-295-SLSA1, Standard	1	WC		
		SWITCHING OPTIONS FOR AIR HORNS & SIRE	1	WC		
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	WC		
		AUDIBLE ALARMS:	1	WC		

PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1	WC		
		VEHICLE EXTERIOR LIGHTING	1	WC		
FK-24-0070		< > Lightbar, Whelen, 4500, 86", LRRLRRL, RCRRCRC	1	WC		
		WHELEN 45KKK ADVANTAGE PLUS LIGHT BA	1	WC		
FK-25-0142	S	DELETED: LB,45KKFH,HRRHRRH,RCRCRCR, St	1	WC		
		WHELEN HALOGEN 9E WARNING LIGHTS:	1	WC		
FU-30-102E		DELETED: Light, 9H, Whelen, Red, IATS, Std Mo	2	WC		
FU-40-0100		> Light, 9L, Super LED, Whelen, Red, Red Lens,ILO	6	WC		
FU-40-0110		> Light, 9L, Super LED, Whelen,Amber,Clear Lens,IL	1	WC		
FU-40-0125		> Light, 9L, Super LED, Whelen, R/A,Clear Lens,IAT	2	WC		
H5-58-0310		> Light, 7L, Super LED, Whelen, Red, Red Lens, ILO	2	WC		
		GRILLE/INTS LIGHTS, 2008+ FORD & DODGE T	1	WC		
H5-59-400E	<	Light, Whelen, LIN3, LED-Red, Grille/Ints, Std, RSR	4	WC		
		CORNER CAP LIGHTS	1	WC		
HF-11-6051	<	Corner Cap Lts,LED,(2)Amber(2)Red w/Flashers,S	1	WC		
		CLEARANCE LIGHTS:	1	WC		
HF-12-9601	<	Light, Clearance, Red LED, Std Model only	3	WC		
		SCENE AND LOAD LIGHTS	1	WC		
HK-20-110E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD,	4	WC		
HK-20-130E	<	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD,	2	WC		
		WARNING LIGHT FLASHERS	1	WC		
HU-24-6000		Flasher, Vanner 3860WC, C/D/E Spec	1	WC		
		HARNESS LAYOUT:	1	WC		
J5-12-2000		Halogen, " E " Spec, Vanner, (1) Lightbar	1	WC		
		STOP/TURN/TAIL LIGHTS:	1	WC		
JA-10-1000		Light, License Tag, (2), Grote 60101, STD	1	WC		
JA-13-8010		Tailights, Whelen,LED Stop/Tail,Halogen/Backup,	1	WC		
		MODULE OVERHEAD HEADLINER:	1	WC		
JK-10-5500	>	Headliner, Flat, Expanded PVC, Std	1	WC		
		12VDC INT LIGHTING-HALOGEN & INCANDES	1	WC		
JP-10-0505		Lights, Weldon, 8046-0320-80, (4) S/S, (3) C/S	1	WC		
JP-10-7005		Light, Stepwell, Trucklite, 2in, Std	1	WC		
JP-10-8000		Light, Xantech, 105-500, 5 Inch,In A/A	1	WC		
		12VDC INTERIOR LIGHTING - FLUORESCENT:	1	WC		
JP-16-1106	< >	Lights, Fluor,Liteco #17918265,18IN,(3),W/Sw, Std	1	WC		
		LIGHTS & MISCELLANEOUS:	1	WC		
JR-50-1401		Spotlight, Blue Eye, 400,000 CP, Std Model only	1	WC		
JR-60-2001	< >	Timer/Circuit,15 Minute,Intermatic,Const Hot,Std M	1	WC		
JR-70-0005	<	Light, in Circuit Board Area, for Electrical Troublesh	1	WC		
		SUCTION PUMPS:	1	WC		
LP-10-0500		Suction Pump, Thomas, Standard	1	WC		
		INSULATION:	1	WC		
LU-10-1000		Insulation, Fiberglass, Unfaced	1	WC		
		GRABRAIL(S)/GRABHANDLES:	1	WC		
N0-10-9101	<	Grabrail,Overhead,117",Handicap Style,Yellow,Std	1	WC		
N0-10-9701	<	Handrails,(3),"L" Shape,1",Yellow,Entry Doors,Std	1	WC		
		O2 CYLINDER RACKS:	1	WC		
NA-10-2500	>	Rack, Cylinder, Ziamatic, "M", QRM-2	1	WC		
		O2 SYSTEMS COMPLETE:	1	WC		
NF-50-1001	< >	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std M	1	WC		
		SUCTION CONTAINERS:	1	WC		
PA-10-7001	>	Regulator/Holder, SSCOR 22000, Std Model only	1	WC		
		COT MOUNTS:	1	WC		
PF-26-3100	>	Cot Mount, Stryker 6360-30-10, Dual	1	WC		
PF-35-4200	>	Cot Mount, Stryker, Mods, Rear Safety Hook Install	1	WC		
		IV HOOKS:	1	WC		
PP-20-1000	< >	IV Hook, Perko, (1), W/Straps, STD	2	WC		
RU-05-0000		Interior Cabinets - Duralite Construction, Wood	1	WC		
		MICA COLOR:	1	WC		
RU-10-3001		Mica, Light Gray Gloss, Std Model only	1	WC		
		SUB FLOORING:	1	WC		



PART NO	S	DESCRIPTION	QTY	ID	EACH	EXTENDED
RZ-99-0025		Flooring, Wood, Type 3/7/9, Std	1	WC		
		FLOORING:	1	WC		
T0-11-8201		Flooring, Lonplate II,Gunpowder Grey #424TX, Std	1	WC		
		SEAMLESS ATTENDANT SEATS:	1	WC		
T5-10-5111	<	Seat, Attendant, EVS, Child,Gunmetal #1880CB, St	1	WC		
		SEAMLESS UPHOLSTERY:	1	WC		
T5-25-0500		Uph, Smless, Gunmetal,No Bio,No Post & Wheel	1	WC		
		O2 DOOR:	1	WC		
TK-10-5010		Lexan Flaps, Hinged Left Side, Fixed Right Side, St	1	WC		
		GLOVE HOLDERS:	1	WC		
TN-20-1001	<	Cabinet, Glove Box Holder,(3),Above C/S door, Std	1	WC		
		RIGHT FRONT CABINET:	1	WC		
TU-17-1560	<	Cabinet, Right Front, 2001 Pureair, Modified VA Sty	1	WC		
		RF CABINET DOORS W/2001 PUREAIR A/C	1	WC		
TU-21-7350	<	Doors,Modified VA Style, E1 & E2, 2001	1	WC		
		HARDWARE,LATCHES AND LOCKS:	1	WC		
V0-10-0500	< >	Handle, C, Pull, Installed,(1) Ea,STD	3	WC		
V0-10-2000	< >	Latch, Plunger Roller, Installed	5	WC		
V0-13-9001	< >	Latch, Lever, No Key, Installed, STD, 2001 Style R	2	WC		
V0-14-1001	>	Latch, Lever, W/Key, Installed, "L" Cabt Wood Door	1	WC		
		SQUAD BENCH:	1	WC		
V5-20-1801		Squad Bench, Bio-Waste @ Head, 153", Std Model	1	WC		
		LID 149/153 INCH BOX:	1	WC		
V5-60-1901		Lid, Squad Bench, Single W/Bio-Waste, 153", Std	1	WC		
		HARDWARE:	1	WC		
V5-80-1000		Handle, Paddle, Squad Bench, STD	1	WC		
V5-82-2500		Strut, Gas, 60 LB, Installed, ILOS, Mods	1	WC		
		CURBSIDE SPLINT CABINET 149/153 INCH BO	1	WC		
VA-40-0550		Curbside Splint Cabt, None	1	WC		
		CURBSIDE REAR CABINET:	1	WC		
VF-20-3110		Cabinet, Curbside Rear, Standard, 153 In, 72" HR	1	WC		
		CABINET H, BASEWALL 149/153", T1 & T3	1	WC		
VH-H0-0300		H, Cabinet, Inside/ Outside Access	1	WC		
		CABINET I, BASEWALL 149/153", T1 & T3	1	WC		
VH-I0-0400		I, Cabinet, Deleted	1	WC		
		CABINET M, BASEWALL 149/153", T1 & T3	1	WC		
VH-M0-0300		M, Cabinet, deleted	1	WC		
		CABINET O, BASEWALL 149/153", T1 & T3	1	WC		
VH-O0-0100		O, Cabinet, full height, std	1	WC		
		CABINET CPR, BASEWALL, 149"-170", T1 & T3	1	WC		
VH-Q0-0101		CPR, side seat, Std Model only	1	WC		
VH-Q0-0301		CPR, side seat, flip up lid, Std Model only	1	WC		
		CABINET J, STREETSIDE UPPER 149/153", T1 &	1	WC		
VI-J0-0300		J, Cabinet, 72" H.R.	1	WC		
		CABINET K, STREETSIDE UPPER 149/153", T1	1	WC		
VI-K0-0205		K, Cabinet, 2/3 depth, 72" H.R.	1	WC		
		CABINET L, STREETSIDE UPPER 149/153", T1 &	1	WC		
VI-L0-0251	<	L,Cabts,L1 in Angled Area,L2 std,3/4 F,72"HR, Std	1	WC		
		BASEWALL DOORS:	1	WC		
VK-15-4000		Cab H, Gray Lexan Slider	1	WC		
VK-16-5000		Cab O, Gray Lexan Slider	1	WC		
		ACTION AREA 149/153 INCH BOX:	1	WC		
VP-10-1000		Cab,A/A,W/O Biowaste, Rounded Corner	1	WC		
		TELEMETRY AREA WORK SURFACE	1	WC		
VP-10-5462	<	Telemetry Tray, Poured, Gray, Narrow, 50" Aisle	1	WC		
		ACTION AREA WORK SURFACE	1	WC		
VP-10-5916	<	A/A Tray, No Bio, Poured, Gray, Narrow, 50" Aisle	1	WC		
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC		
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC		
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC		
VU-14-4000	>	Shelf, Interior, Adj, in Cabinet:	1	WC		

PDF created with pdfFactory trial version [www.pdffactory.com](http://www.pdffactory.com)



# QUOTATION

Wheeled Coach Ind.

State of Ohio

**Exp. Date:** 01/01/2010

**Quote No:** 07-242

**Job/Order No:** TBA

**T2:** 0980100 Ford, E350, Crusader Plus, XL

**T2:** 200018 Type 2 Ford - Crusader Plus Series

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION
1		== Ford, E350, Crusader Plus, XL - 320.070 03/17/07 ==
1		CHASSIS:
1	00-20-4288	Ford, 2008 E350, Supervan, Crusader Plus, XL 07-8
		<b>SHOP NOTE:</b>
		Autothrottle OEM Ford
		Alternator OEM Ford
		Cab seats OEM Ford Velour
		Spare tire located under rear of van.
1		== Type 2 Ford - Crusader Plus Series - 320.070 03/17/07 ==
1		CRUSADER PLUS VAN
1	XX-00-0111	Base Bill of Materials, 2008 Crusader Plus Van, Ford
		<b>SHOP NOTE:</b>
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD
1		REAR BUMPER:
1	XX-05-0095	Bumper, Rear, W/ Flipup Step, Ford
1	XX-10-0005	Inverter/Charger, Vanner 20-1050
1		110VAC SHORELINE:

QTY	PART NO	DESCRIPTION
1	XX-10-0045	Inlet, Shoreline, 15A, Std <b>SHOP NOTE:</b> driver's side, std location
1		12VDC POWER SOURCES:
1	XX-10-0083	Outlet, Cigar, Lighter, ( 2 ), STD, in A/A
1		SIREN:
1	XX-15-0155	Siren, Whelen, WS-295-HFS
1	XX-15-0820	L/B, Whelen, Centurian, Lens - RCR
1	XX-15-0952	Flasher, Vanner, 3860WC, "C" & "D" Spec
1		WHELEN 9H HALOGEN SERIES LIGHTS:
8	XX-17-0005	Light, Whelen, 9H, Red, STD <b>SHOP NOTE:</b>  (2) on Front, (2) on Rear, & (2) on each side, STD  On Chev only: (2) on intersafe area on front, pri/sec, flash sim with center white.
1	XX-17-0015	Light, Whelen, 9H, Clear, STD <b>SHOP NOTE:</b>  Center Front, STD
1	XX-17-0025	Light, Whelen, 9H, Amber, STD <b>SHOP NOTE:</b>  Center Rear, STD
1		SCENE AND LOAD LIGHTS
6	XX-17-1205	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) each side as scene lights  (2) on rear as load lights
1		AVW GRILLE:

QTY	PART NO	DESCRIPTION
1	XX-17-1350	Avw System, Grille, F2, W/C, Standard
1		WHELEN 7H HALOGEN SERIES LIGHTS:
4	XX-17-2005	Light, Whelen, 7H, Red, STD <b>SHOP NOTE:</b>
		Grille/Intersectors, STD
1		FLANGES, 7E LIGHTS :
2	XX-17-4510	Flanges, 7E Lights, (1), STD <b>SHOP NOTE:</b>
		For standard intersection lights.
1	XX-17-5695	Switch, Stealth, Front Grille
1		OXYGEN SYSTEM:
1	XX-17-6085	O2 System, Storage in Rear Vertical Cab (1) A/A (1) Liner <b>SHOP NOTE:</b>
		Ohio Style (1) O2 Outlet in A/A (1) O2 Outlet in C/S Liner @ Head of S/B
1		SUCTION PUMP:
1	XX-17-7550	Suction Pump, Electric, Thomas, STD
1		SUCTION CONTAINERS:
1	XX-17-7650	Suction Container, W/C, STD
1		STANDARD CABINETS:
1	XX-19-0050	Cabinet, S/B, Vertical B/B Storage, Biowaste @ Head, STD <b>SHOP NOTE:</b>
		w/ 60lb Gas Strut Hold open, STD
1	XX-19-0051	Cabinet, Vertical O2, Foot of Squad Bench, STD <b>SHOP NOTE:</b>

QTY	PART NO	DESCRIPTION	
		w/ ABS door & O2 cylinder rack/straps	
1		ATTENDANT SEAT:	
1	XX-19-014B	Base, Attendant, Metal Box, Wise #WM1610, STD	
1	XX-19-014C	Seat, Attendant, Wedgewood, Wise #WM1613, (3) point seatbelt	
		<b>SHOP NOTE:</b>	
		(3) point seatbelt	
1		FLOORING :	
1	XX-19-0159	Flooring, Brushed Pewter, #51067, STD	
1		UPHOLSTERY:	
1	XX-19-0205	Upholstery, Wedgewood Blue, Seamless, STD	
1		MICA:	
1	XX-19-0304	Mica, Shadow Blue, Matte Finish, STD	
1		COT MOUNTS INSTALLED:	
1	XX-19-0710	Cot Mount, Stryker 6371, Wall Mount	
1	XX-19-0725	Bracket, Cot Mount, Installed for:	
		<b>SHOP NOTE:</b>	
		STATE COT MODEL #:	
1	XX-19-0821	Hook, Rear Safety, Installed, Stryker cot	
1		SHIP LOOSE:	
1	XX-19-1005	Ship Loose Items:	
1	XX-19-1075	Decal, DOT Package, White Border, Ship Loose	
1	XX-19-1090	Fire Extinguisher, (1), 5 lb. ABC, Ship Loose	
1	XX-19-1110	Wheel Covers, Phoenix, Ford	
1	XX-19-1115	End Of Order	
		<b>Total</b>	<b>58,533.00</b>

# QUOTATION

Wheeled Coach Ind.

State of Ohio

**Exp. Date:** 01/01/2010

**Quote No:** 07-241

**Job/Order No:** TBA

**T2:** 0990003 Chevy, G-30, 155 WB, Diesel

**T2:** 200019 Type 2 Chev - Crusader Plus Series

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION
1		== Chevy, G-30, 155 WB, Diesel - 320.070 03/17/07 ==
1		CHASSIS:
1	00-25-1001	Chevy 2008 155"WB, Crusader Plus 08-2
		<b>SHOP NOTE:</b>
		Autothrottle OEM
		Alternator OEM
		Cab seats OEM
		Spare tire located under rear of van.
1		== Type 2 Chev - Crusader Plus Series - 320.070 03/17/07 ==
1		CRUSADER PLUS VAN
1	XX-00-0110	Base Bill of Materials, 2007 Crusader Plus Van, Chev
		<b>SHOP NOTE:</b>
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD
1		REAR BUMPER:
1	XX-05-0096	Bumper, Rear, W/ Flipup Step, W/Gatorgrip, Chev, IATS
		<b>SHOP NOTE:</b>
		IATS OEM bumper step
1	XX-05-0098	Bumper, Rear, OEM Step, Chev

QTY	PART NO	DESCRIPTION	
1	XX-10-0005	Inverter/Charger, Vanner 20-1050	
1		110VAC SHORELINE:	
1	XX-10-0045	Inlet, Shoreline, 15A, Std	
		<b>SHOP NOTE:</b>	
		driver's side, std location	
1		12VDC POWER SOURCES:	
1	XX-10-0083	Outlet, Cigar, Lighter, ( 2 ), STD, in A/A	
2	XX-10-0091	Power Source, 12VDC, 15A, Ignition Hot	
1		SIREN SPEAKERS:	
1	XX-15-0130	Speakers, Siren, Cast, In Bumper, Chevy T2	
1		SIREN:	
1	XX-15-0155	Siren, Whelen, WS-295-HFS	
1	XX-15-0505	Flasher, Headlight, Code 3 700	
1	XX-15-0820	L/B, Whelen, Centurian, Lens - RCR	
1		WHELEN 9H HALOGEN SERIES LIGHTS:	
10	XX-17-0005	Light, Whelen, 9H, Red, STD	
		<b>SHOP NOTE:</b>	
		(2) on Front, (2) on Rear, & (2) on each side, STD	
		On Chev only: (2) on intersafe area on front, pri/sec,	
		flash sim with center white.	
1	XX-17-0015	Light, Whelen, 9H, Clear, STD	
		<b>SHOP NOTE:</b>	
		Center Front, STD	
1	XX-17-0025	Light, Whelen, 9H, Amber, STD	
		<b>SHOP NOTE:</b>	
		Center Rear, STD	
1		SCENE AND LOAD LIGHTS	
6	XX-17-1205	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1)	
		<b>SHOP NOTE:</b>	

QTY	PART NO	DESCRIPTION
		(2) each side as scene lights
		(2) on rear as load lights
1		WHELEN 7H HALOGEN SERIES LIGHTS:
4	XX-17-2005	Light, Whelen, 7H, Red, STD <b>SHOP NOTE:</b> Grille/Intersectors, STD
1		FLANGES, 7E LIGHTS :
1	XX-17-4520	Housings, Whelen, 7E Grille Lights, Pair, Chev T2 <b>SHOP NOTE:</b> #7GCV6LRC
1	XX-17-4530	Housings, Whelen, 7E Intersection Lights, Pair, Chev T2 <b>SHOP NOTE:</b> #7ICV6LRC
1	XX-17-5695	Switch, Stealth, Front Grille
1	XX-17-6005	Coax Cable, Additional, (1) <b>SHOP NOTE:</b> LOCATION TO TERMINATE:
1		OXYGEN SYSTEM:
1	XX-17-6085	O2 System, Storage in Rear Vertical Cab (1) A/A (1) Liner <b>SHOP NOTE:</b> Ohio Style (1) O2 Outlet in A/A (1) O2 Outlet in C/S Liner @ Head of S/B
1		SUCTION PUMP:
1	XX-17-7550	Suction Pump, Electric, Thomas, STD
1		SUCTION CONTAINERS:
1	XX-17-7650	Suction Container, W/C, STD

QTY	PART NO	DESCRIPTION
1		STANDARD CABINETS:
1	XX-19-0041	Cabinet, S/B, Vertical B/B Storage, Bio @ Head, STD, Chev <b>SHOP NOTE:</b>  w/ 60lb Gas Strut Hold open, STD
1	XX-19-0052	Cabinet, Vertical O2, Foot of Squad Bench, STD, Chev <b>SHOP NOTE:</b>  w/ ABS door & O2 cylinder rack/straps
1		ATTENDANT SEAT:
1	XX-19-014B	Base, Attendant, Metal Box, Wise #WM1610, STD
1	XX-19-014C	Seat, Attendant, Wedgewood, Wise #WM1613, (3) point seatbelt <b>SHOP NOTE:</b>  (3) point seatbelt
1		FLOORING :
1	XX-19-0159	Flooring, Brushed Pewter, #51067, STD
1		UPHOLSTERY:
1	XX-19-0205	Upholstery, Wedgewood Blue, Seamless, STD
1		MICA:
1	XX-19-0304	Mica, Shadow Blue, Matte Finish, STD
1		COT MOUNTS INSTALLED:
1	XX-19-0710	Cot Mount, Stryker 6371, Wall Mount
1	XX-19-0725	Bracket, Cot Mount, Installed for: <b>SHOP NOTE:</b>  STATE COT MODEL #:
1	XX-19-0821	Hook, Rear Safety, Installed, Stryker cot
1	XX-19-0930	Decal, DOT Package, White Border
1		SHIP LOOSE:



QTY		PART NO	DESCRIPTION
1	XX-19-1005	Ship Loose Items:	
1	XX-19-1090	Fire Extinguisher, (1), 5 lb. ABC, Ship Loose	
1	XX-19-1115	End Of Order	
<b>Total</b>			<b>56,324.00</b>

# QUOTATION

Wheeled Coach Ind.

State of Ohio

**Exp. Date:** 01/01/2010  
**Quote No:** 07-244 **Job/Order No:** TBA

**T3 - 170:** 200040 STD Type 3 Ford - 170" Module - #3170F

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION
1		== Type 3 Ford - 170" Module - #3170F - 320.070 03/17/07 ==
1	35-05-0159	Type 3 - 170" Module - Standard Model Series
1	35-05-0170	Type 3 - 170" Module General Body Construction Spec
1	35-05-0180	Type 3 - 170" Module Vehicle Body Structure Spec
1	35-05-2000	INTERIOR CABINETS -Duralite Construction, Wood
1		MODULE BODIES:
1	35-10-0066	Aisle Space, 50 inches, STD, Type 3, Std Model Only
		<b>SHOP NOTE:</b> (49-50" actual)
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD
1	35-10-0100	10 Inch Extended Cab, 13" seat travel
1	35-10-0921	Headroom, 72 in. Type 3 Ford - 170" module, #3170F
6	37-00-0300	Compartments, Zolatone Finish (1) per compt
		<b>SHOP NOTE:</b> Machine stamped louvers located above the floor line for venting.
4	37-00-0500	Compartments, Std, Floor 3" Drop Down from Door Opening
		<b>SHOP NOTE:</b> compts B1,B2,D,& E are STD drop down floor
2	37-00-0600	Compartments, Sweepout
		<b>SHOP NOTE:</b> compt "A" & "F" are std sweep out
1	37-00-0710	Duraseam Doors, with Hidden Jambs

QTY	PART NO	DESCRIPTION
		<b>SHOP NOTE:</b>
		Magnetic door switches, STD
1	39-A0-0272	A, Compt, Split, Pureair, 170" Module, 72" H.R, T3
1	39-B1-0153	B1, Compt, Std, 170" Module, 72" HR, #3170F
1	39-B2-0172	B2, Compt, Std, 170" Module, 72"H.R, T3
1	39-D0-0353	D, Compt, 3/4, 170" Module, 72" H.R, #3170F
		<b>SHOP NOTE:</b>
		With Double Doors
1	39-E0-0100	E, Compt, Std, 170" Module, T3
		<b>SHOP NOTE:</b>
		With Double Doors
1	39-F0-0303	F, Compt, Std, Full Height, 170" Module, 72" H.R, #3170F
1		FUEL FILL HOUSING:
1	3A-10-4000	Housing, Fuel Fill, Cast, F3/C3/CM+(7)
1		EXTERIOR DIVIDERS:
1	3F-10-1101	Divider, Vertical, B2, .090" Thick, Std Model only
		<b>SHOP NOTE:</b>
		compt "B2", centered.
1		SHELF- COMPARTMENT "A"/RF CABINET:
1	3F-20-1000	Shelf, Adjustable,(1), RF Cabt Custom
		<b>SHOP NOTE:</b>
		(1) RF Compt "A"/cabt "E1" area, centered.
		(change to cabt "E2" for Pureair 1 cabt)
1		SHELF- COMPARTMENT "D":
1	3F-40-3001	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only
		<b>SHOP NOTE:</b>
		at bottom of cabt "H" inside/outside access opening.
1		SHELF- COMPARTMENT "E":

QTY	PART NO	DESCRIPTION
1	3F-50-0200	Shelf, Fixed, Cmpt E, for Electrical storage, No Divider
1		WINDOWS:
1	3P-10-5201	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only
1		MODULE ENTRY DOOR HANDLES:
1	3U-30-1000	Handle, Entry, Max Grip Eberhard, J236
1		EXTERIOR COMPT DOOR HANDLES:
4	3U-40-0500	Handle, Compt, C/S, Max Grip Eberhard, J236
3	3U-40-0505	Handle, Compt, S/S, Max Grip Eberhard, J236
2	3U-40-0508	Handle, Compt, S/S, Blank, Max Grip Eberhard, J236
		<b>SHOP NOTE:</b> compts "D" &/or "E"
1		DOOR HOLD OPENS:
1	40-10-1601	Hold Opens,Rr Doors,Cast,Grabber (4),4.5", Std Model only
		<b>SHOP NOTE:</b> ***Install so that doors will open as wide as possible.***
7	40-10-7200	Hold Open, Gas Strut, Ext Compt, 30lb, Std
1	40-10-7205	Hold Open, Gas Strut, RF Compt, 30lb, Std
1		DOOR PANELS:
1	45-10-4505	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD
		<b>SHOP NOTE:</b>  Durasafe Design  Aluminum Center Panels covered in white/red reflective tape.
1		FENDER FLARES:
1	4A-10-3001	Flare, Fender, Bright Finish, Std Model only
1		BUMPERS:
1	4F-10-9001	Bumper,Rear,w/ Skids & Flip Up,F3,w/LED DOT lights,Std Model
		<b>SHOP NOTE:</b>

QTY	PART NO	DESCRIPTION
		w/ Gator Grip on flip up step.
1		RUNNING BOARDS:
1	4K-10-4001	Running Boards, F3, Standard,w/Gator Grip, Std Model Only
1		SKIRTRAILS W/BODY SPACERS:
1	4U-10-2100	Skirtrails, Diamond Plate, 170in Box,E-450
1		STONE GUARDS (FRONT):
1	4U-11-2000	Stone Guard, Front, Dia Plate, 13.38"
1		KICKPLATES (w/STD. REAR STONEGUARDS):
1	50-10-2100	Kickplate, W/Recess, No Light Holes,Pan
1	55-10-3000	Holder, License Plate, Cast, C30002, STD
		<b>SHOP NOTE:</b> in rear kickplate, centered.
1		SILL PROTECTORS
1	55-30-4001	Sill Protectors, Stainless, All Compts, Std Model only
1		MUD FLAPS:
1	5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only
1		PAINT/BELTS:
1	5F-10-4600	Paint, Belt, Single
		<b>SHOP NOTE:</b> Specify color and Sikkens paint code _____
1		DECAL PACKAGES INSTALLED:
1	5P-10-5001	Roof Star, White Border, Installed, Std Model Only
1		ELECTRICAL SYSTEM:
1		BATTERY SWITCHES:

QTY	PART NO	DESCRIPTION	
1	60-20-350E	Battery Config, F3, Fig 5B, Electric Sw, (2) OEM In RF Compt <b>SHOP NOTE:</b>  (2) oem batteries located in RF compt.  ONLY Module power is turned on/off. Chassis power is NOT turned off.  Activated thru OEM ignition switch. Emergency fail-safe switch mounted in circuit board area.	
1		COAX CABLES/ANTENNAS:	
1	65-10-3001	Coax Cable, RG58/U, (1), Additional, Std Model only <b>SHOP NOTE:</b> From module roof port number #1 to behind the passenger seat STD.  With 6' pigtails	
1	65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate: <b>SHOP NOTE:</b> From module roof port number #3 to behind the passenger seat STD.  With 6' pigtails	
1		12VDC POWER SOURCES & OUTLETS:	
1	6A-22-200E	Outlet, Cigar Lighter, STD, (2), A/A <b>SHOP NOTE:</b> on std 20amp ignition hot circuit.("elect batt sw")	
1		POWER SOURCE, 12 VDC	
1	6A-23-1201	Power Source,12 VDC,15 Amp (+-), Std Model only <b>SHOP NOTE:</b> Ignition hot, terminating in the front ECC w/6 foot tails (hot and ground).	
1	6A-23-3001	Power Source,12 VDC,30 Amp (+-), Std Model only <b>SHOP NOTE:</b> Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).	

QTY	PART NO	DESCRIPTION
1		SHORELINE INLETS:
1	6F-90-4101	Super Auto Eject, 20 amp, w/interrupter, ILOS, Std Model only <b>SHOP NOTE:</b> with white cover.  mounted above compartment "E"
1		110 VAC OUTLETS:
1	6K-40-1000	Outlet, 110 VAC, Duplex, (2), STD <b>SHOP NOTE:</b>  (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)
1		CONSOLES:
1	7U-10-7000	Console, A/A, Wood, Angled
1	7U-10-8950	Console, ECC, F2, F3, F7, 2005+ '08 ?
1	7U-11-5000	Console, Beverly Hills, W/Pockets
1		GAUGES/METERS:
1		SIREN SPEAKERS:
1	DF-20-5000	AVW System, Grille, 97+ F3, Standard '08 ?
1		SIRENS:
1	DK-10-1400	Siren, Whelen, WS-295-HFSA1, Standard
1		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:
1	DP-11-1000	Switch, Siren/Horn Thru Horn Ring
1		AUDIBLE ALARMS:
1	F0-11-3501	Alarm, Back-Up, Auto Reset, Std Model only
1		VEHICLE EXTERIOR LIGHTING

QTY	PART NO	DESCRIPTION
1	FK-24-0050	Lightbar, Whelen 45KKKFL, 86" LLLLLLL, RCRCRCR, ILOS <b>SHOP NOTE:</b>  Whelen LED Front Light Bar, ILOS Front Warning lights. w/ ICC lights w/ Flasher 400 series  LED-LED-LED-LED-LED-LED-LED RCRCRCR  *Outboard and Center LED's to flash with Vanner Flasher PRI/SEC per KKK. *All other LED's to flash with internal flashers and be switched "FRONT LB"
1		WHELEN 45KKK ADVANTAGE PLUS LIGHT BAR
1	FK-25-0142	DELETED: LB,45KKFH,HRRHRRH,RCRCRCR, Std Model only
1		WHELEN HALOGEN 9E WARNING LIGHTS:
2	FU-30-102E	DELETED: Light, 9H, Whelen, Red, IATS, Std Model only
6	FU-37-600E	Light, 9L, Whelen, Red, ILOS
1	FU-37-640E	Light, 9L, Whelen, Amber, ILOS
2	FU-37-680E	Light, 9L, Whelen, Red/Amber, ILOS
1		WHELEN HALOGEN 7E WARNING LIGHTS
4	H5-56-001E	Light, Whelen, 7L, Red, ILOS
1		WHELEN FLANGES 7 SERIES LIGHTS
2	H5-59-1000	Flange, Whelen, For 7E lights (1), Mods <b>SHOP NOTE:</b>  For 7 Series Intersection Lights
1		CORNER CAP LIGHTS
1	HF-11-6051	Corner Cap Lts,LED,(2)Amber(2)Red w/Flashers,Std Model only <b>SHOP NOTE:</b>  High intensity flashers. thru separate switch.



QTY	PART NO	DESCRIPTION
1		CLEARANCE LIGHTS:
3	HF-12-9601	Light, Clearance, Red LED, Std Model only <b>SHOP NOTE:</b> On rear as clearance lights.
1		SCENE AND LOAD LIGHTS
4	HK-20-110E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b> (2) each side as scene lights
2	HK-20-130E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b> (2) on rear as load lights
1	HK-20-7100	Scene Lights, C/S, Activated W/C/S Door
1	HK-20-7400	Rear Scene Lts Activate W/Rev Gear. <b>SHOP NOTE:</b> Rear load lights wired to reverse standard.
1		WARNING LIGHT FLASHERS
1	HU-24-6000	Flasher, Vanner 3860WC, C/D/E Spec
1		HARNESS LAYOUT:
1	J5-12-2000	Halogen, " E " Spec, Vanner, (1) Lightbar
1		STOP/TURN/TAIL LIGHTS:
1	JA-10-1000	Light, License Tag, (2), Grote 60101, STD
1	JA-13-8010	Tailights, Whelen,LED Stop/Tail, Halogen/Backup, w/ WC logo
1		MODULE OVERHEAD HEADLINER:
1	JK-10-5500	Headliner, Flat, Expanded PVC, Std
1		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:
1	JP-10-0505	Lights, Weldon, 8046-0320-80, (4) S/S, (3) C/S
1	JP-10-7005	Light, Stepwell, Trucklite, 2in, Std
1	JP-10-8000	Light, Xantech, 105-500, 5 Inch, In A/A

QTY	PART NO	DESCRIPTION
1		12VDC INTERIOR LIGHTING - FLUORESCENT:
1	JP-16-1106	Lights, Fluor,Liteco #17918265,18IN,(3),W/Sw, Std Model Only <b>SHOP NOTE:</b> Flush Mounted, 18"  Mount in liner positions F, G, and H  With switch in A/A.
1		LIGHTS & MISCELLANEOUS:
1	JR-50-1401	Spotlight, Blue Eye, 400,000 CP, Std Model only
1	JR-60-2001	Timer/Circuit,15 Minute,Intermatic,Const Hot,Std Model only <b>SHOP NOTE:</b>  LOCATION: on C/S wall at the head of the squad bench in the standard location. WIRED TO: Fluorescent lights in liner.
1	JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting <b>SHOP NOTE:</b>  with integral switch. wired constant hot.
1		SUCTION PUMPS:
1	LP-10-0500	Suction Pump, Thomas, Standard
1		INSULATION:
1	LU-10-3000	Insulation, Severe Weather Package <b>SHOP NOTE:</b>  one inch block foam in modular floor, walls and roof covered with reflective insulation.
1		GRABRAIL(S)/GRABHANDLES:
1	N0-10-9101	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only <b>SHOP NOTE:</b>  Yellow Powder Coat Finish

QTY	PART NO	DESCRIPTION	
1	N0-10-9701	Handrails,(3),"L" Shape,1",Yellow,Entry Doors,Std Model only <b>SHOP NOTE:</b>  Yellow Powder Coat Finish Stainless Steel Grab Handles  ILOS	
1		O2 CYLINDER RACKS:	
1	NA-10-2500	Rack, Cylinder, Ziamatic, "M", QRM-2	
1		O2 SYSTEMS COMPLETE:	
1	NF-50-1001	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only <b>SHOP NOTE:</b>  ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet cs wall at head of squad bench	
1		SUCTION CONTAINERS:	
1	PA-10-7001	Regulator/Holder, SSCOR 22000, Std Model only	
1		COT MOUNTS:	
1	PF-26-3100	Cot Mount, Stryker 6360-30-10, Dual	
1		IV HOOKS:	
2	PP-20-1000	IV Hook, Perko, (1), W/Straps, STD <b>SHOP NOTE:</b>  curbside and streetside standard locations	
1	RU-05-0000	Interior Cabinets - Duralite Construction, Wood	
1		MICA COLOR:	
1	RU-10-3001	Mica, Light Gray Gloss, Std Model only	
1		SUB FLOORING:	
1	RZ-99-0025	Flooring, Wood, Type 3/7/9, Std	

QTY	PART NO	DESCRIPTION
1		FLOORING:
1	T0-11-8201	Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only
1		SEAMLESS ATTENDANT SEATS:
1	T5-10-5111	Seat, Attendant, EVS, Child, Gunmetal #1880CB, Std Model only <b>SHOP NOTE:</b>  Vacuum formed EVS1880CB w/ 3 point seatbelt. Integrated child safety seat. Mounted metal box base.
1		SEAMLESS UPHOLSTERY:
1	T5-25-0500	Uph, Smless, Gunmetal, No Bio, No Post & Wheel
1		BULKHEAD CABINET:
1	TF-51-9500	Cabinet, Bulkhead, 10" Ext , 72Hr, Type3 <b>SHOP NOTE:</b>  NO broom closet behind attendant seat.
1		O2 DOOR:
1	TK-10-5010	Lexan Flaps, Hinged Left Side, Fixed Right Side, Std
1		GLOVE HOLDERS:
1	TN-20-1001	Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only <b>SHOP NOTE:</b>  Drawing #241540D
1	TP-10-6000	Door, Sliding, Bulkhead, STD <b>SHOP NOTE:</b>  w/ sliding Lexan window
1	TU-17-1560	Cabinet, Right Front, 2001 Pureair, Modified VA Style, 72" H <b>SHOP NOTE:</b>  E1 and E2 with inside/outside access.

QTY	PART NO	DESCRIPTION
1		RF CABINET DOORS W/2001 PUREAIR A/C
1	TU-21-7350	Doors,Modified VA Style, E1 & E2, 2001 <b>SHOP NOTE:</b>  E-1 double doors. E-2 single door hinged on left.
1		HARDWARE,LATCHES AND LOCKS:
3	V0-10-0500	Handle, C, Pull, Installed,(1) Ea,STD <b>SHOP NOTE:</b> RF cabt(s)
5	V0-10-2000	Latch, Plunger Roller, Installed <b>SHOP NOTE:</b> RF cabt(s)
2	V0-13-9001	Latch, Lever, No Key, Installed, STD, 2001 Style RF Cabt <b>SHOP NOTE:</b> One (1) RF Cabinet Door E-1 Leading Door One (1) RF Cabinet Door E-2 Door
1		SQUAD BENCH:
1	V5-20-3802	Squad Bench, Bio-Waste @ Head, 170", Std Model only
1		LID 170 INCH BOX:
1	V5-64-1501	Lid, Squad Bench, Single W/Bio-Waste, 170", Std Model only
1		HARDWARE:
1	V5-80-1000	Handle, Paddle, Squad Bench, STD
1	V5-82-2500	Strut, Gas, 60 LB, Installed, ILOS, Mods
1		CURBSIDE SPLINT CABINET 160-170 inch Module
1	VA-40-2950	Curbside Splint Cabt, None
1		CURBSIDE REAR CABINET:
1	VF-20-4700	Cabinet,Curbside Rear,Standard,170",72"HR
1		CABINET H, BASEWALL 170", T1/T3
1	VH-H2-0300	H, Cabinet, Inside/ Outside Access

QTY	PART NO	DESCRIPTION
1		CABINET I, BASEWALL 170", T1/T3
1	VH-I2-0400	I, Cabinet, Deleted
1		CABINET M, BASEWALL 160-170", T1/T3
1	VH-M1-0400	M, Cabinet, 1/2 height, 1/2 depth
1		CABINET O, BASEWALL 160-170", T1/T3
1	VH-O1-0100	O, Cabinet, full height, std
1		CABINET CPR, BASEWALL, 149"-170", T1 & T3
1	VH-Q0-0101	CPR, side seat, Std Model only
1	VH-Q0-0301	CPR, side seat, flip up lid, Std Model only
1		CABINET J, STREETSIDE UPPER 170", T1/T3
1	VI-J2-0300	J, Cabinet, 72" H.R.
1		CABINET K, STREETSIDE UPPER 160-170", T1/T3
1	VI-K1-0205	K, Cabinet, 2/3 depth, 72" H.R.
1		CABINET L, STREETSIDE UPPER 160-170", T1/T3
1	VI-L1-0255	L, Cabinet, L1, L2, Combine 2 Equal Cab, 72" H.R., Full F
1		BASEWALL DOORS:
1	VK-15-4000	Cab H, Gray Lexan Slider
1	VK-16-1000	Cab M, Gray Lexan Slider
1	VK-16-5000	Cab O, Gray Lexan Slider
1		TELEMETRY AREA WORK SURFACE
1	VP-10-5462	Telemetry Tray, Poured, Gray, Narrow, 50" Aisle
		<b>SHOP NOTE:</b>
		**only for 50" aisle space units**
1		ACTION AREA WORK SURFACE
1	VP-10-5916	A/A Tray, No Bio, Poured, Gray, Narrow, 50" Aisle
		<b>SHOP NOTE:</b>
		**only for 50" aisle space units**
1		ACTION AREA 165/170 INCH BOX:
1	VP-15-7000	Cab,A/A,Without Biowaste, 160-170" In

QTY	PART NO	DESCRIPTION	
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:	
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:	
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:	
2	VU-14-4000	Shelf, Interior, Adj, in Cabinet:	
1	VU-15-2000	Cab "J" Gray Lexan Slider	
1	VU-15-4000	Cab "K" Gray Lexan Slider	
1	VU-15-8000	Cab "L1" Gray Lexan Slider	
1	VU-16-3000	Cab "L2" Gray Lexan Slider	
1		SHIP LOOSE ITEMS:	
1	YY-00-0001	Bracket, Spare Tire Mounting, Ship Loose	
1	YY-10-6400	Ship Loose, W.C. Standard Items	
1	YY-12-1050	Pureair Replacement Filters, 3 Year	
		<b>SHOP NOTE:</b>	
		Each kit is for 6 months.	
		Unit comes with one kit installed. 5 kits will be shipped loose.	
1	YY-15-3000	Decal, Dot Package, White Border, Ship Loose	
1		WARRANTIES	
1	ZZ-10-0100	Warranty, Conversion, 12 Month/12K Miles, Std.	
1	ZZ-10-0200	Warranty, Paint, 12 Month/12K Miles, Std.	
1	ZZ-10-0300	Warranty, Structural, 15 Years, Std., Mods	
1	ZZ-10-1800	Warranty, Lifetime, Mod Electrical	
2	ZZ-25-0610	FLOWMETER, 0-15LPM,W/OHIO ADAP• •	
1	ZZ-25-1025	REGULATOR, FOR "H/M" CYLINDER, 106-260• •	
1	ZZ-ZZ-0200	End Of Order	
		<b>Total</b>	<b>112,765.00</b>

# QUOTATION

Wheeled Coach Ind.

State of Ohio

**Exp. Date:** 01/01/2010

**Quote No:** 07-243

**Job/Order No:** TBA

**T3 - 165:** 0991401

Chev, 159"WB, 165" Module, #3165C

**T3 - 165:** 200034

Type 3 Chev - 165" Module - #3165C

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION
1		== Chev, 159"WB, 165" Module, #3165C - 320.070 03/17/07 ==
1		CHASSIS:
1	00-30-5602	Chev, 2007, Cutaway, 159" WB, 165" Module, #3165C 08-2
		<b>SHOP NOTE:</b>
		165X95
		Autothrottle OEM
		Alternators OEM
		Note: C/S Splint cabt is no longer included in std model price !!
1	1A-10-0100	Lettering, By Outside Vendor
		<b>SHOP NOTE:</b>
		Location:
		# of Days:
1	1A-10-0E00	Valve Extenders, Air Max. Installed
		<b>SHOP NOTE:</b>
		For dual rear wheels up to 19.5"
1		HEATING/AIR CONDITIONING:
1	5U-12-5000	Hoses, Heater, Nomex to Rear, STD
1	5U-14-1550	Heat/AC, C3, Pureair, 2001 Style, ILOS
		<b>SHOP NOTE:</b>
		with thermostat in action area.
1		WHEELCOVERS INSTALLED:



QTY	PART NO	DESCRIPTION
1	X5-10-3401	Covers, Wheel, Phoenix, C1/C3/C7, Installed, Std Model only
1		== Type 3 Chev - 165" Module - #3165C - 320.070 03/17/07 ==
1	35-05-0127	Type 3 - 165" Module - Standard Model Series
1	35-05-2000	INTERIOR CABINETS -Duralite Construction, Wood
1		MODULE BODIES:
1	35-10-0066	Aisle Space, 50 inches, STD, Type 3, Std Model Only
		<b>SHOP NOTE:</b>
		(49-50" actual)
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD
1	35-10-0101	10 Inch Extended Cab, Chev 165", Std
1	35-10-0902	Headroom, 72 in. Type 3 Chev - 165" module, #3165C
6	37-00-0300	Compartments, Zolatone Finish (1) per compt
		<b>SHOP NOTE:</b>
		Machine stamped louvers located above the floor line for venting.
4	37-00-0500	Compartments, Std, Floor 3" Drop Down from Door Opening
		<b>SHOP NOTE:</b>
		compts B1,B2,D,& E are STD drop down floor
2	37-00-0600	Compartments, Sweepout
		<b>SHOP NOTE:</b>
		compt "A" & "F" are std sweep out
1	37-00-0710	Duraseam Doors, with Hidden Jambs
		<b>SHOP NOTE:</b>
		Magnetic door switches, STD
1	38-A0-0272	A, Compt, Split, Pureair, 165" Module, 72" H.R, Ford
		<b>SHOP NOTE:</b>
		RF compt jamb opening: Eng to advise
1	38-B1-0153	B1, Compt, Std, 165" Module, 72" H.R., #3165C/F only
		<b>SHOP NOTE:</b>
		Compt: Eng to advise
		Jamb opening: Eng to advise
1	38-B2-0172	B2, Compt, Std, 165" Module, 72"H.R.
		<b>SHOP NOTE:</b>

QTY	PART NO	DESCRIPTION
		Compt: Eng to advise
		Jamb opening: Eng to advise
1	38-D0-0353	D, Compt, 3/4, 165" Module, 72" H.R, #3165C only <b>SHOP NOTE:</b> Compt: Eng to advise Jamb opening: Eng to advise  With Double Doors
1	38-E0-0100	E, Compt, Std, 165" Module <b>SHOP NOTE:</b> Compt: Eng to advise Jamb opening: Eng to advise  With single door
1	38-F0-0153	F, Compt, 3/4, 165" Module, 72" HR, #3165C/F only <b>SHOP NOTE:</b> Compt: Eng to advise Jamb opening: Eng to advise
1		FUEL FILL HOUSING:
1	3A-10-4000	Housing, Fuel Fill, Cast, F3/C3/CM+(7)
1		EXTERIOR DIVIDERS:
1	3F-10-1101	Divider, Vertical, B2, .090" Thick, Std Model only <b>SHOP NOTE:</b> compt "B2", centered.
1		SHELF- COMPARTMENT "A"/RF CABINET:
1	3F-20-1000	Shelf, Adjustable,(1), RF Cabt Custom <b>SHOP NOTE:</b> (1) RF Compt "A"/cabt "E1" area, centered. (change to cabt "E2" for Pureair 1 cabt)

QTY	PART NO	DESCRIPTION
1	3F-20-1500	Shelf, Additional, Adjustable, (1), RF Cab Custom <b>SHOP NOTE:</b> specify location _____
1	3F-30-1000	Shelf, Custom, Adj, Cmpt "B", (1)
1	3F-30-1500	Shelf, Custom, Adj, Cmpt "B", (1), Additional
1		SHELF- COMPARTMENT "D":
1	3F-40-3001	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only <b>SHOP NOTE:</b> at bottom of cabt "H" inside/outside access opening.
1		SHELF- COMPARTMENT "E":
1	3F-50-0200	Shelf, Fixed, Cmpt E, for Electrical storage, No Divider
1		WINDOWS:
1	3P-10-5201	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only
1		MODULE ENTRY DOOR HANDLES:
1	3U-30-1000	Handle, Entry, Max Grip Eberhard, J236
1		EXTERIOR COMPT DOOR HANDLES:
4	3U-40-0500	Handle, Compt, C/S, Max Grip Eberhard, J236
3	3U-40-0505	Handle, Compt, S/S, Max Grip Eberhard, J236
1	3U-40-0508	Handle, Compt, S/S, Blank, Max Grip Eberhard, J236 <b>SHOP NOTE:</b> compts "D" &/or "E"
1	3U-60-1900	Switch, Stealth, Cab Doors <b>SHOP NOTE:</b> In grille on passenger's side.
1		DOOR HOLD OPENS:
1	40-10-1601	Hold Opens,Rr Doors,Cast,Grabber (4),4.5", Std Model only <b>SHOP NOTE:</b> ***Install so that doors will open as wide as possible.***
6	40-10-7200	Hold Open, Gas Strut, Ext Compt, 30lb, Std
1	40-10-7205	Hold Open, Gas Strut, RF Compt, 30lb, Std

QTY	PART NO	DESCRIPTION	
1		DOOR PANELS:	
1	45-10-4505	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD <b>SHOP NOTE:</b>  Durasafe Design  Aluminum Center Panels covered in white/red reflective tape.	
1		FENDER FLARES:	
1	4A-10-3001	Flare, Fender, Bright Finish, Std Model only	
1		BUMPERS:	
1	4F-10-9502	Bumper,Rear,w/ Skids & Flip Up,C3,w/LED DOT lights,Std Model <b>SHOP NOTE:</b>  w/ Gator Grip on flip up step, STD	
1		RUNNING BOARDS:	
1	4K-10-5611	Running Boards, Chev Type 3,w/Gator Grip, #3153C/#3165C only	
1		SKIRTRAILS W/BODY SPACERS:	
1	4U-10-4200	Skirtrails, Diamond Plate, 165, Chev/Ford Type 3	
1		STONE GUARDS (FRONT):	
1	4U-11-2040	Stone Guard, Front, Dia Plate, Chev Type 3	
1		KICKPLATES (w/STD. REAR STONEGUARDS):	
1	50-10-2100	Kickplate, W/Recess, No Light Holes,Pan	
1	50-12-2000	Tow Eyes, Chrome, in Rear Kickplate	
1	55-10-3000	Holder, License Plate, Cast, C30002, STD <b>SHOP NOTE:</b> in rear kickplate, centered.	
1		SILL PROTECTORS	
1	55-30-4001	Sill Protectors, Stainless, All Compts, Std Model only	

QTY	PART NO	DESCRIPTION
1		MUD FLAPS:
1	5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only
1		PAINT/BELTS:
1	5F-10-4600	Paint, Belt, Single
		<b>SHOP NOTE:</b> Specify color and Sikkens paint code _____
1		DECAL PACKAGES INSTALLED:
1	5P-10-5001	Roof Star, White Border, Installed, Std Model Only
1		ELECTRICAL SYSTEM:
1		BATTERY SWITCHES:
1	60-20-356E	Battery Config, C3, Fig 5B, Electric Sw, (1) OEM In RF Comp
		<b>SHOP NOTE:</b>  (1) oem battery under hood. (1) oem battery RF compt.  ONLY Module power is turned on/off. Chassis power is NOT turned off.  Activated thru OEM ignition switch. Emergency fail-safe switch mounted in circuit board area.
1	60-30-5000	Batteries, Delco, 1150 (1), Each
1		COAX CABLES/ANTENNAS:
1	65-10-3001	Coax Cable, RG58/U, (1), Additional, Std Model only
		<b>SHOP NOTE:</b> From module roof port number #1 to behind the passenger seat STD.  With 6' pigtails
1	65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate:
		<b>SHOP NOTE:</b> From module roof port number #3 to behind the passenger seat STD.

QTY	PART NO	DESCRIPTION
		With 6' pigtails
1	65-30-1500	Coax Cable, RG58/U, (1) Each, Additional, Terminate: <b>SHOP NOTE:</b> Terminate:
		With 6' pigtails
1		12VDC POWER SOURCES & OUTLETS:
1	6A-22-200E	Outlet, Cigar Lighter, STD, (2), A/A <b>SHOP NOTE:</b> on std 20amp ignition hot circuit. (batt sw hot if manual battery sw is selected)
1	6A-22-2500	Outlet, Cigar Lighter, IATS, (1)
1		POWER SOURCE, 12 VDC
1	6A-23-1200	Power Source, 12 VDC, 15 Amp (+-) <b>SHOP NOTE:</b>  Powered by: _____ Hot
1	6A-23-1201	Power Source, 12 VDC, 15 Amp (+-), Std Model only <b>SHOP NOTE:</b> Ignition hot, terminating in the front ECC w/6 foot tails (hot and ground).
1	6A-23-3000	Power Source, 12 VDC, 30 Amp (+-) <b>SHOP NOTE:</b>  Powered by: _____ Hot
1	6A-23-3001	Power Source, 12 VDC, 30 Amp (+-), Std Model only <b>SHOP NOTE:</b> Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).
1		SHORELINE INLETS:
1	6F-90-4101	Super Auto Eject, 20 amp, w/interrupter, ILOS, Std Model only <b>SHOP NOTE:</b>

QTY	PART NO	DESCRIPTION
		with white cover.
		mounted above compartment "E"
1		110 VAC OUTLETS:
1	6K-40-1000	Outlet, 110 VAC, Duplex, (2), STD <b>SHOP NOTE:</b> (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)
1	6K-40-1500	Outlet, 110 VAC, Duplex, in A/A, IATS
1	6K-40-2000	Outlet, 110 VAC, Duplex, IATS <b>SHOP NOTE:</b> telemetry area, wall #2.
1	7F-10-0500	Inverter, Vanner 20-1000TUL, Mods
1		CONSOLES:
1	7U-10-7000	Console, A/A, Wood, Angled
1	7U-11-0050	Console, ECC, Chevy Cutaway, STD, W/Map Storage, 2007+
1	7U-11-7100	Console, Dade Style, Chevy G-Series
1		GAUGES/METERS:
1	D0-10-1000	Meter, Amps, TSD, Hall Affect, Type 3
1	D0-10-1800	Meter, Analog, Volt, TSD, w/ Black Trim Ring, IATS
1	D5-10-2000	Meter, Engine Hour, Datcon 100-223 12-24, in Driver's Seatb
1	DA-10-1000	Sequencer, Kussmaul, Load Manager, w/In Gear Override
1		SIREN SPEAKERS:
1	DF-20-5560	Speakers, Siren, Cast, In Bumper, Chevy T3 & T7, STD
1		SIRENS:
1	DK-10-1400	Siren, Whelen, WS-295-HFSA1, Standard
1		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:
1	DP-11-1000	Switch, Siren/Horn Thru Horn Ring
1		AUDIBLE ALARMS:

QTY	PART NO	DESCRIPTION
1	F0-11-3501	Alarm, Back-Up, Auto Reset, Std Model only
1		VEHICLE EXTERIOR LIGHTING
1	FK-24-0050	Lightbar, Whelen 45KKKFL, 86" LLLLLLL, RCRCRCR, ILOS <b>SHOP NOTE:</b>  Whelen LED Front Light Bar, ILOS Front Warning lights. w/ ICC lights w/ Flasher 400 series  LED-LED-LED-LED-LED-LED-LED RCRCRCR  *Outboard and Center LED's to flash with Vanner Flasher PRI/SEC per KKK. *All other LED's to flash with internal flashers and be switched "FRONT LB"
1		WHELEN 45KKK ADVANTAGE PLUS LIGHT BAR
1	FK-25-0142	DELETED: LB,45KKFH,HRRHRRH,RCRCRCR, Std Model only <b>SHOP NOTE:</b> This option is a DELETION. No parts are required.
1		WHELEN HALOGEN 9E WARNING LIGHTS:
2	FU-30-102E	DELETED: Light, 9H, Whelen, Red, IATS, Std Model only <b>SHOP NOTE:</b> This option is a DELETION. No parts are required.
6	FU-37-600E	Light, 9L, Whelen, Red, ILOS
1	FU-37-640E	Light, 9L, Whelen, Amber, ILOS
2	FU-37-690E	Light, 9L, Whelen, Red/Amber, IATS
15	FU-38-0500	Flange, 97 Series, (1) Each
1		WHELEN HALOGEN 7E WARNING LIGHTS
4	H5-56-001E	Light, Whelen, 7L, Red, ILOS
1		WHELEN FLANGES 7 SERIES LIGHTS



QTY	PART NO	DESCRIPTION
1	H5-59-1010	Housings, Whelen, 7E Grille Lights, Pair, Chev T3/CM <b>SHOP NOTE:</b> #7GCV6LRC
1	H5-59-1012	Housings, Whelen, 7E Intersection Lights, Pair, Chev T3/CM <b>SHOP NOTE:</b> #7ICV6LRC
1		CORNER CAP LIGHTS
1	HF-11-6051	Corner Cap Lts,LED,(2)Amber(2)Red w/Flashers,Std Model only <b>SHOP NOTE:</b>  High intensity flashers. thru separate switch.
1		CLEARANCE LIGHTS:
3	HF-12-1000	Light, Clearance, Red 500-0601-B, STD <b>SHOP NOTE:</b>  on rear as clearance lights
3	HF-12-9602	DELETED: Light, Clearance, Red LED, Std Model only
1		SCENE AND LOAD LIGHTS
4	HK-20-110E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) each side as scene lights
2	HK-20-130E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) on rear as load lights
1	HK-20-7100	Scene Lights, C/S, Activated W/C/S Door
1	HK-20-7400	Rear Scene Lts Activate W/Rev Gear. <b>SHOP NOTE:</b> Rear load lights wired to reverse standard.
1		WARNING LIGHT FLASHERS

QTY	PART NO	DESCRIPTION
1	HU-24-6000	Flasher, Vanner 3860WC, C/D/E Spec
1	J0-42-1300	Flasher, Headlights, ETM, Mods
1		HARNESSE LAYOUT:
1	J5-12-2000	Halogen, " E " Spec, Vanner, (1) Lightbar
1		STOP/TURN/TAIL LIGHTS:
1	JA-10-1000	Light, License Tag, (2), Grote 60101, STD
1	JA-13-8010	Tailights, Whelen,LED Stop/Tail, Halogen/Backup, w/ WC logo
1		MODULE OVERHEAD HEADLINER:
1		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:
1	JP-10-0505	Lights, Weldon, 8046-0320-80, (4) S/S, (3) C/S
1	JP-10-7005	Light, Stepwell, Trucklite, 2in, Std
1	JP-10-8000	Light, Xantech, 105-500, 5 Inch, In A/A
1	JP-11-0500	Light, Flex Shaft Littlelite, 12in
1		12VDC INTERIOR LIGHTING - FLUORESCENT:
1	JP-16-1102	Light, Fluor, Sunray #FL-930NWC, 20IN, (3), W/Sw, Std Model only
		<b>SHOP NOTE:</b>
		Flush Mounted, FL930
		30 watt, 20"
		Mount in liner positions F, G, and H
		With switch in A/A.
1		LIGHTS & MISCELLANEOUS:
1	JR-50-1401	Spotlight, Blue Eye, 400,000 CP, Std Model only
1	JR-60-2001	Timer/Circuit, 15 Minute, Intermatic, Const Hot, Std Model only
		<b>SHOP NOTE:</b>
		LOCATION: on C/S wall at the head of the squad bench
		in the standard location.
		WIRED TO: Fluorescent lights in liner.
1	JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting
		<b>SHOP NOTE:</b>
		with integral switch.

QTY	PART NO	DESCRIPTION
		wired constant hot.
1	L0-10-1500	Clock, Analog, Self Cont, 12/24 Hr, 8" <b>SHOP NOTE:</b>  LOCATION: above rear entry doors
1	LA-10-0505	Radio, AM/FM, FORD OEM
1	LA-10-2505	Speakers, Rear, (2), in Liner, w/ Volume Control, F3 & F7 <b>SHOP NOTE:</b>  volume control in action area.
1		SUCTION PUMPS:
1	LP-10-0500	Suction Pump, Thomas, Standard
1		INSULATION:
1	LU-10-3000	Insulation, Severe Weather Package <b>SHOP NOTE:</b>  one inch block foam in modular floor, walls and roof covered with reflective insulation.
1		OVERHEAD GRABRAIL:
1	N0-10-9101	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only <b>SHOP NOTE:</b>  Yellow Powder Coat Finish
1	N0-10-9701	Handrails,(3),"L" Shape,1",Yellow,Entry Doors,Std Model only <b>SHOP NOTE:</b>  Yellow Powder Coat Finish Stainless Steel Grab Handles  ILOS
2	N0-11-1000	Grabhandle, 12 In Interior, (1) Each <b>SHOP NOTE:</b>  (1) on RF cabinet (1) on streetside wall cabinet by rear doors.

QTY	PART NO	DESCRIPTION
1		O2 CYLINDER RACKS:
1	NA-10-2500	Rack, Cylinder, Ziamatic, "M", QRM-2
1	NA-30-1000	Strap, Cylinder, Metal Hinged, "M", (2) Each, STD
1		O2 SYSTEMS COMPLETE:
1	NF-50-1001	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only
		<b>SHOP NOTE:</b>
		ohio style
		(2) oxygen outlets in action area
		(1) vacuum port in action area
		(1) oxygen outlet cs wall at head of squad bench
1		SUCTION CONTAINERS:
1	PA-10-7001	Regulator/Holder, SSCOR 22000, Std Model only
1		COT MOUNTS:
1	PF-26-3100	Cot Mount, Stryker 6360-30-10, Dual
1	PF-35-4200	Cot Mount, Stryker, Mods, Rear Safety Hook Installed
1		IV HOOKS:
2	PP-20-1000	IV Hook, Perko, (1), W/Straps, STD
		<b>SHOP NOTE:</b>
		curbside and streetside standard locations
1	PP-20-9000	IV Hook, Cast, Fold Down Recessed, IATS
1	R5-10-6500	Squad Saver Bar, Fold Down, On C/S Wall, Mods
1	R5-10-8000	Wrench, Oxygen, Tethered, Mods
		<b>SHOP NOTE:</b>
		in oxygen compt.
1	RA-10-2000	Dri Deck, Black, All compt. Floors and Shelves
1	RK-13-3500	Seat Belt, Across Compt Opening
7	RP-10-1000	Reflector, 3 In, Red, Screw-On, (1)
1	RU-05-0000	Interior Cabinets - Duralite Construction, Wood
1		MICA COLOR:
1	RU-10-3001	Mica, Light Gray Gloss, Std Model only

QTY	PART NO	DESCRIPTION
1		SUB FLOORING:
1	RZ-99-0025	Flooring, Wood, Type 3/7/9, Std
1		FLOORING:
1	T0-11-8201	Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only
1		SEAMLESS ATTENDANT SEATS:
1	T5-10-5111	Seat, Attendant, EVS, Child, Gunmetal #1880CB, Std Model only
		<b>SHOP NOTE:</b>
		Vacuum formed EVS1880CB w/ 3 point seatbelt.
		Integrated child safety seat.
		Mounted metal box base.
1		SEAMLESS UPHOLSTERY:
1	T5-25-1500	Uph, Smless, Gunmetal, W/Bio, No Post & Wheel
1		BULKHEAD CABINET:
1	TF-51-9210	Cabinet, Bulkhead, C3, 10" Ext, 165", 72 Hr
1		O2 DOOR:
1	TK-10-5010	Lexan Flaps, Hinged Left Side, Fixed Right Side, Std
1		GLOVE HOLDERS:
1	TN-20-1001	Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only
		<b>SHOP NOTE:</b>
		Drawing #241540D
1	TP-10-6000	Door, Sliding, Bulkhead, STD
		<b>SHOP NOTE:</b>
		w/ sliding Lexan window
1	TU-17-1560	Cabinet, Right Front, 2001 Pureair, Modified VA Style, 72" H
		<b>SHOP NOTE:</b>
		E1 and E2 with inside/outside access.

QTY	PART NO	DESCRIPTION
1		RF CABINET DOORS W/2001 PUREAIR A/C
1	TU-21-7360	Doors,Modified VA Style, E1 & E2, 2001, Clear Lexan E1 & E2 <b>SHOP NOTE:</b>  E-1 double doors with clear Lexan inserts. E-2 single door hinged on left with clear Lexan inserts.
1		HARDWARE,LATCHES AND LOCKS:
3	V0-10-0500	Handle, C, Pull, Installed,(1) Ea,STD <b>SHOP NOTE:</b> RF cabt(s)
5	V0-10-2000	Latch, Plunger Roller, Installed <b>SHOP NOTE:</b> RF cabt(s)
2	V0-13-9001	Latch, Lever, No Key, Installed, STD, 2001 Style RF Cabt <b>SHOP NOTE:</b> One (1) RF Cabinet Door E-1 Leading Door One (1) RF Cabinet Door E-2 Door
1		SQUAD BENCH:
1	V5-20-3801	Squad Bench, Bio-Waste @ Head, #3165C/F only
1		LID 160-165 INCH BOX:
1	V5-60-8201	Lid, Squad Bench, Single W/Bio-Waste,#3165C/F
1		HARDWARE:
1	V5-80-1000	Handle, Paddle, Squad Bench, STD
1	V5-82-2500	Strut, Gas, 60 LB, Installed, ILOS, Mods
1		CURBSIDE REAR CABINET:
1	VF-20-4500	Cabinet, Curbside Rear, Std, 163 In, 72 HR
1		CABINET H, BASEWALL 160-165", T3
1	VH-H1-0300	H, Cabinet, Inside/ Outside Access
1		CABINET I, BASEWALL 160-165", T3
1	VH-I1-0400	I, Cabinet, Deleted

QTY	PART NO	DESCRIPTION
1		CABINET M, BASEWALL 160-170", T1/T3
1	VH-M1-0400	M, Cabinet, 1/2 height, 1/2 depth
1		CABINET O, BASEWALL 160-170", T1/T3
1	VH-O1-0100	O, Cabinet, full height, std
1		CABINET CPR, BASEWALL, 149"-170", T1 & T3
1	VH-Q0-0101	CPR, side seat, Std Model only
1	VH-Q0-0301	CPR, side seat, flip up lid, Std Model only
1		CABINET J, STREETSIDE UPPER 160-165", T3
1	VI-J1-0300	J, Cabinet, 72" H.R.
1		CABINET K, STREETSIDE UPPER 160-170", T1/T3
1	VI-K1-0200	K, Cabinet, 72" H.R.
1		CABINET L, STREETSIDE UPPER 160-170", T1/T3
1	VI-L1-0250	L, Cabinet, L1, L2, L3 Combine 2 Equal Cabinets, 3/4F, 72" H
1		BASEWALL DOORS:
1	VK-15-4000	Cab H, Gray Lexan Slider
1	VK-16-1000	Cab M, Gray Lexan Slider
1	VK-16-5000	Cab O, Gray Lexan Slider
1	VO-11-1000	Lock, Combination, Simplex, (1)
1		TELEMETRY AREA WORK SURFACE
1	VP-10-5462	Telemetry Tray, Poured, Gray, Narrow, 50" Aisle
		<b>SHOP NOTE:</b>
		**only for 50" aisle space units**
1		ACTION AREA WORK SURFACE
1	VP-10-5960	A/A Tray, 160-170", W/Bio, ABS, Gray
1		ACTION AREA 165/170 INCH BOX:
1	VP-15-7500	Cab, A/A, With Biowaste, 160-170", 10" EXT
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
1	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
2	VU-14-4000	Shelf, Interior, Adj, in Cabinet:
1	VU-15-2000	Cab "J" Gray Lexan Slider

QTY	PART NO	DESCRIPTION	
1	VU-15-4000	Cab "K" Gray Lexan Slider	
1	VU-15-8000	Cab "L1" Gray Lexan Slider	
1	VU-16-3000	Cab "L2" Gray Lexan Slider	
1		SHIP LOOSE ITEMS:	
1	YY-00-0001	Bracket, Spare Tire Mounting, Ship Loose	
1	YY-10-6400	Ship Loose, W.C. Standard Items	
1	YY-12-1050	Pureair Replacement Filters, 3 Year	
		<b>SHOP NOTE:</b>	
		Each kit is for 6 months.	
		Unit comes with one kit installed. 5 kits will be shipped loose.	
1		WARRANTIES	
1	ZZ-10-0100	Warranty, Conversion, 12 Month/12K Miles, Std.	
1	ZZ-10-0200	Warranty, Paint, 12 Month/12K Miles, Std.	
1	ZZ-10-0300	Warranty, Structural, 15 Years, Std., Mods	
1	ZZ-10-1800	Warranty, Lifetime, Mod Electrical	
2	ZZ-25-0610	FLOWMETER, 0-15LPM,W/OHIO ADAP• •	
1	ZZ-25-1025	REGULATOR, FOR "H/M" CYLINDER, 106-260• •	
1	ZZ-ZZ-0200	End Of Order	
		<b>Total</b>	<b>110,713.00</b>



**QUOTATION****Wheeled Coach Ind.**State of Ohio  
800-513-2507Wheeled Coach  
Donald N. Beckett  
4872 Gate Post Lane  
Kent, Ohio 44240  
330-351-1020**Exp. Date:** 11/04/2007  
**Quote No:** 07-252      **Job/Order No:** TBA**T7:** 0991025STD Ford, E350, XL, 138", CitiMedic, #7146F  
**T7:** 200046 STD Type 7 - Module, CM+, Ford, #7146F

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION	
1		== Ford, E350, XL, 138", CitiMedic, #7146F - 905.070 09/05	
1		CHASSIS:	
1	00-30-5985	Ford, 2008,E350,Cutaway,146" Module,CM Plus,#7146F 08-2	
		<b>SHOP NOTE:</b>	
		Autothrottle OEM Ford	
		Alternators OEM Ford	
1		MIRRORS:	
1	1A-20-6350	Mirrors,OEM	
1		HEATING/AIR CONDITIONING:	
1	5U-12-5000	Hoses, Heater, Nomex to Rear, STD	
1	5U-13-6100	Heat/AC, Combo, Hoseline, F7, STD	
		<b>SHOP NOTE:</b>	
		With thermostat in action area.	
		Combo Heat/AC unit.	
1		BULKHEAD CABINET:	
1	TF-52-0555	Cabinet, Bulkhead Panel, Std, CM+, W/3" ext	
		<b>SHOP NOTE:</b>	

QTY	PART NO	DESCRIPTION
		with extended seat travel
		with walkthru door
1		BULKHEAD SLIDING DOOR:
1	TP-10-6000	Door, Sliding, Bulkhead, STD
		<b>SHOP NOTE:</b>
		w/ sliding Lexan window
1		WHEELCOVERS:
1	X5-10-3201	Wheel Covers,Phoenix #NF9,Installed,E-Series, Std Model Only
1		== Type 7 - Module, CM+, Ford, #7146F - 905.070 09/05/07 ==
1	35-05-2000	INTERIOR CABINETS -Duralite Construction, Wood
1		MODULE BODIES:
1	35-10-0067	Aisle Space, 49 Inches, Type 7, Std
		<b>SHOP NOTE:</b>
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD
1	35-10-0970	Headroom, 68" H.R., Std, Moduvan, CM+
1	35-14-9994	Box Assy,CM+, 68in HR,w/3" Seat Tr,Duraseam Doors, #7146F
		<b>SHOP NOTE:</b>
		Ford Cutaway
		146x90x68" HR
1	36-A0-0204	A, Compt, Split Doors, Citimedic Plus, #7146F
		<b>SHOP NOTE:</b>
		Upper compt, with inside /outside access.
		Lower compt for (2)battery tray, zolatone painted.
1	36-B0-0104	B, Compt, Spare Tire, Citimedic Plus, #7146F
1	36-D0-0104	D, Compt, Full Height, Citimedic Plus, #7146F
		<b>SHOP NOTE:</b>
		Full height backboard storage.
1	36-E0-0104	E Compt, Citimedic Plus, #7146F

QTY	PART NO	DESCRIPTION
1	36-F0-0104	F, Compt, 3/4 Height, Citimedic Plus, #7146F <b>SHOP NOTE:</b>  Oxygen storage. Sweepout compartment floor.
5	37-00-0310	Compartments, Zolatone Finish, CM+ <b>SHOP NOTE:</b>  Compts BATT/(Lower A), B, D, E, & F  Machine stamped louvers located above the floor line for venting.
3	37-00-0510	Compartments, Std, Floor 3" Drop Down, CM+, Ford <b>SHOP NOTE:</b>  compts "B", "D", & "E", Std for Citimedic Plus
2	37-00-0600	Compartments, Sweepout <b>SHOP NOTE:</b>  compt "A" & "F" are std sweep out
1	37-00-0710	Duraseam Doors, with Hidden Jambs <b>SHOP NOTE:</b>  Magnetic door switches, STD
1		FUEL FILL HOUSING:
1	3A-10-4000	Housing, Fuel Fill, Cast, F3/C3/CM+(7)
1		SHELF- COMPARTMENT "A"/RF CABINET:
1	3F-20-1001	Shelf, Adjustable,(1), RF Cabt, CM+ <b>SHOP NOTE:</b> centered top to bottom.
1		SHELF- COMPARTMENT "E":
1	3F-50-0201	Shelf, Fixed, Cmpt E, for Electrical storage, CM+
1		WINDOWS:
1	3P-10-5201	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only

QTY	PART NO	DESCRIPTION
1		MODULE ENTRY DOOR HANDLES:
1	3U-30-1000	Handle, Entry, Max Grip Eberhard, J236
1		EXTERIOR COMPT DOOR HANDLES:
3	3U-40-0500	Handle, Compt, C/S, Max Grip Eberhard, J236
3	3U-40-0505	Handle, Compt, S/S, Max Grip Eberhard, J236
1	3U-60-1900	Switch, Stealth, Cab Doors <b>SHOP NOTE:</b> In grille on passenger's side.
1		DOOR HOLD OPENS:
1	40-10-1601	Hold Opens,Rr Doors,Cast,Grabber (4),4.5", Std Model only <b>SHOP NOTE:</b> ***Install so that doors will open as wide as possible.***
1	40-10-7101	Holdopen, Gas Strut, Ext Compt, 60lb , CM+ <b>SHOP NOTE:</b> compt "D", std.
3	40-10-7201	Hold Open, Gas Strut, Ext Compt, 30lb, Std, CM+ <b>SHOP NOTE:</b> compts "B", "E", & "F"
1	40-10-7205	Hold Open, Gas Strut, RF Compt, 30lb, Std
1		DOOR PANELS:
1	45-10-4505	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD <b>SHOP NOTE:</b>  Durasafe Design  Aluminum Center Panels covered in white/red reflective tape.
1		FENDER FLARES:
1	4A-10-3001	Flare, Fender, Bright Finish, Std Model only
1		BUMPERS:
1	4F-11-5061	Bumper, Rear, CM+, Ford Cutaway, w/LED Lights, #7146F

QTY	PART NO	DESCRIPTION
		<b>SHOP NOTE:</b>
		w/ Gator Grip on flip up step.
1		<b>RUNNING BOARDS:</b>
1	4K-10-5601	Running Boards, Citimedic, F7, w/ Gator Grip, #7146F only
1		<b>SKIRTRAILS W/BODY SPACERS:</b>
1	4U-10-2555	Skirtrails, Diamond Plate, 146 inch, CM+, #7146F
1		<b>STONE GUARDS (FRONT):</b>
1	4U-11-2030	Stone Guard, Front, Dia Plate, CM+
1		<b>KICKPLATES (w/STD. REAR STONEGUARDS):</b>
1	50-10-4070	Kickplate, No Lights, w/ Recess, CitiMedic, ILOS, Duraseam
1	55-10-3000	Holder, License Plate, Cast, C30002, STD
		<b>SHOP NOTE:</b>
		in rear kickplate, centered.
1		<b>SPARE TIRE BRACKET</b>
1	55-20-1010	Bracket, Spare Tire Mounting, CM+
		<b>SHOP NOTE:</b>
		Mounted in Compt B, Std for CM+
1	5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only
1		<b>PAINT/BELTS:</b>
1	5F-10-4600	Paint, Belt, Single
		<b>SHOP NOTE:</b>
		Specify color and Sikkens paint code _____
2	5K-10-5100	Pinstripe, Black, Non-Reflective, 1/4 In
1		<b>ELECTRICAL SYSTEM:</b>
1		<b>BATTERY SWITCHES:</b>
1	60-20-350E	Battery Config, F3, Fig 5B, Electric Sw, (2) OEM In RF Compt

QTY	PART NO	DESCRIPTION
		<b>SHOP NOTE:</b>
		(2) oem batteries located in RF compt.
		ONLY Module power is turned on/off. Chassis power is NOT turned off.
		Activated thru OEM ignition switch. Emergency fail-safe switch mounted in circuit board area.
1		COAX CABLES/ANTENNAS:
1	65-10-3001	Coax Cable, RG58/U, (1), Additional, Std Model only <b>SHOP NOTE:</b> From module roof port number #1 to behind the passenger seat STD.  With 6' pigtails
1	65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate: <b>SHOP NOTE:</b> From module roof port number #3 to behind the passenger seat STD.  With 6' pigtails
1		12VDC POWER SOURCES & OUTLETS:
1	6A-22-201E	Outlet, Cigar Lighter, STD, (2), CM+ <b>SHOP NOTE:</b> on std 20amp ignition hot circuit. ("elect batt sw")  (1) outlet in action area (1) in RF cabt, wall #2, upper right
1		POWER SOURCE, 12 VDC
1	6A-23-1201	Power Source, 12 VDC, 15 Amp (+-), Std Model only <b>SHOP NOTE:</b> Ignition hot, terminating in the front ECC w/6 foot tails (hot and ground).
1	6A-23-3001	Power Source, 12 VDC, 30 Amp (+-), Std Model only <b>SHOP NOTE:</b> Constant Hot, to terminate behind the passenger

QTY	PART NO	DESCRIPTION
		seat, w/6 foot tails (hot and ground).
1		SHORELINE INLETS:
1	6F-90-4101	Super Auto Eject,20 amp,w/interrupter,ILOS, Std Model only <b>SHOP NOTE:</b> with white cover.
		mounted above compartment "E"
1		110 VAC OUTLETS:
1	6K-40-1000	Outlet, 110 VAC, Duplex, (2), STD <b>SHOP NOTE:</b> (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)
1	7F-10-9000	Inverter/Charger, Vanner 20-1050CULW
1		CONSOLES:
1	7U-10-7000	Console, A/A, Wood, Angled
1	7U-10-8950	Console, ECC, F2, F3, F7, 2005+ '08 ?
1		GAUGES/METERS:
1	D5-10-2000	Meter,Engine Hour, Datcon 100-223 12-24, in Driver's Seatb
1		SIREN SPEAKERS:
1	DF-20-5000	AVW System, Grille, 97+ F3, Standard '08 ?
1		SIRENS:
1	DK-10-1400	Siren, Whelen, WS-295-HFSA1, Standard
1		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:
1	DP-11-1000	Switch, Siren/Horn Thru Horn Ring
1		AUDIBLE ALARMS:
1	F0-11-3501	Alarm, Back-Up, Auto Reset, Std Model only

QTY	PART NO	DESCRIPTION
1		VEHICLE EXTERIOR LIGHTING
1		WHELEN 45KKK ADVANTAGE PLUS LIGHT BAR
1	FK-25-0181	LB,45KKFH,HRRHRRH,RCRCRCR, Std Model only <b>SHOP NOTE:</b>  on front ILOS warning lights with ICC lights on top of LB
1		WHELEN HALOGEN 9E WARNING LIGHTS:
6	FU-30-051E	Light, 9H, Whelen, Red, Std Model <b>SHOP NOTE:</b>  (2) each side standard location (2) on rear in upper outer corners
2	FU-30-101E	Light, 9H, Whelen, Red, IATS, Std Model only <b>SHOP NOTE:</b> (2) to show through the upper rear windows.  *Switch Pri/Sec *Flash simultaneously with the center amber.
1	FU-30-250E	Light, 9H, Whelen, Amber, STD <b>SHOP NOTE:</b>  on center rear
1		WHELEN HALOGEN 7E WARNING LIGHTS
4	H5-18-650E	Light, 7H, Red, STD <b>SHOP NOTE:</b>  (2) as intersection lights. (2) as grille lights.(if applicable)
1		WHELEN FLANGES 7 SERIES LIGHTS
2	H5-59-1000	Flange, Whelen, For 7E lights (1), Mods <b>SHOP NOTE:</b>  For 7 Series Intersection Lights



QTY	PART NO	DESCRIPTION
1		CORNER CAP LIGHTS
1	HF-11-6051	Corner Cap Lts,LED,(2)Amber(2)Red w/Flashers,Std Model only <b>SHOP NOTE:</b>  High intensity flashers. thru separate switch.
1		CLEARANCE LIGHTS:
3	HF-12-9601	Light, Clearance, Red LED, Std Model only <b>SHOP NOTE:</b> On rear as clearance lights.
1		SCENE AND LOAD LIGHTS
4	HK-20-110E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) each side as scene lights
2	HK-20-130E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) on rear as load lights
1		WARNING LIGHT FLASHERS
1	HU-24-6000	Flasher, Vanner 3860WC, C/D/E Spec
1		HARNESS LAYOUT:
1	J5-12-2000	Halogen, " E " Spec, Vanner, (1) Lightbar
1		STOP/TURN/TAIL LIGHTS:
1	JA-10-1000	Light, License Tag, (2), Grote 60101, STD
1	JA-13-8010	Tailights, Whelen,LED Stop/Tail,Halogen/Backup, w/ WC logo
1		MODULE OVERHEAD HEADLINER:
1	JK-10-5500	Headliner, Flat, Expanded PVC, Std
1		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:

QTY	PART NO	DESCRIPTION
1	JP-10-2000	Lights, Weldon, 8046-0320-80, (3) S/S, (2) C/S, CM+
1	JP-10-7005	Light, Stepwell, Trucklite, 2in, Std
1	JP-10-8000	Light, Xantech, 105-500, 5 Inch, In A/A
1		12VDC INTERIOR LIGHTING - FLUORESCENT:
1	JP-16-1106	Lights, Fluor, Liteco #17918265, 18IN, (3), W/Sw, Std Model Only <b>SHOP NOTE:</b> Recessed, 18"  Mount in liner positions F, G, and H  With switch in A/A.
1		LIGHTS & MISCELLANEOUS:
1	JR-50-1401	Spotlight, Blue Eye, 400,000 CP, Std Model only
1	JR-60-2001	Timer/Circuit, 15 Minute, Intermatic, Const Hot, Std Model only <b>SHOP NOTE:</b>  LOCATION: on C/S wall at the head of the squad bench in the standard location. WIRED TO: Fluorescent lights in liner.
1	JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting <b>SHOP NOTE:</b>  with integral switch. wired constant hot.
1		SUCTION PUMPS:
1	LP-10-0500	Suction Pump, Thomas, Standard
1		INSULATION:
1	LU-10-1000	Insulation, Fiberglass, Unfaced
1		GRABRAIL(S)/GRABHANDLES:
1	N0-10-9106	Grabrail, Overhead, 96.5", Handicap Style, Yellow, Std Model only <b>SHOP NOTE:</b>  Yellow Powder Coat Finish

QTY	PART NO	DESCRIPTION	
1	N0-10-9701	Handrails,(3),"L" Shape,1",Yellow,Entry Doors,Std Model only <b>SHOP NOTE:</b>  Yellow Powder Coat Finish Stainless Steel Grab Handles  ILOS	
1		O2 CYLINDER RACKS:	
1	NA-10-2500	Rack, Cylinder, Ziamatic, "M", QRM-2	
1		O2 SYSTEMS COMPLETE:	
1	NF-50-1001	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only <b>SHOP NOTE:</b>  ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet cs wall at head of squad bench	
1		SUCTION CONTAINERS:	
1	PA-10-7001	Regulator/Holder, SSCOR 22000, Std Model only	
1		COT MOUNTS:	
1	PF-25-1900	Cot Mount, FW 175-4 <b>SHOP NOTE:</b> Specify cot model _____	
1	PF-35-4000	Cot Mount, Ferno, Mods, Rear Safety Hook Installed	
1		IV HOOKS:	
2	PP-20-1000	IV Hook, Perko, (1), W/Straps, STD <b>SHOP NOTE:</b>  curbside and streetside standard locations	
1		KICK PLATES STAINLESS STEEL, ON CABINETS:	
1	PU-10-5050	Kickplate,Brushed SS, Face of S/B & Basewall,#7146/#1146	
1		INSTALLED STRAPS:	

QTY	PART NO	DESCRIPTION	
1	RK-12-1000	Strap, In Stairchair Storage, Standard	
1	RK-12-3200	Strap, Quick Clip Adjustable, Citi Medic, Std in LR compt	
		<b>SHOP NOTE:</b>	
		City Medic Plus	
		Located in the Left Rear Compartment	
1	RU-05-0000	Interior Cabinets - Duralite Construction, Wood	
1		MICA COLOR:	
1	RU-10-1000	Mica, Dove Gray Over Brittany Blue	
1		SUB FLOORING:	
1	RZ-99-0025	Flooring, Wood, Type 3/7/9, Std	
1		FLOORING:	
1	T0-11-8201	Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	
1		SEAMLESS ATTENDANT SEATS:	
1	T5-10-5050	Seat, Attendant, EVS 1780S, Gunmetal, Swivel Base, STD	
		<b>SHOP NOTE:</b>	
		With load bearing slide track, 3 point seatbelt and EVS188S Swivel Base.	
1		SEAMLESS UPHOLSTERY:	
1	T5-25-1500	Uph, Smless, Gunmetal, W/Bio, No Post & Wheel	
1		LEXAN, CITIMEDIC PLUS:	
1	TB-10-0025	Cab J1, Wood Door, Hinged on the Bottom	
1	TB-10-0110	Cab K, Gray Lexan Slider	
1	TB-10-0150	Cab L1, Gray Lexan Slider	
1	TB-10-0230	Cab M, Gray Lexan Slider	
1	TB-10-0270	Cab N, Gray Lexan Slider	
1	TB-10-0310	Cab O, Gray Lexan Slider	
1	TB-10-0350	Cab P, Gray Lexan Slider	
1		O2 DOOR:	
1	TK-10-5010	Lexan Flaps, Hinged Left Side, Fixed Right Side, Std	

QTY	PART NO	DESCRIPTION
1		GLOVE HOLDERS:
1	TN-20-1001	Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only <b>SHOP NOTE:</b>  Drawing #241540D
1		RIGHT FRONT CABINET:
1	TU-20-4955	Cabinet, RF, Std, w/3" Seat Travel, Combo A/C, CM+
1		RF CABINET DOORS W/COMBO A/C
1	TU-20-8701	Doors,Dual Wood,Cabinet E-1, CM+
1		HARDWARE,LATCHES AND LOCKS:
2	V0-10-0500	Handle, C, Pull, Installed,(1) Ea,STD <b>SHOP NOTE:</b> RF cabt(s)
4	V0-10-2000	Latch, Plunger Roller, Installed <b>SHOP NOTE:</b> RF cabt(s)
2	V0-11-5000	Latch, Lever, No Key, STD, Installed <b>SHOP NOTE:</b>  at top of RF cabinet door(s)
1	V0-11-7001	Latch, Lever, W/Key, STD, Installed, CM+ <b>SHOP NOTE:</b> Cabt "J", wood door
1		SQUAD BENCH:
1	V5-20-7050	Cabinet, Squad Bench, Standard, CM+ <b>SHOP NOTE:</b>  With Bio-waste at the head of the squad bench cabinet.
1		HARDWARE:
1	V5-80-1000	Handle, Paddle, Squad Bench, STD
1	V5-82-2500	Strut, Gas, 60 LB, Installed, ILOS, Mods

QTY	PART NO	DESCRIPTION	
1		BASEWALL CABINET:	
1	VK-17-7156	Cabinet,Basewall,Std,CM+, w/ ext seat travel, #7146C/F only <b>SHOP NOTE:</b>  Cabinet H for stairchair Cabinets M, N, O, P.	
1	VK-17-7168	Cabinet,SSU, Std, J,Wide K & L With Ctr Divider,CM+,#7146C/F <b>SHOP NOTE:</b>  Cabinet J1 with door hinged at the bottom, lever latch at top. Cabinets K & L	
1		ACTION AREA WORK SURFACE	
1	VP-10-5914	A/A Tray, 149"-170", W/O Bio, Poured, Gray	
1	VP-15-0065	Cabinet, A/A, No P2, CitiMedic Plus	
1		SHIP LOOSE ITEMS:	
1	YY-10-6400	Ship Loose, W.C. Standard Items	
1	YY-12-1000	Fire Extinguisher. (1) 5Lb. Abc, Ship Loose, IATS	
1	YY-13-3000	Spare Tire, Ship Loose	
1	YY-15-3000	Decal, Dot Package, White Border, Ship Loose	
1		WARRANTIES	
1	ZZ-10-0100	Warranty, Conversion, 12 Month/12K Miles, Std.	
1	ZZ-10-0200	Warranty, Paint, 12 Month/12K Miles, Std.	
1	ZZ-10-0300	Warranty, Structural, 15 Years, Std., Mods	
1	ZZ-10-0600	Warranty, Limited Lifetime Electrical	
1	ZZ-ZZ-0200	End Of Order	
	<b>Total</b>		<b>86,676.00</b>

**QUOTATION****Wheeled Coach Ind.**

State of Ohio

Wheeled Coach  
Donald N. Beckett  
4872 Gate Post Lane  
Kent, Ohio 44240  
330-351-1020**Exp. Date:** 12/31/2007**Quote No:** 07-253**Job/Order No:** TBA**T7:** 0991027 Chevy, G33503 139", CM+, #7146C**T7:** 200049 STD Type 7 - Module, CM+, Chevy, #7146C

02/25/2008

WO#: TBA

Page 1

QTY	PART NO	DESCRIPTION
1		== Chevy, G33503 139", CM+, #7146C - 320.070 03/17/07 ==
1		CHASSIS:
1	00-30-6003	Chevy, 2008, G33503, 146" Module, CM Plus, #7146C 08-2
		<b>SHOP NOTE:</b>
		Autothrottle OEM
		Alternators OEM
1		THROTTLE CONTROLS:
1	1P-50-5050	High Idle Controls, OEM Switch in Dash, Chev T3 & T9
1		HEATING/AIR CONDITIONING:
1	5U-12-5000	Hoses, Heater, Nomex to Rear, STD
1	5U-13-6102	Heat/AC, Combo, Hoseline, Chevy C33503, CM+, Std
		<b>SHOP NOTE:</b>
		w/Pureair faceplate, std.
		With thermostat in action area.
1		BULKHEAD CABINET:
1	TF-52-0555	Cabinet, Bulkhead Panel, Std, CM+, W/3" ext
		<b>SHOP NOTE:</b>
		with extended seat travel

QTY	PART NO	DESCRIPTION
		with walkthru door
1		BULKHEAD SLIDING DOOR:
1	TP-10-6000	Door, Sliding, Bulkhead, STD <b>SHOP NOTE:</b>
		w/ sliding Lexan window
1		WHEELCOVERS:
1	X5-10-3401	Covers,Wheel,Phoenix,4x2, C1/C3/C7, Installed,Std Model only
1		== Type 7 - Module, CM+, Chevy, #7146C - 320.070 03/17/07 =
1	35-05-2000	INTERIOR CABINETS -Duralite Construction, Wood
1		MODULE BODIES:
1	35-10-0067	Aisle Space, 49 Inches, Type 7, Std <b>SHOP NOTE:</b>
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD
1	35-10-0970	Headroom, 68" H.R., Std, Moduvan, CM+
1	35-14-9989	Box Assy,CM+, 68in HR,w/3" Seat Tr,Duraseam Doors, #7146C <b>SHOP NOTE:</b>
		Chevy Cutaway 146x90x68" HR
1	36-A0-0200	A, Compt, Split Doors, Citimedic Plus, #7146C <b>SHOP NOTE:</b>
		Upper compt, with inside /outside access. Lower compt for (2)battery tray, zolatone painted.
1	36-B0-0101	B, Compt, Spare Tire, Citimedic Plus, #7146C
1	36-D0-0101	D, Compt, Full Height, Citimedic Plus, #7146C <b>SHOP NOTE:</b>
		Full height backboard storage.
1	36-E0-0101	E Compt, Citimedic Plus, #7146C



QTY	PART NO	DESCRIPTION	
1	36-F0-0101	F, Compt, 3/4 Height, Citimedic Plus, #7146C <b>SHOP NOTE:</b>  Oxygen storage. Sweepout compartment floor.	
5	37-00-0310	Compartments, Zolatone Finish, CM+ <b>SHOP NOTE:</b>  Compts BATT/(Lower A), B, D, E, & F  Machine stamped louvers located above the floor line for venting.	
3	37-00-0511	Compartments, Std,Floor 3" Drop Down, CM+, Chev <b>SHOP NOTE:</b>  compts B,(more than 3" for spare tire)  compts "D" & "E", 3" dropdown	
2	37-00-0600	Compartments, Sweepout <b>SHOP NOTE:</b>  compt "A" & "F" are std sweep out	
1	37-00-0710	Duraseam Doors, with Hidden Jambs <b>SHOP NOTE:</b>  Magnetic door switches, STD	
1		FUEL FILL HOUSING:	
1	3A-10-4000	Housing, Fuel Fill, Cast, F3, C3, and CM+	
1		SHELF- COMPARTMENT "A"/RF CABINET:	
1	3F-20-1001	Shelf, Adjustable,(1), RF Cabt, CM+ <b>SHOP NOTE:</b> (1) RF cabt, centered top to bottom.	
1		SHELF- COMPARTMENT "E":	
1	3F-50-0201	Shelf, Fixed, Cmpt E, for Electrical storage, CM+	
1		WINDOWS:	

QTY	PART NO	DESCRIPTION	
1	3P-10-5201	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	
1		MODULE ENTRY DOOR HANDLES:	
1	3U-30-1000	Handle, Entry, Max Grip Eberhard, J236	
1		EXTERIOR COMPT DOOR HANDLES:	
3	3U-40-0500	Handle, Compt, C/S, Max Grip Eberhard, J236	
3	3U-40-0505	Handle, Compt, S/S, Max Grip Eberhard, J236	
1		DOOR HOLD OPENS:	
1	40-10-1601	Hold Opens,Rr Doors,Cast,Grabber (4),4.5", Std Model only <b>SHOP NOTE:</b> ***Install so that doors will open as wide as possible.***	
1	40-10-7101	Holdopen, Gas Strut, Ext Compt, 60lb , CM+ <b>SHOP NOTE:</b> compt "D", std.	
5	40-10-7201	Hold Open, Gas Strut, Ext Compt, 30lb, Std, CM+ <b>SHOP NOTE:</b> compts "B", "E", & "F"	
1	40-10-7205	Hold Open, Gas Strut, RF Compt, 30lb, Std	
1		DOOR PANELS:	
1	45-10-4505	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD <b>SHOP NOTE:</b>  Durasafe Design  Aluminum Center Panels covered in white/red reflective tape.	
1		FENDER FLARES:	
1	4A-10-3001	Flare, Fender, Bright Finish, Std Model only	
1		BUMPERS:	
1	4F-11-5057	Bumper, Rear, CM+, Chevy Cutaway, w/LED Lights, #7146C <b>SHOP NOTE:</b>  w/ Gator Grip on flip up step.	

QTY	PART NO	DESCRIPTION
1		RUNNING BOARDS:
1	4K-10-5606	Running Boards, Citimedic, C7, w/ Gator Grip, #7146C only
1		SKIRTRAILS W/BODY SPACERS:
1	4U-10-2551	Skirtrails, Diamond Plate, 146 inch, CM+, #7146C
1		STONE GUARDS (FRONT):
1	4U-11-2030	Stone Guard, Front, Dia Plate, CM+
1		KICKPLATES (w/STD. REAR STONEGUARDS):
1	50-10-4070	Kickplate, No Lights, w/ Recess, CitiMedic, ILOS, Duraseam
1	55-10-3000	Holder, License Plate, Cast, C30002, STD
		<b>SHOP NOTE:</b> in rear kickplate, centered.
1		SPARE TIRE BRACKET
1	55-20-1010	Bracket, Spare Tire Mounting, CM+
		<b>SHOP NOTE:</b> Mounted in Compt B, Std for CM+
1	5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only
1		PAINT/BELTS:
1	5F-10-1200	Paint Belt, Single, 20% Upch
2	5K-10-1300	Pinstripe, Blue, Reflective, 3/8 In
1		ELECTRICAL SYSTEM:
1		BATTERY SWITCHES:
1	60-20-356E	Battery Config, C3, Fig 5B, Electric Sw, (1) OEM In RF Comp
		<b>SHOP NOTE:</b> (1) oem battery under hood. (1) oem battery RF compt.

QTY	PART NO	DESCRIPTION
		ONLY Module power is turned on/off. Chassis power is NOT turned off.
		Activated thru OEM ignition switch. Emergency fail-safe switch mounted in circuit board area.
1		COAX CABLES/ANTENNAS:
1	65-10-3001	Coax Cable, RG58/U, (1), Additional, Std Model only <b>SHOP NOTE:</b> From module roof port number #1 to behind the passenger seat STD.  With 6' pigtails
1	65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate: <b>SHOP NOTE:</b> From module roof port number #3 to behind the passenger seat STD.  With 6' pigtails
1		12VDC POWER SOURCES & OUTLETS:
1	6A-22-201E	Outlet, Cigar Lighter, STD, (2), CM+ <b>SHOP NOTE:</b> on std 20amp ignition hot circuit.("elect batt sw")  (1) outlet in action area (1) in RF cabt, wall #2, upper right
1		POWER SOURCE, 12 VDC
1	6A-23-1201	Power Source,12 VDC,15 Amp (+-), Std Model only <b>SHOP NOTE:</b> Ignition hot, terminating in the front ECC w/6 foot tails (hot and ground).
1	6A-23-3001	Power Source,12 VDC,30 Amp (+-), Std Model only <b>SHOP NOTE:</b> Constant Hot, to terminate behind the passenger seat, w/6 foot tails (hot and ground).
1		SHORELINE INLETS:

QTY	PART NO	DESCRIPTION
1	6F-90-4101	Super Auto Eject,20 amp,w/interrupter,ILOS, Std Model only <b>SHOP NOTE:</b> with white cover.  mounted above compartment "E"
1		110 VAC OUTLETS:
1	6K-40-1000	Outlet, 110 VAC, Duplex, (2), STD <b>SHOP NOTE:</b>  (1) outlet in action area (1) outlet in the RF cabt "E1", wall #2, upper right. (change to cabt "E2" for Pureair 1 cabt)
1	7F-10-9000	Inverter/Charger, Vanner 20-1050CULW
1		CONSOLES:
1	7U-10-7000	Console, A/A, Wood, Angled
1	7U-11-0050	Console, ECC, Chevy Cutaway, STD, W/Map Storage, 2007+
1		GAUGES/METERS:
1		SIREN SPEAKERS:
1	DF-20-5560	Speakers, Siren, Cast, In Bumper, Chevy T3 & T7, STD
1		SIRENS:
1	DK-10-1400	Siren, Whelen, WS-295-HFSA1, Standard
1		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:
1	DP-11-1000	Switch, Siren/Horn Thru Horn Ring
1		AUDIBLE ALARMS:
1	F0-11-3501	Alarm, Back-Up, Auto Reset, Std Model only
1		VEHICLE EXTERIOR LIGHTING
1		WHELEN 45KKK ADVANTAGE PLUS LIGHT BAR

QTY	PART NO	DESCRIPTION	
1	FK-25-0182	DELETED: LB,45KKFH,HRRHRRH,RCRCRCR,Std Model only	
1		WHELEN HALOGEN 9E WARNING LIGHTS:	
6	FU-30-051E	Light, 9H, Whelen, Red, Std Model	
		<b>SHOP NOTE:</b>	
		(2) each side standard location	
		(2) on rear in upper outer corners	
2	FU-30-102E	DELETED: Light, 9H, Whelen, Red, IATS, Std Model only	
1	FU-30-250E	Light, 9H, Whelen, Amber, STD	
		<b>SHOP NOTE:</b>	
		on center rear	
4	FU-35-150E	Light, 9S, Whelen, Red, IATS	
		<b>SHOP NOTE:</b>	
		Front of mod	
2	FU-37-690E	Light, 9L, Whelen, Red/Amber, IATS	
		<b>SHOP NOTE:</b>	
		rear of mod to show through windows.	
1		WHELEN HALOGEN 7E WARNING LIGHTS	
2	H5-18-650E	Light, 7H, Red, STD	
		<b>SHOP NOTE:</b>	
		(2) as grille lights	
1	H5-51-8B10	Light, (2) TS200CIS, R/C, R-S, C-H, IATS, ILOS	
1		WHELEN FLANGES 7 SERIES LIGHTS	
1	H5-59-1010	Housings, Whelen, 7E Grille Lights, Pair, Chev T3/CM	
		<b>SHOP NOTE:</b>	
		#7GCV6LRC	
1	H5-59-1012	Housings, Whelen, 7E Intersection Lights, Pair, Chev T3/CM	
		<b>SHOP NOTE:</b>	
		#7ICV6LRC	
1		CORNER CAP LIGHTS	

QTY	PART NO	DESCRIPTION
1	HF-11-6051	Corner Cap Lts,LED,(2)Amber(2)Red w/Flashers,Std Model only <b>SHOP NOTE:</b>  High intensity flashers. thru separate switch.
1		CLEARANCE LIGHTS:
3	HF-12-9601	Light, Clearance, Red LED, Std Model only <b>SHOP NOTE:</b> On rear as clearance lights.
1		SCENE AND LOAD LIGHTS
4	HK-20-110E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) each side as scene lights
2	HK-20-130E	Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) <b>SHOP NOTE:</b>  (2) on rear as load lights
1		WARNING LIGHT FLASHERS
1	HU-24-6000	Flasher, Vanner 3860WC, C/D/E Spec
1		HARNESS LAYOUT:
1	J5-12-2000	Halogen, " E " Spec, Vanner, (1) Lightbar
1		STOP/TURN/TAIL LIGHTS:
1	JA-10-1000	Light, License Tag, (2), Grote 60101, STD
1	JA-13-8010	Tailights, Whelen,LED Stop/Tail,Halogen/Backup, w/ WC logo
1		MODULE OVERHEAD HEADLINER:
1	JK-10-5500	Headliner, Flat, Expanded PVC, Std
1		12VDC INT LIGHTING-HALOGEN & INCANDESCENT:
1	JP-10-2000	Lights, Weldon, 8046-0320-80, (3) S/S, (2) C/S, CM+
1	JP-10-7005	Light, Stepwell, Trucklite, 2in, Std

QTY	PART NO	DESCRIPTION
1	JP-10-8000	Light, Xantech, 105-500, 5 Inch, In A/A
1		12VDC INTERIOR LIGHTING - FLUORESCENT:
1	JP-16-1102	Light, Fluor, Sunray #FL-930NWC, 20IN, (3), W/Sw, Std Model only
		<b>SHOP NOTE:</b>
		Flush Mounted, FL930
		30 watt, 20"
		Mount in liner positions F, G, and H
		With switch in A/A.
1		LIGHTS & MISCELLANEOUS:
1	JR-50-1401	Spotlight, Blue Eye, 400,000 CP, Std Model only
1	JR-60-2001	Timer/Circuit, 15 Minute, Intermatic, Const Hot, Std Model only
		<b>SHOP NOTE:</b>
		LOCATION: on C/S wall at the head of the squad bench
		in the standard location.
		WIRED TO: Fluorescent lights in liner.
1	JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting
		<b>SHOP NOTE:</b>
		with integral switch.
		wired constant hot.
1		SUCTION PUMPS:
1	LP-10-0500	Suction Pump, Thomas, Standard
1		INSULATION:
1	LU-10-1000	Insulation, Fiberglass, Unfaced
1		GRABRAIL(S)/GRABHANDLES:
1	N0-10-9106	Grabrail, Overhead, 96.5", Handicap Style, Yellow, Std Model only
		<b>SHOP NOTE:</b>
		Yellow Powder Coat Finish
1	N0-10-9701	Handrails, (3), "L" Shape, 1", Yellow, Entry Doors, Std Model only
		<b>SHOP NOTE:</b>



QTY	PART NO	DESCRIPTION
		Yellow Powder Coat Finish Stainless Steel Grab Handles
		ILOS
1		O2 CYLINDER RACKS:
1	NA-10-2500	Rack, Cylinder, Ziamatic, "M", QRM-2
1		O2 SYSTEMS COMPLETE:
1	NF-50-1001	O2 Sys,LF,(2)O2/(1)Vac Port A/A,(1)O2 C/S, Std Model only <b>SHOP NOTE:</b> ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet cs wall at head of squad bench
1		SUCTION CONTAINERS:
1	PA-10-7001	Regulator/Holder, SSCOR 22000, Std Model only
1		COT MOUNTS:
1	PF-25-1000	Cot Mount, FW 175-1 <b>SHOP NOTE:</b> Specify cot model _____
1		IV HOOKS:
2	PP-20-1000	IV Hook, Perko, (1), W/Straps, STD <b>SHOP NOTE:</b> curbside and streetside standard locations
1		KICK PLATES STAINLESS STEEL, ON CABINETS:
1	PU-10-5050	Kickplate,Brushed SS, Face of S/B & Basewall,#7146/#1146
1		INSTALLED STRAPS:
1	RK-12-1000	Strap, In Stairchair Storage, Standard
1	RK-12-3200	Strap, Quick Clip Adjustable, Citi Medic, Std in LR compt

QTY	PART NO	DESCRIPTION
		<b>SHOP NOTE:</b>
		City Medic Plus
		Located in the Left Rear Compartment
1	RU-05-0000	Interior Cabinets - Duralite Construction, Wood
1		MICA COLOR:
1	RU-10-1000	Mica, Dove Gray Over Brittany Blue
1		SUB FLOORING:
1	RZ-99-0025	Flooring, Wood, Type 3/7/9, Std
1		FLOORING:
1	T0-11-8201	Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only
1		SEAMLESS ATTENDANT SEATS:
1	T5-10-5050	Seat, Attendant, EVS 1780S, Gunmetal, Swivel Base, STD
		<b>SHOP NOTE:</b>
		With load bearing slide track, 3 point seatbelt and EVS188S Swivel Base.
1		SEAMLESS UPHOLSTERY:
1	T5-25-1500	Uph, Smless, Gunmetal, W/Bio, No Post & Wheel
1		LEXAN, CITIMEDIC PLUS:
1	TB-10-0025	Cab J1, Wood Door, Hinged on the Bottom
1	TB-10-0110	Cab K, Gray Lexan Slider
1	TB-10-0150	Cab L1, Gray Lexan Slider
1	TB-10-0230	Cab M, Gray Lexan Slider
1	TB-10-0270	Cab N, Gray Lexan Slider
1	TB-10-0310	Cab O, Gray Lexan Slider
1	TB-10-0350	Cab P, Gray Lexan Slider
1		O2 DOOR:
1	TK-10-5010	Lexan Flaps, Hinged Left Side, Fixed Right Side, Std
1		GLOVE HOLDERS:

QTY	PART NO	DESCRIPTION	
1	TN-20-1001	Cabinet, Glove Box Holder,(3),Above C/S door, Std Model only <b>SHOP NOTE:</b>  Drawing #241540D	
1		RIGHT FRONT CABINET:	
1	TU-20-4955	Cabinet, RF, Std, w/3" Seat Travel, Combo A/C, CM+	
1		RF CABINET DOORS W/COMBO A/C	
1	TU-20-8701	Doors,Dual Wood,Cabinet E-1, CM+	
1		HARDWARE,LATCHES AND LOCKS:	
2	V0-10-0500	Handle, C, Pull, Installed,(1) Ea,STD <b>SHOP NOTE:</b> RF cabt(s)	
4	V0-10-2000	Latch, Plunger Roller, Installed <b>SHOP NOTE:</b> RF cabt(s)	
2	V0-11-5000	Latch, Lever, No Key, STD, Installed <b>SHOP NOTE:</b>  at top of RF cabinet door(s)	
1	V0-11-7001	Latch, Lever, W/Key, STD, Installed, CM+ <b>SHOP NOTE:</b> Cabt "J", wood door	
1		SQUAD BENCH:	
1	V5-20-7050	Cabinet, Squad Bench, Standard, CM+ <b>SHOP NOTE:</b>  With Bio-waste at the head of the squad bench cabinet.	
1		HARDWARE:	
1	V5-80-1000	Handle, Paddle, Squad Bench, STD	
1	V5-82-2500	Strut, Gas, 60 LB, Installed, ILOS, Mods	
1		BASEWALL CABINET:	
1	VK-17-7156	Cabinet,Basewall,Std,CM+, w/ ext seat travel, #7146C/F only	

QTY	PART NO	DESCRIPTION	
		<b>SHOP NOTE:</b>	
		Cabinet H for stairchair	
		Cabinets M, N, O, P.	
1	VK-17-7168	Cabinet,SSU, Std, J,Wide K & L With Ctr Divider,CM+,#7146C/F	
		<b>SHOP NOTE:</b>	
		Cabinet J1 with door hinged at the bottom, lever latch at top.	
		Cabinets K & L	
1		ACTION AREA WORK SURFACE	
1	VP-10-5914	A/A Tray, 149"-170", W/O Bio, Poured, Gray	
1	VP-15-0065	Cabinet, A/A, No P2, CitiMedic Plus	
1		SHIP LOOSE ITEMS:	
1	YY-10-6400	Ship Loose, W.C. Standard Items	
1	YY-13-3000	Spare Tire, Ship Loose	
1		WARRANTIES	
1	ZZ-10-0100	Warranty, Conversion, 12 Month/12K Miles, Std.	
1	ZZ-10-0200	Warranty, Paint, 12 Month/12K Miles, Std.	
1	ZZ-10-0300	Warranty, Structural, 15 Years, Std., Mods	
1	ZZ-10-0600	Warranty, Limited Lifetime Electrical	
1	ZZ-ZZ-0200	End Of Order	
		<b>Total</b>	<b>85,344.00</b>