


● PROJECT INFORMATION

Project:


Type:

IMPORTANT – all corner patterns must be submitted with drawings indicating dimensions and angles degree.



BBSLEDPAT	OPI	90	8'
1	2	3	8

3D VIEW - Inside Corner Pattern



BBSLEDPAT	OPO	60	16'
1	2	3	8

3D VIEW - Outside Corner Pattern

● ORDERING CODE

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----

● PRODUCT SPECIFICATIONS

1	PRODUCT ID	2	PATTERNS	3	CORNER DEGREES	4	VERSION	5	LIGHT ENGINE	6	LUMENS/FT
BBSLEDPAT	beam2led surface	OPO	open shape outside lit corner	90	90 degrees	B3	version 3	MF	mid flex LED	400	400 lm/ft ⁽¹⁾
BMSLEDPAT	beam3led surface	OPI	open shape inside lit corner	#	other degree					500	500 lm/ft ⁽¹⁾
BBSLEDPAT	beam4led surface	OPOI	open shape outside/inside lit corner							750	750 lm/ft ⁽¹⁾
B6SLEDPAT	beam6led surface									1000	1000 lm/ft ⁽¹⁾
										(1) Please consult factory	

7	COLOUR TEMP.	8	SHIELDING	9	LENGTH/FT	10	SPECIFY LENGTH	11	FINISH	12	VOLTAGE	13	DRIVER
35	3500 K	SO	spotless lens	#	total pattern length	NL	nominal	AP	aluminum paint	120	120V	D	dimming ⁽²⁾
30	3000 K					EX	exact	W	white	277	277V	LT	lutron
40	4000 K							C	custom	347	347V	RD	redwood ⁽³⁾
										UNV	universal	(2) Standard with LED (3) Please consult factory	

14	CIRCUITS	15	MOUNTING/SUSPENSION	16	BATTERY	17	OTHER	18	CUSTOM
1	1 circuit	S	surface drywall ceiling	B#	battery pack 4' sections	F	fuse	C	custom
2	2 circuits	SB	surface t-bar ceiling			EF	end feed		
+E(#)	emergency circuit	SC	surface solid ceiling			FW(#)	flex whip (6' std)		
+NL(#)	night light circuit								
+GTD(#)	generator transfer device								
				Requires 120V or 277V Please consult factory		Please specify			

● LIT CORNER FEATURES

The Lit Corner system allows continuous illumination all the way through the corner section


To optimize corner illumination, lit corners are created as integral components of the linear sections. Linear sections have mitered ends that connect to corresponding mitered ends of neighboring linear sections.

Illuminated Corners are more complex. Because the corner is fully illuminated, the corner is not independent of the straight sections, but integrated into the straight segment's housing. The corner is mitered, allowing a seamless line of light.

Inside Illuminated Corner. A fully lit corner on the inside planes.

Outside Illuminated Corner - A fully lit corner on the outside planes.

TIP: Provide sketches illustrating corner types and locations required.





A large grid of squares, intended for drawing corner patterns. The grid is composed of 30 columns and 30 rows of squares, providing a space for technical drawings.