

Blok



APPLIQUE INTÉRIEUR/EXTÉRIEUR
INTERIOR/OUTDOOR WALL FITTING

DESIGN STÉPHANE JOYEUX



R
**ROGER
PRADIER**

Always a good idea®

Blok

APPLIQUE INTÉRIEUR/EXTÉRIEUR
INTERIOR/OUTDOOR WALL FITTING




ORANGE
orange
RAL 2004
BQ 1010 14



JAUNE TEXTURÉ
textured yellow
RAL 12016
BQ 1010 68



ROUGE
red
RAL 3020
BQ 1010 56



BLEU TEXTURÉ
textured blue
BQ 1011 11



BLANC TEXTURÉ
textured white
RAL 9010
BQ 1011 01



INOX
stainless steel
BQ 1010 18



NOIR VELOURS
velvet black
BQ 1011 13

IP65 / IK10

SOURCE / source
FLC /GRZ10d 18w

CLASSE 2 / class 2

DIFFUSEUR / diffuser
diffuseur en PMMA 6 mm satiné /
6mm satinated PMMA diffuser


BLOC DIFFUSEUR / diffusing block
polycarbonate opale / opal polycarbonate

VIS MOLETÉE INOX / stainless steel knurled screw

MATIÈRE / material
tôlerie aluminium ou inox /aluminium sheet or stainless steel

CONNEXION EMBROCHABLE / quick connector

AÉRATION PAR MEMBRANE GORE TEX /
breathable Gore Tex membrane



H. 174
L. 174
P. 160

GARANTIE
ANTI-CORROSION
ALUMINIUM
25 ANS
ALUMINIUM
ANTI-CORROSION
WARRANTY

APPLICATIONS



ENTRÉE
entrance



COULOIR
corridor



SALLE DE BAINS
bathroom



CHAMBRE
bedroom



EXTÉRIEUR
outdoor




PLAFONNIER
INTÉRIEUR/EXTÉRIEUR
ceiling indoor/outdoor

KUATRO



**ROGER
PRADIER**

Always a good idea®



KUATRO

IP66 / IK10

CLASSE 1 / class 1

ALIMENTATION IP67 220-240V
power supply IP67 220-240V

DIFFUSEUR PMMA SATINÉ 6 MM
6 mm frosted PMMA diffuser

**LUMINAIRE: STRUCTURE
PLAQUE ALUMINIUM 5 MM**
frame made of 5mm aluminum

CONNECTEUR GEL IP68
IP68 CONNECTOR

MAT CYLINDRO CONIQUE
cylindrical & conical pole

TRAPPE DE VISITE
visit door


VISSERIE INOX
stainless steel screw

KIT DE SCELLEMENT
installation kit included

COULEURS
colours




SCHÉMA DE FIXATION
fixing sketch



DIFFUSEUR / DIFFUSER	PMMA SATINE / FROSTED PMMA			
	1	2	3	4
LED / LED	LED 70 W neutral white* 4000°K	LED 2 X 70 W neutral white* 4000°K	LED 70 W neutral white* 4000°K	LED 2 X 70 W neutral white* 4000°K
NOIR / BLACK	KT 1010 00	KT 1020 00	KT 1030 00	KT 1040 00
GRIS ANTHRACITE / DARK GREY	KT 1010 06	KT 1020 06	KT 1030 06	KT 1040 06
GRIS MÉTAL / METAL GREY	KT 1010 23	KT 1020 23	KT 1030 23	KT 1040 23
ROUGE / RED	KT 1010 56	KT 1020 56	KT 1030 56	KT 1040 56
ROUILLE / OLD RUSTIC	KT 1010 46	KT 1020 46	KT 1030 46	KT 1040 46



*autres températures de couleur, nous consulter / other led color temperatures: upon request






MODULE LED IP66

LED module IP66

 norme PMR	
modèles	
1	10m
2	12m
3	12m
4	14m



LED 70W

neutral white

courbe photométrique réalisée avec module + PMMA satiné / photometric graph obtained with LED + frosted PMMA

7200 lm

103 lm/W

Neutral 4000° K

IRC > 80

32 LED

module intégré / builtin LED



études d'éclairage et autres températures de couleur nous consulter
photometric studies & other led color temperatures: upon request



**ROGER
PRADIER**

Always a good idea®

46 avenue d'Occitanie
36250 Saint-Maur - FRANCE
France Tél. +33(0)2 54 53 56 54
Export Tél. +33(0)2 54 53 56 56
Fax +33(0)2 54 34 78 45

www.roger-pradier.com

distributeur / distributor


**CONÇU
ET FABRIQUÉ
EN FRANCE**
DESIGNED &
MANUFACTURED
IN FRANCE


**Entreprise
du Patrimoine
Vivant**