

Material Name: ARGON, COMPRESSED SDS ID: 00232349

#### Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

ARGON, COMPRESSED

**Synonyms** 

ÅRGON; UN 1006; AR;

**Chemical Family** 

non-metallic

**Product Use** 

Industrial and Specialty Gas Applications.

**Restrictions on Use** 

None known.

Details of the supplier of the safety data sheet

SPECIALTY CHEMICAL PRODUCTS

1407 Pennsylvania Ave. South Houston, TX 77587 Phone: 713-944-0900

Emergency Phone #: Outside the US: 703-527-3887 (Call collect)

Fax: 1-800-424-9300 (CHEMTREC)

## Section 2 - HAZARDS IDENTIFICATION

#### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Gases Under Pressure - Compressed gas

#### **GHS Label Elements**

#### Symbol(s)



# Signal Word

Warning

**Hazard Statement(s)** 

Contains gas under pressure; may explode if heated.

**Precautionary Statement(s)** 

Page 1 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



Material Name: ARGON, COMPRESSED

SDS ID: 00232349

#### **Prevention**

None needed according to classification criteria.

#### Response

None needed according to classification criteria.

#### Storage

Protect from sunlight. Store in a well-ventilated place.

#### **Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Other Hazards

The rapid release of compressed gas may cause frostbite. May cause asphyxia.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent		
7440-37-1	Argon	100.0		

The chemical identity and/or percentage of composition is being withheld as a trade secret.

## Section 4 - FIRST AID MEASURES

#### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

#### Skin

Wash exposed skin with soap and water.

#### Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

#### **Ingestion**

If swallowed, get medical attention.

#### Most Important Symptoms/Effects

#### Acute

Frostbite, suffocation

Page 2 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



Material Name: ARGON, COMPRESSED SDS ID: 00232349

**Delayed** 

No information on significant adverse effects.

**Note to Physicians** 

For inhalation, consider oxygen.

#### Section 5 - FIRE FIGHTING MEASURES

## **Extinguishing Media**

## Suitable Extinguishing Media

carbon dioxide, regular dry chemical, Large fires: Use regular foam or flood with fine water spray.

## **Unsuitable Extinguishing Media**

None known.

## Special Hazards Arising from the Chemical

Negligible fire hazard. Pressurized containers may rupture or explode if exposed to sufficient heat.

#### **Hazardous Combustion Products**

None known.

#### Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile).

#### **Special Protective Equipment and Precautions for Firefighters**

Wear personal protective clothing and equipment such as self-contained breathing apparatus (SCBA) for protection against possible exposure.

#### Section 6 - ACCIDENTAL RELEASE MEASURES

## Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

## Methods and Materials for Containment and Cleaning Up

Do not touch or walk through spilled material. Stop leak if possible without personal risk. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. Do not direct water at spill or source of leak. If possible, turn leaking containers so that gas escapes rather than liquid. Prevent entry into waterways, sewers, basements, or confined areas. Allow substance to evaporate. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. Ventilate closed spaces before entering.

#### **Environmental Precautions**

Page 3 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



#### Material Name: ARGON, COMPRESSED

Avoid release to the environment.

## Section 7 - HANDLING AND STORAGE

SDS ID: 00232349

## **Precautions for Safe Handling**

Avoid breathing dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

## Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.

## **Incompatible Materials**

No data available.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Component Exposure Limits**

Argon	7440-37-1
ACGIH:	(See Appendix F: Minimal Oxygen Content)

# $EU-Occupational\ Exposure\ (98/24/EC)-Binding\ Biological\ Limit\ Values\ and\ Health\ Surveillance\ Measures$

There are no biological limit values for any of this product's components.

## ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

#### **Engineering Controls**

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

#### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Eye protection not required, but recommended.

#### **Skin Protection**

Protective clothing is not required.

## **Respiratory Protection**

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

#### **Glove Recommendations**

Wear appropriate chemical resistant gloves.

Page 4 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



Material Name: ARGON, COMPRESSED SDS ID: 00232349

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

	T	T			
Appearance	Not available	Physical State	gas		
Odor	odorless	Color	colorless		
Odor Threshold	Not available	рН	Not available		
Melting Point	-189 °C (-308 °F)	<b>Boiling Point</b>	-186 °C (-303 °F)		
Freezing point	Not available	Evaporation Rate	Not available		
<b>Boiling Point Range</b>	Not available	Flammability (solid, gas)	Not available		
Autoignition	Not available	Flash Point	Not available		
Lower Explosive Limit	Not available	Decomposition	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	500 mmHg at -190 °C		
Vapor Density (air=1)	1.38	Specific Gravity (water=1)	Not available		
Water Solubility	3.36 % (@ 20 °C)	Partition coefficient: n-octanol/water	Not available		
Viscosity	0.0225 ср	Solubility (Other)	Not available		
Density	1.784 g/L at 0 °C	Physical Form	gas		
Taste	tasteless	Mole cular Formula	AR		
Molecular Weight	39.948				

# **Solvent Solubility Soluble**

organic solvents

## Section 10 - STABILITY AND REACTIVITY

Page 5 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



SDS ID: 00232349

## Material Name: ARGON, COMPRESSED

Reactivity

No reactivity hazard is expected.

**Chemical Stability** 

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

**Conditions to Avoid** 

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

**Incompatible Materials** 

No data available.

Hazardous decomposition products

No data available.

## Section 11 - TOXICOLOGICAL INFORMATION

## Information on Likely Routes of Exposure

#### Inhalation

nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, Disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, Unconsciousness, coma

#### **Skin Contact**

no information on significant adverse effects

**Eye Contact** 

no information on significant adverse effects

**Ingestion** 

ingestion of a gas is unlikely

#### **Acute and Chronic Toxicity**

## **Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and no selected endpoints have been identified

**Immediate Effects** 

Frostbite, suffocation

**Delayed Effects** 

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

**Respiratory Sensitization** 

No data available.

Page 6 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



SDS ID: 00232349

Material Name: ARGON, COMPRESSED

**Dermal Sensitization** 

No data available.

**Component Carcinogenicity** 

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

**Reproductive Toxicity** 

No data available.

Specific Target Organ Toxicity - Single Exposure

No information on significant adverse effects.

Specific Target Organ Toxicity - Repeated Exposure

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

No data available.

#### Section 12 - ECOLOGICAL INFORMATION

**Component Analysis - Aquatic Toxicity** 

No LOLI ecotoxicity data are available for this product's components

Persistence and Degradability

This substance is not expected to biodegrade.

**Bioaccumulative Potential** 

No information available for the product.

**Mobility** 

No information available for the product.

## Section 13 - DISPOSAL CONSIDERATIONS

## Disposal Methods

Dispose in accordance with all applicable regulations.

**Component Waste Numbers** 

The U.S. EPA has not published waste numbers for this product's components

Page 7 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



Material Name: ARGON, COMPRESSED SDS ID: 00232349

#### Section 14 - TRANSPORT INFORMATION

**US DOT Information:** 

Shipping Name: Argon, compressed

Hazard Class: 2.2 UN/NA #: UN1006 Required Label(s): 2.2

**TDG Information:** 

Shipping Name: Argon, compressed

Hazard Class: 2.2 UN#: UN1006

Required Label(s): 2.2

## Section 15 - REGULATORY INFORMATION

#### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C)

Acute Health: Yes Chronic Health: No Fire: No Pressure: Yes Reactivity: No

#### **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	
Argon	7440-37-1	No	Yes	Yes	Yes	Yes	

#### Not listed under California Proposition 65

#### **Canadian WHMIS Ingredient Disclosure List (IDL)**

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

## **WHMIS Classification**

A.

## **Component Analysis - Inventory**

Argon (7440-37-1)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR - KECI/KECL	KR - TCCA	CN	NZ	MX	TW	
----	----	----	----	----	--------------	--------------	-------------------	--------------	----	----	----	----	--

Page 8 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28



## Material Name: ARGON, COMPRESSED

Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes	Yes	
-----	-----	-----	-----	-----	----	----	-----	----	-----	-----	-----	-----	--

SDS ID: 00232349

#### Section 16 - OTHER INFORMATION

## **NFPA Ratings**

Health: 0 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

**Summary of Changes** Updated: 05/01/2015

#### Key/Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH -Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

#### Other Information

#### Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

Page 9 of 9 Issue date: 2015-09-28 Revision 2.0 Print date: 2015-09-28