Revised 4/9/13 Page 1 of 4

COPY this Clearance Form for the student to return to the school. KEEP the complete document in the student's medical record.

2013- 2014 SPORTS QUALIFYING PHYSICAL EXAMINATION CLEARANCE FORM

Minnesota State High School League

Student Name:Address:		Birth Date:		Age:	Gender: M / F	
Home Telephone	e:					
School:		 Grade:	Spc	orts:		
(1) Particip	pate in all school i pate in any activity	en medically evaluated nterscholastic activity not crossed out bel	ties withou ow.	t restrictions	S	·
	Classification Based or	n Contact	Spoi	rt Classification	Based on Intensity	& Strenuousness
Collision Contact Sports	Limited Contact Sports	Non-contact Sports	→ → → III. High (>50% MVC)	Field Events:	Alutina Olithauth	
asketball	Baseball	Badminton	↓ ↓ ↓ 	Shot Put Gymnastics*†	Alpine Skiing*† Wrestling*	
heerleading	Field Events:	Bowling	↑ - ½	Gymnastics T		
iving	High JumpPole Vault	Dance Team	Increasing Static Component → → Low (20-60% NVC) (20-60% NVC)		Danes Trains	
ootball symnastics	Floor Hockey	Field Events:	ent		Dance Team Football*	Basketball*
e Hockey	Nordic Skiing	Shot Put	1907 dera 50% VC)	Diving*†	Field Events: High Jump	Lacrosse*
acrosse	Softball	Golf	ic Component II. Moderate (20-50% MVC)	5.7mg	❖ Pole Vault*†	Nordic Skiing — Freestyle Track — Middle Distance
pine Skiing	Volleyball	Running	:tic (Synchronized Swimming† Track — Sprints	Swimming†
occer		Swimming	y Ste			
/restling		Tennis	sing G		Baseball*	Badminton Cross Country Running
		Track	ov MV	Bowling	Cheerleading Floor Hockey	Nordic Skiing — Classical
			Increasinų I. Low (<20% MVC)	Golf	Softball* Volleyball	Soccer* Tennis
	nendation can be lal recommendation			A. Low (<40% Max O₂)	B. Moderate (40-70% Max O ₂)	C. High (>70% Max O₂)
parents:			components a	cation Based on Intensity	. It should be noted, however, tha	tion is based on peak static and dynar t higher values may be reached duri
Reason ave examined the abordopy of the physical e	ared for: All S Special: Divergence of the state of the	ports cific Sports completed the Sports Quality office and can be made available.	components a training. The immediate of the immediate of the estimated perc. The lowest total cardiovas sion from: Man cardiovascular fying Physical stillable to the so	cation Based on Intensity chieved during competition creasing dynamic compone eved and results in an increasent of maximal voluntary coal cardiovascular demands (test shading. The graduated coular demands. "Danger of on BJ, Zipes DP. 36th Bether abnormalities. J Am Coll C	& Strenuousness: This classificat It should be noted, however, tha it is defined in terms of the estima- basing cardiac output. The increa- intraction (MVC) reached and resu (cardiac output and blood pressure I shading in between depicts low m bodily collision. †Increased risk if seda Conference: eligibility recomn 2 ardiol. 2005; 45(8):1317–1375. d by the Minnesota S est of the parents.	tion is based on peak static and dynam thigher values may be reached durin ated percent of maximal oxygen uptal sing static component is related to the tist in an increasing blood pressure loa are shown in lightest shading and the noderate, moderate, and high modera syncope occurs. Reprinted with perminendations for competitive athletes with the state of
Reason ave examined the abordopy of the physical extending Physician	ared for: All S Special: Speci	ports cific Sports completed the Sports Quality office and can be made ava	components a training. The immediate of the immediate of the estimated perc. The lowest total cardiovas sion from: Man cardiovascular fying Physical stillable to the so	cation Based on Intensity chieved during competition creasing dynamic compone eved and results in an increasent of maximal voluntary coal cardiovascular demands (test shading. The graduated coular demands. "Danger of on BJ, Zipes DP. 36th Bether abnormalities. J Am Coll C	& Strenuousness: This classificat It should be noted, however, tha it is defined in terms of the estima- basing cardiac output. The increa- intraction (MVC) reached and resu (cardiac output and blood pressure I shading in between depicts low m bodily collision. †Increased risk if seda Conference: eligibility recomn 2 ardiol. 2005; 45(8):1317–1375. d by the Minnesota S est of the parents.	tion is based on peak static and dynam thigher values may be reached durin ated percent of maximal oxygen uptal sing static component is related to the Its in an increasing blood pressure loa e) are shown in lightest shading and the noderate, moderate, and high moderat syncope occurs. Reprinted with perminendations for competitive athletes with mendations for competitive athletes with the properties of the static static and the static and the static static static static the static static static and the static and the static static and the static static and the static and the static and the static and the static and the static and the static and and and and and and and and
Reason ave examined the abordopy of the physician int Physician Nam	ared for: All S Special: Special Speci	ports cific Sports completed the Sports Quality office and can be made ava	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the so	cation Based on Intensity chieved during competition creasing dynamic compone wed and results in an increament of maximal voluntary coal cardiovascular demands (sest shading. The graduated scular demands. "Danger of on BJ, Zipes DP. 36th Bether abnormalities. J Am Coll C	& Strenuousness: This classificat It should be noted, however, the nit is defined in terms of the estima- passing cardiac output. The increa- intraction (MVC) reached and resu (cardiac output and blood pressure I shading in between depicts low in bodily collision. †Increased risk if seda Conference: eligibility recomn Cardiol. 2005; 45(8):1317–1375. d by the Minnesota S est of the parents. Date of Exam	tion is based on peak static and dynam thigher values may be reached durin tated percent of maximal oxygen uptal sing static component is related to the tits in an increasing blood pressure loa e) are shown in lightest shading and the oderate, moderate, and high modera syncope occurs. Reprinted with perminendations for competitive athletes with State High School Leagure.
Reason We examined the aboopy of the physician not Physician Name rice/Clinic Name	ared for: All S Special: Special Speci	ports cific Sports completed the Sports Quality office and can be made ava	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the so	cation Based on Intensity chieved during competition creasing dynamic compone wed and results in an increasent of maximal voluntary co al cardiovascular demands (sest shading. The graduated coular demands. "Danger of on BJ, Zipes DP. 36th Bether abnormalities. J Am Coll C	& Strenuousness: This classificat It should be noted, however, the nt is defined in terms of the estima- pasing cardiac output. The increa- intraction (MVC) reached and resu (cardiac output and blood pressure I shading in between depicts low in bodily collision. †Increased risk if seda Conference: eligibility recomn Cardiol. 2005; 45(8):1317–1375. In the Minnesota Seest of the parents. Date of Exam	tion is based on peak static and dynam It higher values may be reached durin stated percent of maximal oxygen uptal sing static component is related to that this in an increasing blood pressure loa o are shown in lightest shading and the loderate, moderate, and high modera syncope occurs. Reprinted with perminendations for competitive athletes with State High School Leaguage.
Reason ave examined the abordopy of the physician nt Physician Name fice/Clinic Name	ared for: All S Special: Special Speci	ports cific Sports completed the Sports Quality office and can be made ava	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the so	cation Based on Intensity chieved during competition creasing dynamic compone wed and results in an increasent of maximal voluntary co al cardiovascular demands (sest shading. The graduated coular demands. "Danger of on BJ, Zipes DP. 36th Bether abnormalities. J Am Coll C	& Strenuousness: This classificat It should be noted, however, the nt is defined in terms of the estima- pasing cardiac output. The increa- intraction (MVC) reached and resu (cardiac output and blood pressure I shading in between depicts low in bodily collision. †Increased risk if seda Conference: eligibility recomn Cardiol. 2005; 45(8):1317–1375. In the Minnesota Seest of the parents. Date of Exam	tion is based on peak static and dynam It higher values may be reached durin ated percent of maximal oxygen uptal sing static component is related to the tits in an increasing blood pressure loa a es shown in lightest shading and the oderate, moderate, and high modera syncope occurs. Reprinted with perminendations for competitive athletes with State High School Leagure.
Reason ave examined the abordopy of the physician int Physician Name fice/Clinic Name	ared for: All S Special: Special Speci	ports cific Sports completed the Sports Quality office and can be made ava	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the so	cation Based on Intensity chieved during competition creasing dynamic compone wed and results in an increasent of maximal voluntary co al cardiovascular demands (sest shading. The graduated coular demands. "Danger of on BJ, Zipes DP. 36th Bether abnormalities. J Am Coll C	& Strenuousness: This classificat It should be noted, however, the nt is defined in terms of the estima- pasing cardiac output. The increa- intraction (MVC) reached and resu (cardiac output and blood pressure I shading in between depicts low in bodily collision. †Increased risk if seda Conference: eligibility recomn Cardiol. 2005; 45(8):1317–1375. In the Minnesota Seest of the parents. Date of Exam	tion is based on peak static and dynam it higher values may be reached duri atted percent of maximal oxygen upta sing static component is related to this in an increasing blood pressure loc are shown in lightest shading and the oderate, moderate, and high modera syncope occurs. Reprinted with permit mendations for competitive athletes we state this property of the state of the st
Reason We examined the aborder of the physical examined the physical examined the physical examined physician Name of the physician	ared for: All S Special: Dive named student and exam is on record in my a Signature ne: Consider Tdap; mening PV); influenza] see attached school	ports cific Sports completed the Sports Qualifoffice and can be made available accorded (MCV4); HPV (3 do told documentation)	components a training. The in (MaxO.) achie estimated perc The lowest total highest in dark total cardiovas sion from: Man cardiovascular fying Physical ailable to the so Address: Address: pses); MMR (2 Not up-to-da	cation Based on Intensity. chieved during competition. ncreasing dynamic compone eved and results in an incre cent of maximal voluntary co al cardiovascular demands. test shading. The graduated coular demands. "Danger of on BJ. Zipes DP. 36th Bether r abnormalities. J Am Coll C Exam as require chool at the require chool at the require required); hep B ate / Specify_	& Strenuousness: This classificat. It should be noted, however, tha not is defined in terms of the estimassing cardiac output. The increasing cardiac output. The increasing cardiac output and blood pressure I shading in between depicts low mobility collision. Hincreased risk if a sold conference: eligibility recommorardiol. 2005; 45(8):1317–1375. d by the Minnesota Sest of the parents. Date of Exam (3 required); varicell	tion is based on peak static and dynar thigher values may be reached dur ated percent of maximal oxygen uptains static component is related to its in an increasing blood pressure or jare shown in lightest shading and inoderate, moderate, and high moders syncope occurs. Reprinted with permendations for competitive athletes where the state of
Reason We examined the aboopy of the physician Name item (Inc.) The physician Name item (Inc.) Reason Reas	ared for: All S Special Specia	completed the Sports Quality office and can be made available occoccal (MCV4); HPV (3 does not consider the constant of the co	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the scandidate of the scandida	cation Based on Intensity. chieved during competition. creasing dynamic compone ved and results in an incre zent of maximal voluntary co al cardiovascular demands. cest shading. The graduated scular demands. "Danger of on BJ, Zipes DP. 36th Bethe r abnormalities. J Am Coll C Exam as require chool at the require chool at the paradiated required); hep B ate / Specify_	& Strenuousness: This classificat It should be noted, however, the rits defined in terms of the estima- pasing cardiac output. The increar intraction (MVC) reached and resu cardiac output and blood pressure is shading in between depicts low in bodily collision. †Increased risk if soad Conference: eligibility recomn cardiol. 2005; 45(8):1317–1375. In the Minnesota Se est of the parents. Date of Exam (3 required); varicell	tion is based on peak static and dynan thigher values may be reached during the percent of maximal oxygen uptain static component is related to this in an increasing blood pressure lore on a part of the percent of th
Reason We examined the aboopy of the physician Name items (Incomplete and Physician Name items), State, Zip Codifice Telephone: MUNIZATIONS [Dup-to-date (I) MUNIZATIONS (I)	ared for: All S Special Specia	completed the Sports Quality office and can be made available of the Sports Quality of the sports of the sports Quality of the sports of the sports Quality of the sports	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fyring Physical ailable to the scandidate of the scandid	cation Based on Intensity. chieved during competition. creasing dynamic compone ved and results in an incre zent of maximal voluntary co al cardiovascular demands. cest shading. The graduated scular demands. "Danger of on BJ, Zipes DP. 36th Bethe rabnormalities. J Am Coll C Exam as require chool at the require chool at the require required); hep B ate / Specify_	& Strenuousness: This classificat It should be noted, however, the rits defined in terms of the estima- pasing cardiac output. The increar intraction (MVC) reached and resu cardiac output and blood pressure is shading in between depicts low in bodily collision. †Increased risk if soad Conference: eligibility recomn cardiol. 2005; 45(8):1317–1375. In the Minnesota Se est of the parents. Date of Exam (3 required); varicell	tion is based on peak static and dynan thigher values may be reached during the percent of maximal oxygen uptain static component is related to the sin an increasing blood pressure or jare shown in lightest shading and the properties of the percent of the perce
Reason We examined the aboopy of the physician Name in Physician	ared for: All S Special Specia	completed the Sports Quality office and can be made available of the Sports Quality office and can be made available of the Sports Quality of the Sports Q	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the scandidate of the scandida	cation Based on Intensity. chieved during competition. creasing dynamic componence of the componence	& Strenuousness: This classificat It should be noted, however, the rits defined in terms of the estimatis defined in terms of the estimates pasing cardiac output. The increase ritraction (MVC) reached and resu- Is shading in between depicts low modified by the standing in between depicts low modified in the standing of the standing in between depicts low modified in the standing in between depicts low modified in the standing in between depicts low modified in the standing	tion is based on peak static and dynan It higher values may be reached unitated percent of maximal oxygen upta sing static component is related to to Its in an increasing blood pressure loc jar es hown in lightest shading and to noderate, moderate, and high moderate syncope occurs. Reprinted with perm mendations for competitive athletes where State High School Leagury State High School Leagury Italian (2 required or history)
Reason ave examined the aborder of the physician Name in the Phys	ared for: All S Special Specia	completed the Sports Quality office and can be made available occordal (MCV4); HPV (3 do tol documentation)	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the scandidate of the scandida	cation Based on Intensity. chieved during competition. creasing dynamic composition. creasing dynamic composition. creating final increasing dynamic composition. created final increasing dynamic composition. created final increasing dynamic composition. It is a cardiovascular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands. The graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in the graduated coular demands. The graduated coular demands are considered in	& Strenuousness: This classificat It should be noted, however, the rits defined in terms of the estimates pasing cardiac output. The increase intraction (MVC) reached and resu- lashading in between depicts low in bodily collision. †Increased risk if sads Conference: eligibility reached. Cardiac output. The increased risk if sads Conference: eligibility reached. Cardiol. 2005; 45(8):1317–1375. In the parents. Date of Exam (3 required); varicell (3 required); varicell	tion is based on peak static and dynan It higher values may be reached unitated percent of maximal oxygen upta sing static component is related to to Its in an increasing blood pressure loc jar es hown in lightest shading and to noderate, moderate, and high moderate syncope occurs. Reprinted with perm mendations for competitive athletes where State High School Leagury State High School Leagury Italian (2 required or history)
Reason Ave examined the aborder of the physicial ending Physician Name fice/Clinic Name by, State, Zip Codifice Telephone: MUNIZATIONS [Image of the physician of the physician Name of the physician of the phy	ared for: All S Special: Sve named student and exam is on record in my a Signature ne: Sconsider Tdap; mening PV); influenzal see attached school GIVEN TODAY: CORMATION T:	completed the Sports Quality office and can be made available of the Sports Quality office and can be made available of the Sports Quality of the Sports Q	components a training. The in (MaxO ₂) achie estimated perc The lowest total cardiovas sion from: Man cardiovascular fying Physical ailable to the scandid total cardiovascular fying Physical ailable to the scandid total cardiovascular fying Physical ailable to the scandid total cardiovascular fying Physical cardiovascular fying Physi	cation Based on Intensity. chieved during competition. ncreasing dynamic compone eved and results in an incre event of maximal voluntary co al cardiovascular demands. test shading. The graduated coular demands. "Danger of on BJ. Zipes DP. 36th Bethe r abnormalities. J Am Coll C Exam as require chool at the requi	& Strenuousness: This classificat It should be noted, however, the rits defined in terms of the estimates pasing cardiac output. The increase intraction (MVC) reached and resu- lashading in between depicts low in bodily collision. †Increased risk if sads Conference: eligibility reached. Cardiac output. The increased risk if sads Conference: eligibility reached. Cardiol. 2005; 45(8):1317–1375. In the parents. Date of Exam (3 required); varicell (3 required); varicell	tion is based on peak static and dynan thigher values may be reached during the percent of maximal oxygen uptain sing static component is related to the sing static component is related to the sing and increasing blood pressure in lightest shading and the properties of the percentage of the percenta

2013-2014 SPORTS QUALIFYING PHYSICAL HISTORY FORM

Minnesota State High School League

Student Name:	Birth Date:	Date of Exam:
Circle Question Numbe 1 of questions for which the answer is unknown.	History	Circle Y for Yes or N for
GENERAL QUESTIONS		
 Has a doctor ever denied or restricted your participation in sports for a Do you have an ongoing medical condition (like diabetes, asthma, and 		
3. Are you currently taking any prescription or nonprescription (over-the-		
List:	2	V/N
Do you have allergies to medicines, pollens, foods, or stinging insects Have you ever spent the night in a hospital?		
Have you ever had surgery?		
HEART HEALTH QUESTIONS ABOUT YOU		W/N
 Have you ever passed out or nearly passed out DURING exercise? Have you ever passed out or nearly passed out AFTER exercise? 		
9. Have you ever had discomfort, pain, tightness, or pressure in your cho	est during exercise?	Y/N
10. Does your heart race or skip beats (irregular beats) during exercise?.		Y/N
11. Has a doctor ever told you that you have? (circle): High blood pressure A heart murmur High cholesterol A heart	infection Rheumatic fever Kawasaki	i's Disease
Has a doctor ever ordered a test for your heart? (for example, ECG/E	KG, echocardiogram, stress test)	Y / N
 Do you get lightheaded or feel more short of breath than expected du 	ring exercise?	Y/N
Have you ever had an unexplained seizure? Do you get more tired or short of breath more quickly than your friend	s during exercise?	
HEART HEALTH QUESTIONS ABOUT YOUR FAMILY	G	
16. Has any family member or relative died of heart problems or had an u		
unexplained car accident, or sudden infant death syndrome)?		
syndrome, Brugada syndrome, or catecholaminergic polymorphic ven	tricular tachycardia?	Y/N
Does anyone in your family have a heart problem, pacemaker, or imp	lanted defibrillator?	Y/N
 Has anyone in your family had unexplained fainting, unexplained seiz BONE AND JOINT QUESTIONS 	ures, or near drowning?	Y/N
20. Have you ever had an injury, like a sprain, muscle or ligament tear or	tendonitis that caused you to miss a prac	ctice or game? Y / N
21. Have you had any broken or fractured bones or dislocated joints?		
Have you ever had an injury that required x-rays, MRI, CT scan, injec Have you ever had a stress fracture?		
24. Have you ever had a sitess fracture:		
25. Do you regularly use a brace, orthotics or other assistive device?		
26. Do you have a bone, muscle, or joint injury that bothers you?		
28. Do you have any history of juvenile arthritis or connective tissue disease		
MEDICAL QUESTIONS		
 Has a doctor ever told you that you have asthma or allergies? Do you cough, wheeze, experience chest tightness, or have difficulty 		
31. Is there anyone in your family who has asthma?		
32. Have you ever used an inhaler or taken asthma medicine?		
Do you develop a rash or hives when you exercise? Were you born without or are you missing a kidney, an eye, a testicle	(males) or any other organ?	Y/N
35. Do you have groin pain or a painful bulge or hernia in the groin area?		
36. Have you had infectious mononucleosis (mono) within the last month		
37. Do you have any rashes, pressure sores, or other skin problems? 38. Have you had a herpes or MRSA skin infection?		
39. Have you ever had a head injury or concussion?		Y/N
40. Have you ever had a hit or blow to the head that caused confusion pro		
41. Do you have a history of seizure disorder?		Y/N
43. Have you ever had numbness, tingling, or weakness in your arms or I		
44. Have you ever been unable to move your arms or legs after being hit		
45. Have you ever become ill while exercising in the heat?		
47. Do you or someone in your family have sickle cell trait or disease?		Y/N
48. Have you had any problems with your eyes or vision?		
49. Have you had any eye injuries?50. Do you wear glasses or contact lenses?		
51. Do you wear protective eyewear, such as goggles or a face shield?		
52. Do you worry about your weight?	:	Y/N
53. Are you trying to or has anyone recommended that you gain or lose w 54. Are you on a special diet or do you avoid certain types of foods?		
55. Have you ever had an eating disorder?		Y/N
56. Do you have any concerns that you would like to discuss with a docto FEMALES ONLY	r?	Y/N
57. Have you ever had a menstrual period?		Y/N
58. How old were you when you had your first menstrual period? 59. How many menstrual periods have you had in the last year?		
Notes:		
I do not know of any existing physical or additional health reason t questions are true and accurate and I approve participation in athl		sports. I certify that the answers to the above
Parent or Legal Guardian Signature Stud	ent-Athlete Signature	Date

2013-2014 SPORTS QUALIFYING PHYSICAL EXAMINATION FORM

Minnesota State High School League

Student Name:		Birth Date:	Age: _	Gender: M / F	
Follow-Up Questions About More Sensitive Issues: 1. Do you feel stressed out or under a lot of pressure? 2. Do you ever feel so sad or hopeless that you stop doin 3. Do you feel safe? 4. Have you ever tried cigarette smoking, even 1 or 2 pu 5. During the past 30 days, did you use chewing tobacco 6. During the past 30 days, have you had at least 1 drink 7. Have you ever taken steroid pills or shots without a do 8. Have you ever taken any supplements to help you gai 9. Question "Risk Behaviors" like guns, seatbelts, unprot Notes About Follow-Up Questions:	ffs? Do you currently o, snuff, or dip? of alcohol? octor's prescription? n or lose weight or in	/ smoke? mprove your performand	e?		
	MEDICA	L EXAM			
Height Weight BMI	(optional)	% Body fat (d	optional)	Arm Span	
Height Weight BMI Pulse BP/ Vision: R 20/ L 20/ Corrected: Y /	(<u></u>	,		
Vision: R 20/ L 20/ Corrected: Y /	N Contacts:	Y / N Hearing:	R L	(Audiogram or confrontation)	
Exam	Normal	Abnormal Notes		Initials*	
Annogranos	Y/N				
Appearance Marfan stigmata (kyphoscoliosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperlaxity, myopia, MVP, aortic insufficiency)	Y/N				
HEENT	Y/N				
Eyes	Y/N				
Fundoscopic	Y/N				
Pupils	Equal / Unequal				
Hearing Conditions and the second of the sec	Y/N Y/N				
Cardiovascular Murmurs (auscultation standing, supine, +/- Valsalva)	Y/N				
PMI location	1 / IN				
Pulses (simultaneous femoral & radial)	Y/N				
Lungs	Y/N				
Abdomen	Y/N				
Genitourinary (Male)	Y/N				
Hernia	Y/N I II III IV V				
Tanner Staging (optional) Skin (HSV, MRSA, Tinea corporis)	Y / N				
Musculoskeletal	1 / IN				
Neck	Y/N				
Back	Y/N				
Shoulder/Arm	Y/N				
Elbow/Forearm	Y/N				
Wrist/Hand/Fingers Hip/Thigh	Y / N Y / N				
Knee	Y / N				
Leg/Ankle	Y/N				
Foot/Toes	Y/N				
Functional (Duck Walk/Single Leg Hop)	Y/N				
Notes:			* Requi	red Only if Multiple Examiners	
Assessment: Cleared for sports without restriction Plan: Immunizations: Up-to-Date Immur Consider Flu Shot (Asthm Health Maintenance: Lifestyle, health, a	nize if needed (Requ na, winter athletes) nd safety counseling	, ,	eries plus Td with Pe ental care and mout		

Revised 4/9/13 Page 4 of 4

Minnesota State High School League

2013-2014 PI ADAPTED ATHLETICS PHYSICAL EXAM FORM Addendum (Use only for Adapted Athletics - PI Division)

The MSHSL has competitive interscholastic Physically Impaired (PI) competition. Students who are deemed fit to participate in competitive athletics from a MSHSL sports qualifying exam should meet the criteria below to participate in Adapted Athletics – PI Division.

The MSHSL Adapted Athletics PI Division program is specifically intended for students with physical impairments who have medical clearance to compete in competitive athletics. A student is eligible to compete in the PI Division with one of the following criteria:

		e a diagnosed and dond documented by a				wo sections below:		
1.	Neu	ıromuscular	Postural/SkeletalNeurological Impairment		т	Traumatic		
	Gro	wth			nt			
	Which: affects Motor		Function modifies Ga		es Gait Patterns	ait Patterns		
		Requires t	he use of prost	hesis or mobility	device, including	but not limited to canes,		
2.	and duration		such that susta	ained activity for	over five minutes	ics, but limits the intensity at 60% of maximum heart health condition.		
						edications that eliminate r adapted athletics.		
Speci	fic exclusions	to PI competition:	:					
partici individ exam	pate in the PI [lual's physiciar	Division even though n, a student's school alifying health condit	n some of the co , or governmen	onditions below r t agency. This li	nay be considered st is not all-inclusi	e, do not qualify the student to d Health Impairments by an ve and the conditions are low may also be non-qualifying		
(EBD) Asthm	, Autism specti a, Reactive Ai	rum disorders (inclu	ding Asperger's), Bronchopulm	ร Syndrome), Toเ onary Dysplasia	ırette's Syndrome (BPD), Blindness	ll Behavioral Disorder , Neurofibromatosis, Deafness, Obesity,		
Stude	nt Name							
Attend	ding Physician/	Physician Assistant	(PRINT)					
Attend	ding Physician/	Physician Assistant	(SIGNATURE)					
Date o	of Physical Exa	ım						