

1.1 Introduction to the Practice of Statistics

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 10) Parking at a large university has become a very big problem. University administrators are interested in determining the average parking time (e.g. the time it takes a student to find a parking spot) of its students. An administrator inconspicuously followed 120 students and carefully recorded their parking times. Identify the population of interest to the university administration.
- A) the parking times of the entire set of students that park at the university
 - B) the parking times of the 120 students from whom the data were collected
 - C) the entire set of faculty, staff, and students that park at the university
 - D) the students that park at the university between 9 and 10 AM on Wednesdays
- 11) A manufacturer of cellular phones has decided that an assembly line is operating satisfactorily if less than 0.05% of the phones produced per day are defective. To check the quality of a day's production, the company decides to randomly sample 10 phones from a day's production to test for defects. Define the population of interest to the manufacturer.
- A) all the phones produced during the day in question
 - B) the 10 phones sampled and tested
 - C) the 10 responses: defective or not defective
 - D) the 0.05% of the phones that are defective
- 12) A recent study attempted to estimate the proportion of Florida residents who were willing to spend more tax dollars on protecting the Florida beaches from environmental disasters. Forty-two hundred Florida residents were surveyed. Which of the following is the population used in the study?
- A) all Florida residents
 - B) the 4200 Florida residents surveyed
 - C) the Florida residents who were willing to spend more tax dollars on protecting the beaches from environmental disasters
 - D) all Florida residents who lived along the beaches
- 13) Parking at a large university has become a very big problem. University administrators are interested in determining the average parking time (e.g. the time it takes a student to find a parking spot) of its students. An administrator inconspicuously followed 180 students and carefully recorded their parking times. Identify the sample of interest to the university administration.
- A) parking times of the 180 students
 - B) parking time of a student
 - C) location of the parking spot
 - D) type of car (import or domestic)
- 14) The legal profession conducted a study to determine the percentage of cardiologists who had been sued for malpractice in the last three years. The sample was randomly chosen from a national directory of doctors. Identify the individuals in the study.
- A) each cardiologist selected from the directory
 - B) the responses: have been sued/have not been sued for malpractice in the last three years
 - C) the doctor's area of expertise (i.e., cardiology, pediatrics, etc.)
 - D) all cardiologists in the directory

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

- 15) Administrators at a large university want to know the average debt incurred by their graduates. Surveys were mailed to 150 graduating seniors asking them to report their total student loan debt. Identify the population, sample, and individuals in the study.

- 16) A study was conducted to determine if listening to heavy metal music affects critical thinking. To test the claim, 124 subjects were randomly assigned to two groups. Both groups were administered a basic math skills exam. The first group took the exam while heavy metal music was piped into the exam room, while the second group took the exam in a silent room. The mean exam score for the first group was 76, and the mean exam score for the second group was 83. The researchers concluded that heavy metal music negatively affects critical thinking. Identify (a) the research objective, (b) the sample, (c) the descriptive statistics, and (d) the conclusions made in the study.
- 17) A telephone poll asked 1422 registered voters "Would you vote for the current vice president if he ran for president?" Of these 1422 respondents, 35% would vote for the current vice president if he ran for president. The administrators of the study concluded that 35% of all registered voters would vote for the current vice president if he ran for president. Identify (a) the research objective, (b) the sample, (c) the descriptive statistics, and (d) the conclusions made in the study.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 18) Which branch of statistics deals with the organization and summarization of collected information?
- | | |
|---------------------------|-----------------------------|
| A) Descriptive statistics | B) Inferential statistics |
| C) Survey design | D) Computational statistics |

3 Distinguish between qualitative and quantitative variables.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Classify the variable as qualitative or quantitative.

- | | |
|--|-----------------|
| 1) the colors of book covers on a bookshelf | |
| A) qualitative | B) quantitative |
| 2) the number of calls received at a company's help desk | |
| A) quantitative | B) qualitative |
| 3) the number of seats in a school auditorium | |
| A) quantitative | B) qualitative |
| 4) the numbers on the shirts of a boy's football team | |
| A) qualitative | B) quantitative |
| 5) the bank account numbers of the students in a class | |
| A) qualitative | B) quantitative |
| 6) the weights of cases loaded onto an airport conveyor belt | |
| A) quantitative | B) qualitative |
| 7) the temperatures of cups of coffee served at a restaurant | |
| A) quantitative | B) qualitative |
| 8) the native languages of students in an English class | |
| A) qualitative | B) quantitative |

Solve the problem.

- 9) A bicycle manufacturer produces four different bicycle models. Information is summarized in the table below:

Model	Series Number	Weight	Style
Ascension	A120	33	Mountain
Road Runner	B640	21	Road
All Terrain	C300	27	Hybrid
Class Above	D90	17	Racing

Identify the variables and determine whether each variable is quantitative or qualitative.

- A) series number: qualitative; weight: quantitative; style: qualitative
 - B) series number: quantitative; weight: quantitative; style: qualitative
 - C) series number: quantitative; weight: qualitative; style: qualitative
 - D) series number: qualitative; weight: qualitative; style: qualitative
- 10) An international relations professor is supervising four master's students. Information about the students is summarized in the table.

Student Name	Student Number	Area of Interest	GPA
Anna	914589205	Africa	3.63
Pierre	981672635	Middle East	3.30
Juan	906539012	Latin America	3.16
Yoko	977530271	Asia	3.68

Identify the variables and determine whether each variable is quantitative or qualitative.

- A) student number: qualitative; area of interest: qualitative; GPA: quantitative
- B) student number: quantitative; area of interest: qualitative; GPA: quantitative
- C) student number: quantitative; area of interest: qualitative; GPA: qualitative
- D) student number: qualitative; area of interest: qualitative; GPA: qualitative

Provide an appropriate response.

- 11) Quantitative variables classify individuals in a sample according to
- A) numerical measure.
 - B) physical attribute.
 - C) personality characteristic.
 - D) exhibited trait.

4 Distinguish between discrete and continuous variables.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine whether the quantitative variable is discrete or continuous.

- 1) the number of bottles of juice sold in a cafeteria during lunch
 - A) discrete
 - B) continuous
- 2) the weight of a player on the wrestling team
 - A) continuous
 - B) discrete
- 3) the cholesterol levels of a group of adults the day after Thanksgiving
 - A) continuous
 - B) discrete
- 4) the low temperature in degrees Fahrenheit on January 1st in Cheyenne, Wyoming
 - A) continuous
 - B) discrete
- 5) the number of goals scored in a hockey game
 - A) discrete
 - B) continuous

- 6) the speed of a car on a Boston tollway during rush hour traffic
A) continuous B) discrete
- 7) the number of phone calls to the police department on any given day
A) discrete B) continuous
- 8) the age of the oldest employee in the data processing department
A) continuous B) discrete
- 9) the number of pills in an aspirin bottle
A) discrete B) continuous

Provide an appropriate response.

- 10) The peak shopping time at a pet store is between 8–11:00 am on Saturday mornings. Management at the pet store randomly selected 65 customers last Saturday morning and decided to observe their shopping habits. They recorded the number of items that a sample of the customers purchased as well as the total time the customers spent in the store. Identify the types of variables recorded by the pet store.
A) number of items – discrete; total time – continuous
B) number of items – continuous; total time – continuous
C) number of items – continuous; total time – discrete
D) number of items – discrete; total time – discrete
- 11) The number of violent crimes committed in a city on a given day in a random sample of 110 days is a _____ random variable.
A) discrete B) continuous
- 12) Classify the following random variable: telephone area codes
A) qualitative data B) experimental data
C) quantitative continuous data D) quantitative discrete data
- 13) A student is asked to rate a guest speaker's ability to communicate on a scale of poor–average–good–excellent. The student is to fill in a corresponding circle on a bubble form. This is an example of collecting what type of data?
A) qualitative B) continuous C) discrete D) insightful

5 Determine the level of measurement of a variable.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine the level of measurement of the variable.

- 1) the musical instrument played by a music student
A) nominal B) ratio C) ordinal D) interval
- 2) the medal received (gold, silver, bronze) by an Olympic gymnast
A) ordinal B) ratio C) nominal D) interval
- 3) height of a tree
A) ratio B) interval C) nominal D) ordinal
- 4) the native language of a tourist
A) nominal B) ratio C) ordinal D) interval
- 5) the day of the month
A) interval B) ratio C) nominal D) ordinal

- 6) an officer's rank in the military
 A) ordinal B) ratio C) nominal D) interval
- 7) weight of rice bought by a customer
 A) ratio B) interval C) nominal D) ordinal
- 8) a student's favorite sport
 A) nominal B) ratio C) ordinal D) interval
- 9) ranking (first place, second place, etc.) of contestants in a singing competition
 A) ordinal B) ratio C) nominal D) interval
- 10) capacity of a backpack
 A) ratio B) interval C) nominal D) ordinal
- 11) an evaluation received by a physics student (excellent, good, satisfactory, or poor).
 A) ordinal B) ratio C) nominal D) interval
- 12) the year of manufacture of a car
 A) interval B) ratio C) nominal D) ordinal
- 13) time spent playing basketball
 A) ratio B) interval C) nominal D) ordinal
- 14) category of storm (gale, hurricane, etc.)
 A) ordinal B) ratio C) nominal D) interval

1.2 Observational Studies versus Designed Experiments

1 Distinguish between an observational study and an experiment.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine whether the study depicts an observational study or an experiment.

- 1) A medical researcher obtains a sample of adults suffering from diabetes. She randomly assigns 95 people to a treatment group and 95 to a placebo group. The treatment group receives a medication over a period of three months and the placebo group receives a placebo over the same time frame. At the end of three months the patients' symptoms are evaluated.
 A) experiment B) observational study
- 2) A poll is conducted in which professional musicians are asked their ages.
 A) observational study B) experiment
- 3) A pollster obtains a sample of students and asks them how they will vote on an upcoming referendum.
 A) observational study B) experiment
- 4) The personnel director at a large company would like to determine whether the company cafeteria is widely used by employees. She calls each employee and asks them whether they usually bring their own lunch, eat at the company cafeteria, or go out for lunch.
 A) observational study B) experiment

- 5) A scientist was studying the effects of a new fertilizer on crop yield. She randomly assigned half of the plots on a farm to group one and the remaining plots to group two. On the plots in group one, the new fertilizer was used for a year. On the plots in group two, the old fertilizer was used. At the end of the year the average crop yield for the plots in group one was compared with the average crop yield for the plots in group two.
- A) experiment
B) observational study
- 6) A researcher obtained a random sample of 100 smokers and a random sample of 100 nonsmokers. After interviewing all 200 participants in the study, the researcher compared the rate of depression among the smokers with the rate of depression among nonsmokers.
- A) observational study
B) experiment

Provide an appropriate response.

- 7) True or False: Observational studies are not as useful as experiments to learn about the characteristics of a population.
A) False B) True
- 8) True or False: Experiments assist the researcher in isolating the causes of the relationships that exist between two variables.
A) True B) False

2 Explain the various types of observational studies.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Determine what type of observational study is described. Explain.

- 1) Researchers wanted to determine whether there was an association between high blood pressure and the suppression of emotions. The researchers looked at 1800 adults enrolled in a Health Initiative Observational Study. Each person was interviewed and asked about their response to emotions. In particular they were asked whether their tendency was to express or to hold in anger and other emotions. The degree of suppression of emotions was rated on a scale of 1 to 10. Each person's blood pressure was also measured. The researchers analyzed the results to determine whether there was an association between high blood pressure and the suppression of emotions.
 - A) cross-sectional; Information is collected at a specific point in time.
 - B) cohort; Individuals are observed over a long period of time.
 - C) retrospective; Individuals are asked to look back in time.
- 2) Researchers wanted to determine whether there was an association between city driving and stomach ulcers. They selected a sample of 900 young adults and followed them for a twenty-year period. At the start of the study none of the participants was suffering from a stomach ulcer. Each person kept track of the number of hours per week they spent driving in city traffic. At the end of the study each participant underwent tests to determine whether they were suffering from a stomach ulcer. The researchers analyzed the results to determine whether there was an association between city driving and stomach ulcers.
 - A) cohort; Individuals are observed over a long period of time.
 - B) cross-sectional; Information is collected at a specific point in time.
 - C) retrospective; Individuals are asked to look back in time.

- 3) A researcher wanted to determine whether women with children are more likely to develop anxiety disorders than women without children. She selected a sample of 900 twenty-year old women and followed them for a twenty-year period. At the start of the study, none of the women had children. By the end of the study 53% of the women had at least one child. The level of anxiety of each participant was evaluated at the beginning and at the end of the study and the increase (or decrease) in anxiety was recorded. The researchers analyzed the results to determine whether there was an association between anxiety and having children.
- A) cohort; Individuals are observed over a long period of time.
 - B) cross-sectional; Information is collected at a specific point in time.
 - C) retrospective; Individuals are asked to look back in time.
- 4) Vitamin D is important for the metabolism of calcium and exposure to sunshine is an important source of vitamin D. A researcher wanted to determine whether osteoporosis was associated with a lack of exposure to sunshine. He selected a sample of 250 women with osteoporosis and an equal number of women without osteoporosis. The two groups were matched – in other words they were similar in terms of age, diet, occupation, and exercise levels. Histories on exposure to sunshine over the previous twenty years were obtained for all women. The total number of hours that each woman had been exposed to sunshine in the previous twenty years was estimated. The amount of exposure to sunshine was compared for the two groups.
- A) retrospective; Individuals are asked to look back in time
 - B) cross-sectional; Information is collected at a specific point in time.
 - C) cohort; Individuals are observed over a long period of time.
- 5) Can money buy happiness? A researcher wanted to determine whether there was any association between economic status and happiness. She selected a sample of 1000 adults and interviewed them. Each person was asked about their financial situation and their level of happiness was evaluated. The researcher analyzed the results to determine whether there was an association between economic status and happiness.
- A) cross-sectional; Information is collected at a specific point in time.
 - B) cohort; Individuals are observed over a long period of time.
 - C) retrospective; Individuals are asked to look back in time.
- 6) A researcher wanted to determine whether colon cancer was associated with eating meat. He selected a sample of 500 men with colon cancer and an equal number of men without colon cancer. The two groups were matched – in other words they were similar in terms of age, occupation, income, and exercise levels. Histories on the amount of meat consumed over the previous twenty years were obtained for all men. The total amount of meat that each man eaten in the previous twenty years was estimated. The meat consumption was compared for the two groups.
- A) retrospective; Individuals are asked to look back in time
 - B) cross-sectional; Information is collected at a specific point in time.
 - C) cohort; Individuals are observed over a long period of time.

1.3 Simple Random Sampling

1 Obtain a simple random sample.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Provide an appropriate response.

- 1) The government of a town needs to determine if the city's residents will support the construction of a new town hall. The government decides to conduct a survey of a sample of the city's residents. Which one of the following procedures would be most appropriate for obtaining a sample of the town's residents?
- A) Survey a random sample of persons within each geographic region of the city.
 - B) Survey a random sample of employees at the old city hall.
 - C) Survey every 7th person who walks into city hall on a given day.
 - D) Survey the first 300 people listed in the town's telephone directory.

- 2) The city council of a small town needs to determine if the town's residents will support the building of a new library. The council decides to conduct a survey of a sample of the town's residents. Which one of the following procedures would be most appropriate for obtaining a sample of the town's residents?
- Survey a random sample of persons within each neighborhood of the town.
 - Survey a random sample of librarians who live in the town.
 - Survey 500 individuals who are randomly selected from a list of all people living in the state in which the town is located.
 - Survey every 7th person who enters the old library on a given day.
- 3) The policy committee at State University has 6 members: LaToyna, Ming, Jose, John, Prof. Rise, and Dr. Hernandez. A subcommittee of two members must be formed to investigate the visitation policy in the dormitories. List all possible simple random samples of size 2.
- LaToyna and Ming, LaToyna and Jose, LaToyna and John, LaToyna and Prof. Rise, LaToyna and Dr. Hernandez, Ming and Jose, Ming and John, Ming and Prof. Rise, Ming and Dr. Hernandez, Jose and John, Jose and Prof. Rise, Jose and Dr. Hernandez, John and Prof. Rise, John and Dr. Hernandez, Prof. Rise and Dr. Hernandez
 - LaToyna and Ming, Jose and John, Prof. Rise and Dr. Hernandez
 - LaToyna and Ming, Ming and Jose, Jose and John, John and Prof. Rise, Prof. Rise and Dr. Hernandez
 - LaToyna and Ming, LaToyna and Jose, LaToyna and John, LaToyna and Prof. Rise, LaToyna and Dr. Hernandez
- 4) Select a random sample of five state capitals from the list below using the two digit list of random numbers provided. Begin with the uppermost left random number and proceed down each column. When a column is complete, use the numbers at the top of the next right column and proceed down that column.

State Capitals

1	Albany, NY	11	Charleston, WV	21	Hartford, CT	31	Madison, WI	41	Richmond, VA
2	Annapolis, MD	12	Cheyenne, WY	22	Helena, MT	32	Montgomery, AL	42	Sacramento, CA
3	Atlanta, GA	13	Columbia, SC	23	Honolulu, HI	33	Montpelier, VT	43	Salem, OR
4	Augusta, ME	14	Columbus, OH	24	Indianapolis, IN	34	Nashville, TN	44	Salt Lake City, UT
5	Austin, TX	15	Concord, NH	25	Jackson, MS	35	Oklahoma City, OK	45	Santa Fe, NM
6	Baton Rouge, LA	16	Denver, CO	26	Jefferson City, MO	36	Olympia, WA	46	Springfield, IL
7	Bismarck, ND	17	Des Moines, IA	27	Juneau, AK	37	Phoenix, AZ	47	St. Paul, MN
8	Boise, ID	18	Dover, DE	28	Lansing, MI	38	Pierre, SD	48	Tallahassee, FL
9	Boston, MA	19	Frankfort, KY	29	Lincoln, NE	39	Providence, RI	49	Topeka KS
10	Carson City, NV	20	Harrisburg, PA	30	Little Rock, AR	40	Raleigh, NC	50	Trenton, NJ

Random Numbers

46	81	17	60	92	59	40	9
53	78	45	14	53	78	8	43
3	99	46	86	41	42	36	95
39	14	16	59	84	18	5	48
45	41	77	91	11	43	76	28

- Springfield, IL; Atlanta, GA; Providence, RI; Santa Fe, NM; Columbus OH.
- Springfield, IL; Des Moines, IA; Boston, MA; Santa Fe, NM; Columbus OH.
- Carson City NV; Boise ID; Atlanta, GA; Cheyenne, WY; Boston, MA.
- Boston, MA; Concord, NH; Dover DE; Santa Fe, NM; Richmond, VA.

- 5) The top 38 cities in Wisconsin as determined by population are given below. Select a random sample of four cities from the list below using the two digit list of random numbers provided. Begin with the uppermost left random number and proceed down each column. When a column is complete, use the numbers at the top of the next right column and proceed down that column. Information was obtained from the web site <http://www.citypopulation.de/USA-Wisconsin.html>.

Wisconsin Cities by Population

1	Milwaukee	9	Eau Claire	17	New Berlin	25	West Bend	33	Watertown
2	Madison	10	Janesville	18	Wausau	26	Superior	34	Muskego
3	Green Bay	11	West Allis	19	Greenfield	27	Mount Pleasant	35	De Pere
4	Kenosha	12	La Crosse	20	Beloit	28	Neenah	36	Fitchburg
5	Racine	13	Sheboygan	21	Manitowoc	29	Stevens Point	37	South Milwaukee
6	Appleton	14	Wauwatosa	22	Menomonee Falls	30	Caledonia	38	Grand Chute
7	Waukesha	15	Fond du Lac	23	Franklin	31	Sun Prairie		
8	Oshkosh	16	Brookfield	24	Oak Creek	32	Mequon		

Random Numbers

21	49	6	6	19	15	11	17
12	43	4	31	7	18	1	43
23	30	2	24	21	18	6	48
44	12	20	32	2	28	12	38
8	30	38	43	41	29	3	13

- A) Manitowoc, La Crosse, Franklin, Oshkosh.
 B) Manitowoc, Appleton, Greenfield, Fond du Lac.
 C) Milwaukee, Madison, Green Bay, Kenosha.
 D) Milwaukee, Eau Claire, New Berlin, West Bend.

1.4 Other Effective Sampling Methods

1 Obtain stratified, systematic, and cluster samples.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Identify the type of sampling used.

- Thirty-five math majors, 29 music majors and 26 history majors are randomly selected from 585 math majors, 279 music majors and 393 history majors at the state university. What sampling technique is used?
 - stratified
 - simple random
 - cluster
 - convenience
 - systematic
- Every fifth adult entering an airport is checked for extra security screening. What sampling technique is used?
 - systematic
 - simple random
 - cluster
 - convenience
 - stratified
- At a local technical school, five auto repair classes are randomly selected and all of the students from each class are interviewed. What sampling technique is used?
 - cluster
 - simple random
 - convenience
 - systematic
 - stratified

- 4) A writer for an art magazine randomly selects and interviews fifty male and fifty female artists. What sampling technique is used?
- A) stratified
 - B) simple random
 - C) cluster
 - D) convenience
 - E) systematic
- 5) A travel industry researcher interviews all of the passengers on five randomly selected cruises. What sampling technique is used?
- A) cluster
 - B) simple random
 - C) convenience
 - D) systematic
 - E) stratified
- 6) A statistics student interviews everyone in his apartment building to determine who owns a cell phone. What sampling technique is used?
- A) convenience
 - B) simple random
 - C) cluster
 - D) systematic
 - E) stratified
- 7) A lobbyist for the oil industry assigns a number to each senator and then uses a computer to randomly generate ten numbers. The lobbyist contacts the senators corresponding to these numbers. What sampling technique was used?
- A) simple random
 - B) convenience
 - C) cluster
 - D) stratified
 - E) systematic
- 8) Based on 9000 responses from 26,500 questionnaires sent to all its members, a major medical association estimated that the annual salary of its members was \$99,000 per year. What sampling technique was used?
- A) simple random
 - B) stratified
 - C) cluster
 - D) convenience
 - E) systematic
- 9) In a recent online survey, participants were asked to answer "yes" or "no" to the question "Are you in favor of stricter gun control?" 6571 responded "yes" while 4137 responded "no". There was a fifty-cent charge for the call. What sampling technique was used?
- A) convenience
 - B) simple random
 - C) cluster
 - D) stratified
 - E) systematic

- 10) A sample consists of every 30th worker from a group of 1000 workers. What sampling technique was used?
- A) systematic
 - B) simple random
 - C) cluster
 - D) stratified
 - E) convenience
- 11) A market researcher randomly selects 100 homeowners under 60 years of age and 200 homeowners over 60 years of age. What sampling technique was used?
- A) stratified
 - B) simple random
 - C) cluster
 - D) convenience
 - E) systematic
- 12) To avoid working late, the plant foreman inspects the first 40 microwaves produced that day. What sampling technique was used?
- A) convenience
 - B) simple random
 - C) cluster
 - D) stratified
 - E) systematic
- 13) The names of 30 employees are written on 30 cards. The cards are placed in a bag, and three names are picked from the bag. What sampling technique was used?
- A) simple random
 - B) stratified
 - C) cluster
 - D) convenience
 - E) systematic
- 14) An education researcher randomly selects 60 of the nation's junior colleges and interviews all of the professors at each school. What sampling technique was used?
- A) cluster
 - B) simple random
 - C) stratified
 - D) convenience
 - E) systematic

Provide an appropriate response.

- 15) The United States can be divided into four geographical regions: Northeast, South, Midwest, and West. The Northeast region consists of 9 states; the South region consists of 16 states; the Midwest consists of 12 states; and the West consists of 13 states. If a survey is to be administered to the governors of 10 of the states and we want equal representation for the states in each of the four regions, how many states from the South should be selected? Round to the nearest whole state.
- A) 3 B) 4 C) 2 D) 5

1.5 Bias in Sampling

1 Explain the sources of bias in sampling.

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

- 1) An online newspaper conducted a survey by asking, "Do you support the lowering of air quality standards if it could cause the death of millions of innocent people from pollution related diseases?" Determine the type of bias.
- 2) A local hardware store wants to know if its customers are satisfied with the customer service they receive. The store posts an interviewer at the front of the store to ask the first 100 shoppers who leave the store, "How satisfied, on a scale of 1 to 10, were you with this store's customer service?" Determine the type of bias.
- 3) Before opening a new dealership, an auto manufacturer wants to gather information about car ownership and driving habits of the local residents. The marketing manager of the company randomly selects 1000 households from all households in the area and mails a questionnaire to them. Of the 1000 surveys mailed, she receives 100 back. Determine the type of bias.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 4) Which type of bias occurs because we do not obtain complete information about a population?
A) sampling bias B) response bias C) nonresponse bias D) no bias
- 5) A researcher wants to study the effects of advertising by female models upon high school boys in small Midwestern towns. The research methodology calls for selecting several small Midwestern towns that have high schools. What is the frame for this study?
A) all high school boys from small Midwestern towns
B) all students attending high school from small Midwestern towns
C) high school boys from the small Midwestern towns selected
D) high school students from the small Midwestern towns selected
- 6) Multiple choice questions on a test that include as one of the choices "none of the above" are an example of what type of question?
A) closed question B) open question
C) framing question D) reader response question

1.6 The Design of Experiments

1 Describe the characteristics of an experiment.

SHORT ANSWER. Write the word or phrase that best completes each statement or answers the question.

Provide an appropriate response.

- 1) What is a designed experiment?

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

- 2) The variable measured in the experiment is called _____.
A) the response variable B) a sampling unit
C) the treatment D) the predictor variable
- 3) The object upon which the response variable is measured is called _____.
A) an experimental unit B) the factor
C) the predictor variable D) a treatment

3 Explain the completely randomized, matched-pairs, and randomized block designs.

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Provide an appropriate response.

- 1) A drug company wanted to test a new arthritis medication. The researchers found 700 adults aged 25–35 and randomly assigned them to two groups. The first group received the new drug, while the second received a placebo. After one month of treatment, the percentage of each group whose arthritis symptoms decreased was recorded and compared. What is the response variable in this experiment?
 - A) the percentage who had decreased arthritis symptoms
 - B) the type of drug (medication or placebo)
 - C) the 700 adults aged 25–35
 - D) the one month treatment time
- 2) A drug company wanted to test a new indigestion medication. The researchers found 700 adults aged 25–35 and randomly assigned them to two groups. The first group received the new drug, while the second received a placebo. After one month of treatment, the percentage of each group whose indigestion symptoms decreased was recorded and compared. What is the treatment in this experiment?
 - A) the drug
 - B) the percentage who had decreased indigestion symptoms
 - C) the 700 adults aged 25–35
 - D) the one month treatment time
- 3) A drug company wanted to test a new indigestion medication. The researchers found 400 adults aged 25–35 and randomly assigned them to two groups. The first group received the new drug, while the second received a placebo. After one month of treatment, the percentage of each group whose indigestion symptoms decreased was recorded and compared. How many levels does the treatment in this experiment have?
 - A) 2 (medication or placebo)
 - B) 400 (number of respondents)
 - C) 1 (months of treatment)
 - D) 10 (age span of respondents)
- 4) A drug company wanted to test a new arthritis medication. The researchers found 300 adults aged 25–35 and randomly assigned them to two groups. The first group received the new drug, while the second received a placebo. After one month of treatment, the percentage of each group whose arthritis symptoms decreased was recorded and compared. What type of experimental design is this?
 - A) completely randomized design
 - B) randomized block design
 - C) matched-pairs design
 - D) single-blind design
- 5) A drug company wanted to test a new arthritis medication. The researchers found 500 adults aged 25–35 and randomly assigned them to two groups. The first group received the new drug, while the second received a placebo. After one month of treatment, the percentage of each group whose arthritis symptoms decreased was recorded and compared. Identify the experimental units.
 - A) the 500 adults aged 25–35
 - B) the percentage who had decreased arthritis symptoms
 - C) the drug (medication or placebo)
 - D) the one month treatment time

- 6) A medical journal published the results of an experiment on anxiety. The experiment investigated the effects of a controversial new therapy for anxiety. Researchers measured the anxiety levels of 69 adult women who suffer moderate conditions of the disorder. After the therapy, the researchers again measured the women's anxiety levels. The differences between the the pre- and post-therapy anxiety levels were reported. What is the response variable in this experiment?
- A) the differences between the the pre- and post-therapy anxiety levels
 - B) the 69 adult women who suffer from anxiety
 - C) the disorder (anxiety or no anxiety)
 - D) the therapy
- 7) A medical journal published the results of an experiment on insomnia. The experiment investigated the effects of a controversial new therapy for insomnia. Researchers measured the insomnia levels of 92 adult women who suffer moderate conditions of the disorder. After the therapy, the researchers again measured the women's insomnia levels. The differences between the the pre- and post-therapy insomnia levels were reported. What is the treatment in this experiment?
- A) the therapy
 - B) the 92 adult women who suffer from insomnia
 - C) the disorder (insomnia or no insomnia)
 - D) the differences between the the pre- and post-therapy insomnia levels
- 8) A medical journal published the results of an experiment on anxiety. The experiment investigated the effects of a controversial new therapy for anxiety. Researchers measured the anxiety levels of 65 adult women who suffer moderate conditions of the disorder. After the therapy, the researchers again measured the women's anxiety levels. The differences between the the pre- and post-therapy anxiety levels were reported. How many levels does the treatment have in this experiment?
- A) 2 (pre- and post-therapy)
 - B) 1 (therapy)
 - C) 65 (the adult women who suffer from anxiety)
 - D) 130 (the adult women who suffer from anxiety measured pre- and post-therapy)
- 9) A medical journal published the results of an experiment on insomnia. The experiment investigated the effects of a controversial new therapy for insomnia. Researchers measured the insomnia levels of 40 adult women who suffer moderate conditions of the disorder. After the therapy, the researchers again measured the women's insomnia levels. The differences between the the pre- and post-therapy insomnia levels were reported. What type of experimental design is this?
- A) matched-pairs design
 - B) completely randomized design
 - C) randomized block design
 - D) single-blind design
- 10) A medical journal published the results of an experiment on insomnia. The experiment investigated the effects of a controversial new therapy for insomnia. Researchers measured the insomnia levels of 90 adult women who suffer moderate conditions of the disorder. After the therapy, the researchers again measured the women's insomnia levels. The differences between the the pre- and post-therapy insomnia levels were reported. Identify the experimental units.
- A) the 90 adult women who suffer from insomnia
 - B) the differences between the pre- and post-therapy insomnia levels
 - C) the disorder (insomnia or no insomnia)
 - D) the therapy time period (pre or post)

- 11) A farmer wishes to test the effects of a new fertilizer on her potato yield. She has four equal-sized plots of land-- one with sandy soil, one with rocky soil, one with clay-rich soil, and one with average soil. She divides each of the four plots into three equal-sized portions and randomly labels them A, B, and C. The four A portions of land are treated with her old fertilizer. The four B portions are treated with the new fertilizer, and the four C's are treated with no fertilizer. At harvest time, the potato yield is recorded for each section of land. What is the response variable in this experiment?
- A) the potato yield recorded for each section of land
 - B) the type of fertilizer (old, new, or none)
 - C) the section of land (A, B, or C)
 - D) the four types of soil
- 12) A farmer wishes to test the effects of a new fertilizer on her soybean yield. She has four equal-sized plots of land-- one with sandy soil, one with rocky soil, one with clay-rich soil, and one with average soil. She divides each of the four plots into three equal-sized portions and randomly labels them A, B, and C. The four A portions of land are treated with her old fertilizer. The four B portions are treated with the new fertilizer, and the four C's are treated with no fertilizer. At harvest time, the soybean yield is recorded for each section of land. What is the treatment in this experiment?
- A) the fertilizers
 - B) the soybean yield recorded for each section of land
 - C) the section of land (A, B, or C)
 - D) the four types of soil
- 13) A farmer wishes to test the effects of a new fertilizer on her potato yield. She has four equal-sized plots of land-- one with sandy soil, one with rocky soil, one with clay-rich soil, and one with average soil. She divides each of the four plots into three equal-sized portions and randomly labels them A, B, and C. The four A portions of land are treated with her old fertilizer. The four B portions are treated with the new fertilizer, and the four C's are treated with no fertilizer. At harvest time, the potato yield is recorded for each section of land. How many levels does the treatment have in this experiment?
- A) 3 (old, new, or no fertilizer)
 - B) 4 (rocky, sandy, clay, or average soil)
 - C) 12 (sections of land)
 - D) 1 (potato yield)
- 14) A farmer wishes to test the effects of a new fertilizer on her tomato yield. She has four equal-sized plots of land-- one with sandy soil, one with rocky soil, one with clay-rich soil, and one with average soil. She divides each of the four plots into three equal-sized portions and randomly labels them A, B, and C. The four A portions of land are treated with her old fertilizer. The four B portions are treated with the new fertilizer, and the four C's are treated with no fertilizer. At harvest time, the tomato yield is recorded for each section of land. What type of experimental design is this?
- A) randomized block design
 - B) completely randomized design
 - C) matched-pairs design
 - D) double-blind design
- 15) A farmer wishes to test the effects of a new fertilizer on her tomato yield. She has four equal-sized plots of land-- one with sandy soil, one with rocky soil, one with clay-rich soil, and one with average soil. She divides each of the four plots into three equal-sized portions and randomly labels them A, B, and C. The four A portions of land are treated with her old fertilizer. The four B portions are treated with the new fertilizer, and the four C's are treated with no fertilizer. At harvest time, the tomato yield is recorded for each section of land. Identify the experimental units.
- A) the tomato plants on the various plots of land
 - B) the tomato yield at harvest time
 - C) the three types of fertilizer
 - D) the four types of soil
- 16) When the effects of the explanatory variable upon the response variable cannot be determined, then
- A) confounding has occurred.
 - B) a lurking variable is present.
 - C) there is sampling error.
 - D) the claim is invalid.

Ch. 1 Data Collection

Answer Key

1.1 Introduction to the Practice of Statistics

1 Define statistics and statistical thinking.

- 1) Statistics is the science of collecting, summarizing, organizing, and analyzing information in order to answer questions or draw conclusions.
- 2) A

2 Explain the process of statistics.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) population: collection of all American households; sample: collection of 1602 American households surveyed; individuals: each household
- 9) population: collection of all American households; sample: collection of 1015 American households surveyed; individuals: each household
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A
- 15) The population of interest is the student loan debt incurred by all graduates of the university. The sample is student loan debt of the 150 graduating seniors that were collected by the university administrators. The individuals are each graduating senior whose student loan debt was recorded.
- 16) (a) if listening to heavy metal music affects critical thinking
(b) the 124 subjects
(c) the mean exam score for the first group = 76, and the mean exam score for the second group was 83
(d) that heavy metal music negatively affects critical thinking
- 17) (a) to determine the percentage of registered voters who would vote for the current vice president if he ran for president
(b) the 1422 registered voters surveyed
(c) 35% of the respondents supported reelection
(d) that 35% of all registered voters would vote for the current vice president if he ran for president
- 18) A

3 Distinguish between qualitative and quantitative variables.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A

4 Distinguish between discrete and continuous variables.

- 1) A
- 2) A
- 3) A

- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A

5 Determine the level of measurement of a variable.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A

1.2 Observational Studies versus Designed Experiments

1 Distinguish between an observational study and an experiment.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A

2 Explain the various types of observational studies.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A

1.3 Simple Random Sampling

1 Obtain a simple random sample.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A

1.4 Other Effective Sampling Methods

1 Obtain stratified, systematic, and cluster samples.

- 1) A
- 2) A
- 3) A

- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A
- 15) A

1.5 Bias in Sampling

1 Explain the sources of bias in sampling.

- 1) Response bias; poorly worded question
- 2) Sampling bias; the customers are not chosen through a random sample.
- 3) Nonresponse bias
- 4) A
- 5) A
- 6) A

1.6 The Design of Experiments

1 Describe the characteristics of an experiment.

- 1) A designed experiment is a controlled study in which treatments are applied to experimental units, and the effect of varying these treatments on a response variable is observed.
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A

2 Explain the steps in designing an experiment.

- 1) A
- 2) A factor is the variable whose effect on the response variable is to be assessed by the experimenter.
- 3) A
- 4) A

3 Explain the completely randomized, matched-pairs, and randomized block designs.

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A
- 15) A
- 16) A