



For up to date spare parts online,
please visit www.invacare.co.uk

Yes, you can:

Customer Name :	Account No :
Dealer :	Order No :
Address :	Order Qty :
Tel No:	Order Date :
Delivery address :	

Küschall® Ultra-Light
DEALER
Maximum user weight 130kg (20.5 Stone)

Standard Features Lightweight aluminium folding frame Self Propel with 22", 24" & 26" Starec Hub Quick Release Rear Wheels Choice of 12 Seat Widths 280mm - 500mm (11" - 20") Choice of 10 Seat Depths 320mm - 500mm (12" - 20") Straight Backpost Tubes with Standard Light Upholstery Long Push Handles 70° or 80° Front Frame with Flip Up Footrests Carbon Clothesguards Choice of 9 Frame Colours Standard Base Price £1,350	
---	--



☒ Please make your selection with a cross in the box ♦ Standard feature ○ Free of Charge

Code	Customer weight = Kg	Description	Dealer
DDU0010		Küschall® Ultra-Light	£1,350
DDZ0000		Küschall® Ultra-Light Special Basic Model - PLEASE COMPLETE DETAILS AT THE END OF THE FORM	P.O.A.

SEATING CHOICE

FRONT FRAME Minimum seat angle (SHv-SHh) with dynamic frame is 30mm

DDU0203	Active, 70°	♦
DDU0212	Dynamic, 80° (NC: 0820,0821,0822,0855)	£13

Note: On adducted frames: Foot width = seat width less 140mm. Maximum is 290mm

Folding back function is limited when selected with Adducted frames

DDU0201	Adducted Frame 70° (NC: 0118,0120)	○
DDU0243	Adducted Frame 80° (NC: 0118,0120,0820,0821,0822,0855)	○

SEAT WIDTH (SB) Note: Allow an extra 10mm on the actual seat width required.

Note: Seat widths 280mm - 320mm are only compatible with 1 or 2 piece carbon footplates

Note: On Adduction frames, Seat widths less than 380mm are only compatible with 1 or 2 piece carbon footplates

DDU0118	Seat width 280 mm Single Crossbrace (NC: 1562,1563,1564,1565)	○
DDU0120	Seat width 300 mm Single Crossbrace (NC: 1562,1563,1564,1565)	○
DDU0122	Seat width 320 mm Single Crossbrace (NC: 1562,1563,1564,1565)	○
DDU0124	Seat width 340 mm Single Crossbrace	○
DDU0126	Seat width 360 mm Single Crossbrace	○
DDU0128	Seat width 380 mm Single Crossbrace	○
DDU0130	Seat width 400 mm Single Crossbrace	○
DDU0132	Seat width 420 mm Single Crossbrace	○
DDU0134	Seat width 440 mm Double Crossbrace	○
DDU0136	Seat width 460 mm Double Crossbrace	○
DDU0138	Seat width 480 mm Double Crossbrace	○
DDU0140	Seat width 500 mm Double Crossbrace	○

SEAT DEPTH (ST)

DDU0408	Seat depth 320 mm (NC: 0822)	○
DDU0410	Seat depth 340 mm (NC: 0822)	○
DDU0412	Seat depth 360 mm (NC: 0822)	○
DDU0415	Seat depth 380 mm (NC: 0822)	○
DDU0417	Seat depth 400 mm	♦
DDU0420	Seat depth 420 mm	○
DDU0422	Seat depth 440 mm	○
DDU0424	Seat depth 460 mm	○
DDU0427	Seat depth 480 mm	○
DDU0429	Seat depth 500 mm	○

Order No:

Customer Ref:

Kuschall Ultra Light
1 of 7

Subject to Invacare's standard terms and conditions.
Invacare reserve the right to alter product specification without prior notice.

BACK HEIGHT (RH)			
Please note, this chair cannot be used as a seat in transport if the back height is lower than 405mm			
DDU0550	RH 300 mm	Straight backposts supplied as standard (NC: 0734,1491,1770)	○
DDU0503	RH 315 mm	Straight backposts supplied as standard (NC: 0734,1491,1770)	○
DDU0506	RH 330 mm	Straight backposts supplied as standard (NC: 0734,1491,1770)	○
DDU0509	RH 345 mm	(NC: 1491,1770)	○
DDU0512	RH 360 mm	(NC: 1491,1770)	○
DDU0514	RH 375 mm	(NC: 1491,1770)	◆
DDU0516	RH 390 mm	(NC: 1491,1770)	○
DDU0518	RH 405 mm		○
DDU0520	RH 420 mm		○
DDU0522	RH 435 mm		○
DDU0524	RH 450 mm		○
DDU0526	RH 465 mm		○
DDU0528	RH 480 mm		○
DDU0530	RH 495 mm		○
DDU0532	RH 510 mm		○
FRONT SEAT-TO-FLOOR HEIGHT (SHv) Max Front height with Dynamic frame is 520mm!			
DDU0845	FSF 430 mm		○
DDU0846	FSF 440 mm		○
DDU0847	FSF 450 mm		○
DDU0848	FSF 460 mm		○
DDU0849	FSF 470 mm		○
DDU0850	FSF 480 mm		○
DDU0851	FSF 490 mm		○
DDU0852	FSF 500 mm		◆
DDU0853	FSF 510 mm		○
DDU0854	FSF 520 mm		○
DDU0855	FSF 530 mm		○
REAR SEAT-TO-FLOOR HEIGHT (SHh) Please note: SHh can be maximum 100mm lower, and a maximum 10mm higher than SHv			
Mudguards in combination with a rear wheel extension are not compatible with rear seat to floor heights of 410mm or lower			
DDU0944	RSF 390 mm	(NC: 1405 + 0249)	○
DDU0945	RSF 400 mm	(NC: 1405 + 0249)	○
DDU0946	RSF 410 mm	(NC: 1405 + 0249)	○
DDU0947	RSF 420 mm		○
DDU0948	RSF 430 mm		○
DDU0949	RSF 440 mm		◆
DDU0950	RSF 450 mm		○
DDU0951	RSF 460 mm		○
DDU0952	RSF 470 mm		○
DDU0953	RSF 480 mm		○
DDU0954	RSF 490 mm		○
DDU0955	RSF 500 mm		○
KNEE-TO-HEEL LENGTH Please note that for knee to heel lengths less than 390mm and depending on the configuration the footplate may be upmounted. On 70° frame, maximum knee to heel = (SHv - 20mm), on 80° frame, maximum knee to heel = (SHv - 30mm)			
DDU1661	UL 200 mm	(NC: 1564,1565,1566,1567)	○
DDU1662	UL 210 mm	(NC: 1564,1565,1566,1567)	○
DDU1663	UL 220 mm	(NC: 1564,1565,1566,1567)	○
DDU1664	UL 230 mm	(NC: 1564,1565,1566,1567)	○
DDU1665	UL 240 mm	(NC: 1564,1565,1566,1567)	○
DDU1666	UL 250 mm	(NC: 1564,1565,1566,1567)	○
DDU1667	UL 260 mm	(NC: 1564,1565,1566,1567)	○
DDU1668	UL 270 mm	(NC: 1564,1565,1566,1567)	○
DDU1669	UL 280 mm	(NC: 1566,1567)	○
DDU1670	UL 290 mm	(NC: 1566,1567)	○
DDU1671	UL 300 mm	(NC: 1566,1567)	○
DDU1672	UL 310 mm	(NC: 1566,1567)	○
DDU1673	UL 320 mm		○
DDU1674	UL 330 mm		○
DDU1675	UL 340 mm		○
DDU1676	UL 350 mm		○
DDU1677	UL 360 mm		○
DDU1678	UL 370 mm		○
DDU1679	UL 380 mm		○
DDU1680	UL 390 mm		○
DDU1681	UL 400 mm		○
DDU1682	UL 410 mm		○

DDU1683		UL 420 mm	○
DDU1684		UL 430 mm	◆
DDU1685		UL 440 mm	○
DDU1686		UL 450 mm	○
DDU1687		UL 460 mm	○
DDU1688		UL 470 mm	○
DDU1689		UL 480 mm	○
DDU1690		UL 490 mm	○
DDU1691		UL 500 mm	○
DDU1692		UL 510 mm	○
BACKREST CHOICE			
DDU0700		Standard, light upholstery (NC: 0750,1491,0703)	◆
DDU0722		Tension velcro adjustable back, black & grey	£100
DDU0735		Aero back, tension velcro adjustable	£163
PUSH HANDLES			
DDU0702		Push-handles fixed, long	◆
DDU0751		Push handles fixed, mini (NC: 1304)	○
DDU0750		Without push handles (NC: 1304)	○
DDU0703		Height adjustable, rear set (NC: 1304)	£185
DDU0733		Height adjustable, integrated (NC: 1491)	£160
DDU0704		Foldable push handles. (NC: 1304,1491)	£144
BACK TUBES			
DDU0736		Fixed straight backrest tubes	◆
DDU0705		Lumbal tubes (NC: 0734)	○
DDU0720		Angle adjustable back (Backrest angle must be selected from the 6 options below) (NC: 0734)	£147
DDU0734		Fold down back (folding forward onto the seat) (Backrest angle must be selected, see table on back page for angle possibilities) (NC: 0712,1411)	£54
BACKREST ANGLE Must be selected with angle adjustable backrest (0720) and fold down backrest (0734)			
DDU0707		Angle adjustable backrest, adjusted 82°	○
DDU0718		Angle adjustable backrest, adjusted 86°	○
DDU0709		Angle adjustable backrest, adjusted 90°	◆
DDU0719		Angle adjustable backrest, adjusted 94°	○
DDU0711		Angle adjustable backrest, adjusted 98°	○
DDU0712		Angle adjustable backrest, adjusted 102°	○
BACKBRACE			
DDU1491		Backbrace swing away and removable	£91
SEATING			
DDU0611		Standard adjustable seat upholstery with 1 central velcro (loop) band	◆
DDU0614		Seat upholstery with 1 central velcro (loop) and 2 side velcro bands (hook)	£25
FOOTREST			
Seat width less than 340mm with an Alum frame and seat widths less than 380mm on an Adduction frame, only with 1piece or 2piece Carbon footplates			
DDU1562		2 pc. plastic, set to front High mounted for knee to heel less than 370mm	◆
DDU1563		2 pc. plastic, set to back High mounted for knee to heel less than 370mm	○
DDU1564		2 pc. angle adjustable set to front High mounted for knee to heel less than 420mm	£95
DDU1565		2 pc. angle adjustable set back High mounted for knee to heel less than 420mm	£95
DDU1578		2 pc. carbon footplates, angle adjustable set to the front (NC: 1530) High mounted for less than 320mm	£244
DDU1579		2 pc. carbon footplates, angle adjustable set to the rear (NC: 1530) High mounted for less than 320mm	£244
DDU1566		1 pc. carbon Flip-up, adjustable, fixed on 1 side when folded, set to front (NC: 1530) High mounted for less than 320mm	£122
DDU1567		1 pc. carbon Flip-up, adjustable, fixed on 1 side when folded, set to back (NC: 1530) High mounted for less than 320mm	£122
FOOT AND LEG SUPPORT			
DDU1533		Calf strap	◆
DDU1530		Heel loops	○
SIDE GUARDS			
CLOTHES & MUD GUARDS			
DDU1400		Clothes guards carbon, fixed (NC: 1416,1421,1440,1441)	◆
DDU1405		Mud guards carbon, fixed (NC: 1416,1421,1440,1441)	£115
DDU1408		Mudguards carbon, removable (Adds 20mm to the total width of the chair) (NC: 1416,1421,1440,1441)	£205
ARMRESTS (Includes clothes guards, adds 20mm to total width of the chair)			
DDU1416		Armrest height adjustable (with tools), removable, short	○
DDU1421		Armrest height adjustable (with tools), removable, long	○
DDU1440		Armrest with desk function, flip-back, height adjustable, removable, short (NC: 1302,0283)	£155
DDU1441		Armrest with desk function, flip-back, height adjustable, removable, long (NC: 1302,0283)	£185
DDU1411		Tubular, height adjustable,removable,swingaway, comfort padded arms, no clothesguards	£175

SEATING OPTIONS			
SEAT CUSHION			
DDU0600		Standard seat cushion, 8cm foam with Visco top layer	£48
DDU0606		Seat Bag (Click in and removable)	£53
FRAME COLOUR			
DDU0300		Glossy-Black	○
DDU0314		Black Matt	○
DDU0356		Ivory White	○
DDU0302		Royal Blue	○
DDU0303		Royal Red	○
DDU0350		Purple Fire	○
DDU0354		Night Shimmer	○
DDU0315		Silver Grey	○
DDU0358		Smokey Grey	○
COLOUR-POWER-SET			
DDU0330		Colour-Power-Set techno-anthracite	£163
DDU0334		Colour-Power-Set b-blue	£163
DDU0329		Colour-Power-Set comet red	£163
DDU0337		Colour-Power-Set copper glaze	£163
DDU0336		Colour-Power-Set artic blue	£163
DDU0338		Colour-Power-Set chrome	£163
DDU0339		Colour-Power-Set champagne	£163
DDU0340		Colour-Power-Set olive	£163
FRONT WHEEL ATTACHMENT			
DDU0864		High mounted (Frame will be 30mm lower)	○
DDU0865		Standard mounted	◆
DDU0866		Low mounted (Frame will be 30mm higher)	○
FRONT WHEEL. 6" & 7" not possible with Dynamic 80° frame			
DDU0801		100mm (4") Everyday with black tyre	○
DDU0860		100mm (4") Comfort wheel with black tyre	○
DDU0803		100mm (4") Starec techno-anthracite	£46
DDU0807		100mm (4") Starec b-blue	£46
DDU0808		100mm (4") Starec comet red	£46
DDU0830		100mm (4") Starec copper glaze	£46
DDU0831		100mm (4") Starec artic blue	£46
DDU0809		100mm (4") Starec black	£46
DDU0861		100mm (4") Starec chrome	£46
DDU0825		100mm (4") Starec champagne	£46
DDU0826		100mm (4") Starec olive	£46
DDU0810		125mm (5") Light Wheel with black tyre	○
DDU0863		125mm (5") Comfort Wheel black rubber	◆
DDU0813		125mm (5") Starec techno anthracite	£46
DDU0817		125mm (5") Starec b-blue	£46
DDU0818		125mm (5") Starec comet red	£46
DDU0833		125mm (5") Starec copper glaze	£46
DDU0832		125mm (5") Starec artic blue	£46
DDU0819		125mm (5") Starec black	£46
DDU0862		125mm (5") Starec chrome	£46
DDU0827		125mm (5") Starec champagne	£46
DDU0828		125mm (5") Starec olive	£46
DDU0820		150mm (6") Light wheel with black tyre	○
DDU0821		150mm (6") Pneumatic Wheel	£19
DDU0822		175mm (7") Light Wheel	○
REAR WHEEL ADAPTION PLATE			
DDU0250		Standard fixation (NC: 0267,0268)	◆
DDU0249		Rear wheel extension (Black in colour)	£48

Order No:

Customer Ref:

Kuschall Ultra Light
4 of 7

Subject to Invacare's standard terms and conditions.
Invacare reserve the right to alter product specification without prior notice.

REAR WHEEL POSITION			
DDU0263		1st position (NC: 1304)	○
DDU0264		2nd position	○
DDU0265		3rd position	◆
DDU0266		4th position	○
DDU0267		5th position	○
DDU0268		6th position	○
QUAD QUICK RELEASE AXLE			
DDU0909		Quad quick release axle (NC: 1304)	£62
REAR WHEEL SIZE			
DDU0901		559mm (22") (NC: 0906,0908,0916)	○
DDU0902		609mm (24")	◆
DDU0903		660mm (26") (NC: 0283,0906,0908,0916)	○
REAR WHEEL CAMBER (3° Not available with drum brakes and performance brakes combined)			
DDU0282		Camber 0°	◆
DDU0283		Camber 3° (NC: 1302,1304,0916)	○
REAR WHEEL TYPE			
DDU0915		559mm (22"), 609mm (24"), 660mm (26") Kuschall Starec	◆
DDU0908		609mm (24") High Performance (Starec hub) (NC:0910,0911,1004,1006,1007)	£182
DDU0906		609mm (24") Spinerger LXX wheel. Hub, rim and spokes are black (NC: 0910,0911,1200,1202)	£421
TYPES OF SPOKES (Select only with Kuschall Starec wheels)			
DDU0910		Cross spoked	○
DDU0911		Radial spoked	○
E-MOTION ADAPTATION INCLUDING 2 ALBER ANTI TIPPERS (Does not include e-motion wheels) Only compatible with 609mm (24") wheels & 0 Degree camber			
DDU0916		E-motion adaptation plate (NC: 1702,1703,1704,1706,1707,1719)	£188
REAR WHEEL TYRE			
DDU1001		559mm (22"), 609mm (24"), 660mm (26") Light wheel 7 bar	◆
DDU1002		559mm (22"), 609mm (24") Profile tyre 7 bar	○
DDU1004		609mm (24") Solid tyre, profil, grey	£48
DDU1006		609mm (24") Solid tyre (KIK type), black	£63
DDU1007		559mm (22"), 609mm (24") Solid, light tyre grey	£48
DDU1010		609mm (24"), 635mm (26") Marathon Evolution tyre from Schwalbe (NC: 1020)	£73
DDU1011		609mm (24") Schwalbe Ultremo ZX tyres	£62
ANTI-FLAT			
DDU1020		Anti Flat tyre tube protection	£15
HANDRIM			
DDU1113		559mm (22"), 609mm (24"), 635mm (25"), 660mm (26") Light Alu, dist. 3 cm	◆
DDU1114		559mm (22"), 609mm (24"), 635mm (25"), 660mm (26") Light Alu, dist. 4 cm	○
DDU1102		559mm (22"), 609mm (24"), 660mm (26") Supergripp, dist. 3 cm	£145
DDU1104		609mm (24"), 660mm (26") Steel, dist. 3 cm	£45
DDU1106		609mm (24") Titanium, dist. 3 cm	£128
DDU1120		609mm (24"), 635mm (25"), 30mm Surge LT, 3cm distance	£237
SPOKE GUARDS			
DDU1200		559mm (22"), 609mm (24"), 660mm (26") Transparent (NC: 1304)	£85
DDU1202		609mm (24") Kuschall print (NC: 1304)	£85
SAFETY			
DDU1300		Push brake, bent (NC: 1310)	◆
DDU1301		Push brake lever straight	○
DDU1302		Performance brake (NC: 1310)	£55
DDU1303		Scissor Brake See table on back page for combinations with 609mm (24") rear wheels (NC: 1310)	£55
DDU1306		Pull brake	○
DRUM BRAKE			
DDU1304		Attendant drum brake	£267
BRAKE LEVER EXTENSION			
DDU1310		Brake lever extension	£32
ANTI TIPPER Only 2 adaptions per side, adaptions include Anti tips, Tipper aid, Cane holder and Transit wheels			
DDU1702		Anti tipper right	£46
DDU1703		Anti tipper left	£46
DDU1704		Anti tipper both sides	£92

Order No:

Customer Ref:

Kuschall Ultra Light
5 of 7

Subject to Invacare's standard terms and conditions.
Invacare reserve the right to alter product specification without prior notice.

SEAT BELT			
DDU1730		Seat belt (NC: 1770)	£54
DDU1770		Transportation kit includes seat belt and tie down labels	£54
ACCESSORIES			
DDU1729		Rear frame protectors	£13
DDU1739		Front frame protectors	£24
DDU1745		Bottle holder and bottle	£20
DDU1746		Mobile phone holder	£20
DDU1708		Tipper-Aid, right (NC: 1706,1719)	£31
DDU1709		Tipper-Aid, left (NC: 1707,1719)	£31
DDU1718		Tipper-Aid, both sides (NC: 1706,1707,1719)	£62
CANE HOLDER			
DDU1706		Cane holder, right	£47
DDU1707		Cane holder, left	£47
DDU1719		Cane holder, both sides	£94
TRANSIT WHEELS 3"			
DDU1700		Transit wheels 3"	£151
MANUAL AIR PUMP			
DDU1715		Air pump	£10
TOOL KIT			
DDU1717		Tool kit	◆
PRICE			
Total Price			

Non Conforming Items Guide		
DDU0118		28cm Seat width
DDU0120		30cm Seat width
DDU0249		Rear wheel extension
DDU0267		5th position
DDU0268		6th position
DDU0283		Camber 3°
DDU0703		Height adjustable, rear set
DDU0712		Angle adjustable backrest, adjusted 102°
DDU0734		Fold down back (folding forward onto the seat)
DDU0750		Without push handles
DDU0820		6" Light wheel
DDU0821		6" Pneumatic Wheel
DDU0822		7" Light Wheel
DDU0908		24" High Performance Wheel
DDU0910		Cross spoked
DDU0911		Radial spoked
DDU0915		22", 24", 26" küschall Starec
DDU0916		E Motion adapter plate
DDU0917		24",25" Spinerger Wheel
DDU0918		25" High Performance Wheel
DDU1001		22", 24", 26" Light wheel 7 bar
DDU1002		22", 24" Profile tyre 7 bar
DDU1004		24" Solid tyre, profil, grey
DDU1006		24" Solid tyre (KIK type), black
DDU1007		22", 24" Solid, light wheel
DDU1020		Anti flat tyre tube protection
DDU1102		22", 24", 26" Supergripp, dist. 3 cm
DDU1104		24", 26" Steel, dist. 3 cm
DDU1106		24" Titanium handrim
DDU1120		24", 25" Surge LT handrim
DDU1300		Push brake bent
DDU1302		Performance brake
DDU1304		Attendant drum brake
DDU1310		Brake lever extension
DDU1405		Mud guards carbon, fixed
DDU1411		Tubular Armrest
DDU1416		Siderest height adjustable (with tools), removable, short
DDU1421		Siderest height adjustable (with tools), removable, long
DDU1440		Siderest with desk function, flip-back, height adjustable, removable, short
DDU1441		Siderest with desk function, flip-back, height adjustable, removable, long
DDU1491		Backrest stabilisation bar, swing away and removable
DDU1530		Heel loops
DDU1564		2 piece angle adjustable footplate set to front
DDU1565		2 piece angle adjustable footplate set back
DDU1702		Antitipper right
DDU1703		Antitipper left
DDU1706		Cane Holder Right
DDU1707		Cane Holder Left
DDU1719		Cane Holder both sides
DDU1770		Transportation kit includes seat belt and tie down labels (available on back heights of 405mm and above)

Order No:

Customer Ref:


Kuschall Ultra Light
6 of 7

Subject to Invacare's standard terms and conditions.
Invacare reserve the right to alter product specification without prior notice.

Adducted Frame, Possible footwidth
(Seat Width less 140 mm)

SB 320 mm : 180 mm
SB 340 mm : 200 mm
SB 360 mm : 220 mm
SB 380 mm : 240 mm
SB 400 mm : 260 mm
SB 420 mm : 280 mm
SB 440 mm : 300 mm
SB 460 mm : 320 mm
SB 480 mm : 340 mm
SB 500 mm : 360 mm

Customer UL must be measured taking away the cushion thickness



Rear wheel size/Rear seat height

22" : 380-480 mm
24" : 390-500 mm
26" : 420-500 mm

* these measurements can be achieved as a special construction. Contact our Specials department for further details

Folding Back Angle Possibilities

Back Angle Choice	Adjustment Possibilities	
82°	86°	90°
86°	82°	90°
90°	82°	86°
94°	90°	98°
98°	90°	94°

Scissor Brake compatibilities on a 24" Rear Wheel


Scissor Brakes	Seat Depth	Rear Wheel Position					
		1	2	3	4	5	6
	32cm-38cm	N	N	N	N	Y	Y
	40cm	N	N	N	N	Y	Y
	42cm	N	N	N	Y	Y	Y
	44cm	N	N	Y	Y	Y	Y
	46cm	N	Y	Y	Y	Y	Y
	48cm	Y	Y	Y	Y	Y	Y
	50cm	Y	Y	Y	Y	Y	Y

Front wheel/Front Wheel Attachment	High Mounted	Standard Mounted	Low Mounted
4"	41 - 48	44 - 51	47 - 53
5"	44 - 49	47 - 52	50 - 53
6"	46 - 51	49 - 53	52 - 53
7"	48 - 52	51 - 53	54 - 55*

Rear wheel extension with an extra 2 positions



Std axle rear wheel positions



Special Instructions: Please supply the following information

Name:

Email:

Phone:

Description of special request (please include relevant option code):