

# AVL Looms Price List

*Effective January 2014*



## AVL Looms, Inc


2360 Park Avenue

Chico, CA 95928

530-893-4915 (phone) 800-626-9615 (toll free)

530-893-1372 (fax)

[www.avlusa.com](http://www.avlusa.com)



## Table of Contents

---

Ordering Information.....	3
AVL'S Assurance of Satisfaction.....	3
Little Weaver.....	4
Home Loom.....	5
Workshop Dobby Loom .....	6
Studio Dobby Loom.....	7
V-Series Loom .....	8
A-Series Loom .....	9
Artisan Loom.....	10
Jacq3G Loom .....	11
Jacq3G Loom Conversion System .....	13
Professional Dobby Rug Loom .....	14
Appendix .....	15
Crating and Handling.....	15
Shipping Policy & Methods .....	15
Warranty Information .....	16
Pricing.....	18

## Ordering Information

---

### How to Order

#### **Order on our website, by phone, fax, email or mail:**

To order through our secure and easy e-commerce site, visit [www.avlusa.com](http://www.avlusa.com). Ph: 800-626-9615  
AVL Looms, 2360 Park Avenue, Chico CA 95928. Fax: 530-893-1372. Email: [sales@avlusa.com](mailto:sales@avlusa.com)

### How to Pay

**Payment Methods:** AVL accepts cash, personal and company checks, wire transfers, money orders, MasterCard, Visa, American Express and Discover. Companies in business for more than two years may apply for credit with us on a net thirty day basis. Please ask for an AVL Credit Application. We also offer AVL Financing and Leasing. Please call for details.

Orders \$1,500 or more usually require a 50% deposit at the time of order and the balance due at time of shipment. If you plan to pay via wire transfer for an order under \$1500, please include \$30 USD to cover bank charges. **ALL PRICES ARE IN U.S. DOLLARS**

## AVL'S Assurance of Satisfaction

---

*Your satisfaction is assured in five important ways:*

### Hand-built by skilled craftsmen and precision machinery

Each AVL Loom is built in our shop. There is no assembly line at AVL; rather a team of dedicated individuals who carefully assemble all of our products from start to finish. It is a new age AVL and computer numeric controlled machines now cut all the parts. This means each part should be perfect, every time.

### Full AVL warranty on materials and workmanship

We use only the finest quality materials such as kiln-dried hardwood, precision-machined cast aluminum and steel and high tech plastics, so we confidently offer each (original) AVL loom owner this warranty:

During the first two years of ownership, we will replace or rebuild, at no charge, any part on your loom that fails to perform according to our specifications. Electrical and pneumatic components, including the Compu-Dobby system, carry a full one year warranty. For full warranty language, please see page 31.

### Unlimited assistance

Expert help and advice is as close as your phone. If you have a problem with an AVL loom purchased from us, simply write, call, fax, email or visit us – we'll work with you until the problem is solved.

### Lifetime reconditioning program

If you ever want your loom completely reconditioned – from top to bottom – we'll do it at a price that won't exceed 1/3 of the current list price.

### After the sale, we stay in touch

Each loom owner becomes a valuable member of our growing AVL family of weavers. In fact, virtually every innovation that we've come up with has been the result of feedback from at least one of our loom owners. To better facilitate communication, we stay in touch through periodic mailings of *The eShuttle*, our email newsletter and the internet ([www.avlusa.com](http://www.avlusa.com)). Make sure to ask to be on our mailing list!



## Little Weaver

### All Little Weavers include:

- 8, 16 or 24 harnesses
- 16 inch weaving width
- Ability to fold up without losing warp
- Automatic shed changing, no levers!
- 10 Dent Stainless Steel Reed
- 35 Texsolv polyester heddles per harness
- Standard AVL Warranty. See Appendix.

Little Weaver runs from our new AVLDive software, which is free, and allows you to simply open a Wif file and start weaving - it's that easy! Compatible with Wi-Fi, Mac® and Windows®



### Little Weaver Specifications

	<u>8 Harness</u>	<u>16 Harness</u>	<u>24 Harness</u>
Height	17 ¼"	17 ¼"	17 ¼"
Overall Width	22 ¾"	22 ¾"	22 ¾"
Depth (Folded)	17 ¼"	17 ¼"	17 ¼"
Depth (Weaving)	26 ¾"	26 ¾"	26 ¾"
Weight	32 lbs	36 lbs	39 lbs

Electrical < 3A @ 110VAC or < 1.5A @ 220VAC. USB 1.1 or Wi-Fi  
Compatible Software: AVLDive, WeavePoint and Fiberworks

Little Weaver is AVL's first computerized tabletop loom. When connected to compatible loom driving software on your computer, the shed will change and the harnesses will lift with the movement of the beater; no levers to flip! Little Weaver is a great loom for small sampling or learning, for new weavers and weavers looking to dip their toes into complex weaving.

## Home Loom

---



### All AVL Home Looms include:

- AVL side tie-up Harness System, including four harnesses, six treadles and thirty tie-up cords
- **Standard beater**
- **Standard warp beam**
- Small handshuttle and three bobbins
- Illustrated instruction manual
- Kiln-dried ash construction
- Locking brake warp tension system
- 800 heddles
- Stainless steel reed: 6, 8, 10, 12 or 15 dent (Please specify at time of order)
- Two aprons with three steel rods
- Standard AVL Warranty. See Appendix.


### Home Loom Specifications

	<b>40" (100 cm)</b>	<b>48" (120 cm)</b>
Height	48" (120 cm)	48" (120 cm)
Overall Width	50" (127 cm)	58" (147 cm)
Front to Back	41"/28" folded (104 cm/71 cm folded)	41"/28" folded (104 cm/71 cm folded)
Weight	125 lbs (57 kgs)	140 lbs (64 kgs)

## Workshop Dobby Loom

### All Workshop Dobby Looms Include:

- AVL Compu-Dobby®
- Interchangeable Design Unit on castors for easy transport
- X-Frame Body
- Standard Beater
- Stainless Steel Reed: 6, 8, 10, 12 or 15 Dent (please specify at time of order)
- Sectional Warp Beam with 2" sections - hoops are removable for use as plain beam
- AVL "Sticky" Front Beam
- 25 Polyester Heddles per harness +200 extra
- CD-Rom User Manual
- Assembly/Use Instructions on CD-Rom
- Standard AVL Warranty. See Appendix.



### Workshop Dobby Loom Specifications

	<b>16" (40.5 cm)</b>	<b>24" (61 cm)</b>
Height	43" (109 cm)	43" (109 cm)
Overall Width	26" (66 cm)	35" (88.9 cm)
Front to Back	39" (99 cm)	39" (99 cm)
Weight	47 lbs (21 kgs)	77 lbs (35 kgs)

### 16 Inch Workshop Dobby Loom

The original "California Traveler" is designed for portability with quick setup/take-down features that allow you to take your fully warped loom on the road to workshops or wherever your heart desires!

### 24 Inch Workshop Dobby Loom

In addition to the standard features, the 24" WDL includes a separate cloth storage beam. The 24" WDL is an excellent value for sampling and small projects.

The AVL Compu-Dobby® system is a compact, custom-designed electronic interface between your computer and your AVL loom. The Compu-Dobby® is a fast, reliable means to accomplish complex weaves with ease. It does far more than merely free you from the tedium of inserting pegs into dobby bars or memorizing treadling patterns; it allows your creativity to soar! You input and edit a design on your computer and immediately execute it on the loom. It's still hand weaving, but with greater efficiency and control.

## Studio Dobby Loom

### All Studio Dobby Looms Include:

- Sliding Beater
- AVL Compu-Dobby®
- Plain Beam
- Stainless Steel Reed: 6, 8, 10, 12 or 15 Dent (please specify at time of order)
- Built-In Shelf
- Tool Holder
- 25 Inserted Eye Heddles per harness +200 extra
- Kiln-Dried Ash Construction
- Illustrated Instruction Manual
- Standard AVL Warranty. See Appendix.



### Studio Dobby Loom Specifications

	<b>20" (50 cm)</b>
Height	49" (124 cm)
Overall Width	43" (109 cm)
Front to Back	47" (119 cm)
Weight	175 lbs (80 kgs)

## V-Series Loom

### All V-Series Looms include:

- Compu-Dobby® with E-Lift Dobby Assist (please specify 110V or 220V)
- Standard Bottom Swing Beater
- One Plain Beam (including apron and rod)
- Built-In Shelf
- Locking Brake
- Built-In Track (for use with Tension Box)
- Kiln-Dried Ash Construction
- 25 Polyester Heddles/Harness +200 extra
- Stainless Steel Reed: 6, 8, 10, 12 or 15 Dent (please specify at time of order)
- Tool Holder
- Illustrated Instruction Manual
- Standard AVL Warranty. See Appendix.



### V-Series Loom Specifications

	<b>30" (76 cm)</b>
Height	49" (124 cm)
Overall Width with Compu-Dobby & Warp Beam Handle	45" (114 cm)
Length with sectional beam	50" (127 cm)
Footprint	36 ¼ x 47" (92 x 119 cm)
Weight	175 lbs (80 kgs)

*V-Series can have 16, 24, 32 or 40 Harnesses, and 1 or 2 Plain Beams OR 1 Sectional Beam*



## A-Series Loom

### All A-Series Looms Include:

- Compu-Dobby®
- Open Frame
- Automatic Warp Tensioning (tension arm and weight)
- Automatic Cloth Storage System
- Apron with Apron Rods
- Pressure Roller
- Kiln-Dried Ash Construction
- 100 Polyester Heddles per Harness
- Bench
- Stainless Steel Reed: 6, 8, 10, 12 or 15 Dent (please specify at time of order)
- Tool Holder
- Illustrated Instruction Manual
- Standard AVL Warranty. See Appendix.



**To complete your A-Series Loom order, you must add a beater and one or more beams.**

### A-Series Loom Specifications


	<b>30" (75cm)</b>	<b>40" (1m)</b>	<b>48" (1.22m)</b>	<b>60" (1.5m)</b>	<b>72" (1.83m)</b>
Height	70" (1.78m)	70" (1.78m)	70" (1.78m)	70" (1.78m)	70" (1.78m)
Overall Width	45" (1.14m)	55" (1.4m)	62" 1.57m)	74" 1.88m)	86" (2.18m)
Front to Back	66" (1.67m)	66" (1.67m)	66" (1.67m)	66" (1.67m)	66" (1.67m)
Weight (8H)	358 lbs/163 kgs	368 lbs/167 kgs	418 lbs/190 kgs	468 lbs/223 kgs	518 lbs/235 kgs
Weight (16H)	365 lbs/166 kgs	375 lbs/170 kgs	425 lbs/193 kgs	475 lbs/226 kgs	525 lbs/238 kgs
Weight (24H)	375 lbs/170 kgs	385 lbs/174 kgs	435 lbs/197 kgs	485 lbs/230 kgs	535 lbs/242 kgs
Weight (40H)	440 lbs/198 kgs	450 lbs/202 kgs	485 lbs/230 kgs	535 lbs/242 kgs	585 lbs/266 kgs

## Artisan Loom

---

### All Artisan Looms Include:

- Mechanical Dobby System
- 40 Dobby Bars
- Dobby Pegs, Linkage Strips, Dobby Peg Wrench
- Open Frame
- Automatic Warp Tensioning (tension arm and weight)
- Automatic Cloth Storage System
- Apron with Apron Rods
- Pressure Roller
- Kiln-Dried Ash Construction
- 100 Polyester Heddles per Harness
- Bench
- Stainless Steel Reed: 6, 8, 10, 12 or 15 Dent (please specify at time of order)
- Tool Holder
- Illustrated Instruction Manual
- Standard AVL Warranty. See Appendix.



**To complete your Artisan Loom order, you must add a beater and one or more beams.**

### Specifications

	<b>40" (1m)</b>	<b>48" (1.22m)</b>	<b>60" (1.5m)</b>	<b>72" (1.83m)</b>
<b>Height</b>	70" (1.78m)	70" (1.78m)	70" (1.78m)	70" (1.78m)
<b>Overall Width</b>	55" (1.4m)	62" (1.57m)	75" (1.88m)	86" (2.18m)
<b>Front to Back</b>	66" (1.67m)	66" (1.67m)	66" (1.67m)	66" (1.67m)
<b>Weight</b>	338 lbs/148 kgs	380 lbs/172 kgs	395 lbs/180 kgs	425 lbs/193 kgs

## Jacq3G Loom

**Because the Jacq3G Loom is an A-Series Loom, it includes all the standard features of an A-Series:**

- Open Frame
- Automatic Warp Tensioning (tension arm and weight)
- Automatic Cloth Storage System
- Apron with Apron Rods
- Pressure Roller
- Kiln-Dried Ash Construction
- Bench
- Stainless Steel Reed: 6, 8, 10, 12 or 15 Dent (please specify at time of order)
- Tool Holder
- Illustrated Instruction Manual
- Standard AVL Warranty. See Appendix.



**In addition to the A-Series standard features, the Jacq3G also includes:**

- AVL Jacquard System with 360 hooks with individual thread controls. All AVL Jacquard systems can be expanded with additional modules of 120 hooks each. The total number of hooks depends on the loom's width.
- RigidFrame™ System, which makes installation easy and ensures the proper loom rigidity to accommodate your AVL Jacquard system
- AVL Compu-Jacq™ Control System with enhanced communications for serial, USB and Ethernet connectivity
- Dial-a-Sett™ System allowing dynamic thread density adjustments
- 1080R Inserted-Eye, Twisted Wire Heddles

**To complete your Jacq3G order, you must add a beater and one or two beams.**

### Jacq3G Loom Power Requirements

<b>Loom Electrical Input, Max</b>	Per module: 3 amps @ 110 volt or 1.5 amps @ 220 volt 4 modules: 12 amps @ 110 volt or 6 amps @ 220 volt
<b>A-Lift Pneumatic Input, Max</b>	5 CFM @ 100 PSI
<b>E-Lift Electrical Input, Max</b>	8 amps @ 110 volt or 4 amps @ 220 volt

The Jacq3G is state-of-the-art in computerized jacquard hand weaving. Like all jacquards, Jacq3G enables individual control over each thread, yielding the equivalent of unlimited "harnesses." The design possibilities are endless!

### Jacq3G Loom Specifications

	<b>30" (75cm)</b>	<b>40" (1m)</b>	<b>48" (1.22m)</b>	<b>60" (1.5m)</b>	<b>72" (1.83m)</b>
Height	90" (2.14m)	90" (2.14m)	90" (2.14m)	90" (2.14m)	90" (2.14m)
Overall Width	45" (1.14m)	55" (1.4m)	62" 1.57m)	74" 1.88m)	86" (2.18m)
Front to Back	84" (1.67m)	84" (1.67m)	84" (1.67m)	84" (1.67m)	84" (1.67m)
Weight, Base Loom (3 Mod.)	400lbs/181kgs	410lbs/186kgs	460lbs/208kgs	490lbs/222kgs	560lbs/254kgs
Weight per add'l module	16lbs (7.3kgs)	16lbs (7.3kgs)	16lbs (7.3kgs)	16lbs (7.3kgs)	16lbs (7.3kgs)
Weight, RigidFrame	75lbs (34kgs)	80lbs (36kgs)	85lbs (38kgs)	90lbs (41kgs)	100lbs (45kgs)
Weight, A-Lift	25lbs (11kgs)	25lbs (11kgs)	25lbs (11kgs)	25lbs (11kgs)	25lbs (11kgs)
Weight, E-Lift	40lbs (18kgs)	40lbs (18kgs)	40lbs (18kgs)	40lbs (18kgs)	40lbs (18kgs)
Maximum No of Hooks	840	1200	1440	1800	2160
(No of Modules for Max)	7	10	12	15	18

### Jacq3G Loom Control Box Specifications

Height	12" (0.3 m)
Overall Width	24" (0.61 m)
Front to Back	24" (0.61 m)
Weight, Base Loom (3 modules)	35 lbs (15.9 kgs)



## Jacq3G Loom Conversion System

---

The Jacq3G Conversion System converts A-Series and Full Frame (Modular/PDL/TDL/UDL) loom frames to Jacquard. System includes:

- AVL Jacquard System with 360 hooks for individual thread control. All AVL Jacquard Systems can be expanded with additional modules of 120 hooks each. The total number of hooks depends on loom width.
- AVL Compu-Jacq™ Control System with enhanced communications for serial, USB and Ethernet connectivity.
- Dial-a-Sett™ System which allows for dynamic thread density adjustments.
- RigidFram™ System which makes installation easy and ensures the proper rigidity to convert your loom frame to accommodate the AVL Jacquard System.
- Separation Roller Extender
- JacqPoint Software

The following chart describes the maximum hook configuration for Jacquard conversions for each AVL loom frame. The minimum number of hooks for any loom is 360 (3 modules of 120 hooks each).

	<b>Max No. of Hooks</b>	<b>(No. of Modules)</b>
30" A-Series and Full Frame (1988-2004)	840	7
40" A-Series and Full Frame (1988-2004)	1200	10
40" Full Frame (1984-1987)	1080	9
40" Full Frame (1977-1983)	960	8
48" (4') Rug Loom Frame	1560	13
48" A-Series and Full Frame (1988-2004)	1440	12
48" Full Frame (1984-1987)	1320	11
48" Full Frame (1977-1983)	1200	10
60" A-Series and Full Frame (1988-2004)	1800	15
60" Full Frame (1984-1987)	1680	14
60" Full Frame (1977-1983)	1560	13
72" (6') Rug Loom Frame	2280	19
72" A-Series and Full Frame (1988-2004)	2160	18
72" Full Frame (1984-1987)	2040	17
72" Full Frame (1977-1983)	1920	16
8' Rug Loom Frame	3000	25
10' Rug Loom Frame	3720	31
12' Rug Loom Frame	4440	37
15' Rug Loom Frame	4800	40

### Jacq3G Conversion with A-Lift System

- Includes A-Lift pneumatically actuated shed opening system
- Jacquard A-Lift technical requirements for customer-supplied compressor: 5CFM @ 100PSI max

### Jacq3G with E-Lift System

- Includes E-Lift electrically actuated shed opening system
  - Jacquard E-Lift technical requirements: 8A @ 110V or 4A @ 220V (please specify voltage)
- Maximum 2,160 hooks (18 modules)

## Professional Dobby Rug Loom

### All AVL Dobby Rug Looms Include:

- Air-Powered Warp Tension
- Air-Powered Shed Opening
- Sliding Beater
- Dobby System, including 30 dobbie bars with pegs, 5 linkage strips and a dobbie peg wrench
- Illustrated Instruction Manual
- Extra Sturdy Kiln-Dried Hardwood Construction
- Steel Heddles, Inserted Eye
- Stainless Steel Reed, 6, 8, 10, 12 or 15 dent (please specify at time of order)
- Tool Holder
- Standard AVL Warranty. See Appendix.



**Note: 4-6' (1.2-1.8m) looms have all hardwood frames, 8' (2.4m) looms use powder coated steel for all crossmembers, and 10' (3m) looms and up are mostly powder coated steel.**

### Rug Loom Specifications

	<u>4' (1.2m)</u>	<u>6' (1.8m)</u>	<u>8' (2.4m)</u>	<u>10' (3m)</u>	<u>12' (3.65m)</u>
Height	75" (1.9m)	75" (1.9m)	75" (1.9m)	75" (1.9m)	75" (1.9m)
Overall Width	66" (1.67m)	90" (2.29m)	114" (2.9m)	138" (3.5m)	86" (4.1m)
Front to Back	84" (2.15m)	84" (2.15m)	84" (2.15m)	84" (2.15m)	84" (2.15m)
No. of Heddles	400	600	800	1,000	1,200
Weight	900 lbs/409 kgs	1300 lbs/591 kgs	1600 lbs/727 kgs	1900 lbs/864 kgs	2300 lbs/1045 kgs

**To complete your rug loom order, you must choose one or two Rug Loom Warp Beams.**

## Appendix

---

### Crating and Handling

\$0.00 to \$39.00	\$1.95
\$40.00 to \$99.00	\$6.95
\$100.00 to \$199.00	\$9.95
\$200.00 to \$299.00	\$11.95
\$300.00 to \$399.00	\$13.95
\$400.00 to \$499.00	\$15.95
\$500.00 to \$599.00	\$17.95
\$600.00 to \$699.00	\$19.95
\$700.00 to \$799.00	\$21.95
\$800.00 to \$899.00	\$23.95
\$900.00 to \$999.00	\$25.95
Reeds up to 8'	\$15.95
Reeds greater than 8'	\$20.95
Computer Hardware	\$41.95
Computer Software	\$4.95
Warp Beams	\$25.95
Little Weaver Loom	\$41.95
30-40" Looms, Knocked Down	\$379.95
48-60" Looms, Knocked Down	\$399.95
72" Looms, Knocked Down	\$579.95
Rug Looms	Call
Studio Dobby Looms, Knocked Down	\$279.95
Studio Dobby Looms, Partially Assembled	\$429.95
Workshop Dobby Looms, Knocked Down	\$189.95
Home Looms, Knocked Down	\$189.95
Home Looms, Assembled	\$429.95
Jacq3G Looms (30-48")	\$679.95
Jacq3G Looms (60-72")	\$719.95
Export Pallet, Plastic	\$47.00
Pre-Treated Export Crate, Wood	\$258.00

### Shipping Policy & Methods

Looms are available assembled for your convenience. Assembled looms require special crating, handling and shipping. Please call for pricing.

We will assist you in arranging shipping with the carrier of your choice. We will provide you a shipping estimate at the time of your purchase. This estimate is subject to change by the carrier and you will be responsible for all shipping costs. We ship via freight carrier, UPS, FedEx and US Postal Service.

## Warranty Information

**Limited Warranty:** The benefits of this warranty accrue solely to the original purchaser of AVL Looms, Inc. products, as defined below.

### Your warranty covers:

**Looms:** AVL Looms, Inc., a California corporation ("AVL") warrants to the original purchaser of any AVL loom (each, a "Product") that the Product will be free from defects in materials and workmanship during the limited warranty period described herein. The limited warranty coverage begins (a) the day the Product is installed if installed by a professional from AVL, or (b) on the date of shipment from AVL to the original purchaser if the Product is not installed by AVL (the "Effective Date"). Except as set forth under the section entitled "What is Excluded?" below, AVL will, for a period of two (2) years from the Effective Date (the "Original Warranty Period"), repair or replace the defective part(s) of the Product with a repaired, renewed, or comparable part (whichever is deemed necessary or proper by AVL) if it becomes defective or inoperative or fails to perform according to AVL's specifications. Any repair during the Original Warranty Period will be carried out without charge to you for parts (except applicable taxes, if any). You will be responsible for all labor in connection with installation of the parts and service upon the Product, as well as the cost of shipping involved.

**Accessories, Loom Upgrade Parts, and Replacement Parts:** Subject to the limitation contained in subsection (i) under the section entitled "What is Excluded?" below, AVL warrants to the original purchaser of any accessory, loom upgrade parts, or loom replacement parts (the "Additional Part") that are sold by AVL that such Additional Part will be free from defects in materials and workmanship for ninety (90) days from the date of purchase. In the event that any Additional Part is physically damaged or physically defective and if such defective Additional Part is returned to AVL within ninety (90) days of the date of purchase, AVL will provide a replacement Additional Part at no charge. The sole remedy for this warranty shall be limited to the replacement of the defective Additional Part. You are responsible for all shipping charges (including applicable taxes) incurred with returning the defective Additional Part.

**Software Media:** Subject to the limitation contained in subsection (i) under the section entitled "What is Excluded?" below, AVL warrants to the original purchaser of any physical diskette (or downloaded software) and documentation ("Software Media") that is sold by AVL that such Software Media will be free from defects in materials and workmanship for ninety (90) days from the date of purchase. In the event that the Software Media is physically damaged or physically defective and if such defective Software Media is returned to AVL within ninety (90) days of the date of purchase, AVL will provide replacement Software Media at no charge. The sole remedy for this warranty shall be limited to the replacement of the defective Software Media. You are responsible for all shipping charges (including applicable taxes) incurred with returning the defective Software Media. To the extent any additional warranty coverage may be available with respect to the Software Media, it is offered by the third-party manufacturer and you must contact them directly.

All Products and their components (including replacement Product and its components) are covered only for the Original Warranty Period. When the warranty on the original Product or Software Media expires, the warranty on any replacement Product, components, or Software Media also expires. After two (2) years from the Effective Date, you pay for any replacement or repair, including all parts, all labor and shipping charges (including applicable taxes).

### Your warranty does not cover:

- a. Labor charges for installation or set-up of the Product, as well as any labor charges required to install, disassemble, troubleshoot, or reassemble the Product.
- b. Any taxes imposed on AVL for Product replacement or repair under this warranty.
- c. Installation, performance of, or repair of: cabling, electrical, or accessory attachments used with the Product.



- d. Product replacement or repair because of misuse, accident, repair by any party other than AVL, or other cause not within the control of AVL. Please note that removing any parts from the Product for any reason voids the warranty.
- e. Incidental or consequential damages resulting from the Product.
- f. A Product that has been modified or adapted to enable it to operate in any country other than the United States or any repair of Products damaged by these modifications.
- g. Electrical and pneumatic components, each of which carries a one (1) year warranty from the Effective Date.
- h. Jacquard components function beyond 98%. A Jacquard module is considered to be operating within specification if 98% of all hooks are operating as commanded.
- i. Computing equipment, such as a Personal Digital Assistant or a Personal Computer, which are manufactured by a third party(ies) and which may be under warranty through the original manufacturer. AVL is not responsible for any warranty coverage that may be offered concerning these products and you must contact those manufacturers directly regarding any available warranty coverage.
- j. The performance or functionality of any software that is sold either together or separate from the Product. The AVL warranty covers only defects in the Software Media, namely the CD-ROM media such as a broken CD-ROM or a defect in the CD-ROM that would prevent the CD-ROM from being read by your personal computer's CD-ROM drive.

**Order Cancellation Policy:** Unfulfilled orders for standard equipment may be cancelled up to 45 days after order placement. Eligible deposits are fully refundable, less 15% re-stocking fee on the total price of the cancelled equipment and handling charges. Cancellation is not allowed after 45 days and therefore deposits are not eligible for refund. Deposits on custom equipment are not eligible for refund under any circumstances.

**Product Return Policy:** Any order that has left AVL in transit to the customer is considered fulfilled. Parts and accessories not covered under warranty must be returned to AVL within 60 days from the date of shipment from AVL. The purchase price of the item(s) is refundable less a 15% re-stocking fee based on the total purchase price. No refunds will be given on shipping or handling. The buyer is responsible to return the merchandise in "as new" condition at their expense. Any item received showing wear or damage is not eligible for return and will be promptly returned to the customer COD unless some other arrangement is made. Looms and custom-made items, special order items, parts made for pre-1998 looms, used and reconditioned items are not eligible for return.

**MAKE SURE YOU KEEP:** Please keep your sales receipt or other document showing proof of purchase.

**TO GET WARRANTY SERVICE:** If you believe you need service for your Product, contact Customer Support at 1-800-626-9615. The representative will address the issue by telephone.

AVL'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN THE PRODUCTS AND SOFTWARE MEDIA IS LIMITED TO REPAIR AND REPLACEMENT AS SET FORTH IN THIS LIMITED WARRANTY. AVL DOES NOT MAKE ANY WARRANTY, REPRESENTATION, OR PROMISE NOT EXPRESSLY SET FORTH IN THIS AGREEMENT WITH RESPECT TO THE PRODUCT OR THE SOFTWARE MEDIA. AVL DISCLAIMS AND EXCLUDES ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS. AVL SHALL HAVE NO LIABILITY FOR ANY DIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES RELATING TO THE PRODUCT OR SOFTWARE MEDIA, INCLUDING ANY LOSS OF PROFIT, REVENUE, OR OTHERWISE AS A RESULT OF THE PRODUCT OR SOFTWARE MEDIA BEING INOPERABLE AT ANY TIME OR FOR ANY REASON.

AVL MAKES NO WARRANTY THAT THE SOFTWARE SOLD EITHER TOGETHER OR SEPARATE FROM THE PRODUCT WILL FUNCTION WITHOUT INTERRUPTION OR OTHERWISE BE FREE OF ANOMALIES, ERRORS, OR "BUGS".

## Pricing

Additional items not listed here are available on our website [www.avlusa.com](http://www.avlusa.com) or by request. International pricing may vary. Please contact us or our agents for international pricing.

### Categories at a Glance:

Little Weaver

Home Loom

Workshop Dobby Loom

Studio Dobby Loom

V-Series Loom

A-Series Loom

Artisan Loom

Jacq3G Jacquard Loom

Jacq3G Conversions

Rug Loom (Professional Dobby Rug Loom)

Accessories and Additions

Aprons

Beams for Full Frame Looms

Beams for Rug Looms

Beams for Smaller Looms

Beater Additions for Rug Looms

Beaters for Full frame Looms

Bobbin and Spool Winding Equipment

Compu-Dobby® System

Counters

Harness and Treadle Additions

Heddles and Tie-up Cords

Lift Assist Systems

Raddles

Reeds

Shuttles and Bobbins

Software

Tension Box and Mounting

Warping Equipment

Part Number	Description	Price
<b>Little Weaver</b>	See page 4 for loom details.	
LW16-8H	Little Weaver, 16", 8 Harness	\$2,106.35
LW16-16H	Little Weaver, 16", 16 Harness	\$2,564.70
LW16-24H	Little Weaver, 16", 24 Harness	\$3,028.20

<b>Home Loom</b>	See page 5 for loom details. Includes 4 harnesses. Additional harnesses sold separately.	
900	Home Loom, 40", Polyester Heddles	\$3,076.65
901	Home Loom, 40", Steel Heddles	\$3,368.10
902	Home Loom, 48", Polyester Heddles	\$3,519.55
903	Home Loom, 48", Steel Heddles	\$3,817.20

<b>Workshop Dobby Loom</b>	See page 6 for loom details.	
3010	Workshop Dobby Loom, 16", 8 Harness	\$3,520.55
3020	Workshop Dobby Loom, 16", 16 Harness	\$4,256.00
3030	Workshop Dobby Loom, 16", 24 Harness	\$4,990.35
3040	Workshop Dobby Loom, 24", 8 Harness	\$3,998.50
3050	Workshop Dobby Loom, 24", 16 Harness	\$4,729.80
3060	Workshop Dobby Loom, 24", 24 Harness	\$5,463.15

<b>Studio Dobby Loom</b>	See page 7 for loom details.	
2010	Studio Dobby Loom, 20", 16 Harness, Metal Heddles	\$8,658.20
2030	Studio Dobby Loom, 20", 24 Harness, Metal Heddles	\$9,684.10

<b>V-Series Loom</b>	See page 8 for loom details.	
V30-16H-CD4-E	V-Series Compu-Dobby® IV Loom, 30", 16 Harnesses	\$10,445.25
V30-24H-CD4-E	V-Series Compu-Dobby® IV Loom, 30", 24 Harnesses	\$11,612.25
V30-32H-CD4-E	V-Series Compu-Dobby® IV Loom, 30", 32 Harnesses	\$12,196.25
V30-40H-CD4-E	V-Series Compu-Dobby® IV Loom, 30", 40 Harnesses	\$13,363.25
NPL-00875	Dynamic Tension Arm System Upgrade, 30"	\$243.10

<b>A-Series Loom</b>	Beam(s) and Beater sold separately. See page 9 for loom details.	
A30-8H-CD4	A-Series Compu-Dobby® IV, 30", 8 Harness	\$8,957.95
A40-8H-CD4	A-Series Compu-Dobby® IV, 40", 8 Harness	\$9,398.75
A48-8H-CD4	A-Series Compu-Dobby® IV, 48", 8 Harness	\$9,694.40
A60-8H-CD4	A-Series Compu-Dobby® IV, 60", 8 Harness	\$9,986.90
A72-8H-CD4	A-Series Compu-Dobby® IV, 72", 8 Harness	\$11,457.75
A30-16H-CD4	A-Series Compu-Dobby® IV, 30", 16 Harness	\$9,546.05
A40-16H-CD4	A-Series Compu-Dobby® IV, 40", 16 Harness	\$9,839.60
A48-16H-CD4	A-Series Compu-Dobby® IV, 48", 16 Harness	\$10,134.20
A60-16H-CD4	A-Series Compu-Dobby® IV, 60", 16 Harness	\$10,427.75
A72-16H-CD4	A-Series Compu-Dobby® IV, 72", 16 Harness	\$11,895.50

A30-24H-CD4	A-Series Compu-Dobby® IV, 30", 24 Harness	\$11,015.85
A40-24H-CD4	A-Series Compu-Dobby® IV, 40", 24 Harness	\$11,309.40
A48-24H-CD4	A-Series Compu-Dobby® IV, 48", 24 Harness	\$11,601.95
A60-24H-CD4	A-Series Compu-Dobby® IV, 60", 24 Harness	\$12,443.45
A72-24H-CD4	A-Series Compu-Dobby® IV, 72", 24 Harness	\$14,248.00
A30-32H-CD4-A	A-Series Compu-Dobby® IV, 30", 32 Harness with A-Lift System	\$15,333.65
A40-32H-CD4-A	A-Series Compu-Dobby® IV, 40", 32 Harness with A-Lift System	\$15,627.20
A48-32H-CD4-A	A-Series Compu-Dobby® IV, 48", 32 Harness with A-Lift System	\$15,920.75
A60-32H-CD4-A	A-Series Compu-Dobby® IV, 60", 32 Harness with A-Lift System	\$16,213.25
A72-32H-CD4-A	A-Series Compu-Dobby® IV, 72", 32 Harness with A-Lift System	\$18,565.75
A30-32H-CD4-E	A-Series Compu-Dobby® IV, 30", 32 Harness with E-Lift System	\$17,433.80
A40-32H-CD4-E	A-Series Compu-Dobby® IV, 40", 32 Harness with E-Lift System	\$17,727.35
A48-32H-CD4-E	A-Series Compu-Dobby® IV, 48", 32 Harness with E-Lift System	\$18,020.90
A60-32H-CD4-E	A-Series Compu-Dobby® IV, 60", 32 Harness with E-Lift System	\$18,314.45
A72-32H-CD4-E	A-Series Compu-Dobby® IV, 72", 32 Harness with E-Lift System	\$20,665.95
A30-40H-CD4-A	A-Series Compu-Dobby® IV, 30", 40 Harness with A-Lift System	\$19,913.00
A40-40H-CD4-A	A-Series Compu-Dobby® IV, 40", 40 Harness with A-Lift System	\$20,331.20
A48-40H-CD4-A	A-Series Compu-Dobby® IV, 48", 40 Harness with A-Lift System	\$20,888.40
A60-40H-CD4-A	A-Series Compu-Dobby® IV, 60", 40 Harness with A-Lift System	\$21,445.65
A72-40H-CD4-A	A-Series Compu-Dobby® IV, 72", 40 Harness with A-Lift System	\$23,145.15
A30-40H-CD4-E	A-Series Compu-Dobby® IV, 30", 40 Harness with E-Lift System	\$21,045.00
A40-40H-CD4-E	A-Series Compu-Dobby® IV, 40", 40 Harness with E-Lift System	\$21,462.15
A48-40H-CD4-E	A-Series Compu-Dobby® IV, 48", 40 Harness with E-Lift System	\$22,437.55
A60-40H-CD4-E	A-Series Compu-Dobby® IV, 60", 40 Harness with E-Lift System	\$23,412.95
A72-40H-CD4-E	A-Series Compu-Dobby® IV, 72", 40 Harness with E-Lift System	\$24,805.50

### Artisan Loom

Beam(s) and Beater sold separately. See page 10 for loom details.

A30-8H-MD	Artisan Mechanical Dobby, 30", 8 Harness	\$8,605.65
A40-8H-MD	Artisan Mechanical Dobby, 40", 8 Harness	\$9,007.35
A48-8H-MD	Artisan Mechanical Dobby, 48", 8 Harness	\$9,304.00
A60-8H-MD	Artisan Mechanical Dobby, 60", 8 Harness	\$9,595.50
A72-8H-MD	Artisan Mechanical Dobby, 72", 8 Harness	\$11,065.30
A30-16H-MD	Artisan Mechanical Dobby, 30", 16 Harness	\$9,154.65
A40-16H-MD	Artisan Mechanical Dobby, 40", 16 Harness	\$9,447.20
A48-16H-MD	Artisan Mechanical Dobby, 48", 16 Harness	\$9,747.95
A60-16H-MD	Artisan Mechanical Dobby, 60", 16 Harness	\$10,034.30
A72-16H-MD	Artisan Mechanical Dobby, 72", 16 Harness	\$11,505.10
A30-24H-MD	Artisan Mechanical Dobby, 30", 24 Harness	\$10,624.45
A40-24H-MD	Artisan Mechanical Dobby, 40", 24 Harness	\$10,918.00
A48-24H-MD	Artisan Mechanical Dobby, 48", 24 Harness	\$11,211.55
A60-24H-MD	Artisan Mechanical Dobby, 60", 24 Harness	\$11,505.10
A72-24H-MD	Artisan Mechanical Dobby, 72", 24 Harness	\$13,856.60

### Jacq3G Jacquard

#### Loom

Beam(s) and Beater sold separately. See page 11 for loom details.

A30-360HK-A	Jacq3G, 30" with A-Lift System	\$23,359.40
A40-360HK-A	Jacq3G, 40" with A-Lift System	\$23,525.20



A48-360HK-A	Jacq3G, 48" with A-Lift System	\$23,733.30
A60-360HK-A	Jacq3G, 60" with A-Lift System	\$24,071.10
A72-360HK-A	Jacq3G, 72" with A-Lift System	\$24,176.20
A30-360HK-E	Jacq3G, 30" with E-Lift System	\$25,951.90
A40-360HK-E	Jacq3G, 40" with E-Lift System	\$26,135.25
A48-360HK-E	Jacq3G, 48" with E-Lift System	\$26,344.35
A60-360HK-E	Jacq3G, 60" with E-Lift System	\$26,681.15
A72-360HK-E	Jacq3G, 72" with E-Lift System	\$26,786.20
HK-120	Additional 120 Hook Module	\$3,848.10

**Jacq3G Conversions** See page 13 for details.

**Jacq3G Conversion System with E-Lift System**

Includes E-Lift electrically actuated shed opening system. Requires 8A @110V OR 4A @ 220V (please specify voltage). Maximum 2,160 hooks (18 modules)

CE30-360HK	Jacq3G, 30" with E-Lift System	\$18,527.65
CE40-360HK	Jacq3G, 40" with E-Lift System	\$18,565.75
CE48-360HK	Jacq3G, 48" with E-Lift System	\$18,618.30
CE60-360HK	Jacq3G, 60" with E-Lift System	\$18,668.75
CE72-360HK	Jacq3G, 72" with E-Lift System	\$18,722.35

**Jacq3G Conversion System with A-Lift System**

Includes A-Lift pneumatically actuated shed opening system. Customer to supply compressor: 5CFM @ 100 PSI max.

CA30-360HK	Jacq3G, 30" with A-Lift System	\$15,916.60
CA40-360HK	Jacq3G, 40" with A-Lift System	\$15,956.80
CA48-360HK	Jacq3G, 48" with A-Lift System	\$16,007.25
CA60-360HK	Jacq3G, 60" with A-Lift System	\$16,058.75
CA72-360HK	Jacq3G, 72" with A-Lift System	\$16,113.35

**Professional Dobby**

**Rug Loom**

See page 14 for loom details.

1021	Rug Loom, 4' (All Hardwood), 8 Harness	\$12,191.10
1022	Rug Loom, 6' (All Hardwood), 8 Harness	\$13,220.05
1023	Rug Loom, 8' (Hardwood and Steel), 8 Harness	\$15,865.10
1024	Rug Loom, 10' (All Steel), 8 Harness	\$20,274.55
1025	Rug Loom, 12' (All Steel), 8 Harness	\$22,036.85
1026	Rug Loom, 15' (All Steel), 8 Harness	\$26,446.30
1031	Rug Loom, 4' (All Hardwood), 12 Harness	\$13,954.45
1032	Rug Loom, 6' (All Hardwood), 12 Harness	\$15,572.60
1033	Rug Loom, 8' (Hardwood and Steel), 12 Harness	\$19,098.30
1034	Rug Loom, 10' (All Steel), 12 Harness	\$23,507.70
1035	Rug Loom, 12' (All Steel), 12 Harness	\$23,810.55
1036	Rug Loom, 15' (All Steel), 12 Harness	\$27,915.10
1040	Rug Loom, 4' (All Hardwood), 16 Harness	\$15,424.25
1041	Rug Loom, 6' (All Hardwood), 16 Harness	\$17,040.35

### Accessories and Additions

300	Automatic Cloth Advance System (4 to 120 ppi)	\$727.20
310	Rotary Temple (for A-Series and Rug Looms)	\$875.50
1057	Drop-In Pressure Roller (for A-Series)	\$86.55
AL-CS-SYS-CONV	Cloth Storage Tension System Conversion (from sliding to hanging weight)	\$367.75
SVR-SYS	Selvage Rollers (set of 2, requires Track and Mounting System)	\$288.40
662	Beater Weight (adds weight to shuttle race for heavy beating)	\$87.55
663	Tension Arm Half-Weight	\$83.45
668	Additional Cloth Storage Weight	\$133.90
930	Bench, Long (for 48" loom)	\$257.50
3200	Bench, Short (for 40" loom)	\$244.15
362	Bench Storage Bag (for all looms)	\$60.80
2150	AVL Bench by Walt Turpening	\$482.00
932	Castle Storage Shelf (Home Loom)	\$111.25
940	Automatic Warp Tension System (Home Loom)	\$65.95
1210	Air-Powered Automatic Cloth Take-up System for Rug Loom	\$1,965.25
1215	Air-Powered Automatic Cloth Advance System for Rug Loom	\$2,703.75
1220	Auto-Warp Let-Off for Rug Loom	\$659.20

### Aprons

APR-16WL	Apron, Plain Beam (with velcro) for 16" WDL	\$60.80
APR-24WL	Apron, Plain Beam (with velcro) for 24" WDL	\$62.95
664	Short Apron (for plain warp beams, A-Series and FDL)	\$68.00
665	Long Apron (for cloth storage systems, A-Series and FDL)	\$82.40
971	Home Loom Apron	\$65.95
2170	SDL Apron, 20"	\$60.80
2171	V-Series or SDL Apron, 30"	\$68.00
1310	Extra Long Apron, 4'	\$304.90
1311	Extra Long Apron, 6'	\$354.35
1312	Extra Long Apron, 8'	\$405.85
1313	Extra Long Apron, 10'	\$455.30
1314	Extra Long Apron, 12'	\$507.80
1315	Extra Long Apron, 15'	\$580.95

### Beams for Full Frame Looms

A-Series, Production, Technical, Ultimate Dobby and AVL 40 Looms

Plain Beams (includes tension system, apron, apron rod and warp/lease sticks)

200-30	Plain Beam, 30" Looms	\$525.30
200-40	Plain Beam, 40" Looms	\$550.05
201	Plain Beam, 48" Looms	\$670.55
202	Plain Beam, 60" Looms	\$700.40
203	Plain Beam, 72" Looms	\$845.65

1/2 Yard Sectional Beams (Metal hoops at 2" spacing, includes tension system)

220-30	1/2-Yard Sectional Beam, 30" Looms	\$754.00
220-40	1/2-Yard Sectional Beam, 40" Looms	\$835.35

221-48	1/2-Yard Sectional Beam, 48" Looms	\$879.65
221-60	1/2-Yard Sectional Beam, 60" Looms	\$922.90
222	1/2-Yard Sectional Beam, 72" Looms	\$1,081.50

1 Yard Sectional Beams (Metal hoops at 2" spacing)

240-30	1-Yard Sectional Beam, 30" Looms	\$835.35
240-40	1-Yard Sectional Beam, 40" Looms	\$922.90
241-48	1-Yard Sectional Beam, 48" Looms	\$960.00
241-60	1-Yard Sectional Beam, 60" Looms	\$1,005.30
242	1-Yard Sectional Beam, 72" Looms	\$1,511.05
261	Second 1 Yard "Bustle" for Full Frame Looms	\$727.20
361	Locking Brake (for A-Series and Folding Looms)	\$257.50

**Beams for Rug Looms**

1101-4	Standard Warp Beam System, 4'	\$1,022.80
1101-6	Standard Warp Beam System, 6'	\$1,171.15
1102-8	Standard Warp Beam System, 8'	\$1,316.35
1102-10	Standard Warp Beam System, 10'	\$1,463.65
1103	Standard Warp Beam System, 12'	\$1,537.80
1104	Standard Warp Beam System, 15'	\$1,610.95
1121-4	Sectional Warp Beam System, 4'	\$1,171.15
1121-6	Sectional Warp Beam System, 6'	\$1,316.35
1122-8	Sectional Warp Beam System, 8'	\$1,610.95
1122-10	Sectional Warp Beam System, 10'	\$1,902.45
1123	Sectional Warp Beam System, 12'	\$2,098.15
1124	Sectional Warp Beam System, 15'	\$2,197.00
1201-4	High Capacity Sectional Beam Modification, 4'	\$288.40
1201-6	High Capacity Sectional Beam Modification, 6'	\$288.40
1202-8	High Capacity Sectional Beam Modification, 8'	\$391.40
1202-10	High Capacity Sectional Beam Modification, 10'	\$391.40
1203	High Capacity Sectional Beam Modification, 12'	\$391.40
1204	High Capacity Sectional Beam Modification, 15'	\$391.40

**Beams for Smaller Looms**

WDL, SDL, V-Series, Home Loom

2110	Sectional Warp Beam, 1/2-Yard, 2" sections, for 20" SDL	\$566.50
2100	Sectional Warp Beam Upgrade (replaces Plain Beam with Sectional Beam, 1/2-Yard, 2" sections, for 20" SDL	\$345.05
2111	Plain Warp Beam, for 20" SDL	\$330.65
2120	Second Warp Beam System, for 20" SDL (with Plain Beam)	\$482.05
2121	Second Warp Beam System for SDL or V-Series (does not include a beam)	\$129.80
2101	Sectional Warp Beam Upgrade, for 30" V-Series (replaces Plain Beam with Sectional Beam, 1/2-Yard, 2" sections)	\$322.40
2113	Sectional Warp Beam, 1/2-Yard, 2" sections, for 30" V-Series	\$689.10
2112	Plain Warp Beam, for 30" V-Series	\$368.75
3090	Second Beam System (without beam) for WDL	\$309.00

3095	Plain Beam, for 16" WDL (includes apron, rods and handle)	\$292.55
3097	Plain Beam, for 24" WDL (includes apron, rods and handle)	\$321.40
3100	Sectional Beam, for 16" WDL (2" sections)	\$331.70
3150	Sectional Beam, for 24" WDL (2" sections)	\$359.50
970-40	Sectional Warp Beam Upgrade, 1/2-Yard, 40" (Home Loom)	\$380.10
970-48	Sectional Warp Beam Upgrade, 1/2-Yard, 48" (Home Loom)	\$399.65
972-40	Second Warp Beam System with Plain Beam, 40" (Home Loom)	\$887.90
972-48	Second Warp Beam System with Plain Beam, 48" (Home Loom)	\$956.90
973-40	Additional Plain Warp Beam, 40" (Home Loom)	\$487.20
973-48	Additional Plain Warp Beam, 48" (Home Loom)	\$557.25

#### Beater Additions for Rug Loom

1225	Air-Powered Beater for Rug Loom	\$2,211.45
1230	Air-Powered One-Box Flyshuttle System for Rug Loom	\$3,564.85
1235	Air-Powered Two-Box Flyshuttle System for Rug Loom	\$5,412.65
1240	Air-Powered Four-Box Flyshuttle System for Rug Loom	\$6,519.90
1245	Air-Powered One-Box Large Flyshuttle System for Rug Loom	\$5,067.60
1250	Air-Powered Two-Box Large Flyshuttle System for Rug Loom	\$7,688.95
1255	Air-Powered Four-Box Large Flyshuttle System for Rug Loom	\$9,252.50
1260	Air-Powered Four-Box Flyshuttle System w/ auto-shuttle selection and firing for Rug Loom	\$12,109.75

#### Beaters for Full Frame Looms

100-30	Standard Bottom Swing Beater, 30" Looms	\$456.30
100-40	Standard Bottom Swing Beater, 40" Looms	\$478.95
101-48	Standard Bottom Swing Beater, 48" Looms	\$526.35
101-60	Standard Bottom Swing Beater, 60" Looms	\$552.10
102	Standard Bottom Swing Beater, 72" Looms	\$654.05
105-30	Standard Overhead Beater, 30" Looms	\$674.65
105-40	Standard Overhead Beater, 40" Looms	\$707.65
105-48	Standard Overhead Beater, 48" Looms	\$767.35
105-60	Standard Overhead Beater, 60" Looms	\$813.70
105-72	Standard Overhead Beater, 72" Looms	\$1,072.25
120-30	Single Box Flyshuttle Bottom Swing Beater, 30" Looms	\$695.25
120-40	Single Box Flyshuttle Bottom Swing Beater, 40" Looms	\$727.20
121-48	Single Box Flyshuttle Bottom Swing Beater, 48" Looms	\$765.30
121-60	Single Box Flyshuttle Bottom Swing Beater, 60" Looms	\$802.40
122	Single Box Flyshuttle Bottom Swing Beater, 72" Looms	\$956.90
123-30	Single Box Flyshuttle Overhead Beater, 30" Looms	\$913.65
123-40	Single Box Flyshuttle Overhead Beater, 40" Looms	\$956.90
124-48	Single Box Flyshuttle Overhead Beater, 48" Looms	\$1,017.65
124-60	Single Box Flyshuttle Overhead Beater, 60" Looms	\$1,055.75
125	Single Box Flyshuttle Overhead Beater, 72" Looms	\$1,375.05
140-30	Double Box Flyshuttle Bottom Swing Beater, 30" Looms	\$1,250.45
140-40	Double Box Flyshuttle Bottom Swing Beater, 40" Looms	\$1,308.10

140-48	Double Box Flyshuttle Bottom Swing Beater, 48" Looms	\$1,384.35
141-30	Double Box Flyshuttle Overhead Beater, 30" Looms	\$1,389.50
141-40	Double Box Flyshuttle Overhead Beater, 40" Looms	\$1,456.45
142	Double Box Flyshuttle Overhead Beater, 48" Looms	\$1,604.75
143	Double Box Flyshuttle Overhead Beater, 60" Looms	\$1,692.30
143-72	Double Box Flyshuttle Overhead Beater, 72" Looms	\$1,887.00
144-48	Double Box Flyshuttle Overhead Air Assisted Beater, 48" Looms	\$5,725.80
144-60	Double Box Flyshuttle Overhead Air Assisted Beater, 60" Looms	\$5,871.00
144-72	Double Box Flyshuttle Overhead Air Assisted Beater, 72" Looms	\$6,283.00
160-30	Four Box Flyshuttle Overhead Beater, 30" Looms	\$2,337.10
160-40	Four Box Flyshuttle Overhead Beater, 40" Looms	\$2,337.10
161-48	Four Box Flyshuttle Overhead Beater, 48" Looms	\$2,418.45
161-60	Four Box Flyshuttle Overhead Beater, 60" Looms	\$2,418.45
161-72	Four Box Flyshuttle Overhead Beater, 72" Looms	\$2,623.45
162-48	Four Box Flyshuttle Overhead Air Assisted Beater, 48" Looms	\$8,517.10
162-60	Four Box Flyshuttle Overhead Air Assisted Beater, 60" Looms	\$8,517.10
162-72	Four Box Flyshuttle Overhead Air Assisted Beater, 72" Looms	\$8,517.10

#### **Bobbin and Spool Winding Equipment**

607	Bobbin-Winding Guide	\$50.50
610	Electric Bobbin Winder (with bobbin/spool thread guide)	\$390.40
612	Electric Bobbin Winder (220 voltage, includes 200W stepdown transformer)	\$419.25
611	Automatic Bobbin Winder	\$3,728.60
613	Automatic Bobbin Winder, 220 Voltage	\$3,768.80
614	Auto-Tensioner for Electric Bobbin Winder	\$40.20

#### **Compu-Dobby® Systems**

700-CD4	Compu-Dobby® IV System, 16 Harness, Positive Dobby	\$3,476.25
701-CD4	Compu-Dobby® IV System, 24 Harness, Positive Dobby	\$4,256.00
704-CD4	Compu-Dobby® IV System, 40 Harness, Positive Dobby	\$5,010.95
730-CD4	Compu-Dobby® IV System, 8 Harness for A-Series/V-Series, Negative Dobby	\$2,764.55
731-CD4	Compu-Dobby® IV System, 8 Harness for WDL, Negative Dobby	\$2,394.75
732-CD4	Compu-Dobby® IV System, 16 Harness for A-Series/V-Series/FDL, Negative Dobby	\$3,318.70
733-CD4	Compu-Dobby® IV System, 16 Harness for WDL, Negative Dobby	\$2,653.30
734-CD4	Compu-Dobby® IV System, 24 Harness for A-Series/V-Series, Negative Dobby	\$3,984.05
735-CD4	Compu-Dobby® IV System, 24 Harness for WDL, Negative Dobby	\$2,907.70
737-CD4	Compu-Dobby® IV System, 32 Harness for A-Series/V-Series, Negative Dobby	\$4,185.95
736-CD4	Compu-Dobby® IV System, 40 Harness for A-Series/V-Series, Negative Dobby	\$4,783.35
711	USB-Serial High Speed Adapter (for PC or Mac)	\$47.40
ELT-1212150	RS-232 Serial Cable	\$21.15



715	220 Voltage to 110 Voltage Electrical Converter (300W Continuous Operation)	\$41.20
716	Universal AC Inlet to UK Outlet Adaptor (Converts US/EU plug to UK)	\$12.10
717	220-110V 500W Converter (500 watt voltage step up or down)	\$50.50
1701-ACD	Air-Powered Compu-Dobby® IV System (8 Harness) for Rug Loom	\$4,256.00
1702-ACD	Air-Powered Compu-Dobby® IV System (12 Harness) for Rug Loom	\$4,843.10
1703-ACD	Air-Powered Compu-Dobby® IV System (16 Harness) for Rug Loom	\$5,432.25
1704	Mechanical to Compu-Dobby® Upgrade Kit for Air Powered Rug Loom Only	\$572.70
510	Compu-Dobby® to Mechanical Dobby Conversion, 16 Harness	\$1,278.25
511	Compu-Dobby® to Mechanical Dobby Conversion, 24 Harness	\$1,547.10

### Counters

402	Yardage Counter (to mount on Tension Box)	\$145.25
402M	Meter Counter (to mount on Tension Box)	\$208.10
250	Revolution Counter (reversible, for A-Series Loom)	\$104.05
250-FF	Revolution Counter (reversible, for Full Frame Loom)	\$104.05
250-FDL	Revolution Counter (reversible, for Folding Dobby Loom)	\$124.65
250-IDL	Revolution Counter (reversible, for Industrial Dobby & Rug Looms)	\$129.80
250-RL-Metal	Revolution Counter (reversible, for Metal Rug Loom)	\$129.80

### Harness and Treadle Additions

Modular Loom Harness and Treadle System includes 1 harness, 1 treadle, cable tie-up and 100 heddles

340	Modular Loom Harness and Treadle System, Polyester Heddles (for A-Series, Full Frame and FDL)	\$144.20
341	Modular Loom Harness and Treadle System, Steel/Wire Heddles (for A-Series, Full Frame and FDL)	\$214.25
920	Harness and Treadle Systems (polyester heddles) For Home Loom	\$144.20
921	Harness and Treadle Systems (metal heddles) For Home Looms	\$214.25
320	Metal Heddle System, Modular Loom (per harness)	\$73.15
324	Metal Heddle System, 4 Harness Looms	\$294.60
325	Metal Heddle System, 8 Harness Looms	\$588.15
321	Metal Heddle System, 16 Harness Looms	\$1,175.25
322	Metal Heddle System, 24 Harness Looms	\$1,764.40
323	Metal Heddle System, 40 Harness Looms	\$2,939.65

### Heddles and Tie-up Cords

650	Polyester Heddles, Positive Dobby (100 pack)	\$24.75
651	Long Polyester Heddles, Negative Dobby (100 pack)	\$25.75
652	Flat Steel Heddles (100 pack)	\$37.10
653-1	Inserted-Eye, Twisted Wire Heddles, Positive Dobby (100 pack)	\$33.00
653-2	Inserted-Eye, Twisted Wire Heddles, Negative Dobby (100 pack)	\$33.00
653-3	Small-Eye, Metal Heddles, Positive Dobby (100 pack)	\$33.00
654	Polyester Heddles, Workshop Dobby Loom (100 pack)	\$29.90
1501	Inserted-Eye, Twisted Wire Heddles, Rug Loom (100 pack)	\$51.50
HDL-LW	Little Weaver Polyester 8" Heddles with small eye	\$29.90

661-BML	Patch Cord, Pre-1988 Basic Modular Loom (set of 10)	\$16.00
661-ABML	Patch Cord, A-Series & post 1/1/88 Basic Modular Loom (set of 10)	\$16.00
661-FML	Patch Cord, Folding Modular Loom (set of 10)	\$14.95
661-HL	Patch Cord, Home Loom (set of 10)	\$13.95

### Lift Assist Systems

520	A-Lift Pneumatically Assisted Dobby (for A-Series, Full Frame and FDL)	\$1,316.35
522	E-Lift II, Electrically Assisted Dobby (110v, for A-Series, PDL & TDL)	\$3,412.40
523	E-Lift II, Electrically Assisted Dobby (110v, for SDL)	\$3,412.40
524A	E-Lift II, Electrically Assisted Dobby (110v, for Folding Dobby Loom with positive Dobby)	\$3,412.40
524B	E-Lift II, Electrically Assisted Dobby (110v, for Folding Dobby Loom with negative Dobby)	\$3,412.40
525	E-Lift II, Electrically Assisted Dobby (220 Voltage, for A-Series, PDL & TDL)	\$3,451.55
526	E-Lift II, Electrically Assisted Dobby (220 Voltage, for SDL)	\$3,451.55
527A	E-Lift II, Electrically Assisted Dobby (220v, for Folding Dobby Loom with positive Dobby)	\$3,412.40
527B	E-Lift II, Electrically Assisted Dobby (220v, for Folding Dobby Loom with negative Dobby)	\$3,412.40
528	E-Lift Spring Lever Conversion (for A-Series, PDL, TDL, FDL & SDL)	\$86.55
529	E-Lift II Conversion for Treadle Jacq3G (this conversion does not apply to other AVL Jacquards. Max of 18 modules/2160 hooks)	\$5,956.50
509	E-Lift II Conversion, Jacq3G, 40", 220 voltage	\$5,606.30

### Raddles

LW-RAD-MAS1	Little Weave 16 inch 2-Piece Raddle (includes mounting pins)	\$95.80
WL-RAD-3300	Raddle, 16" for Workshop Dobby Loom	\$95.80
2140	Raddle, 20"	\$111.25
WL-RAD-3350	Raddle, 24" for Workshop Dobby Loom	\$128.75
409-30	Raddle, 30"	\$139.05
409-40	Raddle, 40"	\$145.25
410-48	Raddle, 48"	\$167.90
410-60	Raddle, 60"	\$176.15
411	Raddle, 72"	\$191.60
1401	Raddle, 4'	\$199.85
1402	Raddle, 6'	\$221.45
1403	Raddle, 8'	\$243.10
1404	Raddle, 10'	\$288.40
1405	Raddle, 12'	\$344.05
1406	Raddle, 15'	\$360.50

### Reeds

REED-LW-16	16" weaving width (for Little Weaver)	\$89.65
REED-WDL-16	16" weaving width reed (Workshop Dobby Loom)	\$89.65

REED-SDL-20	20" weaving width reed (Studio Dobby Loom)	\$95.80
REED-WDL-24	24" weaving width reed (Workshop Dobby Loom)	\$122.60
REED-IDL-24	24" weaving width (for IDL)	\$136.00
REED-30	30" weaving width	\$136.00
REED-40	40" weaving width	\$152.45
REED-IDL-40	40" weaving width (for IDL)	\$172.05
REED-48	48" weaving width	\$172.05
REED-RL-04	4' weaving width (for Rug Loom)	\$206.00
REED-60	60" weaving width	\$206.00
REED-IDL-60	60" weaving width (for IDL)	\$264.75
REED-72	72" weaving width	\$264.75
REED-RL-06	6' weaving width (for Rug Loom)	\$355.35
REED-IDL-72	72" weaving width (for IDL)	\$355.35
REED-RL-08	8' weaving width (for Rug Loom)	\$355.35
REED-RL-10	10' weaving width (for Rug Loom/call for additional S&H charges)	\$443.95
REED-RL-12	12' weaving width (for Rug Loom/call for additional S&H charges)	\$530.45
REED-RL-15	15' Stainless Steel Reed (call for additional S&H charges)	\$663.35

### Shuttles and Bobbins

SHT-QLL-03	3 ½" (9cm) Paper Quills - Package of 10	\$6.00
SHT-SBT-10	Boat Shuttle, 10", Closed Bottom, Sweedish-Style (uses 9cm quill - not included)	\$35.25
600	Standard Flyshuttle (includes 3 bobbins)	\$195.00
601	Standard Handshuttle (includes 3 bobbins)	\$180.00
602	Small Handshuttle, 12.5" (includes 3 bobbins)	\$180.00
603	Thick Yarn Handshuttle, Standard	\$180.00
1510	AVL Standard Rug Shuttle, 18"	\$29.00
1510-4	AVL Rug Shuttle, 4'	\$38.00
608	Silk Flyshuttle (includes 3 bobbins)	\$205.00
605	Standard Hand/Flyshuttle Bobbin (6 per set, for 15 1/4" shuttles)	\$29.00
606	Small Handshuttle Bobbins (6 per set, for 11-12.5" small shuttles)	\$29.00

### Software

845	WeavePoint (Windows Only), Please specify AVL or Louet	\$376.00
843	WeavePoint without Loom Driver (Windows Only)	\$297.00
846	Complex Drafting Module for WeavePoint (Requires WeavePoint purchase)	\$176.00
847	WeavePoint Upgrade, price per major version (Windows Only)	\$117.00
848	Complex Drafting Module for WeavePoint Upgrade, price per major version	\$65.00
844	WeavePoint LIPS Driver (requires WeavePoint purchase)	\$94.00
840	WeavePoint for IDL (Windows Only)	\$1,650.00
840-U	WeavePoint Upgrade for IDL, price per major version (Windows Only)	\$550.00
841	JacqPoint	\$1,650.00
865-Lion	WeaveMaker Mi (Mac OS X Lion)	\$376.00

867-Lion	WeaveMaker Mi Upgrade, price per major version (Mac OS X Lion)	\$117.00
866	WeaveMaker Pro (Mac)	\$1,755.00
885	ArahWeave PE (Personal Edition) Limited to 2048 ends by 2048 picks	\$1,865.00
886	ArahWeave Super PE (Personal Edition) Up to 4096 ends by 4096 picks	\$4,615.00
884	ArahWeave Yearly License Renewal	\$345.00

### Tension Box and Mounting

TB-RCS-SYS	Tension Box (for sectional beams)	\$375.95
TB-SYS	Tension Box, Heavy Duty	\$405.85
401	Track and Mounting System (for tension box &/or selvage rollers)	\$199.85
401-FL-30	Track & Mount System, 30 in Folding Loom; for Tension Box and Selvage Rollers	\$199.85
401-FL-40	Track & Mount System, 40 in Folding Loom; for Tension Box and Selvage Rollers	\$199.85
401-FL-48	Track & Mount System, 48 in Folding Loom; for Tension Box and Selvage Rollers	\$199.85
3250-16	Track & Mount System, 16 in Workshop Dobby Loom; for Tension Box and Selvage Rollers	\$199.85
3250-24	Track & Mount System, 24 in Workshop Dobby Loom; for Tension Box and Selvage Rollers	\$199.85
1302-4	Track and Mounting System (for tension box), 4' Rug Loom	\$296.65
1302-6	Track and Mounting System (for tension box), 6' Rug Loom	\$305.95
1303-8	Track and Mounting System (for tension box), 8' Rug Loom	\$317.25
1303-10	Track and Mounting System (for tension box), 10' Rug Loom	\$327.55
1304	Track and Mounting System (for tension box), 12' Rug Loom	\$336.85
1305	Track and Mounting System (for tension box), 15' Rug Loom	\$354.35

### Warping Equipment

667	Patent Denter (automatic reed hook)	\$62.85
408	Warp Beam Flanges (for Plain Beams)	\$177.20
CR-SYS	Cone Rack (56 spindles)	\$360.50
CC-SYS	Cone Caddy	\$50.50
SR-SYS	Spool Rack (104 spool capacity)	\$478.95
SR-SPOOL-001	Spools, 4" (each)	\$4.15
WW2-SYS	Warping Wheel	\$655.10
WWC-SYS	Warping Wheel Crossmaker	\$62.85
WW2-SYS-SPKUG	Warping Wheel Spoke Upgrade	\$312.10
WB-SYS	Warping Board	\$145.25
BWW-SYS	Beam Winder (wall mounted)	\$405.85
BWS-SYS	Free Standing Beam Winder	\$581.95
BWP-SYS-110	Powered Beam Winder, Wall Mounted	\$6,193.75
BWP-SYS-220	Powered Beam Winder, Wall Mounted (220 volt)	\$6,293.75