



> 1 ASSOC CITY: GLENDALE 4 STATE: AZ LOC ID: LUF FAA SITE NR: 00692.25*A
> 2 AIRPORT NAME: LUKE AFB 5 COUNTY: MARICOPA AZ
3 CBD TO AIRPORT (NM): 07 W 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT: PHOENIX

<u>GENERAL</u>		<u>SERVICES</u>	<u>BASED AIRCRAFT</u>
10 OWNERSHIP: AIR FORCE		> 70 FUEL: 100 B+	90 SINGLE ENG: 0
> 11 OWNER: USAF			91 MULTI ENG: 0
> 12 ADDRESS: LUKE AFB		> 71 AIRFRAME RPRS: MAJOR	92 JET: 0
GLENDALE, AZ 85301		> 72 PWR PLANT RPRS: MAJOR	TOTAL: 0
623-856-1110		> 73 BOTTLE OXYGEN: HIGH/LOW	
> 13 PHONE NR:		> 74 BULK OXYGEN: HIGH/LOW	93 HELICOPTERS: 0
> 14 MANAGER: BASE OPERATIONS		75 TSNT STORAGE: HGR	94 GLIDERS: 0
> 15 ADDRESS: LUKE AFB		76 OTHER SERVICES:	95 MILITARY: 0
GLENDALE, AZ 85301		CARGO	96 ULTRA-LIGHT: 0
623-856-7131			
> 16 PHONE NR:			
> 17 ATTENDANCE SCHEDULE:		<u>FACILITIES</u>	<u>OPERATIONS</u>
ALL MON-THU 1330-0530Z		> 80 ARPT BCN: CG	100 AIR CARRIER: 0
ALL FRI 1330-0130Z		> 81 ARPT LGT SKED:	102 AIR TAXI: 0
		> 82 UNICOM:	103 G A LOCAL: 0
		> 83 WIND INDICATOR: YES	104 G A ITNRNT: 0
18 AIRPORT USE: PRIVATE		84 SEGMENTED CIRCLE: NONE	105 MILITARY: 100,000
19 ARPT LAT: 33-32-05.8810N ESTIMATED		85 CONTROL TWR: YES	TOTAL: 100,000
20 ARPT LONG: 112-22-59.5185W		86 FSS: PRESCOTT	
21 ARPT ELEV: 1085.0 SURVEYED		87 FSS ON ARPT: NO	OPERATIONS FOR 12
22 ACREAGE:		88 FSS PHONE NR:	MONTHS ENDING
> 23 RIGHT TRAFFIC: 03L, 03R		89 TOLL FREE NR: 1-800-WX-BRIEF	
> 24 NON-COMM LANDING:			
25 NPIAS/FED AGREEMENTS:			
> 26 FAR 139 INDEX:			

RUNWAY DATA

> 30 RUNWAY IDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: SW

36 (IN THSDS) DW

37 DTW

38 DDTW

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSi:

44 THR CROSSING HGT:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY:

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

03L/21R

10,012

150

PEM

03R/21L

9,904

150

CONC

50 /R/C/W/T

HIGH

PIR - / PIR -

P4L / P4L

50 / 47

3.00 / 3.00

N - N / N - N

- / -

N / N

/

62 /R/B/W/T

HIGH

PIR - / PIR -

P4L / P4L

51 / 47

3.00 / 3.00

N - N / N - N

- / -

N / N

ALSF1 / ALSF1

- / -

/

/

/

- / -

- / -

/

/

- / -

/

/

/

- / -

- / -

/

/

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

A 015 RAPCON - 623-856-6448.

A 017 CLSD WKEND AND HOL.

A 026 REDUCED FIRE FIGHTING AND RESCUE CAPABILITIES FOR KC135 AND LARGER. SEVERE RISK/LOSS: FIREFIGHTING FORCES CANNOT BE EXP TO EXTINGUISH INTERIOR FIRE OR SUCCESSFUL RESCUE OPS. ONLY LTD EXTERIOR FIREFIGHTING CAN BE PERFORMED.

A 042 RWY 03L MULTIPLE RY MARKINGS FOR RY 21R/03L AND RY 21L/03R FADED OR NON-STANDARD.

A 049 RWY 03R RY 03R & RY 21L SFLS ONLY AVBL AT STEP 5 INTENSITY.

A 070 A++

A 081 RWY BCN DUSK-2400. AFLD UNLGTD WHEN FIELD IS CLSD.

111 INSPECTOR: (N) 112 LAST INSP:

113 LAST INFO REQ: 09/09/1976



> 1 ASSOC CITY: *****CONTINUED***** 4 STATE: AZ LOC ID: LUF FAA SITE NR: 00692.25*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL	SERVICES	BASED AIRCRAFT
10 OWNERSHIP: > 11 OWNER: > 12 ADDRESS: > 13 PHONE NR: > 14 MANAGER: > 15 ADDRESS: > 16 PHONE NR: > 17 ATTENDANCE SCHEDULE:	> 70 FUEL: > 71 AIRFRAME RPRS: > 72 PWR PLANT RPRS: > 73 BOTTLE OXYGEN: > 74 BULK OXYGEN: 75 TSNT STORAGE: 76 OTHER SERVICES:	90 SINGLE ENG: 91 MULTI ENG: 92 JET: TOTAL: 93 HELICOPTERS: 94 GLIDERS: 95 MILITARY: 96 ULTRA-LIGHT:
18 AIRPORT USE: 19 ARPT LAT: 20 ARPT LONG: 21 ARPT ELEV: 22 ACREAGE: > 23 RIGHT TRAFFIC: > 24 NON-COMM LANDING: 25 NPIAS/FED AGREEMENTS: > 26 FAR 139 INDEX:	> 80 ARPT BCN: > 81 ARPT LGT SKED: > 82 UNICOM: > 83 WIND INDICATOR: 84 SEGMENTED CIRCLE: 85 CONTROL TWR: 86 FSS: 87 FSS ON ARPT: 88 FSS PHONE NR: 89 TOLL FREE NR:	<u>OPERATIONS</u> 100 AIR CARRIER: 102 AIR TAXI: 103 G A LOCAL: 104 G A ITNRNT: 105 MILITARY: TOTAL: OPERATIONS FOR 12 MONTHS ENDING
<u>RUNWAY DATA</u> > 30 RUNWAY IDENT: > 31 LENGTH: > 32 WIDTH: > 33 SURF TYPE-COND: > 34 SURF TREATMENT: 35 GROSS WT: SW 36 (IN THSDS) DW 37 DTW 38 DDTW > 39 PCN:		
<u>LIGHTING/APCH AIDS</u> > 40 EDGE INTENSITY: > 42 RWY MARK TYPE-COND: > 43 VGSi: 44 THR CROSSING HGT: 45 VISUAL GLIDE ANGLE: > 46 CNTRLN-TDZ: > 47 RVR-RVV: > 48 REIL: > 49 APCH LIGHTS:		
<u>OBSTRUCTION DATA</u> 50 FAR 77 CATEGORY: > 51 DISPLACED THR: > 52 CTLG OBSTN: > 53 OBSTN MARKED/LGTD: > 54 HGT ABOVE RWY END: > 55 DIST FROM RWY END: > 56 CNTRLN OFFSET: 57 OBSTN CLNC SLOPE: 58 CLOSE-IN OBSTN:		
<u>DECLARED DISTANCES</u> > 60 TAKE OFF RUN AVBL (TORA): > 61 TAKE OFF DIST AVBL (TODA): > 62 ACLT STOP DIST AVBL (ASDA): > 63 LNDG DIST AVBL (LDA):		

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

A 110-021 RSTD - AV-8 ACFT MAY NOT CONDUCT HOVER LDG WO SPECIFIC PERMS OF LUKE TWR.
A 110-022 BEARING STRENGTH RY 03L/21R: S45 T111 ST170 TT236 SBTT447 TDT763 TRT466.
A 110-023 BEARING STRENGTH RY 03R/21L: S70 T11 ST175 TT336 SBTT593 TDT840 TRT585.
A 110-036 RSTD: PPR ALL ACFT EXC AIREVAC AND SAAM MSN BUT ARE RQR TO OBTAIN A PPR NR FOR TRACKING/NOTIFICATIONS, CTC AFLD MGMT OPS (AMOPS) 896-7131, C623-856-7131/7132.
A 110-037 RSTD - ACFT MUST ADHERE TO PPR ARR BLOCK TIME +/- 30 MIN OF SKED LDG.
A 110-039 RSTD - MIN 24 HR ADVANCE COORD FOR ACFT WITH GWT OF 135,000 LB OR MORE.
A 110-040 RSTD - NO LCL SORTIES WILL BE FLOWN OUT BY TRAN ACFT.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976

*****CONTINUED*****		4 STATE: AZ	LOC ID: LUF	FAA SITE NR: 00692.25*A
> 1 ASSOC CITY:			5 COUNTY:	
> 2 AIRPORT NAME:		6 REGION/ADO: AWP/PHX	7 SECT AERO CHT:	
3 CBD TO AIRPORT (NM):				

GENERAL

10 OWNERSHIP:

- > 11 OWNER:
- > 12 ADDRESS:
- > 13 PHONE NR:
- > 14 MANAGER:
- > 15 ADDRESS:
- > 16 PHONE NR:
- > 17 ATTENDANCE SCHEDULE:

SERVICES

- > 70 FUEL:
- > 71 AIRFRAME RPRS:
- > 72 PWR PLANT RPRS:
- > 73 BOTTLE OXYGEN:
- > 74 BULK OXYGEN:
- 75 TSNT STORAGE:
- 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:

TOTAL:

93 HELICOPTERS:
94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

- > 80 ARPT BCN:
- > 81 ARPT LGT SKED:
- > 82 UNICOM:
- > 83 WIND INDICATOR:
- 84 SEGMENTED CIRCLE:
- 85 CONTROL TWR:
- 86 FSS:
- 87 FSS ON ARPT:
- 88 FSS PHONE NR:
- 89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
102 AIR TAXI:
103 G A LOCAL:
104 G A ITNRNT:
105 MILITARY:
TOTAL:

OPERATIONS FOR 12
MONTHS ENDING

RUNWAY DATA

> 30 RUNWAY IDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: SW
36 (IN THSDS) DW
37 DTW
38 DDTW
> 39 PCN:

LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR CROSSING HGT:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCD LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY:

- > 51 DISPLACED THR:
- > 52 CTLG OBSTN:
- > 53 OBSTN MARKED/LGTD:
- > 54 HGT ABOVE RWY END:
- > 55 DIST FROM RWY END:
- > 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

DECLARED DISTANCES

- > 60 TAKE OFF RUN AVBL (TORA):
- > 61 TAKE OFF DIST AVBL (TODA):
- > 62 ACLT STOP DIST AVBL (ASDA):
- > 63 LNDG DIST AVBL (LDA):

[illegible]

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

A 110-041	RSTD - ALL ACFT LARGER THAN KC-135 PPR FR AFLD MGR PRIOR TO UTILIZING RWY 03L-21R.
A 110-042	RSTD - ALL ACFT WILL FILE A FLT PLAN PRIOR TO DEP.
A 110-043	RSTD - NO PRACTICE APCH FOR CIV ACFT AT LUKE AFB DUE TO STU TRNG.
A 110-044	CAUTION - EXTV STU JET TFC.
A 110-045	CAUTION - PILOTS SHOULD USE EXTREME CAUTION WHEN FLYING RY 03/ 21 FINAL APCH CRS DUE TO VFR FLYWAYS.
A 110-046	CAUTION - HI POTENTIAL FOR HYDROPLANING ON BOTH RY DUR WET COND.
A 110-052	NS ABTMT - EXTREMELY NOISE SENSITIVE AREA 5 NM NE.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976

> 1 ASSOC CITY:	*****CONTINUED*****	4 STATE: AZ	LOC ID: LUF	FAA SITE NR: 00692.25*A
> 2 AIRPORT NAME:			5 COUNTY:	
3 CBD TO AIRPORT (NM):		6 REGION/ADO: AWP/PHX	7 SECT AERO CHT:	

GENERAL

10 OWNERSHIP:

- > 11 OWNER:
- > 12 ADDRESS:
- > 13 PHONE NR:
- > 14 MANAGER:
- > 15 ADDRESS:
- > 16 PHONE NR:
- > 17 ATTENDANCE SCHEDULE:

SERVICES

- > 70 FUEL:
- > 71 AIRFRAME RPRS:
- > 72 PWR PLANT RPRS:
- > 73 BOTTLE OXYGEN:
- > 74 BULK OXYGEN:
- 75 TSNT STORAGE:
- 76 OTHER SERVICES:

BASED AIRCRAFT

90 SINGLE ENG:
91 MULTI ENG:
92 JET:

TOTAL:

93 HELICOPTERS:
94 GLIDERS:
95 MILITARY:
96 ULTRA-LIGHT:

FACILITIES

> 80 ARPT BCN:
> 81 ARPT LGT SKED:
> 82 UNICOM:
> 83 WIND INDICATOR:
84 SEGMENTED CIRCLE:
85 CONTROL TWR:
86 FSS:
87 FSS ON ARPT:
88 FSS PHONE NR:
89 TOLL FREE NR:

OPERATIONS

100 AIR CARRIER:
102 AIR TAXI:
103 G A LOCAL:
104 G A ITNRNT:
105 MILITARY:
TOTAL:
OPERATIONS FOR 12
MONTHS ENDING

RUNWAY DATA

> 30 RUNWAY IDENT:
> 31 LENGTH:
> 32 WIDTH:
> 33 SURF TYPE-COND:
> 34 SURF TREATMENT:
35 GROSS WT: SW
36 (IN THSDS) DW
37 DTW
38 DDTW
> 39 PCN:

LIGHTING/APCH AIDS

- > 40 EDGE INTENSITY:
- > 42 RWY MARK TYPE-COND:
- > 43 VGSI:
 - 44 THR CROSSING HGT:
 - 45 VISUAL GLIDE ANGLE:
- > 46 CNTRLN-TDZ:
- > 47 RVR-RVV:
- > 48 REIL:
- > 49 APCD LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY:
 > 51 DISPLACED THR:
 > 52 CTLG OBSTN:
 > 53 OBSTN MARKED/LGTD:
 > 54 HGT ABOVE RWY END:
 > 55 DIST FROM RWY END:
 > 56 CNTRLN OFFSET:
 57 OBSTN CLNC SLOPE:
 58 CLOSE-IN OBSTN:

DECLARED DISTANCES

- > 60 TAKE OFF RUN AVBL (TORA):
- > 61 TAKE OFF DIST AVBL (TODA):
- > 62 ACLT STOP DIST AVBL (ASDA):
- > 63 LNDG DIST AVBL (LDA):

[illegible]

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

A 110-053	A-GEAR - RY 03L-21R APCH AND DEP END BAK-12A IN RAISED POSN WITH 8 PT TIE-DOWNS. RY 03R-21L DEP END BAK-12A IN RAISED POSN. RY 03R-21L APCH END BAK-12A IN RAISED POSN WITH 30 MIN PN.
A 110-055	JASU - 2(AM32A-60A) 2(MC-1A) FUEL - J8 FLUID - SP PRESAIR LPOX LOX.
A 110-056	OIL - O-128-PACKAGED ONLY, RQR HAND TRANSFER; 133-148-156 SOAP.
A 110-057	TRAN ALERT - LTD TRAN PRK. EXP UP TO 4 HR SVC DELAY. FLW ME SVC AVBL O/R. NO FLEET SVC AVBL. NO F16 GE ENG TRAN SUPPORT AVBL.
A 110-059	MISC: CLASSIFIED STORAGE FOR TRANSIENT AIRCREW IS NO LONGER AVAILABLE AT AMOPS, PLEASE CONTACT COMMAND POST FOR STORAGE AT DSN 896-5600 OR COMM (623)856-5600.
A 110-061	RSTD: TWY F CLSD.
A 110-062	CAUTION: APN LGT POLE LCTD 1200 FT SE FM RY 03R-21L CNTRLN, 456 FT AND 676 FT FM RY 21L THLD AND APN LGT POLE LCTD 1430 FT 'SW' FM RY 03R-21L CNTRLN. 676 FT FM RY 21L THLD.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976



> 1 ASSOC CITY: *****CONTINUED***** 4 STATE: AZ LOC ID: LUF FAA SITE NR: 00692.25*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL

SERVICES

BASED AIRCRAFT

10 OWNERSHIP:

> 70 FUEL:

90 SINGLE ENG:

> 11 OWNER:

91 MULTI ENG:

> 12 ADDRESS:

92 JET:

> 13 PHONE NR:

TOTAL:

> 14 MANAGER:

93 HELICOPTERS:

> 15 ADDRESS:

> 71 AIRFRAME RPRS:

> 72 PWR PLANT RPRS:

> 73 BOTTLE OXYGEN:

> 74 BULK OXYGEN:

75 TSNT STORAGE:

76 OTHER SERVICES:

> 16 PHONE NR:

94 GLIDERS:

> 17 ATTENDANCE SCHEDULE:

95 MILITARY:

96 ULTRA-LIGHT:

FACILITIES

OPERATIONS

> 80 ARPT BCN:

100 AIR CARRIER:

> 81 ARPT LGT SKED:

102 AIR TAXI:

> 82 UNICOM:

103 G A LOCAL:

> 83 WIND INDICATOR:

104 G A ITNRNT:

84 SEGMENTED CIRCLE:

105 MILITARY:

85 CONTROL TWR:

TOTAL:

86 FSS:

OPERATIONS FOR 12

87 FSS ON ARPT:

MONTHS ENDING

88 FSS PHONE NR:

89 TOLL FREE NR:

RUNWAY DATA

> 30 RUNWAY IDENT:

> 31 LENGTH:

> 32 WIDTH:

> 33 SURF TYPE-COND:

> 34 SURF TREATMENT:

35 GROSS WT: SW

36 (IN THSDS) DW

37 DTW

38 DDTW

> 39 PCN:

LIGHTING/APCH AIDS

> 40 EDGE INTENSITY:

> 42 RWY MARK TYPE-COND:

> 43 VGSi:

44 THR CROSSING HGT:

45 VISUAL GLIDE ANGLE:

> 46 CNTRLN-TDZ:

> 47 RVR-RVV:

> 48 REIL:

> 49 APCH LIGHTS:

OBSTRUCTION DATA

50 FAR 77 CATEGORY:

> 51 DISPLACED THR:

> 52 CTLG OBSTN:

> 53 OBSTN MARKED/LGTD:

> 54 HGT ABOVE RWY END:

> 55 DIST FROM RWY END:

> 56 CNTRLN OFFSET:

57 OBSTN CLNC SLOPE:

58 CLOSE-IN OBSTN:

DECLARED DISTANCES

> 60 TAKE OFF RUN AVBL (TORA):

> 61 TAKE OFF DIST AVBL (TODA):

> 62 ACLT STOP DIST AVBL (ASDA):

> 63 LNDG DIST AVBL (LDA):

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

A 110-067 CAUTION: VARIOUS 90 FT LIGHT POLES LCTD NEAR FIRE TRAINING FAC LCTD 1358.3 FT FM RY 21R CENTERLINE.
A 110-068 MISC: FIRST 3,600 FT OF RY 03L AND FIRST 1,000 FT RY 21R IS CONC. MID 5,400 FT ASPHALT.
A 110-069 MISC: FOUR ENG ACFT WILL, IF AUTH, SHUT-DOWN OUTBOARD ENG PRIOR TO TAXI AFTER LDG. KC130 OR LARGER ACFT EXP BACK TAXI PRO
AFTER LDG RY 21L/R WILL UTILIZE TWY 'B' TO TRAN PRK".
SERVICE-LGT: ALL RY THLD LIGHTING IS GATED.
A 110-070 CAUTION: INST AND VFR HOLD MRK INT ON TWY 'B' AT THE INT OF RY 03R/21L.
A 110-071 A-GEAR: DUR EXTN SINGLE RY OPR APP AND DEP END BAK12-A AND APP AND DEP END MB60 IN RAISED POSN FOR THE OPEN RY. RY 03L-21R
A 110-073 DEP END MB60 IN RAISED POSN (LCTD IN OVRN).
A 110-077 RSTD: TWY H RSTD TO FTR ACFT AND SMALLER.

111 INSPECTOR: (N)

112 LAST INSP:

113 LAST INFO REQ: 09/09/1976



> 1 ASSOC CITY: *****CONTINUED***** 4 STATE: AZ LOC ID: LUF FAA SITE NR: 00692.25*A
> 2 AIRPORT NAME: 5 COUNTY:
3 CBD TO AIRPORT (NM): 6 REGION/ADO: AWP/PHX 7 SECT AERO CHT:

GENERAL	SERVICES	BASED AIRCRAFT
10 OWNERSHIP: > 11 OWNER: > 12 ADDRESS: > 13 PHONE NR: > 14 MANAGER: > 15 ADDRESS: > 16 PHONE NR: > 17 ATTENDANCE SCHEDULE:	> 70 FUEL: > 71 AIRFRAME RPRS: > 72 PWR PLANT RPRS: > 73 BOTTLE OXYGEN: > 74 BULK OXYGEN: 75 TSNT STORAGE: 76 OTHER SERVICES:	90 SINGLE ENG: 91 MULTI ENG: 92 JET: TOTAL: 93 HELICOPTERS: 94 GLIDERS: 95 MILITARY: 96 ULTRA-LIGHT:
18 AIRPORT USE: 19 ARPT LAT: 20 ARPT LONG: 21 ARPT ELEV: 22 ACREAGE: > 23 RIGHT TRAFFIC: > 24 NON-COMM LANDING: 25 NPIAS/FED AGREEMENTS: > 26 FAR 139 INDEX:	> 80 ARPT BCN: > 81 ARPT LGT SKED: > 82 UNICOM: > 83 WIND INDICATOR: 84 SEGMENTED CIRCLE: 85 CONTROL TWR: 86 FSS: 87 FSS ON ARPT: 88 FSS PHONE NR: 89 TOLL FREE NR:	OPERATIONS 100 AIR CARRIER: 102 AIR TAXI: 103 G A LOCAL: 104 G A ITNRNT: 105 MILITARY: TOTAL: OPERATIONS FOR 12 MONTHS ENDING
RUNWAY DATA > 30 RUNWAY IDENT: > 31 LENGTH: > 32 WIDTH: > 33 SURF TYPE-COND: > 34 SURF TREATMENT: 35 GROSS WT: SW 36 (IN THSDS) DW 37 DTW 38 DDTW > 39 PCN:		
LIGHTING/APCH AIDS > 40 EDGE INTENSITY: > 42 RWY MARK TYPE-COND: > 43 VGSI: 44 THR CROSSING HGT: 45 VISUAL GLIDE ANGLE: > 46 CNTRLN-TDZ: > 47 RVR-RVV: > 48 REIL: > 49 APCH LIGHTS:		
OBSTRUCTION DATA 50 FAR 77 CATEGORY: > 51 DISPLACED THR: > 52 CTLG OBSTN: > 53 OBSTN MARKED/LGTD: > 54 HGT ABOVE RWY END: > 55 DIST FROM RWY END: > 56 CNTRLN OFFSET: 57 OBSTN CLNC SLOPE: 58 CLOSE-IN OBSTN:		
DECLARED DISTANCES > 60 TAKE OFF RUN AVBL (TORA): > 61 TAKE OFF DIST AVBL (TODA): > 62 ACLT STOP DIST AVBL (ASDA): > 63 LNDG DIST AVBL (LDA):		

(>) ARPT MGR PLEASE ADVISE FSS IN ITEM 86 WHEN CHANGES OCCUR TO ITEMS PRECEDED BY >

> 110 REMARKS:

- A 110-078 SERVICE-LGT: PAPI GS 3 DEG WITH TD PT APRX 945 FT PAST THLD ON ALL RY. RY 03R ILS AND PAPI GS NOT COINCIDENTAL. SSALR ONLY IS PRIM APCH LGT SYS CONFIG; FULL ALSF-1 LGT AVBL UPON REQ OR AS DETERMINED BY WX COND.
- A 110-079 CSTMS/AG/IMG: CSTMS/AG/IMG ACFT MUST CTC 56 SFS OPS DSN 896-6814, C623-856-6814 MIN 24 HR ADVANCE COORD FOR ACFT.
- A 110-080 SERVICE-LGT: RY EDGE AND THLD LGT SET TO STEP 5 DLY FR 2230Z (1530L) TIL SS, OCT-FEB, UNLESS OTHERWISE REQ BY AIRBORNE PILOTS.
- A 110-081 CSTMS/AG/IMG: CSTMS AND IMB UNAVBL FOR SPACE AVBL AND CIV PAX. CIV PAX MUST BE PROCESSED AT AN APV PT OF EMBARKATION PRIOR TO ARR.
- A 110-082 DUR EXTN SINGLE RY OPR APP AND DEP END BAK-12A AND APP AND DEP END BAK-9 IN RAISED POSN FOR THE OPEN RY.
- A 110-084 MISC: CIVIL ACFT AND 56 FW ACFT WISHING TO PRACTICE ILS APCH AT LUKE AUX FLD #1 SHOULD CTC LUKE RAPCON AT C(623) 856-6448 TO VERIFY OPERATIONAL STATUS OF ILS.
- A 110-086 TRAN ALERT RAMP AND NORTH RAMP USED FOR VARIOUS ACFT. COORD AND APVL RQR BY AFLD MGMT.

111 INSPECTOR: (N) 112 LAST INSP: 113 LAST INFO REQ: 09/09/1976