

Vaccine Administration Record for Adults

Patient name: _____

Birthdate: _____

Chart number: _____

Before administering any vaccines, give the patient copies of all pertinent Vaccine Information Statements (VISs) and make sure he/she understands the risks and benefits of the vaccine(s). Update the patient's personal record card or provide a new one whenever you administer vaccine.

Vaccine	Type of Vaccine* (generic abbreviation)	Date given (mo/day/yr)	Route	Site given (RA, LA)	Vaccine		Vaccine Information Statement		Signature/ initials of vaccinator
					lot #	mfrr.	Date on VIS [§]	Date given [§]	
Tetanus and Diphtheria (e.g., Td)			IM						
			IM						
			IM						
			IM						
			IM						
Hepatitis A[†] (e.g., HepA, HepA-HepB)			IM						
			IM						
			IM						
Hepatitis B[†] (e.g., HepB, HepA-HepB)			IM						
			IM						
			IM						
Measles, Mumps, Rubella (MMR)			SC						
			SC						
Varicella (Var)			SC						
			SC						
Pneumococcal** (PPV)			IM•SC						
			IM•SC						
Influenza (Flu)			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
			IM						
Other									
Other									

*Record the generic abbreviation for the type of vaccine given (e.g., PPV, HepA-HepB), *not* the trade name.

§Record the publication date of each VIS as well as the date it is given to the patient. According to federal law, VISs must be given to patients before administering each dose of Td, MMR, varicella, or hepatitis B vaccine.

†For combination vaccines, fill in the row for each individual antigen composing the combination.

** Some high-risk patients need a one-time revaccination with pneumococcal polysaccharide vaccine (PPV).

Vaccine Administration Record for Adults

Patient name: Mohammed sharik
 Birthdate: April 15, 1978
 Chart number: 06-132543

Before administering any vaccines, give the patient copies of all pertinent Vaccine Information Statements (VISs) and make sure he/she understands the risks and benefits of the vaccine(s). Update the patient's personal record card or provide a new one whenever you administer vaccine.

Vaccine	Type of Vaccine* (generic abbreviation)	Date given (mo/day/yy)	Route	Site given (RA, LA)	Vaccine		Vaccine Information Statement		Signature/ initials of vaccinator
					lot #	mfr.	Date on VIS [†]	Date given [‡]	
Tetanus and Diphtheria (e.g., Td)	Td	8/01/02	IM	LA	U0376AA	AVP	6/10/94	8/01/02	JTA
	Td	9/01/02	IM	LA	U0376AA	AVP	6/10/94	9/01/02	PWS
	Td	3/01/03	IM	LA	U0376AA	AVP	6/10/94	3/01/03	TAA
			IM		1 shot, 2 different VIS dates				
Hepatitis A [§] (e.g., HepA, HepA-HepB)	HepA-HepB	8/01/02	IM	RA	HAB239A4	GSK	8/25/98	8/01/02	JTA
	HepA-HepB	9/01/02	IM	RA	HAB239A4	GSK	8/25/98	9/01/02	TAA
	HepA-HepB	2/01/03	IM	RA	HAB239A4	GSK	8/25/98	2/01/03	TAA
Hepatitis B [¶] (e.g., HepB, HepA-HepB)	HepA-HepB	8/01/02	IM	RA	HAB239A4	GSK	7/11/01	8/01/02	JTA
	HepA-HepB	9/01/02	IM	RA	HAB239A4	GSK	7/11/01	9/01/02	TAA
	HepA-HepB	2/01/03	IM	RA	HAB239A4	GSK	7/11/01	2/01/03	TAA
Measles, Mumps, Rubella (MMR)	MMR	8/01/02	SC	RA	0025L	MRK	6/13/02	8/01/02	JTA
	MMR	11/01/02	SC	RA	0025L	MRK	6/13/02	11/01/02	PWS
Varicella (Var)			SC						
			SC						
Pneumococcal** (PPV)	PPV	10/01/02	IM+SC	LA	0443A	MRK	7/29/97	10/01/02	TAA
			IM+SC						
Influenza (Flu)	Flu	10/01/02	IM	RA	U088211	AVP	6/26/02	10/01/02	PWS
			IM						
			IM						
			IM						
			IM						
			IM						
<div style="border: 1px solid black; padding: 5px; text-align: center;"> <small>(This is a record for a 25-year-old health care worker with diabetes who is planning to travel to Saudi Arabia for the annual Hajj.)</small> </div>									
How to record combination vaccines given to adults (i.e., HepA-HepB)									
Other	Mer	11/01/02	SC	LA	UB4498A	AVP	3/31/00	11/01/02	PWS

*Record the generic abbreviation for the type of vaccine given (e.g., PPV, HepA-HepB), not the trade name.

†For combination vaccines, fill in the row for each individual antigen composing the combination.

‡Record the publication date of each VIS as well as the date it is given to the patient. According to federal law, VISs must be given to patients before administering each dose of Td, MMR, varicella, or hepatitis B vaccine.

** Some high-risk patients need a one-time revaccination with pneumococcal polysaccharide vaccine (PPV).