

DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

1. PRODUCT AND COMPANY IDENTIFICATION

Product information		
Product name	:	DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER
Recommended use	:	Drain Cleaner
Manufacturer, importer, supplier	:	S.C. Johnson & Son, Inc. 1525 Howe Street Racine WI 53403-2236
Telephone Emergency telephone number	:	+18005585252 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Acute toxicity	Category 4	Harmful if swallowed.
Acute toxicity	Category 4	Harmful if inhaled.
Skin corrosion	Category 1A	Causes severe skin burns and
		eye damage.
Serious eye damage	Category 1	Causes serious eye damage.

Labelling Hazard symbols Corrosion Exclamation mark

Signal word Danger

Hazard statements

Harmful if swallowed or if inhaled Causes severe skin burns and eye damage.

Precautionary statements



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Immediately call a POISON CENTER or doctor/ physician. Specific treatment (see supplemental first aid instructions on this label). IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/ container to an approved incineration plant. Wear protective gloves. Do not breathe dust or mist. Avoid breathing spray. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Sodium hydroxide	1310-73-2	30.00 - 60.00
Sodium nitrate	7631-99-4	30.00 - 60.00
Sodium chloride	7647-14-5	10.00 - 30.00
Aluminum	7429-90-5	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1	Print Date 04/27/2015	
Revision Date 02/24/2015	SDS Number 35000004279	
	physician. Get medical attention immediately.	
Skin contact	: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor/ physician. IF exposed or concerned: Get medical advice/ attention.	
Inhalation	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.	
Ingestion	: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
5. FIREFIGHTING MEASURES		
Suitable extinguishing media	: Carbon dioxide (CO2), Dry chemical	
Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Extinguishing media which shall not be used for safety reasons	: Water	
Further information	: Wear full protective clothing and positive pressure self- contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.	
6. ACCIDENTAL RELEASE MEA	SURES	
Personal precautions	: Wear personal protective equipment. Wash thoroughly after handling. Obtain special instructions before use.	
Environmental	: Outside of normal use, avoid release to the environment.	
	3/14	



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1	Print Date 04/27/2015
Revision Date 02/24/2015	SDS Number 35000004279
precautions	
Methods and materials for containment and cleaning up	: Sweep up and shovel into suitable containers for disposal. Clean residue from spill site.
7. HANDLING AND STORAGE	
Handling	
Precautions for safe handling	 Avoid contact with skin, eyes and clothing. For personal protection see section 8. Use only as directed. KEEP OUT OF REACH OF CHILDREN AND PETS. Avoid breathing vapours, mist or gas. Use only outdoors or in a well-ventilated area. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Wash thoroughly after handling.
Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Storage	
Requirements for storage areas and containers	: Store locked up.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 35000004279

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	OSHA TWA
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	ACGIH Ceiling
Aluminum	7429-90-5	15 mg/m3	-	-	OSHA TWA
Aluminum	7429-90-5	5 mg/m3	-	-	OSHA TWA
Aluminum	7429-90-5	1 mg/m3	-	-	ACGIH TWA

Personal protective equipment

Respiratory protection	:	Use only with adequate ventilation. Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.
Hand protection	:	Rubber gloves
Eye protection	:	Wear splash-resistant Chemical goggles.
Skin and body protection	:	Protective footwear.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling. Smoking, eating and drinking should be prohibited in the application area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	:	chips
		solid

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1		Print Date 04/27/2015
Revision Date 02/24/2015		SDS Number 350000004279
Color	: silver Aqua	
Odor	: odourless	
Odour Threshold	: No data available	
рН	: > 12.5	
Melting point/freezing point	: Not applicable	
Initial boiling point and boiling range	: Not applicable	
Flash point	: Not applicable	
Evaporation rate	: Not applicable	
Flammability (solid, gas)	: No data available	
Upper/lower flammability or explosive limits	: No data available	
Vapour pressure	: Not applicable	
Vapour density	: No data available	
Relative density	: 2.016 g/cm3 estimated	1
Solubility(ies)	: partly soluble	
Partition coefficient: n- octanol/water	: Not applicable	

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1 Print Date 04/27/2015 Revision Date 02/24/2015 SDS Number 35000004279 Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, dynamic : Not applicable Viscosity, kinematic : Not applicable Oxidizing properties : No data available Volatile Organic 0.2 % - additional exemptions may apply Compounds *as defined by US Federal and State Consumer Product Total VOC (wt. %)* Regulations Other information : None identified : **10. STABILITY AND REACTIVITY** Possibility of hazardous : If accidental mixing occurs and toxic gas is formed, exit area reactions immediately. Do not return until well ventilated. Conditions to avoid : Direct sources of heat. Incompatible materials : Do not mix with bleach or any other household cleaners. Strong bases Hazardous decomposition : Thermal decomposition can lead to release of irritating gases products and vapours. **11. TOXICOLOGICAL INFORMATION**



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

Emergency Overview	:	Danger
Acute oral toxicity	:	Harmful or fatal if swallowed.
Acute inhalation toxicity	:	No data available
Acute dermal toxicity	:	No data available

GHS Properties	Classification	Routes of entry
Acute toxicity	Category 4	Oral
Acute toxicity	Category 4	Inhalation - Dust and Mist
Skin corrosion	Category 1A	-
Serious eye damage	Category 1	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition

: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Sodium hydroxide	LC50	Fish	35 - 189 mg/l	96 h
Sodium nitrate	static test LC50	Oncorhynchus mykiss (rainbow trout)	994.4 - 1,107 mg/l	96 h
Sodium chloride	flow- through test LC50	Lepomis macrochirus	5,840 mg/l	96 h
	NOEC	Pimephales promelas (fathead minnow)	252 mg/l	33 d
Aluminum	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium hydroxide	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
Sodium nitrate	EC50	Daphnia magna (Water	8,609 mg/l	24 h



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

		flea)		
Sodium chloride	static test EC50	Daphnia magna (Water flea)	340.7 - 469.2 mg/l	48 h
	NOEC	Daphnia pulex	314 mg/l	21 d
Aluminum	No data available			

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium hydroxide	No data available			
Sodium nitrate	No data available			
Sodium chloride	IC50	Algae	3,014 mg/l	72 h
Aluminum	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hydroxide	No data available		
Sodium nitrate	No data available		
Sodium chloride	No data available		
Aluminum	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Sodium hydroxide	0.89 estimated	-1.38



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

Sodium nitrate	No data available	No data available
Sodium chloride	1.09 QSAR	0.54
Aluminum	No data available	No data available

Mobility

Component	End point	Value
Sodium hydroxide	No data available	
Sodium nitrate	No data available	
Sodium chloride	No data available	
Aluminum	No data available	

PBT and vPvB assessment

Component	Results
Sodium hydroxide	Not fulfilling PBT and vPvB criteria
Sodium chloride	Not fulfilling PBT and vPvB criteria
Aluminum	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

SCJ product category : SC: Solid Caustic

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Print Date 04/27/2015

Revision Date 02/24/2015

SDS Number 35000004279

	Land transport	Sea transport	Air transport
UN number	1759	1759	1759
UN proper	UN 1759 Corrosive	UN 1759 Corrosive	UN 1759 Corrosive
shipping name	Solid, n.o.s. (Sodium	Solid, n.o.s. (Sodium	Solid, n.o.s. (Sodium
	hydroxide), 8, II, Ltd.	hydroxide), 8, II, Ltd.	hydroxide), 8, II, Ltd.
	Qty.	Qty.	Qty.
Transport hazard	8	8	8
class(es)			
Packing group	=	11	II
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

15. REGULATORY INFORMATION

Notification status :	All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
Notification status :	All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
California Prop. 65	This product is not subject to the reporting requirements under California's Proposition 65.



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279

16. OTHER INFORMATION

HMIS Ratings	
Health	3
Flammability	0
Reactivity	1

NFPA Ratings		
Health	3	
Fire	0	
Reactivity	1	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)



DRANO® PROFESSIONAL STRENGTH KITCHEN CRYSTALS CLOG REMOVER

Version 1.1

Revision Date 02/24/2015

Print Date 04/27/2015

SDS Number 35000004279