



California – Chlamydia, Gonorrhea, and Early Syphilis Rates by County, 2014


Chlamydia



Early Syphilis



Gonorrhea






Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

California – Chlamydia, Gonorrhea, and Early Syphilis

Ranking of County Rates for 2014

(with 95% Confidence Intervals*)












* Confidence intervals were calculated using Poisson exact method; not shown for counties with zero cases.

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch

California – Chlamydia, Gonorrhea, and Early Syphilis

Rates by Age Group (2014), Race/Ethnicity (2014), and Year



Female Male

Female Male

* Race data may be missing for a substantial number of cases. See the Data Limitations page for further information.
 Note: Rates are per 100,000 population.
 Source: California Department of Public Health, STD Control Branch

California State – Chlamydia, Gonorrhea, and Early Syphilis Cases and Rates Tables for 2014

Gender & Age Group	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	174,557	100.0%	453.4	44,974	100.0%	116.8	3,808	100.0%	9.9	3,383	100.0%	8.8	38,499,378	100.0%
Female Total	114,243	65.4%	590.6	15,864	35.3%	82.0	310	8.1%	1.6	284	8.4%	1.5	19,345,024	50.2%
Ages 0 – 9	40	0.0%	1.6	15	0.1%	0.6	0	0.0%	0.0	0	0.0%	0.0	2,461,919	12.7%
10 – 14	630	0.6%	51.3	113	0.7%	9.2	0	0.0%	0.0	2	0.7%	0.2	1,228,240	6.3%
15 – 19	27,382	24.1%	2,114.0	3,282	20.8%	253.4	36	11.7%	2.8	26	9.2%	2.0	1,295,240	6.7%
20 – 24	46,447	40.8%	3,343.0	5,145	32.6%	370.3	55	17.8%	4.0	62	21.8%	4.5	1,389,371	7.2%
25 – 29	20,814	18.3%	1,575.4	3,228	20.5%	244.3	55	17.8%	4.2	58	20.4%	4.4	1,321,179	6.8%
30 – 34	9,283	8.2%	688.5	1,739	11.0%	129.0	48	15.5%	3.6	48	16.9%	3.6	1,348,370	7.0%
35 – 44	6,731	5.9%	262.5	1,507	9.6%	58.8	66	21.4%	2.6	56	19.7%	2.2	2,563,721	13.3%
45 +	2,405	2.1%	31.1	750	4.8%	9.7	49	15.9%	0.6	32	11.3%	0.4	7,736,984	40.0%
Not Specified	511	0.4%	-	85	0.5%	-	1	0.3%	-	0	0.0%	-	-	-
Male Total	60,034	34.4%	313.4	29,026	64.5%	151.5	3,496	91.8%	18.3	3,097	91.5%	16.2	19,154,354	49.8%
Ages 0 – 9	19	0.0%	0.7	7	0.0%	0.3	0	0.0%	0.0	0	0.0%	0.0	2,569,275	13.4%
10 – 14	100	0.2%	7.8	37	0.1%	2.9	0	0.0%	0.0	1	0.0%	0.1	1,283,133	6.7%
15 – 19	7,247	12.1%	532.8	2,361	8.2%	173.6	117	3.3%	8.6	51	1.6%	3.7	1,360,087	7.1%
20 – 24	18,908	31.7%	1,253.8	6,899	23.9%	457.5	515	14.7%	34.2	293	9.5%	19.4	1,508,002	7.9%
25 – 29	13,655	22.9%	961.2	6,372	22.1%	448.5	628	18.0%	44.2	432	14.0%	30.4	1,420,684	7.4%
30 – 34	7,785	13.0%	551.5	4,666	16.2%	330.5	498	14.3%	35.3	444	14.4%	31.5	1,411,648	7.4%
35 – 44	7,236	12.1%	279.5	4,787	16.6%	184.9	769	22.0%	29.7	817	26.4%	31.6	2,589,329	13.5%
45 +	4,754	8.0%	67.8	3,735	12.9%	53.3	966	27.7%	13.8	1,056	34.1%	15.1	7,012,197	36.6%
Not Specified	330	0.5%	-	162	0.6%	-	3	0.1%	-	3	0.1%	-	-	-

Gender & Race/Ethnicity	Chlamydia			Gonorrhea			P&S Syphilis			Early Latent Syphilis			Population	
	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Cases	Percent ¹	Rate	Number	Percent ¹
STATE TOTAL	174,557	100.0%	453.4	44,974	100.0%	116.8	3,808	100.0%	9.9	3,383	100.0%	8.8	38,499,378	100.0%
Female Total	114,243	65.4%	590.6	15,864	35.3%	82.0	310	8.1%	1.6	284	8.4%	1.5	19,345,024	50.2%
American Indian/Alaska Native	421	0.6%	488.0	93	0.8%	107.8	2	0.7%	2.3	0	0.0%	0.0	86,275	0.4%
Asian/Pacific Islander	4,653	6.7%	169.7	391	3.5%	14.3	5	1.8%	0.2	11	4.1%	0.4	2,741,738	14.2%
Black/African-American	12,196	17.6%	1,085.8	3,608	32.1%	321.2	50	18.2%	4.5	73	27.1%	6.5	1,123,261	5.8%
Latina/Hispanic	36,677	53.1%	496.9	4,173	37.2%	56.5	124	45.3%	1.7	136	50.6%	1.8	7,381,180	38.2%
White	15,174	22.0%	202.4	2,961	26.4%	39.5	93	33.9%	1.2	49	18.2%	0.7	7,497,816	38.8%
Other/Multi/Not Specified	45,122	39.5%	-	4,638	29.2%	-	36	11.6%	-	15	5.3%	-	514,754	2.7%
Male Total	60,034	34.4%	313.4	29,026	64.5%	151.5	3,496	91.8%	18.3	3,097	91.5%	16.2	19,154,354	49.8%
American Indian/Alaska Native	189	0.5%	221.9	140	0.6%	164.4	11	0.3%	12.9	6	0.2%	7.0	85,175	0.4%
Asian/Pacific Islander	2,197	5.9%	88.9	1,000	4.6%	40.4	201	6.3%	8.1	138	4.8%	5.6	2,472,425	12.9%
Black/African-American	7,848	21.0%	713.4	5,433	25.0%	493.9	425	13.3%	38.6	362	12.7%	32.9	1,100,048	5.7%
Latina/Hispanic	16,266	43.5%	215.9	7,629	35.1%	101.3	1,264	39.7%	16.8	1,276	44.8%	16.9	7,534,585	39.3%
White	10,888	29.1%	145.9	7,514	34.6%	100.7	1,285	40.3%	17.2	1,064	37.4%	14.3	7,461,417	39.0%
Other/Multi/Not Specified	22,646	37.7%	-	7,310	25.2%	-	310	8.9%	-	251	8.1%	-	500,703	2.6%

¹ Gender specific age groups and race/ethnicity percent calculations exclude "Not Specified" from the denominator.

² Overall state rates were calculated using the July 1 county population estimates from the Department of Finance.
(For California, the July 1, 2014 estimate is 38,499,378).

Note: Rates are per 100,000 population.

Source: California Department of Public Health, STD Control Branch