



ONETOUCH® Blood Glucose Monitors



Learn about Diabetes & Earn rewards at the same time



our engagement and rewards program that



Empowers you through Education

Learn how to manage your diabetes better with e-newsletters and sms tips / reminders.

Appreciates you through Rewards#

Earn points on the purchase of OneTouch® strips and redeem them against strips or lancets for free.



How to Enroll?

Buy Onetouch® (Horizon®/Ultra® 2/SelectSimple™) blood glucose monitor and become a member of OneTouch® Zone today!

Call Onetouch® Customer Service at 1-800-22-5544 (Toll-Free) or 022-30845544(call charges, as applicable). (From 7 am to 11 pm all days) or for more information visit: www.Onetouch.co.in

Conditions apply

To know more, talk to your doctor.



Search for 'Diabetes Sweet and Simple' on A joint initiative by ONETOUCH'
Blood Glucose Monitors





Street, Mumbai 400036 ®, TM: Registered trademark of LifeScan, Inc.

Simple Start™ Diabetes Log Book



	Notes:	
_		_
_		_
_		
_		_
_		_
_		_
_		_
_		_
_		
_		_
_		_
_		_
_		_
_		_
_		
_		_

Notes:	PERSONAL DETAILS
	Name
	Date of Birth M/F
	Res. Address
	Tel. (O)
	Name of Doctor
	Doctor's Address
	Tel. (Clinic) (R)
	Name of Diabetes Educator
	Tel.
	In case of emergency contact
	Name
	Tel.

What is Self-monitoring of blood sugar?

Self-monitoring of blood sugar is the process of testing your blood sugar at home at regular intervals, through the use of blood glucose monitors to stay in the Diabetes Safe Zone. Diabetes Safe Zone refers to blood glucose levels considered safe by your doctor.

Why should you test?

Checking your blood glucose levels can:

- Tell you what your blood glucose level is right away
- Show you how your activities, meals and medication are affecting your blood glucose levels
- Help you to understand what lifestyle factors affect your blood glucose
- Help you and your diabetes healthcare team make changes to your lifestyle and medication(s) to better manage your diabetes

ADA Diabetes Manage	ADA Diabetes Management Recommendations		
Every 3-6 month: test/exam	Goal	Date(s)	Results
HbA1c- tests average blood sugar (glucose) level over the past 2-3 months	<7%		
Yearly: Test/Exam	Goal	Date(s)	Results
Cholesterol/Triglycerides			
Triglycerides	<150 mg/dl		
HDL	Men >40 mg/dl		
Women >50 mg/dl			
LDL	<100 mg/dl (<70 mg/dl*)		
Albuminuria - Detects protein in the urine	<30 mcg/mg creatinine		
Foot exam - checks for numbness, coldness, sensitivity to touch, or ulcers			
Dilated eye exam - lets doctor examine back wall of eye			
Flu shot			

wer LDL goal of <70 mg/dl may be an option for those patients with type 2 diabetes and established cardiovascular disease.

Diabetes care schedule

and making Diabetes can affect many parts of your body, so it's important to meet with your health professional regularly. You can take action in helping to manage your diabetes by about the following tests and exams alking with your health professional sure they're done as recommended.

	ADA Diabe	tes Mana	ADA Diabetes Management Recommendations		
Every visit: test/exam	Goal	Date(s)	Results	Date(s)	Results
Weight					
Blood pressure	<130/80 mm Hg				
Blood sugar (glucose)					
Before meals	70-130 mg/dl				
1-2 hrs after meals	<180 mg/dl				

When should you test?

The most effective way to manage your diabetes is to test around the events that affect your blood glucose the most: meals, exercise, medications, and mood swings.

Even if you are not on medication, testing your blood glucose will give you some valuable information to help you better manage your diabetes.

Testing should be done at different times of the day:

- Testing before and 2 hours after meals will tell you how certain foods affect your blood glucose
- Testing before, during and many hours after exercise will let you know how the activity affected your blood glucose
- Test more frequently when you are making adjustments to daily activity, food intake and medication
- Test more frequently if you are not feeling well

Possible times your doctor may tell you to test*	What you can learn
In the morning, before eating	How well your body is regulating your blood sugar overnight. How well an evening medication has worked to keep your blood sugar steady overnight.
Before and 1-2 hours after the beginning of the meal	How food and portion choices in a meal affect your blood sugar. How well your medication is working to control the increase in blood sugar from your meal.
Before a meal	If your blood glucose has returned to target range after your last meal. If you need to adjust the carbohydrates in your meal.

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	Date Before After Before After Before After				
Din	Before				
Lunch	After				
In	Before				
Breakfast	After				
Brea	Before				
	Date				

Comments (Madication food activities	sickness etc.)				
Bedtime	Result				
ner	After				
Dinner	Before After				
Lunch	Date Before After Before After				
ın I	Before				
Breakfast	After				
Brea	Before				
	Date				

Descible times value	
Possible times your doctor may tell you to test*	What you can learn
Before activity	If you need a snack before you start an activity.
During activity	How the activity affects your blood glucose.
Many hours after activity	If the activity causes a delayed effect on your blood glucose.
When you feel sick	If illness or stress is affecting your blood glucose level.
As suggested by your health care professional	How well your medication is working.

^{*}Always test according to the recommendations of your doctor

Medication

Date	Insulin Name	Corrective dose units	Time/day

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	Before After				
Din	Before				
Lunch	Date Before After Before After				
Lur	Before				
Breakfast	After				
Brea	Before				
	Date				

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Date Before After Before After Before After				
Lunch	After				
In	Before				
Breakfast	After				
Brea	Before				
	Date				

Date	Oral Diabetes Medications	Dose	Time/day

What are your sugar goals?

Start by asking your healthcare professional to set your blood sugar goals and your schedule for checking your blood sugar

When to check	My goals
Fasting (before breakfast)	mg/dL
Before Meal (lunch/dinner)	mg/dL
After Meal (any meal)	mg/dL

ADA guidelines for glycemic goals in adults with diabetes*


HbA1c	<7.0%
Preprandial (Before meals) glucose	70–130 mg/dL
Peak postprandial glucose (1-2 hours after start of meal)	<180 mg/dL

^{*} Follow your doctor's recommendation for testing

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Date Before After Before After Before After				
Lunch	After				
Lu	Before				
Breakfast	After				
Brea	Before				
	Date				

Comments (Madization food activities	sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Date Before After Before After Before After				
Lunch	After				
Ē	Before				
Breakfast	After				
Brea	Before				
	Date				

Dummy log page



4. Use the notes section to remark on anything important-like diet, exercise or stress.

3. When your result is high or low, circle it so you can see it at a

glance.

Tip: to minimize the pain of testing, change the lancet after every use* *lancets are sterile and for single use only to reduce the risk of infection

5. Test your blood sugar as recommended by your doctor.

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Before After Before After				
Lunch	After				
Lur	Before				
Breakfast	After				
Brea	Before After				
	Date				

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Before				
Lunch	After				
Lur	Before After Before				
Breakfast	After				
Brea	Before				
	Date				

Comments (Medication food activities	sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Before After Before After Before After				
Lunch	After				
Ē	Before				
Breakfast	After				
Brea	Before				
	Date				

Comments	(Medication,food, activities, sickness etc.)				
Bedtime	Result				
Dinner	After				
Din	Before				
Lunch	After				
Lur	Before After Before				
Breakfast	After				
Brea	Before				
	Date				

Comments (Madization food activities	sickness etc.)				
Bedtime	Result				
ner	After				
Dinner	Before				
Lunch	Before After Before After Before After				
l III	Before				
rfast	After				
Breakfast	Before				
	Date				

Comments (Medication food artivities	sickness etc.)				
Bedtime	Result				
ner	After				
Dinner	Before After				
Lunch	Before After Before After				
Lur	Before				
Breakfast	After				
Brea	Before				
	Date				