





Clinical Document Architecture (CDA) Import Function

Division of Healthcare Quality Promotion

SAFER · HEALTHIER · PEOPLE™

Target Audience

- This training is designed for those who will submit NHSN event records using the NHSN import data function. These users might include an NHSN Facility Administrator or other qualified individuals within the facility.
- The records submitted are provided from the facility's infection control software system.

Objectives

- COC
- Identify the steps in submitting records to NHSN via the NHSN Import Data function.
- Demonstrate import for the following events:
 - Bloodstream infection (CLABSI)
 - ICU denominator
 - Surgical Site infection
 - Procedure
- Describe how to link SSI and Procedure records can be linked to form an association between them
- Generate import result reports

Information about the CDA ZIP File

- Before using the NHSN Import Data function, you must generate CDA zip files that contain the event and/or denominator records to be imported.
- In most cases, you can generate this file using an Export function provided by the Infection Control software that your use at your facility.
- For details on generating your CDA zip files, consult your Infection Control software vendor representative.

Access the Import Function





Department of Health and Human Services

Centers for Disease Control and Prevention

Facility DHQP MEMORIAL HOSPITAL (ID 10018) is following the PS component.

NHSN - National Healthcare Safety Network (ISD-CLFT-NHSN1)

Logged into DHQP MEMORIAL HOSPITAL (ID 10018) as MALBITZ.

W NHSN Home

Reporting Plan

Patient

Event

Procedure

Summary Data

Import/Export

Analysis

Surveys

Users

Facility

Group

Log Out

NHSN Patient Safety Component Home Page

Use the Navigation bar on the left to access the features of the application.


Assurance of Confidentiality: The information obtained in this surveillance system that would permit institution is collected with a guarantee that it will be held in strict confidence, will be used only for the otherwise be disclosed or released without the consent of the individual, or the institution in accordant of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).

NHSN maintenance may occur nightly between 12am and 6am Eastern time.




Get Adobe Acrobat Reader for PDF files


In the left navigation panel. Select the Import/Export option. For NHSN login instructions, please see the Enrollment training slides (slide 49) on the NHSN web site: www.cdc.gov



In the Import/Export drop-down list, select Import BSI Events, Procedure or BSI Data (CDA).




BSI, Summary and Procedure records can be imported using a single zip file. However, you must import SSI records in a separate zip file after importing the associated Procedure event records.



Click the Browse button. Using the browsing window, locate and select the applicable CDA zip file to be imported into NHSN.




Department of Health and Human Services
Centers for Disease Control and Prevention



When the correct CDA sip filename displays in the Selected Data File field, click Submit. The import validation process begins.



Department of Health and Human Services
Centers for Disease Control and Prevention




- After the import validation process has completed the validation of each CDA file, the system displays the information to you. At this point the records have not been imported into the NHSN application.
- •If each record passed the validation rules for import, the Submit button is enabled.
- •If any of the records did not pass validation rules, the Error Report button is enabled and the batch cannot be imported into the NHSN database.
- Click the applicable tab to view the records that are ready for import or which records failed validation


Import Bloodstream Infection, Procedure or ICII summary event records



Department of Health and Human Services
Centers for Disease Control and Prevention



- •When the Submit button is enabled, click it. The records are imported into the NHSN database.
- •If the Error Report button is enabled, click it. A PDF Error Report is generated that contains a detailed explanation for the failure. Send that PDF report to your Infection Control software vendor representative for resolution.



When the files that have passed validation have been successfully imported and saved in the NHSN database, this message indicating the report was successful displays.

You can generate a report that gives the details of the import process. If desired, click the Report button.

When you click the Error Report or Report button, a file in PDF format is generated and displayed. You can save, print and or email this file.


If the file shows errors, please send this PDF report to your Infection Control software vendor representative for troubleshooting.



Import Surgical Site Infections Event Records and Link Event Records

The following information assumes that you are logged into the NHSN application, have accessed the NHSN Patient Safety Home Page, and have clicked the Import/Export button in the Navigation pane.


Import SSI Events and Link Procedure events



Before importing Surgical Site Infection (SSI) event records, ensure that you have imported the associated Procedure events records.

In the Import/Export Type drop-down list, select Import SSI events (CDA).

Import SSI Events and Link Procedure events (continued)



Browse for the applicable CDA zip file by clicking the Browse button.

Using the browsing window, locate and select the applicable CDA zip file to be imported into NHSN.



Department of Health and Human Services
Centers for Disease Control and Prevention



When the correct CDA zip filename displays in the Selected Data File field, click Submit. The import validation process and linking process begins. The importation of an SSI record requires the linkage at the time of importation to its related procedure. Therefore, the procedure record must already be present in the NHSN database. The import process performs a search and matching of the procedure records and presents the user with a candidate procedure record for linkage to the SSI record being imported.



Department of Health and Human Services

Centers for Disease Control and Prevention




After the import validation has completed the validation of each record in the zip file, the system searches for and links the matched Procedure event record. At this point the records have not been imported into the NHSN database.

If the event record passed the validation rules for import and is linked correctly, validated records are shown and the Submit button is enabled.

If any of the records did not pass validation or a valid procedure link has not be made for each SSI event record, problem records are shown and the Error Report button is enabled. The batch of records cannot be imported into NHSN database.



Validate the correct record was linked to the procedure by clicking the blue Proc ID link.



The Procedure record that is linked to the SSI record displays.



Department of Health and Human Services
Centers for Disease Control and Prevention



When the Submit button is enabled, click it. The SSI records are imported into the NHSN database.

If the Error Report button is enabled, click it. A PDF Error Report is generated that contains a detailed explanation for the failure. Send that PDF report to your Infection Control software vendor representative for resolution.

Things to remember

- COC
- Please contact NHSH support at NHSN@cdc.gov for any issues that relate to use of the Import function
- Please contact your infection control software vendor support staff for error messages that appear on the Error Report produced by the import function.
- Each SSI record must be linked to its procedure prior to the acceptance of the SSI batch by NHSN.
- All records imported must fall within a previously entered monthly reporting plan. Therefore, no "out of plan" events are accepted into NHSN via the CDA import function.
- All local location entries must be made in NHSN prior to the first CDA import.