



# **Nevada State Immunization Registry HL7 Interface Specification**

## **Nevada State Health Division Immunization Program**

Document Version 1.3  
May, 2012



## Table of Contents

<b>Change Log .....</b>	<b>3</b>
<b>Overview .....</b>	<b>4</b>
<b>Significant Design Decisions.....</b>	<b>5</b>
<b>Business Rules .....</b>	<b>6</b>
Request for Vaccination Record.....	6
Update a Patient’s Vaccination Record in the Registry .....	7
Business Rules for Parsing Messages .....	7
Security for Submitting a Message to the Registry.....	7
<b>Data Definition.....</b>	<b>8</b>
Delimiters .....	8
Implemented Message Types .....	8
Accessing the HL7 Interface .....	9
VXQ - Query for Vaccination Record.....	9
VXX - Response to Vaccination Query Returning Multiple PID Matches (VXX)...	17
VXR - Response to Vaccination Query Returning the Vaccination Record (VXR)	25
VXU - Unsolicited Vaccination Record Update (VXU).....	43
ACK - Acknowledgement Message (With Errors).....	65
QCK - Query General Acknowledgement Message .....	67
Batch Messages.....	69
<b>Manual Interventions .....</b>	<b>72</b>
<b>Additional Items for Rollout.....</b>	<b>73</b>

## Change Log

The following table captures the progression of this document over time.

Version	Date	Description	Author
1.0	04/25/2009	Initial version of document	Ray Seggelke
1.1	08/31/2011	Updates to support using the HL7 interface for the Vital Records import	Ray Seggelke
1.2	11/20/2011	Updates to incorporate changes from development and testing of the latest version.	Ray Seggelke
1.3	5/3/2012	Updates to incorporate changes from latest changes to interface.	Nichole Lambrecht

## Overview

There are numerous providers across Nevada who have chosen to use the WebIZ Immunization Registry directly as they administer vaccinations to their patients. The Registry can be a valuable tool to these providers by offering significant functionality not available to them in their current systems.

NSHD desires to offer the benefits of the Registry to all providers in Nevada. For those providers already using a full-featured electronic management records system or a clinic management system that is adequately assisting them with the daily operations of the clinic, WebIZ can still serve as the single, consolidated repository of a patient's immunization history.

The goal of the HL7 Interface is to provide the ability for a provider's system to communicate with the Registry via a standardized set of messages. This allows the provider to retrieve the vaccination history of a patient from the Registry and to update the Registry with additional vaccination data.

## Significant Design Decisions

In most cases, this interface has been defined to follow the standards and recommendations from the CDC. More specifically, the following standards have been selected as the foundation of these interfaces:

- Health Level Seven (HL7) Standard Protocol, version 2.3.1
- The CDC's Implementation Guide for Immunization Data Transactions, version 2.2, dated June, 2006
  - This guide also incorporates some minor updates to various messages and code sets that are included in version 2.4 of the HL7 protocol.

Any significant deviations from these guidelines are documented here. Where applicable, "lessons learned" from select previously implemented projects have also been addressed.

In most cases, the tables contained in the CDC's Implementation Guide will be used as the set of valid values for many of the fields in the messages. Every effort has been made to accommodate these values as much as possible in order to minimize the number modifications necessary for a system to interface with the Registry. Any deviations from these values have been documented within the relevant field(s).

All providers using the HL7 interfaces will be setup in Nevada WebIZ with non-integrated inventory control. This will allow the Registry to track inventory information about the vaccines administered, but it will not manage the number of doses on-hand. As a result, these providers will not be able to use the inventory reconciliation features available in the Registry, and they will not be able to report their monthly inventory status electronically via the Registry.

While evaluating the interface definition, it is expected that a technical assessment will be made by representatives of other systems (in use at the various provider locations around the state) in order to identify what, if any, modifications will be necessary to their system in order to successfully communicate with the Registry. Each vendor is highly encouraged to contact the NSHD Immunization Program to request and/or discuss any modifications to the interface that would assist them to minimize the modifications necessary to their system.

## Business Rules

When defining these interfaces, the general approach has been to consider the Registry as a repository of information. The idea is for systems utilizing these interfaces to submit requests for information from the Registry or messages that contain updates to records within the Registry. The primary scenarios are:

- The Registry receives a query and responds with the results of the query.
- The Registry receives an update message and responds with an acknowledgement indicating success or failure of persisting the data in the Registry.
- The Registry receives a file (consisting of batch VXU messages) and processes the file during non-peak hours (e.g., overnight).
- The Registry receives a request to generate a file (consisting of batch VXU messages) and processes the request during non-peak hours (e.g., overnight)

At this time, it is not anticipated that the Registry will initiate the exchange of information with other systems. (This is something that can be revisited in the future at such time that Nevada Registry begins interfacing with other Registries or systems at the national level.) The Registry will only respond to messages submitted to it.

There are several common interactions that will occur between provider systems and the Registry. The following sections describe these exchanges in terms of the messages that are transmitted between the systems involved. (Detailed information regarding these messages can be found in the “Data Definition” section later in this section of the document.)

### ***Request for Vaccination Record***

One of the key benefits of an immunization registry is the ability for a provider to gain access to the consolidated vaccination history of a patient. In today’s highly mobile society, it is common for a person to receive immunizations from multiple providers. A registry allows a provider to review vaccinations a person has received from other providers in order to more accurately identify any immunizations they may need. As a result, when a patient presents at a provider’s facility for a vaccination, a common request will be to obtain the available vaccination history for that person from the Registry.

Providers who need access to a person’s vaccination record will submit a VXQ (Query for Vaccination Record) message to Nevada WebIZ to obtain this information. The Registry will respond in one of the following ways:

- If there is no record in the Registry that matches the information provided in the Query, the Registry will respond with a QCK (Query General Acknowledgement) message indicating no matching record was found.
- If there is a single matching record found, the Registry will respond with a VXR (Response to Vaccination Query) message containing the relevant information.

- If there are multiple matching records found, the Registry will respond with a VXX (Response to Vaccination Query Returning Multiple PID Matches) message containing the list of possible matches.
  - Typically, the provider's system will then send another VXQ message indicating the specific record from the VXX response that represents their patient.
- If there is an issue processing the message, the Registry will respond with an ACK (General Acknowledgement) message containing the applicable error message.

### ***Update a Patient's Vaccination Record in the Registry***

Obviously, the only way for a Registry to be able to make available a patient's immunization history is for providers who are physically administering the vaccinations to notify the Registry in a timely fashion of each vaccination they have administered. This immunization information is then consolidated with similar information from other providers to produce the full vaccination record for a person.

To this end, providers desiring to submit vaccination information to the Registry will use the VXU (Unsolicited Vaccination Record Update) message. The Registry will respond with an ACK (General Acknowledgement) message indicating the success or failure of the update. In the case of failure, this message will include the applicable error message.

### ***Business Rules for Parsing Messages***

The HL7 interfaces defined for Nevada WebIZ are based on version 2.3.1 of the HL7 standards protocol (with some variances to support the related changes made in version 2.4 of the same protocol). The "Data Definition" section documents the specific messages that will be accepted. Systems submitting a properly formatted message can expect the Registry to accept the message. Any minor issues will be reported as errors via the ACK (General Acknowledgement) message. In these cases, the Registry will process as much of the message as possible.

Significant deviations from the message definitions will prevent the Registry from being able to process the message. This situation will be reported as rejections via the ACK (General Acknowledgement) message. In these cases, the Registry will not process the contents of the message.

All incoming messages and associated responses are logged by the Registry.

### ***Security for Submitting a Message to the Registry***

Refer to the Nevada WebIZ Immunization Registry HL7 Engine Design Document for the detailed web service definition for the real-time HL7 interface.

## Data Definition

All messages sent to Nevada WebIZ should be properly formatted as described in the CDC's Implementation Guide for Immunization Data Transactions, version 2.2, dated June, 2006 (which is based on the Health Level Seven (HL7) Standard Protocol, version 2.3.1). This document also describes the possible codes and/or values that can be included in various data fields in the document.

The following sections contain detailed information for each message, including indications when a field will always have a set value, which fields are required (highlighted in bold font), which fields in the standard message definition will be ignored, etc. Where applicable, information is also included on what makes a value valid and/or invalid.

### Delimiters

Nevada WebIZ expects and will use the CDC recommended delimiters for all messages. These include:

DELIMITER		MEANING
Character	Description	
<CR>	Carriage Return	Segment Terminator
	Pipe	Field Separator
^	Carat	Component Separator
&	Ampersand	Sub-Component Separator
~	Tilde	Repetition Separator
\	Back Slash	Escape Character

Table 1: HL7 Interface Definition

### Implemented Message Types

Nevada WebIZ will accept the message types and corresponding event types defined in Table 2. Any other message types will generate an ACK general acknowledgement response indicating a rejection.

MESSAGE TYPES ACCEPTED BY REGISTRY	SUPPORTED EVENT TYPES (BY MESSAGE TYPE)
VXQ	V01
VXU	V04

Table 2: Message Types accepted by Nevada WebIZ

Similarly, the Registry will send the message types and corresponding event types as defined in Table 3. At the current time, the Registry will only send these messages in response to a message received from a provider's system. It will not initiate any exchange of data.



MESSAGE TYPES SENT BY REGISTRY	SUPPORTED EVENT TYPES (BY MESSAGE TYPE)
ACK	
QCK	
VXX	V02
VXR	V03

Table 3: Message Types Sent by Nevada WebIZ

### Accessing the HL7 Interface

Refer to the Nevada WebIZ Immunization Registry HL7 Interface Design Document for details on how to access the HL7 interface.

### VXQ - Query for Vaccination Record

The VXQ message is used by a provider to submit a request for a person’s vaccination record. As mentioned previously, the message should be formatted as specified in the referenced documentation. Table 4 contains notes for various fields as they pertain to the Registry.

FIELD NAME	FIELD NUMBER	NOTES
<b>MSH Segment</b>		
Field Separator	1	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will use the pipe character (“ ”) as the field separator for all messages.</li> </ul>
Encoding Characters	2	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will contain the recommended value of “^~&amp;” in this field.</li> </ul>
Sending Application	3	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Sending Facility	4	<ul style="list-style-type: none"> <li>The NSHD Immunization Program will assign a unique ID to each provider system interfacing with the Registry. This ID should be included in this field.</li> <li>Registry will include the ID provided here in the “Receiving Facility” field of the MSH segment of the response message.</li> <li>If an invalid ID is included, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of “AR” indicating the message has been rejected.</li> </ul>
Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry will allow two values in this field:                             <ul style="list-style-type: none"> <li>Empty</li> <li>A value of “NV0000”</li> </ul> </li> <li>Any other value will be considered invalid, and the Registry will not process the message. It will return an ACK message with an Acknowledgement Code of “AR”</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		indicating the message has been rejected.
Date/Time of Message	7	<ul style="list-style-type: none"> <li>Registry will archive this in the message log.</li> </ul>
Security	8	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Message Type	9	<ul style="list-style-type: none"> <li>Registry expects this to always be "VXQ^V01" for this type of message.</li> <li>Registry will ignore any value in the Message Structure component of this field.</li> <li>If an unsupported message type is indicated, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of "AR" indicating the message has been rejected.</li> </ul>
Message Control ID	10	<ul style="list-style-type: none"> <li>Should be a unique ID (within each system sending messages to the Registry) and is generated by the system sending the message.</li> <li>Registry will archive this in the message log.</li> <li>Registry will include the ID provided here in the "Message Control ID" field of the MSA segment of the response message.</li> </ul>
Processing ID	11	<ul style="list-style-type: none"> <li>Registry will use the indicated system to generate the results for the query. Valid values are represented in table "HL70103".</li> <li>Registry will ignore the contents of the second component as it does not impact how the Registry will process the request.</li> </ul>
Version ID	12	<ul style="list-style-type: none"> <li>Registry expects all messages to use version 2.3.1.</li> <li>If an unsupported version is indicated, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of "AR" indicating the message has been rejected.</li> <li>NOTE: Additional versions may be made available as the need arises. Please contact the NSHD Immunization Program to discuss any specific needs for other versions. (Successful preliminary testing has occurred with systems that send messages using version 2.4 and 2.5.) An updated version of the interface supporting version 2.5.1 of the HL7 interface will be available in a future release.</li> </ul>
Sequence Number	13	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Continuation Pointer	14	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Accept Acknowledgement Type	15	<ul style="list-style-type: none"> <li>Registry does not support enhanced acknowledgement mode.</li> <li>Registry will only respond using the original acknowledgement mode (i.e., a value of NULL or "NE").</li> <li>Registry will ignore any other value in this field and will process the message using the original acknowledgement mode.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Application Acknowledgement Type	16	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Country Code	17	<ul style="list-style-type: none"> <li>Registry expects all messages will originate in the USA (i.e., this field has a value of either "USA" or is empty).</li> <li>Registry will ignore any other value in this field and will process the message as if it originated in the USA.</li> </ul>
Character Set	18	<ul style="list-style-type: none"> <li>Registry expects all messages will use the ASCII character set (i.e., this field has a value of "ASCII" or is empty).</li> <li>Registry will ignore any other value in this field and will process the message using the ASCII character set.</li> </ul>
Principal Language of Message	19	<ul style="list-style-type: none"> <li>Registry expects all messages will use English as the principal language (i.e., this field has a value of "EN" or is empty).</li> <li>Registry will ignore any other value in this field and will process the message in English.</li> </ul>
Alternate Character Set Handling	20	<ul style="list-style-type: none"> <li>Registry expects all messages submitted to it will not be using character set switching (i.e., this field is empty).</li> <li>Registry will ignore any other value in this field and will process the message without using alternate character sets.</li> </ul>
<b>QRD Segment</b>		
Query Date/Time	1	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Query Format Code	2	<ul style="list-style-type: none"> <li>Registry will only return result in the record-oriented-format (i.e., a value of "R" in this field).</li> <li>Registry will ignore any other value in this field and will return the results in the record-oriented format.</li> </ul>
Query Priority	3	<ul style="list-style-type: none"> <li>Registry will only return results immediately (i.e., a value of "I" in this field).</li> <li>Registry will ignore any other value in this field and will process the message with a query priority of immediate.</li> </ul>
Query ID	4	<ul style="list-style-type: none"> <li>Should be a unique ID (within each system sending messages to the Registry) and is generated by the system sending the message.</li> <li>Registry will include the ID provided here in the "Query ID" field of the QRD segment of the corresponding VXX or VXR response message.</li> </ul>
Deferred Response Type	5	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field and will return the results immediately.</li> </ul>
Deferred Response Date/Time	6	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field and will return the results immediately.</li> </ul>
Quantity Limited Request	7	<ul style="list-style-type: none"> <li>Registry will return up to 100 records or the value indicated in this field, whichever is less.</li> </ul>
Who Subject filter	8	<ul style="list-style-type: none"> <li>Registry will ignore values in the following components of this field as they will have no impact on the search results: <ul style="list-style-type: none"> <li>Source Table</li> </ul> </li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>○ <b>Assigning Authority</b></li> <li>○ <b>All Name Types except:</b> <ul style="list-style-type: none"> <li>▪ <b>Legal</b></li> <li>▪ <b>Alias</b></li> </ul> </li> </ul> <p><b>NOTE: Name values will be parsed by the Registry to ensure a standardized format prior to searching for or updating a patient's record. This may result in slight variations of names submitted versus names returned.</b></p> <ul style="list-style-type: none"> <li>○ <b>Identifier Check Digit</b></li> <li>○ <b>Code Identifying the Check Digit Scheme Employed</b></li> <li>○ <b>All Identifier Types except:</b> <ul style="list-style-type: none"> <li>▪ <b>Medicaid number</b></li> <li>▪ <b>Medicare number</b></li> <li>▪ <b>Medical Record Number</b></li> <li>▪ <b>Patient Internal Identifier</b></li> <li>▪ <b>Social Security Number</b> (<i>This field must include 9 digits after the system removes all non-numeric characters such as a dash (-), forward slash (/), spaces, etc. If 9 digits are not found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'.</i>)</li> <li>▪ <b>State Registry ID</b> (<i>This field must only contain numeric digits. If any non-numeric characters are found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'.</i>)</li> </ul> </li> <li>○ <b>Assigning Facility ID</b></li> <li>○ <b>Name Representation Code</b></li> </ul>
<b>What Subject Filter</b>	<b>9</b>	<ul style="list-style-type: none"> <li>● <b>Registry will only return vaccine information for a patient (i.e., a value of "VXI^Vaccine Information^HL70048" in this field).</b></li> <li>● <b>Registry will ignore any other value in this field and will return vaccine information in its response (assuming it finds a match to the records)</b></li> </ul>
<b>What Department Data Code</b>	<b>10</b>	<ul style="list-style-type: none"> <li>● <b>Registry will ignore any value in this field.</b></li> </ul>
What Data Code Value Qualifier	11	<ul style="list-style-type: none"> <li>● Registry will ignore any value in this field.</li> </ul>
Query Results Level	12	<ul style="list-style-type: none"> <li>● Registry will only return vaccine information for a patient. Therefore, the value of this field has no impact on the query results, and the Registry will ignore it.</li> </ul>
<b>QRF Segment</b>		
<b>Where Subject Filter</b>	<b>1</b>	<ul style="list-style-type: none"> <li>● <b>Registry expects incoming VXQ messages are intended for the Registry in an attempt to receive vaccine information for a patient. Therefore, this field should always be valued as "NV0000".</b></li> <li>● <b>Any other value in this field will cause the Registry</b></li> </ul>

FIELD NAME	FIELD NUMBER	NOTES								
		<p><b>to ignore the request and return an ACK message is returned with an Acknowledgement Code of “AR” indicating the message has been rejected.</b></p>								
When Data Start Date/Time	2	<ul style="list-style-type: none"> <li>• Registry will only use the YYYYMMDD portion of this field (i.e., all time-related data will be ignored)</li> <li>• Registry expects that, if populated, the field will contain a fully specified, valid date (i.e., not just a year or month/year value)</li> <li>• Registry will ignore any value that is not valid date. It will attempt to continue processing the message, but it will return an acknowledgement of type ‘AE’.</li> <li>• If supplied and the:                             <ul style="list-style-type: none"> <li>○ “When Data End Date/Time” field is empty, then all of the patient’s vaccinations on or after this date will be returned.</li> <li>○ “When Data End Date/Time” field has a value equal to or greater than this field, then all of the patient’s vaccinations beginning with this value and ending with the End Date value will be returned.</li> <li>○ “When Data End Date/Time” field is less than this date, then no vaccination records will be returned.</li> </ul> </li> </ul>								
When Data End Date/Time	3	<ul style="list-style-type: none"> <li>• Registry will only use the YYYYMMDD portion of this field (i.e., all time-related data will be ignored)</li> <li>• Registry expects that, if populated, the field will contain a fully specified, valid date (i.e., not just a year or month/year value).</li> <li>• Registry will ignore any value that is not valid date. It will attempt to continue processing the message, but it will return an acknowledgement of type ‘AE’.</li> <li>• If supplied and the:                             <ul style="list-style-type: none"> <li>○ “When Data Start Date/Time” field is empty, then all of the patient’s vaccinations before or on this date will be returned.</li> <li>○ “When Data Start Date/Time” field has the a value equal to or less than this field, then all of the patient’s vaccinations beginning with the Start Date/Time value and ending with this value will be returned.</li> <li>○ “When Data Start Date/Time” field is greater than this date, then no vaccination records will be returned.</li> </ul> </li> </ul>								
What User Qualifier	4	<ul style="list-style-type: none"> <li>• Registry will not filter the results based on this field; therefore the value of this field will be ignored.</li> </ul>								
Other Query Subject Filter	5	<ul style="list-style-type: none"> <li>• Registry locally defines the following search keys for use in this field:                             <table border="1" data-bbox="656 1612 1328 1883"> <thead> <tr> <th data-bbox="656 1612 773 1686">Position</th> <th data-bbox="773 1612 980 1686">Component</th> <th data-bbox="980 1612 1062 1686">Data Type</th> <th data-bbox="1062 1612 1328 1686">Description / Examples</th> </tr> </thead> <tbody> <tr> <td data-bbox="656 1686 773 1883">1</td> <td data-bbox="773 1686 980 1883">Patient Social Security Number~</td> <td data-bbox="980 1686 1062 1883">ST</td> <td data-bbox="1062 1686 1328 1883">This field must include 9 digits after the system removes all non-numeric characters such as dash (-), forward slash (/), spaces, etc. If 9 digits are not found, the system will ignore the</td> </tr> </tbody> </table> </li> </ul>	Position	Component	Data Type	Description / Examples	1	Patient Social Security Number~	ST	This field must include 9 digits after the system removes all non-numeric characters such as dash (-), forward slash (/), spaces, etc. If 9 digits are not found, the system will ignore the
Position	Component	Data Type	Description / Examples							
1	Patient Social Security Number~	ST	This field must include 9 digits after the system removes all non-numeric characters such as dash (-), forward slash (/), spaces, etc. If 9 digits are not found, the system will ignore the							

FIELD NAME	FIELD NUMBER	NOTES			
					value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'. Example: 123456789
		2	Patient Birth Date~	DT	YYYYMMDD If a valid date is not found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'. Example: July 4, 1976 = 19760704
		3	Patient Birth State~	ID	Use 2-letter postal code. If a valid state code is not found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'.
		4	Patient Medicare Number~	ST	When applicable
		5	Patient Medicaid Number~	ST	When applicable
		6	Mother's Name~	PN	<family name> ^<given name>^<middle name or initial>^<suffix>^<prefix> ^<degree>
		7	Mother's Maiden Name~	ST	Family name of mother before marriage
		8	Patient State Registry ID~	ST	Example: 123456 Note that leading zeroes should not be included. If any non-numeric characters are found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'.
		9	Father's Name~	PN	<family name> ^<given name>^<middle name or initial>^<suffix>^<prefix> ^<degree>
		10	Local Patient Identifier	ST	Patient's unique identifier in the provider's system
		<ul style="list-style-type: none"> <li>Registry requires that the keys be listed in the order presented here. If a field has no value, it should be left empty with a repeat delimiter holding its place.</li> </ul>			
Which Date/Time Qualifier	6	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>			

FIELD NAME	FIELD NUMBER	NOTES
Which Date/Time Status Qualifier	7	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Date/Time Selection Qualifier	8	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
When Quantity/Timing Qualifier	9	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>

**Table 4: Reference Information for VXQ Message**

Based on the identifying information provided, the Registry will attempt to locate any and all matching patient records using the guidelines below.

1. The Registry will look for a record where there is an exact match by applying all of the following criteria:
  - a. First and Last name supplied match the patient's name, the patient's alias name, or the patient's birth record name in the Registry.
  - b. The SSN supplied (if any) matches the patient's SSN in the Registry. (Records with no SSN in the Registry would not be returned in this step of the search.)
  - c. The Date of Birth supplied (if any) matches the patient's DOB in the Registry. (Records with no DOB in the Registry would not be return in this step of the search.)
2. If step 1 resulted in a single match, then the search is completed and the result is returned via a VXR message.
3. If step 1 resulted in multiple matches, the following filters will be applied in the order indicated until either a single record remains or until applying the filter would result in no matches remaining:
  - a. State Registry ID
  - b. Requesting Application's Medical Record Number
  - c. Gender
  - d. Mother's Maiden Name
  - e. Birth State
  - f. Mother's First/Last Name
  - g. Medicaid Number
  - h. Medicare Number
4. If one or more records remain in the result set after step 3, then the results are returned via the VXX or VXR message as appropriate.
5. If step 1 resulted in no matches found , the Registry will attempt a less restrictive search by applying all of the following criteria:
  - a. One of the following is true:

- i. The Last name supplied matches the patient's last name or alias last name and the First name supplied is similar to the patient's first name or alias first name.
    - ii. The First name supplied matches the patient's first name or alias first name and the Last name supplied is similar to the patient's last name or alias last name.
    - iii. The Last name supplied matches the patient's birth record last name and the First name supplied is similar to the patient's birth record first name.
    - iv. The First name supplied matches the patient's birth record first name and the Last name supplied is similar to the patient's birth record last name.
  - b. The Middle name supplied (if any) is similar to the patient's middle name, alias middle name, or birth record middle name or the patient's middle name field is empty in the Registry.
  - c. The DOB supplied (if any) matches the patient's DOB or the patient's DOB is empty in the Registry.
  - d. The SSN supplied (if any) matches the patient's SSN or the patient's SSN is empty in the Registry.
6. If step 5 results in no records or a single record matching, the Registry will respond with a QCK message indicating no records were found. (Because a looser matching algorithm was applied, a single record match cannot be assumed to be an exact match without human intervention. Therefore, matching records will not be returned unless at least two potential matches are found.)
7. If step 5 results in multiple matches being found, the following filters will be applied in the order indicated until either only two records remain or until applying the filter would result in less than two matches remaining:
  - a. Gender
  - b. Mother's Maiden Name
  - c. Birth State
  - d. Mother's First/Last Name
  - e. Medicaid Number
  - f. Medicare Number

For any search, if there is a matching record that is marked for deletion in the Registry or who has opted out, it will not be returned as part of the search results.

The Registry will always respond with the appropriate message type as follows:

- If no matching records are found, a QCK message will be returned.
- If a single matching record is found, a VXR message will be returned.
- If multiple matching records are found, a VXX message will be returned.
- If a significant issue is found in the incoming VXQ message that would prevent an effective search from being accomplished, an ACK message will be returned with additional details about the error encountered.



(NOTE: The above description is not intended to imply anything regarding about the technical design of the queries used to locate matching records in the Registry. The goal is only to describe the general concept of how the searches will work.)

### **VXX - Response to Vaccination Query Returning Multiple PID Matches (VXX)**

The VXX message is used in response to a VXQ message whenever there are multiple patient records in the Registry that match the query. As mentioned previously, the message should be formatted as specified in the referenced documentation. Table 5 contains notes for various fields as they pertain to the Registry.

FIELD NAME	FIELD NUMBER	NOTES
<b>MSH Segment</b>		
Field Separator	1	<ul style="list-style-type: none"> <li>Registry will always use the pipe character (“ ”) as the field separator for all HL7 messages.</li> </ul>
Encoding Characters	2	<ul style="list-style-type: none"> <li>Registry will always put a value of “^~\&amp;” in this field.</li> </ul>
Sending Application	3	<ul style="list-style-type: none"> <li>Registry will always include the version number of the instance of the software that has generated the message.</li> </ul>
Sending Facility	4	<ul style="list-style-type: none"> <li>Registry will always put a value of “NV0000” in this field.</li> </ul>
Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will always put the value of the “Sending Application” field in the corresponding VXQ message in this field.</li> </ul>
Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry will always put the value of the “Sending Facility” field in the corresponding VXQ message in this field.</li> </ul>
Date/Time of Message	7	<ul style="list-style-type: none"> <li>Registry will always put the system date and time the message was created in this field.</li> </ul>
Security	8	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Message Type	9	<ul style="list-style-type: none"> <li>Registry will always put a value of “VXX^V02” in this field.</li> </ul>
Message Control ID	10	<ul style="list-style-type: none"> <li>Registry will always put a value of “YYYYMMDDNV999999” in this field. The value can be interpreted as: <ul style="list-style-type: none"> <li>YYYYMMDD = current system date when query was executed</li> <li>NV = 2 character abbreviation for Nevada</li> <li>999999 = sequential number indicating the number of HL7 messages sent from the Registry on the indicated date</li> </ul> </li> </ul>
Processing ID	11	<ul style="list-style-type: none"> <li>Registry will always put a value of “P” in the first component of this field when the message is being processed by the production system.</li> <li>Registry will always put a value of “T” in the first component of this field when the message is being processed by the test/training system.</li> <li>Registry will always leave the second component of this field empty.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
<b>Version ID</b>	<b>12</b>	<ul style="list-style-type: none"> <li>Registry will always put a value of "2.3.1" in this field.</li> </ul>
Sequence Number	13	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Continuation Pointer	14	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Accept Acknowledgement Type	15	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field.</li> </ul>
Application Acknowledgement Type	16	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field. (At this time, we do not intend to process responses to messages sent by the Registry, so there's no need for them to be sent back. This can be revisited if it causes issues for other systems using the interface.)</li> </ul>
Country Code	17	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default country of USA).</li> </ul>
Character Set	18	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default character set of "ASCII").</li> </ul>
Principal Language of Message	19	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default principal language of "EN").</li> </ul>
Alternate Character Set Handling	20	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default of not using alternate character set handling).</li> </ul>
<b>MSA Segment</b>		
<b>Acknowledgment Code</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry will always respond using the original acknowledgement mode.</li> <li>Registry will only respond with a VXX message when the message was processed without error. Therefore, the only value that will be used here is "AA".</li> </ul>
<b>Message Control ID</b>	<b>2</b>	<ul style="list-style-type: none"> <li>Registry will always put the value of the "Message Control ID" field in the MSH segment of the corresponding VXQ message in this field.</li> </ul>
Text Message	3	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Expected Sequence Number	4	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Delayed Acknowledgement Type	5	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Error Condition	6	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
<b>QRD Segment</b>		
<b>Query Date/Time</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Date/Time" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>Query Format Code</b>	<b>2</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Format Code" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>Query Priority</b>	<b>3</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Priority" field in the QRD segment from the</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		corresponding VXQ message.
Query ID	4	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query ID" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Deferred Response Type	5	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Deferred Response Type" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Deferred Response Date/Time	6	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Deferred Response Date/Time" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Quantity Limited Request	7	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Quantity Limited Request" field in the QRD segment from the corresponding VXQ message or "100", whichever is less.</li> </ul>
Who Subject Filter	8	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Who Subject Filter" field in the QRD segment from the corresponding VXQ message.</li> </ul>
What Subject Filter	9	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What Subject Filter" field in the QRD segment from the corresponding VXQ message.</li> </ul>
What Department Data Code	10	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What Department Data Code" field in the QRD segment from the corresponding VXQ message.</li> </ul>
What Data Code Value Qualifier	11	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What Data Code Value Qualifier" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Query Results Level	12	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Results Level" field in the segment from the corresponding VXQ message.</li> </ul>
<b>QRF Segment</b>		
Where Subject Filter	1	<ul style="list-style-type: none"> <li>Registry will always set this the value of the "Where Subject Filter" field in the QRF segment from the corresponding VXQ message.</li> </ul>
When Data Start Date/Time	2	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "When Data Start Date/Time" field in the QRF segment from the corresponding VXQ message.</li> </ul>
When Data End Date/Time	3	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "When Data End Date/Time" field in the QRF segment from the corresponding VXQ message.</li> </ul>
What User Qualifier	4	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What User Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Other Query Subject Filter	5	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Other Query Subject Filter" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Which Date/Time Qualifier	6	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Which Date/Time Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Which Date/Time Status Qualifier	7	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Which Date/Time Status Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Date/Time Selection Qualifier	8	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Date/Time Selection Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
When Quantity/Timing Qualifier	9	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "When Quantity/Timing Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
<b>PID Segment</b>		
Set ID - PID	1	<ul style="list-style-type: none"> <li>Registry will conform to the standard numbering approach defined in the Implementation Guide.</li> </ul>
Patient ID	2	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Identifier List	3	<ul style="list-style-type: none"> <li><b>The Registry will provide the following field identifiers when their value is non-NULL in the Registry:</b> <ul style="list-style-type: none"> <li>MA (Medicaid Number)</li> <li>MC (Medicare Number)</li> <li>MR (Medical Record Number)</li> <li>SR (State Registry ID)</li> </ul> </li> </ul>
Alternate Patient ID - PID	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Name	5	<ul style="list-style-type: none"> <li><b>Registry will always include the patient's full name as it is entered in the Registry and will set the name type component of this field to "L".</b></li> </ul>
Mother's Maiden Name	6	<ul style="list-style-type: none"> <li>Registry will always include the mother's maiden name as it is entered in the Registry and will set the name type component of this field to "M".</li> <li>Registry will leave this field empty if there is no mother's maiden name for the patient.</li> </ul>
Date of Birth	7	<ul style="list-style-type: none"> <li>Registry will only value the date portion of this field.</li> <li>Registry will leave this field empty if there is no date of birth for the patient.</li> </ul>
Sex	8	<ul style="list-style-type: none"> <li>Registry will include one of the following values: <ul style="list-style-type: none"> <li>M = Male</li> <li>F = Female</li> <li>U = Unknown</li> <li>T = Transgender</li> <li>Empty (if there is no gender for the patient in the Registry)</li> </ul> </li> </ul>
Patient Alias	9	<ul style="list-style-type: none"> <li>Registry will always include the patient's alias(es) as entered in the Registry and will set the name type component of this field to "A".</li> <li>Registry will leave the field empty if there is no alias information for the patient.</li> </ul>
Patient Race	10	<ul style="list-style-type: none"> <li>Registry will use the approved values in version 2.4 of the HL7 standard and will include the value of "HL70005" as the coding system.</li> <li>Registry will leave this field empty if there is no race</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<p>information for the patient.</p> <ul style="list-style-type: none"> <li>Registry will include up to 5 instances of this segment with unique race values (depending on how many races are defined for the patient in the system).</li> </ul>
Patient Address	11	<ul style="list-style-type: none"> <li>Registry will include the most recent mailing address it has for the patient and will put "M" in the Address Type component.</li> <li>Registry will leave this field empty if there is no mailing address information for the patient.</li> </ul>
County Code	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Number - Home	13	<ul style="list-style-type: none"> <li>Registry will include the following phone numbers values: <ul style="list-style-type: none"> <li>Home Phone = PRN (Equipment Type as "PH")</li> <li>Cell Phone = ORN (Equipment Type of "CP")</li> <li>Message Phone = ASN (Equipment Type of "PH")</li> <li>Pager = BPN (Equipment Type of "BP")</li> <li>Email Address = NET (Equipment Type of "Internet")</li> <li>Examples: <ul style="list-style-type: none"> <li>617-555-1212^PRN^PH</li> <li>^NET^X.400^georgebush@yahoo.com^NET</li> </ul> </li> </ul> </li> <li>Registry will only include a phone number type if there is a corresponding phone number for the patient in the system.</li> </ul>
Patient Number - Business	14	<ul style="list-style-type: none"> <li>Registry will include the following phone numbers: <ul style="list-style-type: none"> <li>Work Phone = WPN (Equipment Type as "PH")</li> <li>Example: <ul style="list-style-type: none"> <li>617-555-1212^WPN^PH</li> </ul> </li> </ul> </li> <li>Registry will only include a phone number type if there is a corresponding phone number for the patient in the system.</li> </ul>
Primary Language	15	<ul style="list-style-type: none"> <li>Registry will use the standard language definitions and will include "HL70296" in the coding system component.</li> <li>Registry will leave this field empty if there is no language information for the patient.</li> </ul>
Marital Status	16	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Religion	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Account Number	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
SSN Number - Patient	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		Registry will always leave this field empty.
Driver's License Number - Patient	20	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Mother's Identifier	21	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Ethnic Group	22	<ul style="list-style-type: none"> <li>Registry will use the standard ethnic group definitions and will include "HL70189" in the coding system component.</li> <li>Registry will leave this field empty if there is no ethnicity information for the patient.</li> </ul>
Birth Place	23	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Multiple Birth Indicator	24	<ul style="list-style-type: none"> <li>Registry will put a value of "Y" in this field whenever a patient is part of a multiple birth.</li> <li>Registry will leave this field empty in all other cases.</li> </ul>
Birth Order	25	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Citizenship	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Veterans Military Status	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Nationality	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Death Date and Time	29	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Patient Death Indicator	30	<ul style="list-style-type: none"> <li>Registry will put a value of "Y" in this field only when the patient is marked as deceased.</li> <li>Registry will leave this field empty in all other cases.</li> </ul>
<b>NK1 Segment</b>		
<b>Set ID - NK1</b>	<b>1</b>	<ul style="list-style-type: none"> <li><b>Registry will conform to the standard numbering approach defined in the Implementation Guide.</b></li> </ul>
Name	2	<ul style="list-style-type: none"> <li>Registry will always provide only legal names (i.e., the name type code component will have a value of "L").</li> </ul>
Relationship	3	<ul style="list-style-type: none"> <li>Registry will use the standard relationship definitions and will include "HL70063" as the coding system.</li> </ul>
Address	4	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Phone Number	5	<ul style="list-style-type: none"> <li>Registry will include the following phone numbers: <ul style="list-style-type: none"> <li>Home Phone = PRN (Equipment Type as "PH")</li> <li>Cell Phone = ORN (Equipment Type of "CP")</li> </ul> </li> <li>Registry will only include a phone number type if there is a corresponding phone number for the next of kin in the system.</li> </ul>
Business Phone Number	6	<ul style="list-style-type: none"> <li>Registry will include the following phone numbers: <ul style="list-style-type: none"> <li>Work Phone = WPN (Equipment Type as "PH")</li> </ul> </li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>Registry will only include a phone number type if there is a corresponding phone number for the next of kin in the system.</li> </ul>
Contact Role	7	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Start Date	8	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
End Date	9	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Next of Kin/AP Job Title	10	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Next of Kin/AP Job Code/Class	11	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Next of Kin/AP Employee Number	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Organization Name - NK1	13	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Marital Status	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Sex	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Date/Time of Birth	16	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Living Dependency	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Ambulatory Status	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Citizenship	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		apply to Immunization Registries. Therefore, the Registry will always leave this field empty.
Primary Language	20	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Living Arrangement	21	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Publicity Code	22	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Protection Indicator	23	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Student Indicator	24	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Religion	25	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Mother's Maiden Name	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Nationality	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Ethnic Group	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Reason	29	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Contact Person's Name	30	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Person's Telephone Number	31	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Person's Address	32	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, Registry will always leave this field empty.</li> </ul>
Next of Kin/Associated	33	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>



FIELD NAME	FIELD NUMBER	NOTES
Party's Identifiers		
Job Status	34	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, Registry will always leave this field empty.</li> </ul>
Race	35	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Handicap	36	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Person Social Security Number	37	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>

Table 5: Reference Information for VXX Message

### ***VXR - Response to Vaccination Query Returning the Vaccination Record (VXR)***

The VXR message is used in response to a VXQ message whenever the Registry has uniquely identified a single patient matching the criteria contained in the associated query. As mentioned previously, the message should be formatted as specified in the referenced documentation. Table 6 contains notes for various fields as they pertain to the Registry.

FIELD NAME	FIELD NUMBER	NOTES
<b><i>MSH Segment</i></b>		
<b>Field Separator</b>	<b>1</b>	<ul style="list-style-type: none"> <li><b>Registry will always use the pipe character (“ ”) as the field separator for all HL7 messages.</b></li> </ul>
<b>Encoding Characters</b>	<b>2</b>	<ul style="list-style-type: none"> <li><b>Registry will always put a value of “^~\&amp;” in this field.</b></li> </ul>
Sending Application	3	<ul style="list-style-type: none"> <li>Registry will always include the version number of the instance of the software that has generated the message.</li> </ul>
Sending Facility	4	<ul style="list-style-type: none"> <li>Registry will always put a value of “NV0000” in this field.</li> </ul>
Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will always set this to the value in the “Sending Application” field from the corresponding VXQ query.</li> </ul>
Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the “Sending Facility” field from the corresponding VXQ message.</li> </ul>
Date/Time of Message	7	<ul style="list-style-type: none"> <li>Registry will always put the system date and time the message was created in this field.</li> </ul>
Security	8	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
<b>Message Type</b>	<b>9</b>	<ul style="list-style-type: none"> <li><b>Registry will always put a value of “VXR^V03” in this field.</b></li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Message Control ID	10	<ul style="list-style-type: none"> <li>Registry will always put a value of "YYYYMMDDNV999999" in this field. The value can be interpreted as: <ul style="list-style-type: none"> <li>YYYYMMDD = current system date when query was executed</li> <li>NV = 2 character abbreviation for Nevada</li> <li>999999 = sequential number indicating the number of HL7 messages sent from the Registry on the indicated date</li> </ul> </li> </ul>
Processing ID	11	<ul style="list-style-type: none"> <li>Registry will always put a value of "P" in the first component of this field when the message is being processed by the production system.</li> <li>Registry will always put a value of "T" in the first component of this field when the message is being processed by the test/training system.</li> <li>Registry will always leave the second component of this field empty.</li> </ul>
Version ID	12	<ul style="list-style-type: none"> <li>Registry will always put a value of "2.3.1" in this field.</li> </ul>
Sequence Number	13	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Continuation Pointer	14	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Accept Acknowledgement Type	15	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field.</li> </ul>
Application Acknowledgement Type	16	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field. (At this time, we do not intend to process responses to messages sent by the Registry, so there's no need for them to be sent back. This can be revisited if it causes issues for other systems using the interface.)</li> </ul>
Country Code	17	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default country of USA).</li> </ul>
Character Set	18	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default character set of "ASCII").</li> </ul>
Principal Language of Message	19	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default principal language of "EN").</li> </ul>
Alternate Character Set Handling	20	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default of not using alternate character set handling).</li> </ul>
<b>MSA Segment</b>		
Acknowledgment Code	1	<ul style="list-style-type: none"> <li>Registry will always respond using the original acknowledgement mode.</li> <li>Registry will only respond with a VXR message when the message was processed without error. Therefore, the only value that will be used here is "AA".</li> </ul>
Message Control ID	2	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Message Control ID" field in the MSH segment from the corresponding VXQ message.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Text Message	3	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Expected Sequence Number	4	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Delayed Acknowledgement Type	5	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Error Condition	6	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
<b>QRD Segment</b>		
<b>Query Date/Time</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Date/Time" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>Query Format Code</b>	<b>2</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Format Code" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>Query Priority</b>	<b>3</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Priority" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>Query ID</b>	<b>4</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query ID" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Deferred Response Type	5	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Deferred Response Type" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Deferred Response Date/Time	6	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Deferred Response Date/Time" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>Quantity Limited Request</b>	<b>7</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Quantity Limited Request" field in the QRD segment from the corresponding VXQ message or "100", whichever is less.</li> </ul>
<b>Who Subject Filter</b>	<b>8</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Who Subject Filter" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>What Subject Filter</b>	<b>9</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What Subject Filter" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>What Department Data Code</b>	<b>10</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What Department Data Code" field in the QRD segment from the corresponding VXQ message.</li> </ul>
What Data Code Value Qualifier	11	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What Data Code Value Qualifier" field in the QRD segment from the corresponding VXQ message.</li> </ul>
Query Results Level	12	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Query Results Level" field in the QRD segment from the corresponding VXQ message.</li> </ul>
<b>QRF Segment</b>		
<b>Where Subject Filter</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Where Subject Filter" field in the QRF segment from the corresponding VXQ message.</li> </ul>
When Data Start	2	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "When</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Date/Time		Data Start Date/Time" field in the QRF segment from the corresponding VXQ message.
When Data End Date/Time	3	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "When Data End Date/Time" field in the QRF segment from the corresponding VXQ message.</li> </ul>
What User Qualifier	4	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "What User Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Other Query Subject Filter	5	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Other Query Subject Filter" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Which Date/Time Qualifier	6	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Which Date/Time Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Which Date/Time Status Qualifier	7	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Which Date/Time Status Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
Date/Time Selection Qualifier	8	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "Date/Time Selection Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
When Quantity/Timing Qualifier	9	<ul style="list-style-type: none"> <li>Registry will always set this to the value of the "When Quantity/Timing Qualifier" field in the QRF segment from the corresponding VXQ message.</li> </ul>
<b>PID Segment</b>		
Set ID - PID	1	<ul style="list-style-type: none"> <li>Registry will conform to the standard numbering approach defined in the Implementation Guide.</li> </ul>
Patient ID	2	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
<b>Patient Identifier List</b>	<b>3</b>	<ul style="list-style-type: none"> <li><b>Registry will provide the following field identifiers when their value is non-NULL in the database:</b> <ul style="list-style-type: none"> <li>o <b>MA (Medicaid Number)</b></li> <li>o <b>MC (Medicare Number)</b></li> <li>o <b>MR (Medical Record Number)</b></li> <li>o <b>SR (State Registry ID)</b></li> </ul> </li> </ul>
Alternate Patient ID - PID	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
<b>Patient Name</b>	<b>5</b>	<ul style="list-style-type: none"> <li><b>Registry will always include the patient's full name as it is entered in the Registry and will set the name type component of this field to "L".</b></li> </ul>
Mother's Maiden Name	6	<ul style="list-style-type: none"> <li>Registry will always include the mother's maiden name as it is entered in the Registry and will set the name type component of this field to "M".</li> <li>Registry will leave this field empty if there is no mother's maiden name for the patient.</li> </ul>
Date of Birth	7	<ul style="list-style-type: none"> <li>Registry will only value the date portion of this field.</li> <li>Registry will leave this field empty if there is no date of birth for the patient.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Sex	8	<ul style="list-style-type: none"> <li>• Registry will include one of the following values:               <ul style="list-style-type: none"> <li>○ M = Male</li> <li>○ F = Female</li> <li>○ U = Unknown</li> <li>○ T = Transgender</li> <li>○ Empty (if there is no gender for the patient in the Registry)</li> </ul> </li> </ul>
Patient Alias	9	<ul style="list-style-type: none"> <li>• Registry will always include the patient's alias(es) as entered in the Registry and will set the name type component of this field to "A".</li> <li>• Registry will leave the field empty if there is no alias information for the patient.</li> <li>• Registry will include up to 5 instances of this segment with unique race values (depending on how many races are defined for the patient in the system).</li> </ul>
Patient Race	10	<ul style="list-style-type: none"> <li>• Registry will use the approved values in version 2.4 of the HL7 standard and will include the value of "HL70005" as the coding system.</li> <li>• Registry will leave the field empty if there is no race information for the patient.</li> <li>• Registry will include up to 5 instances of this segment with unique race values (depending on how many races are defined for the patient in the system).</li> </ul>
Patient Address	11	<ul style="list-style-type: none"> <li>• Registry will include the most recent mailing address it has for the patient and will use "M" in the Address Type component.</li> <li>• Registry will leave the field empty if there is no mailing address information for the patient.</li> </ul>
County Code	12	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Number - Home	13	<ul style="list-style-type: none"> <li>• Registry will include the following phone numbers:               <ul style="list-style-type: none"> <li>○ Home Phone = PRN (Equipment Type as "PH")</li> <li>○ Cell Phone = ORN (Equipment Type of "CP")</li> <li>○ Message Phone = ASN (Equipment Type of "PH")</li> <li>○ Pager = BPN (Equipment Type of "BP")</li> <li>○ Email Address = NET (Equipment Type of "Internet")</li> </ul> </li> <li>• Registry will only include a phone number type if there is a corresponding phone number for the patient in the system.</li> </ul>
Patient Number - Business	14	<ul style="list-style-type: none"> <li>• Registry will include the following phone numbers:               <ul style="list-style-type: none"> <li>○ Work Phone = WPN (Equipment Type as "PH")</li> </ul> </li> <li>• Registry will only include a phone number type if there is a corresponding phone number for the patient in the system.</li> </ul>
Primary Language	15	<ul style="list-style-type: none"> <li>• Registry will use the standard language definitions and will include "HL70296" in the coding system component.</li> <li>• Registry will leave this field empty if there is no language information for the patient.</li> </ul>
Marital Status	16	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.
Religion	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Account Number	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
SSN Number - Patient	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Driver's License Number	20	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Mother's Identifier	21	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Ethnic Group	22	<ul style="list-style-type: none"> <li>Registry will use the standard ethnic group definitions and will include "HL70189" in the coding system component.</li> <li>Registry will leave this field empty if there is no ethnicity information for the patient.</li> </ul>
Birth Place	23	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Multiple Birth Indicator	24	<ul style="list-style-type: none"> <li>Registry will put a value of "Y" in this field whenever a patient is part of a multiple birth.</li> <li>Registry will leave this field empty in all other cases.</li> </ul>
Birth Order	25	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Citizenship	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Veterans Military Status	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Nationality	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Death Date and Time	29	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Patient Death Indicator	30	<ul style="list-style-type: none"> <li>Registry will put a value of "Y" in this field only when the patient is marked as deceased.</li> <li>Registry will leave this field empty in all other cases.</li> </ul>
<b>PD1 Segment</b>		
Living Dependency	1	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		apply to Immunization Registries. Therefore, the Registry will always leave this field empty.
Living Arrangement	2	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Primary Facility	3	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Patient Primary Care Provider Name and ID Number	4	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Student Indicator	5	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Handicap	6	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Living Will	7	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Organ Donor	8	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Separate Bill	9	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Duplicate Patient	10	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Publicity Code	11	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Protection Indicator	12	<ul style="list-style-type: none"> <li>When the patient is less than 18 years of age, the value will be "Y"</li> <li>In all other cases, the value will be NULL.</li> </ul>
Protection Indicator Effective Date	13	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Place of Worship	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Advance Directive Code	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Immunization Registry Status	16	<ul style="list-style-type: none"> <li>Registry will include the following values: <ul style="list-style-type: none"> <li>A: Active</li> <li>I: Inactive</li> </ul> </li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>○ L: Lost to Follow-up</li> <li>○ M: MOGE (Moved or Gone Elsewhere)</li> </ul>
Immunization Registry Status Effective Date	17	<ul style="list-style-type: none"> <li>• For a status of A, the date included will be the date the person was opened in the Immunization program.</li> <li>• For a status of I, L, or M, the date included will be the date the person was closed out of the Immunization program.</li> </ul>
Publicity Code Effective Date	18	<ul style="list-style-type: none"> <li>• Registry will always leave this field empty.</li> </ul>
<b>NK1 Segment</b>		
<b>Set ID - NK1</b>	<b>1</b>	<ul style="list-style-type: none"> <li>• <b>Registry will conform to the standard numbering approach defined in the Implementation Guide.</b></li> </ul>
Name	2	<ul style="list-style-type: none"> <li>• Registry will always provide only legal names (i.e., the name type code component will have a value of "L").</li> </ul>
Relationship	3	<ul style="list-style-type: none"> <li>• Registry will use the standard relationship definitions and will include "HL70063" in the coding system component.</li> </ul>
Address	4	<ul style="list-style-type: none"> <li>• Registry will always leave this field empty.</li> </ul>
Phone Number	5	<ul style="list-style-type: none"> <li>• Registry will include the following phone numbers: <ul style="list-style-type: none"> <li>○ Home Phone designated as "PRN" (Equipment Type as "PH")</li> <li>○ Cell Phone designated as "ORN" (Equipment Type of "CP")</li> </ul> </li> <li>• Registry will only include a phone number type if there is a corresponding phone number for the next of kin in the system.</li> </ul>
Business Phone Number	6	<ul style="list-style-type: none"> <li>• Registry will include the following phone numbers: <ul style="list-style-type: none"> <li>○ Work Phone designated as "WPN" (Equipment Type as "PH")</li> </ul> </li> <li>• Registry will only include a phone number type if there is a corresponding phone number for the next of kin in the system.</li> </ul>
Contact Role	7	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Start Date	8	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
End Date	9	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Next of Kin/AP Job Title	10	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Next of Kin/AP Job Code/Class	11	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the</li> </ul>



FIELD NAME	FIELD NUMBER	NOTES
		Registry will always leave this field empty.
Next of Kin/AP Employee Number	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Organization Name - NK1	13	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Marital Status	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Sex	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Date/Time of Birth	16	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Living Dependency	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Ambulatory Status	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Citizenship	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Primary Language	20	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Living Arrangement	21	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Publicity Code	22	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Protection Indicator	23	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Student Indicator	24	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Religion	25	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		apply to Immunization Registries. Therefore, the Registry will always leave this field empty.
Mother's Maiden Name	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the c Registry will always leave this field empty.</li> </ul>
Nationality	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Ethnic Group	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Reason	29	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Contact Person's Name	30	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Person's Telephone Number	31	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Person's Address	32	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Next of Kin/Associated Party's Identifiers	33	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Job Status	34	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Race	35	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Handicap	36	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contact Person Social Security Number	37	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
<b>PV1 Segment</b>		
Set ID - PV1	1	<ul style="list-style-type: none"> <li>Registry will conform to the standard numbering approach defined in the Implementation Guide.</li> </ul>
<b>Patient Class</b>	<b>2</b>	<ul style="list-style-type: none"> <li><b>Registry will always put a value of "R" in this field.</b></li> </ul>
Assigned Patient	3	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Location		Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.
Admission Type	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Preadmit Number	5	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Prior Patient Location	6	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Attending Doctor	7	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Referring Doctor	8	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Consulting Doctor	9	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Hospital Service	10	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Temporary Location	11	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Preadmit Test Indicator	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Readmission Indicator	13	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Admit Source	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Ambulatory Status	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
VIP Indicator	16	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Admitting Doctor	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Patient Type	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Visit Number	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Financial Class	20	<ul style="list-style-type: none"> <li>Registry will use this to convey VFC Eligibility. The possible values are: <ul style="list-style-type: none"> <li>V00 - VFC Eligibility not determined/unknown</li> <li>V01 - Not VFC Eligible</li> <li>V02 - VFC Eligible – Medicaid Eligible or Enrolled</li> <li>V03 - VFC Eligible - Uninsured</li> <li>V04 - VFC Eligible - American Indian or Alaskan Native</li> <li>V05 - VFC Eligible - Underinsured</li> </ul> </li> <li>Registry will leave this field empty if no VFC eligibility information is available.</li> </ul>
Charge Price Indicator	21	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Courtesy Code	22	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Credit Rating	23	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contract Code	24	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contract Effective Date	25	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Contract Amount	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Contract Period	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Interest Code	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Transfer to Bad Debt Code	29	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Transfer to Bad Debt Date	30	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Bad Debt Agency Code	31	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Bad Debt Transfer Amount	32	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Bad Debt Recovery Amount	33	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Delete Account Indicator	34	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Delete Account Date	35	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Discharge Disposition	36	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Discharged to Location	37	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Diet Type	38	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Servicing Facility	39	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		Registry will always leave this field empty.
Bed Status	40	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Account Status	41	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Pending Location	42	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Prior Temporary Location	43	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Admit Date/Time	44	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Discharge Date/Time	45	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Current Patient Balance	46	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Total Charges	47	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Total Adjustments	48	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Total Payments	49	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Alternate Visit ID	50	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Visit Indicator	51	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Other Healthcare Provider	52	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		apply to Immunization Registries. Therefore, the Registry will always leave this field empty.
<b>PV2 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will not be included in VXR messages generated by the Registry.</i>
<b>IN1 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will not be included in VXR messages generated by the Registry.</i>
<b>IN2 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will not be included in VXR messages generated by the Registry.</i>
<b>IN3 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will not be included in VXR messages generated by the Registry.</i>
<b>ORC Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will not be included in VXR messages generated by the Registry.</i>
<b>RXA Segment</b>		
<b>Give Sub-ID Counter</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry will always put a value of "0" in this field.</li> </ul>
<b>Administration Sub-ID Counter</b>	<b>2</b>	<ul style="list-style-type: none"> <li>Registry will always put a value of "999" in this field to indicate dose numbers are not being included in the vaccine information.</li> </ul>
<b>Date/Time Start of Administration</b>	<b>3</b>	<ul style="list-style-type: none"> <li>Registry will always include the YYYYMMDD value in this field for the date the vaccination was administered.</li> <li>Registry will not include any time-related values in this field.</li> </ul>
<b>Date/Time End Of Administration</b>	<b>4</b>	<ul style="list-style-type: none"> <li>Registry will always include the YYYYMMDD value in this field for the date the vaccination was administered.</li> <li>Note this field will always be the same as the "Date/Time Start of Administration" field.</li> </ul>
<b>Administered Code</b>	<b>5</b>	<ul style="list-style-type: none"> <li>Registry will always include the CVX code in the first triplet with a value of "CVX" for the coding system. <ul style="list-style-type: none"> <li>Example: 08^hepatitis B vaccine, pediatric^CVX</li> </ul> </li> <li>Registry will include the CPT code, as available, in the second triplet with a value of "CPT" for the coding system.</li> </ul>
<b>Administered Amount</b>	<b>6</b>	<ul style="list-style-type: none"> <li>Registry will always include the administered dose in this field.</li> <li>Registry will put a value of "999" in this field for refused vaccinations.</li> </ul>
<b>Administered Units</b>	<b>7</b>	<ul style="list-style-type: none"> <li>Registry will always include a value of "ML^ISO+" in this field.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>Registry will leave this field empty for refused vaccinations.</li> </ul>
Administered Dosage Form	8	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Administration Notes	9	<ul style="list-style-type: none"> <li>Registry will always include an indication of the source of the record in the first instance of this field. The possible values will be: <ul style="list-style-type: none"> <li>“00^NEW IMMUNIZATION RECORD^NIP001” for vaccinations administered via the Registry.</li> <li>“01^HISTORICAL INFORMATION - SOURCE UNSPECIFIED” for vaccinations that are marked as historical in the Registry.</li> </ul> </li> <li>Registry will include any free text comments associated with the vaccination in the second instance of this field. If no comment exists, the second instance of this field will not be included in the message.</li> <li>Registry will leave this field empty for refused vaccinations.</li> </ul>
Administering Provider	10	<ul style="list-style-type: none"> <li>Registry will always put the name and title of the person having administered the vaccination in this field.</li> <li>Registry will leave this field empty for historical vaccinations.</li> </ul>
Administering At Location	11	<ul style="list-style-type: none"> <li>Registry will always include the name and address of the provider where the vaccination was administered in this field.</li> </ul>
Administer per (time unit)	12	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Administered Strength	13	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Administered Strength Unit	14	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Substance Lot Number	15	<ul style="list-style-type: none"> <li>Registry will include the lot number of the vaccine administered.</li> <li>Registry will leave this field empty when the inventory data is not available for historical vaccinations.</li> <li>Registry will leave this field empty for refused vaccinations.</li> </ul>
Substance Expiration Date	16	<ul style="list-style-type: none"> <li>Registry will include the YYYYMMDD value in this field. No time-related data will be included.</li> <li>Registry will leave this field empty when the data is not available for historical vaccinations.</li> <li>Registry will leave this field empty for refused vaccinations.</li> </ul>
Substance Manufacturer Name	17	<ul style="list-style-type: none"> <li>Registry will include the standard vaccine manufacturer code in this field and will set the coding system component to “HL70227”.</li> <li>Registry will leave this field empty when the data is not available for historical vaccinations.</li> <li>Registry will leave this field empty for refused vaccinations.</li> </ul>
Substance	18	<ul style="list-style-type: none"> <li>Registry will only include a value in this field when a</li> </ul>



FIELD NAME	FIELD NUMBER	NOTES
Refusal Reason		vaccination has been refused. <ul style="list-style-type: none"> <li>Registry will indicate the reason for refusal per table NIP0002.</li> </ul>
Indication	19	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Completion Status	20	<ul style="list-style-type: none"> <li>Registry will put a value of "CP" in this field (indicating administration was completed) for all administered and historical vaccinations.</li> <li>Registry will put a value of "RE" in this field (indicating administration was refused) for all refused vaccinations.</li> </ul>
Action Code-RXA	21	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
System Entry Date/Time	22	<ul style="list-style-type: none"> <li>Registry will include the system date and time when the vaccination record was created.</li> </ul>
<b>RXR Segment</b>		
Route	1	<ul style="list-style-type: none"> <li><b>Registry will include the route used to administer the vaccination and will put a value of "HL70162" in the coding system component.</b></li> </ul>
Site	2	<ul style="list-style-type: none"> <li>Registry will include the site used to administer the vaccination and will put a value of "HL70163" in the coding system component.</li> </ul>
Administration Device	3	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Administration Method	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Routing Instruction	5	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
<b>OBX Segment</b>		
Set ID - OBX	1	<ul style="list-style-type: none"> <li>Registry will conform to the standard numbering approach defined in the Implementation Guide.</li> </ul>
Value Type	2	<ul style="list-style-type: none"> <li>Registry will use the following value types as appropriate for each allowed observation identifier in OBX-3: <ul style="list-style-type: none"> <li>CE</li> <li>DT</li> <li>NM</li> <li>ST</li> <li>TS</li> </ul> </li> </ul>
Observation Identifier	3	<ul style="list-style-type: none"> <li><b>Registry will include the following data (with indicated LOINC codes) in VXR messages sent from the Registry when available for a vaccination:</b> <ul style="list-style-type: none"> <li><b>1648-5^Tuberculosis Reaction^LN</b></li> <li><b>29768-9^Date Vaccine Information Statement Published^LN</b></li> <li><b>29769-7^Date Vaccine Information Statement Presented^LN</b></li> <li><b>30979-9^Vaccines due next^LN</b></li> </ul> </li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>○ 30979&amp;30980-7^Date vaccine due^LN</li> <li>○ 30948-4^Vaccination Adverse event and treatment, if any^LN</li> <li>○ 30946-8^Vaccination contraindication effective date^LN</li> <li>○ 30944-3^Vaccination temporary contraindication expiration date^LN</li> <li>○ 30945-0^Vaccination contraindication^LN</li> <li>● Registry will not include OBX segments to indicate the dose numbers.</li> <li>● NOTE: this list can be revisited in the future if the information is desired by users of the system.</li> </ul>
Observation Sub-ID	4	<ul style="list-style-type: none"> <li>● Registry will conform to the standard numbering approach defined in the Implementation Guide.</li> </ul>
Observation Value	5	<ul style="list-style-type: none"> <li>● Registry will include the appropriate value for the value type and identifier defined in OBX-2 and OBX-3.</li> </ul>
Units	6	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
References Range	7	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Abnormal Flags	8	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Probability	9	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Nature of Abnormal Test	10	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
<b>Observation Result Status</b>	<b>11</b>	<ul style="list-style-type: none"> <li>● <b>Registry will always value this field as an “F” indicating that the result is final.</b></li> </ul>
Date Last Obs Normal Values	12	<ul style="list-style-type: none"> <li>● Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
User Defined Access Checks	13	<ul style="list-style-type: none"> <li>● Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the Registry will always leave this field empty.</li> </ul>
Date/Time of the Observation	14	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Producer's ID	15	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Responsible Observer	16	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Observation Method	17	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
<b>NTE Segment</b>		
Set ID - NTE	1	<ul style="list-style-type: none"> <li>● Registry will conform to the standard numbering approach defined in the Implementation Guide.</li> <li>● Registry will only include an NTE segment in the VXR message if there is an OBX segment containing an indication of an adverse reaction (in which case it will contain the appropriate reaction).</li> </ul>
Source of Comment	2	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> <li>● Registry will only include an NTE segment in the VXR message whenever there is an OBX segment containing an indication of an adverse reaction (in</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		which case it will contain the appropriate reaction).
Comment	3	<ul style="list-style-type: none"> <li>Registry will only include an NTE segment in the VXR message whenever there is an OBX segment containing an indication of an adverse reaction (in which case it will contain the appropriate reaction).</li> </ul>
Comment Type	4	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> <li>Registry will only include an NTE segment in the VXR message whenever there is an OBX segment containing an indication of an adverse reaction (in which case it will contain the appropriate reaction).</li> </ul>

Table 6: Reference Information for VXR Message

**VXU - Unsolicited Vaccination Record Update (VXU)**

The VXU message is used by a provider to submit a vaccination they have administered within their clinic. As mentioned previously, the message should be formatted as specified in the referenced documentation. Table 7 contains notes for various fields as they pertain to the Registry.

When a matching patient record is found, the Registry will then review the data included in the VXU message.

- Patient demographic data in the message (including name, date of birth, etc.) will be used to update the relevant fields in the Registry.
  - One caveat to this is that the patient’s birth information (e.g., date of birth, birth certificate ID, etc.) will only be updated in the Registry if the original record was created by the Vital Statistics system and the incoming message is from the Vital Statistics system.
- If the vaccination in the message already in the Registry exists, the Registry will update any applicable fields with the data supplied in the VXU message.
- If the vaccination does not exist, the Registry will add the vaccination to the patient’s record.
- If the vaccination has an administration date before the patient’s date of birth, the vaccination will not be added to the Registry.
- If the Registry already has another vaccination on the same date with the same CVX code, the incoming vaccination will not be added to the Registry.
- If there is no RXA segment the message will still be processed and the patient default clinic will be set to the clinic tied to the sending HL7 facility code.
- The HL7 message must have the segments in the order shown below if they are included otherwise data may not processed correctly.
- Whenever an incoming VXU message matches to a patient marked as “opted out” in the Registry, the patient’s record will not be modified and the Registry will return an ACK message indicating the patient has previously opted out.

FIELD NAME	FIELD NUMBER	NOTES
------------	--------------	-------

FIELD NAME	FIELD NUMBER	NOTES
<b>MSH Segment</b>		
Field Separator	1	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will use the pipe character (“ ”) as the field separator for all messages.</li> </ul>
Encoding Characters	2	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will contain the recommended value of “^~\&amp;” in this field.</li> </ul>
Sending Application	3	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Sending Facility	4	<ul style="list-style-type: none"> <li>The NSHD Immunization Program will assign a unique ID to each provider system interfacing with the Registry. This ID should be included in this field.</li> <li>Registry will include the ID provided here in the “Receiving Facility” field of the MSH segment of the response message.</li> <li>If an invalid ID is included or missing, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of “AR” indicating the message has been rejected.</li> </ul>
Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry will allow two values in this field: <ul style="list-style-type: none"> <li>Empty</li> <li>A value of “NV0000”</li> </ul> </li> <li>Any other value will be considered invalid, and the Registry will not process the message. It will return an ACK message with an Acknowledgement Code of “AR” indicating the message has been rejected.</li> </ul>
Date/Time of Message	7	<ul style="list-style-type: none"> <li>Registry will archive this in the message log.</li> </ul>
Security	8	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Message Type	9	<ul style="list-style-type: none"> <li>Registry expects this to always be “VXU^V04” for this type of message.</li> <li>Registry will ignore any value in the Message Structure component of this field.</li> <li>If an invalid message type is included, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of “AR” indicating the message has been rejected.</li> </ul>
Message Control ID	10	<ul style="list-style-type: none"> <li>Should be a unique ID (within each system sending messages to the Registry) and is generated by the system sending the message.</li> <li>Registry will archive this in its message log.</li> <li>Registry will include the ID provided here in the “Message Control ID” field of the MSA segment of the response message.</li> </ul>
Processing ID	11	<ul style="list-style-type: none"> <li>Registry will use the indicated system to generate the results for the query. Valid values are represented in table “HL70103”.</li> <li>If an invalid Processing Id is included, the Registry will not process the message and will return an</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<p><b>ACK message with an Acknowledgement Code of “AR” indicating the message has been rejected.</b></p> <ul style="list-style-type: none"> <li>• Registry will ignore the contents of the second component as it does not impact how the Registry will process the request.</li> </ul>
Version ID	12	<ul style="list-style-type: none"> <li>• Registry expects all messages to use version 2.3.1.</li> <li>• If an unsupported version is indicated, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of “AR” indicating the message has been rejected.</li> <li>• <b>NOTE: Additional versions may be made available as the need arises. Please contact the NSHD Immunization Program to discuss any specific needs for other versions.</b></li> </ul>
Sequence Number	13	<ul style="list-style-type: none"> <li>• Registry will ignore any value in this field.</li> </ul>
Continuation Pointer	14	<ul style="list-style-type: none"> <li>• Registry will ignore any value in this field.</li> </ul>
Accept Acknowledgement Type	15	<ul style="list-style-type: none"> <li>• Registry does not support enhanced acknowledgement mode.</li> <li>• Registry will only respond using the original acknowledgement mode (i.e., a value of NULL or “NE”).</li> <li>• Registry will ignore any other value in this field and will process the message using the original acknowledgement mode.</li> </ul>
Application Acknowledgment Type	16	<ul style="list-style-type: none"> <li>• Registry will ignore any value in this field.</li> </ul>
Country Code	17	<ul style="list-style-type: none"> <li>• Registry expects all messages will originate in the USA (i.e., this field has a value of either “USA” or is empty).</li> <li>• Registry will ignore any other value in this field and will process the message as if it originated in the USA.</li> </ul>
Character Set	18	<ul style="list-style-type: none"> <li>• Registry expects all messages will use the ASCII character set (i.e., this field has a value of “ASCII” or is empty).</li> <li>• Registry will ignore any other value in this field and will process the message using the ASCII character set.</li> </ul>
Principal Language of Message	19	<ul style="list-style-type: none"> <li>• Registry expects all messages will use English as the principal language (i.e., this field has a value of “EN” or is empty).</li> <li>• Registry will ignore any other value in this field and will process the message in English.</li> </ul>
Alternate Character Set Handling	20	<ul style="list-style-type: none"> <li>• Registry expects all messages submitted to it are not using character set switching (i.e., this field is empty).</li> <li>• Registry will ignore any other value in this field and will process the message without using alternate character sets.</li> </ul>
<b><i>PID Segment</i></b>		
Set ID - PID	1	<ul style="list-style-type: none"> <li>• Registry expects systems submitting VXU messages to use the standard numbering approach defined in the Implementation Guide.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Patient ID	2	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Identifier List	3	<ul style="list-style-type: none"> <li><b>Registry will accept values for the following types of identifiers. (The order listed here is the same order used to find records.)</b> <ul style="list-style-type: none"> <li><b>SR (State Registry ID)</b> <i>(This field must only contain numeric digits. If any non-numeric characters are found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'.)</i></li> <li><b>BR (Birth Record Number)</b> – will be stored as the patient's birth certificate ID in the Registry.</li> <li><b>SS (Social Security Number)</b> <i>(This field must include 9 digits after the system removes all non-numeric characters such as a dash (-), forward slash (/), spaces, etc. If 9 digits are not found, the system will ignore the value in this field. It will try to continue processing the message, but it will return an acknowledgement of type 'AE'.)</i></li> <li><b>MA (Medicaid Number)</b></li> <li><b>MC (Medicare Number)</b></li> <li><b>MR (Medical Record Number)</b> – will be stored as a local identifier for the patient associated with the facility</li> </ul> </li> <li>Patient Identifier types are case sensitive and need to be in capital letters.</li> <li>If an invalid value is received, the Registry will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Alternate Patient ID - PID	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Name	5	<ul style="list-style-type: none"> <li><b>Registry expects the patient's full name in this field with a Name Type component of "L".</b> <ul style="list-style-type: none"> <li>Example:  Simpson^Bart^Thomas^^^^^L ...</li> </ul> </li> <li><b>If the Patient Identifier (PID-3) has a value of 'BR' then the patient's name information will be put into the Birth Record name fields also.</b></li> <li><b>Registry will not update the patient's name in its instance of the patient's record if that record was received from the Vital Statistics system.</b></li> <li><b>NOTE: Name values will be parsed by the Registry to ensure a standardized format prior to searching for or updating a patient's record. This may result in slight variations of names submitted versus names returned.</b></li> </ul>
Mother's Maiden Name	6	<ul style="list-style-type: none"> <li>Registry expects the Name Type component to be "M" if any value is entered in this field.                             <ul style="list-style-type: none"> <li>Example:  Simpson^^^^^^M </li> </ul> </li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>Registry will ignore any value associated with other name type components.</li> </ul>
Date/Time of Birth	7	<ul style="list-style-type: none"> <li>Registry will only use the date portion of any value in this field.</li> <li>If an invalid value is received, the Registry will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> <li>Registry will ignore any time-related values in this field.</li> <li>Registry will ignore any date value that is not valid.</li> <li>Registry will not update the patient's date of birth in its instance of the patient's record if that record was received from the Vital Statistics system.</li> </ul>
Sex	8	<ul style="list-style-type: none"> <li>Registry expects a valid value for the patient's gender in this field.</li> <li>Registry will ignore any data in this field that is not a valid gender. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Patient Alias	9	<ul style="list-style-type: none"> <li>Registry expects the Name Type component to be "A" if any value is entered in this field. <ul style="list-style-type: none"> <li>Example:  Simpson^Bart^Tom^^^^A </li> </ul> </li> <li>Registry will ignore any value associated with other name type components.</li> <li>NOTE: Name values will be parsed by the Registry to ensure a standardized format prior to searching for or updating a patient's record. This may result in slight variations of names submitted versus names returned.</li> </ul>
Patient Race	10	<ul style="list-style-type: none"> <li>If a value is supplied in this field, the Registry expects it to be an approved value in version 2.4 of the HL7 standard and the coding system component to be "HL70005". <ul style="list-style-type: none"> <li>Examples <ul style="list-style-type: none"> <li>2106-3^White^HL70005</li> <li>W^White^HL70005</li> </ul> </li> </ul> </li> <li>Registry will save the race values in up to 5 instances of this segment. Any additional instances will be ignored.</li> <li>Registry will ignore any data in this field that is not a valid race. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Patient Address	11	<ul style="list-style-type: none"> <li>Registry accepts the following address types: <ul style="list-style-type: none"> <li>BDL – City and State portions will be loaded into the Birth City and Birth State fields</li> <li>M – Mailing Address</li> <li>P – Physical Address</li> <li>All other address types will be accepted as the mailing address.</li> </ul> </li> <li>Example: 4545 Bakers Lane^Apartment 9^Carson City^NV^89701^USA^M</li> <li>Registry expects the city value to be one of the values</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<p>listed in Nevada WebIZ as approved cities if the state postal code for the address is "NV". In all other cases, the Registry will allow any value in the city field.</p> <ul style="list-style-type: none"> <li>• Registry expects there to be either 5 or 9 digits in the zip code component after the system removes all non-numeric characters (e.g., dash (-), forward slash (/), spaces, etc.)</li> <li>• If any of the components contain an invalid value (as defined in this document and/or the Implementation Guide), the Registry will ignore the component's value. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
County Code	12	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Number - Home	13	<ul style="list-style-type: none"> <li>• Registry will interpret the values as follows: <ul style="list-style-type: none"> <li>○ PRN → Home Phone</li> <li>○ ORN → Cell Phone</li> <li>○ ASN → Message Phone</li> <li>○ BPN → Pager</li> <li>○ NET → Email Address</li> <li>○ Examples: <ul style="list-style-type: none"> <li>○ 617-555-1212^PRN^PH OR</li> <li>○ ^NET^X.400^georgebush@yahoo.com^NET</li> </ul> </li> </ul> </li> <li>• Registry will ignore any other types.</li> <li>• Registry will ignore any data in this field that is not a valid phone number (e.g., contains incorrect number of digits, etc.) It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Patient Number - Business	14	<ul style="list-style-type: none"> <li>• Registry will interpret the values as follows: <ul style="list-style-type: none"> <li>○ WPN → Work Phone</li> <li>○ Example: 617-555-1212^WPN^PH</li> </ul> </li> <li>• Registry will ignore any other types.</li> <li>• Registry will ignore any data in this field that is not a valid phone number (e.g., contains incorrect number of digits, etc.) It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Primary Language	15	<ul style="list-style-type: none"> <li>• If a value is supplied in this field, the Registry expects it to be a standard language definition and the coding system component to be "HL70296". <ul style="list-style-type: none"> <li>○ Example: EN^English^HL70296</li> </ul> </li> <li>• Registry will ignore any data in this field that is not a valid language code. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Marital Status	16	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>



FIELD NAME	FIELD NUMBER	NOTES
Religion	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Account Number	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
SSN Number - Patient	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Driver's License Number - Patient	20	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Mother's Identifier	21	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Ethnic Group	22	<ul style="list-style-type: none"> <li>If a value is supplied in this field, the Registry expects it to be a standard ethnic group definition and that coding system component to be "HL70189".</li> <li>Registry will ignore any data in this field that is not a valid ethnic group. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Birth Place	23	<ul style="list-style-type: none"> <li>If a value is supplied in this field, the Registry expects it to be a standard text name of the birth facility and will load it into the Birth Facility field.</li> </ul>
Multiple Birth Indicator	24	<ul style="list-style-type: none"> <li>If a value is supplied in this field, the Registry expects it to be a standard Yes/No indicator.</li> <li>Registry will ignore any data in this field that is not a valid Yes/No indicator. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Birth Order	25	<ul style="list-style-type: none"> <li>If a value is supplied in this field, the Registry expects it to be an integer greater than 0 indicating the birth order for the patient.</li> <li>If the value is &gt; 1, then the multiple birth flag will be set to 'Y'.</li> <li>Registry will ignore any data in this field that is not a valid birth order. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Citizenship	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Veterans Military Status	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Nationality	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Death Date and Time	29	<ul style="list-style-type: none"> <li>Registry will only use the date portion of any value in this field.</li> <li>Registry will ignore any data in this field that is not a valid date. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> <li>Registry will ignore any time-related values in this field.</li> </ul>
Patient Death Indicator	30	<ul style="list-style-type: none"> <li>If a value is supplied in this field, the Registry expects it to be a standard Y/N indicator.</li> <li>Registry will ignore any data in this field that is not a valid Y/N indicator. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
<b>PD1 Segment</b>		
Living Dependency	1	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Living Arrangement	2	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Primary Facility	3	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> <li>If a valid vaccination is included in the message. Registry will update the patient's home clinic based on the ID number of the system sending the VXU message.</li> </ul>
Patient Primary Care Provider Name and ID Number	4	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Student Indicator	5	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Handicap	6	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Living will	7	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Organ Donor	8	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Separate Bill	9	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Duplicate Patient	10	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Publicity Code	11	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Protection Indicator	12	<ul style="list-style-type: none"> <li>If the patient is 18 years old or less, Registry will load the vaccination regardless of the value of this field.</li> <li>If the patient is over 18, the Registry will load the record if this field is "Y" or empty/NULL.</li> <li>In all other cases, the Registry will not load the record.</li> </ul>
Protection Indicator Effective Date	13	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Place of Worship	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Advance Directive Code	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Immunization Registry Status	16	<ul style="list-style-type: none"> <li>Registry will accept the following values: <ul style="list-style-type: none"> <li>A: Active in Immunization Program</li> <li>I: Inactive in Immunization Program</li> <li>L: Lost to Follow-up from the Immunization Program</li> <li>M: MOGE (Moved or Gone Elsewhere) from the Immunization Program</li> </ul> </li> <li>If PD1-17 (Status Date) is not included when this field has a value then the registry will continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Immunization Registry Status Effective Date	17	<ul style="list-style-type: none"> <li>For a status of A, the date will be interpreted as the date the patient was opened in the Immunization Program.</li> <li>For a status of I, L, or M, the date will be interpreted as the date the patient was closed out of the Immunization Program.</li> <li>The date will be ignored under all other circumstances or when the registry status (PD1-16) field is empty.</li> </ul>
Publicity Code Effective Date	18	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
<b>NK1 Segment</b>		
<b>Set ID - NK1</b>	<b>1</b>	<ul style="list-style-type: none"> <li><b>Registry expects systems submitting VXU messages to use the standard numbering approach defined in the Implementation Guide.</b></li> </ul>
Name	2	<ul style="list-style-type: none"> <li>Registry will only accept values with a Name Type of "L" (Legal) or "M" (Maiden).</li> <li>Registry will ignore any data in this field that is not a valid value. It will attempt to continue processing the message, but it will return an acknowledgement of type</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		'AE'.
Relationship	3	<ul style="list-style-type: none"> <li>• If a value is supplied in this field, the Registry expects it to be a standard relationship definition and the coding system component to be "HL70063". A new patient contact will be created for each NK1 segment. <ul style="list-style-type: none"> <li>◦ Example: MTH^Mother^HL70063</li> </ul> </li> <li>• In addition, the Registry will accept the following locally-defined values: <ul style="list-style-type: none"> <li>◦ BRM: Birth Mother – Loaded into the Birth Mother fields on the Patient Demographics screen</li> </ul> </li> <li>• Registry will ignore any data in this field that is not a valid relationship. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Address	4	<ul style="list-style-type: none"> <li>• Registry will ignore any value in this field.</li> </ul>
Phone Number	5	<ul style="list-style-type: none"> <li>• Registry will accept the following phone number types: <ul style="list-style-type: none"> <li>◦ PRN → Home Phone</li> <li>◦ ORN → Cell Phone</li> <li>◦ Example: 617-555-1212^PRN^PH</li> </ul> </li> <li>• Registry will ignore any other types or if there is no value in NK1-2 (Contact Name).</li> <li>• Registry will ignore any data in this field that is not a valid phone number (e.g., contains incorrect number of digits, etc.) It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Business Phone Number	6	<ul style="list-style-type: none"> <li>• Registry will accept the following phone number types: <ul style="list-style-type: none"> <li>◦ WRN → Work Phone</li> <li>◦ Example: 617-555-1212^WRN^PH</li> </ul> </li> <li>• Registry will ignore any other types.</li> <li>• Registry will ignore any data in this field that is not a valid phone number (e.g., contains incorrect number of digits, etc.) It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Contact Role	7	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Start Date	8	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
End Date	9	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Next of Kin/AP Job Title	10	<ul style="list-style-type: none"> <li>• Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Next of Kin/AP Job Code/Class	11	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Next of Kin/AP Employee Number	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Organization Name - NK1	13	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Marital Status	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Sex	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Date/Time of Birth	16	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Living Dependency	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Ambulatory Status	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Citizenship	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Primary Language	20	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Living Arrangement	21	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Publicity Code	22	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Protection Indicator	23	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Student Indicator	24	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		contents of this field will be ignored.
Religion	25	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Mother's Maiden Name	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Nationality	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Ethnic Group	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Contact Reason	29	<ul style="list-style-type: none"> <li>In addition, the Registry will accept the following locally-defined values: <ul style="list-style-type: none"> <li>PR: Primary – Indicates the contact associated with this segment should be marked as Primary in the Registry. (Any other contacts marked as Primary will no longer have this designation.)</li> </ul> </li> <li>Registry will ignore any data in this field that is not a valid relationship. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Contact Person's Name	30	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Contact Person's Telephone Number	31	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Contact Person's Address	32	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Next of Kin/Associated Party's Identifiers	33	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Job Status	34	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Race	35	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Handicap	36	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.
Contact Person Social Security Number	37	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
<b>PV1 Segment</b>		
Set ID - PV1	1	<ul style="list-style-type: none"> <li>Registry expects systems submitting VXU messages to use the standard numbering approach defined in the Implementation Guide.</li> </ul>
<b>Patient Class</b>	<b>2</b>	<ul style="list-style-type: none"> <li><b>Registry will ignore any value in this field and will treat all records as type "R".</b></li> </ul>
Assigned Patient Location	3	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Admission Type	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Preadmit Number	5	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Prior Patient Location	6	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Attending Doctor	7	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Referring Doctor	8	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Consulting Doctor	9	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Hospital Service	10	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Temporary Location	11	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Preadmit Test Indicator	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		apply to Immunization Registries. Therefore, the contents of this field will be ignored.
Readmission Indicator	13	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Admit Source	14	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Ambulatory Status	15	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
VIP Indicator	16	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Admitting Doctor	17	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Patient Type	18	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Visit Number	19	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Financial Class	20	<ul style="list-style-type: none"> <li>Registry will accept valid VFC Eligibility codes in this field. The current list of valid values are: <ul style="list-style-type: none"> <li>V00 - VFC Eligibility not determined/unknown</li> <li>V01 - Not VFC Eligible</li> <li>V02 - VFC Eligible – Medicaid Eligible or Enrolled</li> <li>V03 - VFC Eligible - Uninsured</li> <li>V04 - VFC Eligible - American Indian or Alaskan Native</li> <li>V05 - VFC Eligible - Underinsured</li> </ul> </li> <li>Registry will ignore any data in this field that is not a valid financial class. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Charge Price Indicator	21	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Courtesy Code	22	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Credit Rating	23	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation</li> </ul>



FIELD NAME	FIELD NUMBER	NOTES
		Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.
Contract Code	24	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Contract Effective Date	25	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Contract Amount	26	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Contract Period	27	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Interest Code	28	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Transfer to Bad Debt Code	29	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Transfer to Bad Debt Date	30	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Bad Debt Agency Code	31	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Bad Debt Transfer Amount	32	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Bad Debt Recovery Amount	33	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Delete Account Indicator	34	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Delete Account Date	35	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Discharge Disposition	36	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Discharged to Location	37	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Diet Type	38	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Servicing Facility	39	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Bed Status	40	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Account Status	41	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Pending Location	42	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Prior Temporary Location	43	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Admit Date/Time	44	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Discharge Date/Time	45	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Current Patient Balance	46	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Total Charges	47	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Total Adjustments	48	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		contents of this field will be ignored.
Total Payments	49	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Alternate Visit ID	50	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Visit Indicator	51	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Other Healthcare Provider	52	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
<b>PV2 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will be ignored if it is included in VXU messages sent to the Registry.</i>
<b>IN1 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will be ignored if it is included in VXU messages sent to the Registry.</i>
<b>IN2 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will be ignored if it is included in VXU messages sent to the Registry.</i>
<b>IN3 Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will be ignored if it is included in VXU messages sent to the Registry.</i>
<b>ORC Segment</b>		
		<i>Per the Recommendation of the CDC's Implementation Guide, this optional segment will be ignored if it is included in VXU messages sent to the Registry.</i>
<b>RXA Segment</b>		
<b>Give Sub-ID Counter</b>	<b>1</b>	<ul style="list-style-type: none"> <li><b>Registry expects this value to always be "0".</b></li> <li><b>Registry will ignore any other value in this field.</b></li> </ul>
<b>Administration Sub-ID Counter</b>	<b>2</b>	<ul style="list-style-type: none"> <li><b>Registry will document the refusal of a vaccine if the value is "0" AND the associated refusal reason (RXA-18) has a valid value.</b></li> <li><b>If the associated refusal reason is missing (RXA-18) then the registry will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</b></li> <li><b>Registry will ignore any dose numbers provided in this field. (Registry will number all doses within a series after the data has been merged with existing records in the system.)</b></li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Date/Time Start Of Administration	3	<ul style="list-style-type: none"> <li>Registry will only use the date portion of any value in this field.</li> <li>Registry will ignore any time-related values in this field.</li> <li>If an invalid date is included, the Registry will not process the message and will return an ACK message with an Acknowledgement Code of "AR" indicating the message has been rejected.</li> </ul>
Date/Time End of Administration	4	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Administered Code	5	<ul style="list-style-type: none"> <li>Registry assumes the first triplet will always contain the CVX code for the vaccine.</li> <li>Registry assumes the second triplet, if included, will always contain the CPT code for the vaccine. <ul style="list-style-type: none"> <li>Example: 08^hepatitis B vaccine, pediatric^CVX</li> </ul> </li> <li>Registry will ignore any record that does not have a valid code for the vaccine. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Administered Amount	6	<ul style="list-style-type: none"> <li>Registry expects a valid amount in this field.</li> <li>Registry expects a value of "999" in this field for a refused vaccine.</li> <li>Registry will ignore any data in this field that is not a valid amount. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Administered Units	7	<ul style="list-style-type: none"> <li>Registry expects a value of "ML^^ISO+" in this field indicating the administered amount is measured in milliliters.</li> <li>Registry will ignore any other value in this field.</li> </ul>
Administered Dosage Form	8	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Administration Notes	9	<ul style="list-style-type: none"> <li>Registry will interpret this field to be either free text comments or an indication of the source of this record.</li> <li>To indicate the source of the record, the Registry expects one of the following values for the first two components: <ul style="list-style-type: none"> <li>"00^NEW IMMUNIZATION RECORD^NIP001" for vaccinations administered.</li> <li>"01^HISTORICAL INFORMATION - SOURCE UNSPECIFIED" for vaccinations that are marked as historical.</li> </ul> </li> <li>When the immunization is sent as administered (00^NEW IMMUNIZATION RECORD^NIP001) then the history flag is set to 'N'.</li> <li>To indicate a free text comment, the Registry expects the first component to be NULL.</li> <li>Registry will ignore all other entries in this field.</li> </ul>
Administering Provider	10	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> <li>Registry will use the provider/clinic indicated in the</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		MSH segment of the field to associate the vaccination with a provider in the Registry.
Administered-At Location	11	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> <li>Registry will use the provider/clinic indicated in the MSH segment of the field to associate the vaccination with a provider in the Registry.</li> </ul>
Administer per (time unit)	12	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Administered Strength	13	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Administered Strength Units	14	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Substance Lot Number	15	<ul style="list-style-type: none"> <li>Registry will interpret any value included in this field as the lot number for the vaccination.</li> </ul>
Substance Expiration Date	16	<ul style="list-style-type: none"> <li>Registry will only use the date-related portion of this field.</li> <li>Registry will ignore any time-related data in this field.</li> <li>Registry will ignore any data in this field that is not a valid date. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Substance Manufacturer Name	17	<ul style="list-style-type: none"> <li>Registry will accept any valid standard manufacturer code.</li> </ul>
Substance Refusal Reason	18	<ul style="list-style-type: none"> <li>Registry expects any value supplied here to map to the values in NIP0002.</li> <li>Registry will ignore any data in this field that is not a valid refusal reason. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Indication	19	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
Completion Status	20	<ul style="list-style-type: none"> <li>Registry expects any value supplied here to be from the table "HL70322".</li> <li>Registry will ignore any data in this field that is not a valid completion status. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Action Code-RXA	21	<ul style="list-style-type: none"> <li>Registry will add the record if it does not currently exist in the system.</li> <li>Registry will update the record if it already exists in the system.</li> <li>Registry will delete the record from the system if indicated in this field.</li> </ul>
System Entry Date/Time	22	<ul style="list-style-type: none"> <li>Registry will ignore any value in this field.</li> </ul>
<b>RXR Segment</b>		
Route	1	<ul style="list-style-type: none"> <li>Registry expects the indicated value to have a value of "HL70162" in the coding system component.</li> <li>Registry will ignore any data in this field that is not a valid route. It will attempt to continue processing the message, but it will return an acknowledgement</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<b>of type 'AE'.</b>
Site	2	<ul style="list-style-type: none"> <li>Registry expects the indicated value to have a value of "HL70163" in the coding system component.</li> <li><b>Registry will ignore any data in this field that is not a valid race. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</b></li> </ul>
Administration Device	3	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Administration Method	4	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Routing Instruction	5	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
<b>OBX Segment</b>		
Set ID - OBX	1	<ul style="list-style-type: none"> <li>Registry expects systems submitting VXU messages to use the standard numbering approach defined in the Implementation Guide.</li> </ul>
Value Type	2	<ul style="list-style-type: none"> <li>Registry expects this field to have one of the following values (as appropriate for each allowed observation identifier in OBX-3): <ul style="list-style-type: none"> <li>○ CE</li> <li>○ DT</li> <li>○ NM</li> <li>○ ST</li> <li>○ TS</li> </ul> </li> </ul>
Observation Identifier	3	<ul style="list-style-type: none"> <li><b>Registry will accept the following data (with indicated LOINC codes) in VXU messages sent to the Registry:</b> <ul style="list-style-type: none"> <li>○ <b>1648-5^Tuberculosis Reaction^LN</b></li> <li>○ <b>29768-9^Date Vaccine Information Statement Published^LN</b></li> <li>○ <b>29769-7^Date Vaccine Information Statement Presented^LN</b></li> <li>○ <b>30948-4^Vaccination Adverse event and treatment, if any^LN</b></li> <li>○ <b>30946-8^Vaccination contraindication effective date^LN</b></li> <li>○ <b>30944-3^Vaccination temporary contraindication expiration date^LN</b></li> <li>○ <b>30945-0^Vaccination contraindication^LN</b></li> <li>○ <b>8339-4^Body Weight at Birth^NM</b></li> </ul> </li> <li><b>OBX segments with any other LOINC code values will be ignored.</b></li> <li><b>NOTE: this list can be revisited in the future if the information is desired by users of the system.</b></li> </ul>
Observation Sub-	4	<ul style="list-style-type: none"> <li>Registry expects systems submitting VXU messages to</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
ID		use the standard numbering approach defined in the Implementation Guide.
Observation Value	5	<ul style="list-style-type: none"> <li>Registry expects a value in this field that is consistent with that indicated by the values in OBX-2 and OBX-3.</li> <li>Registry will ignore any OBX segment with an invalid value in this field. It will attempt to continue processing the message, but it will return an acknowledgement of type 'AE'.</li> </ul>
Units	6	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
References Range	7	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Abnormal Flags	8	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Probability	9	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Nature of Abnormal Test	10	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
<b>Observ Result Status</b>	<b>11</b>	<ul style="list-style-type: none"> <li><b>Registry expects this field to always have a value of "F".</b></li> <li><b>Registry will ignore any other value and continue processing the message as if an "F" had been received.</b></li> </ul>
Date Last Obs Normal Values	12	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
User Defined Access Checks	13	<ul style="list-style-type: none"> <li>Per the recommendation in the CDC Implementation Guide, this is an optional field that does not directly apply to Immunization Registries. Therefore, the contents of this field will be ignored.</li> </ul>
Date/Time of the Observation	14	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Producer's ID	15	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Responsible Observer	16	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Observation Method	17	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
<b><i>NTE Segment</i></b>		
Set ID - NTE	1	<ul style="list-style-type: none"> <li>Registry expects systems submitting VXU messages to use the standard numbering approach defined in the Implementation Guide.</li> </ul>
Source of Comment	2	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>
Comment	3	<ul style="list-style-type: none"> <li>Registry will include any information provided here as a comment attached to the specific vaccination in the Registry.</li> </ul>
Comment Type	4	<ul style="list-style-type: none"> <li>Registry will always ignore this field.</li> </ul>

Table 7: Reference Information for VXU Message

The Registry will attempt to match the patient in the VXU message with a patient record in the Registry using the following guidelines.

1. If specific ID numbers are supplied in the incoming, the following rules are applied in the order specified.
  - a. If a State Registry ID is supplied and the associated record is not marked for deletion in the Registry, then the matching record (based only on patient ID) will be updated.
  - b. If a Birth Record ID is supplied and the associated record is not marked for deletion in the Registry, then the matching record (based only on this ID) will be updated.
  - c. If no matches are found or if multiple non-deleted matches are found, then continue processing with step 2.
2. If no specific IDs are supplied in the incoming message, the following guidelines will be applied:
  - a. If no DOB is supplied in the incoming message, then a new record will be created. (Past experiences with the interface have indicated it is better to create a potential duplicate that can be resolved manually in the system than to risk incorrectly matching records without the presence of a DOB.)
  - b. If a DOB is supplied, the Registry will attempt to find a matching record as follows:
    - i. First name supplied matches the patient's first name and the Last name supplied is similar to the patient's last name OR the Last name supplied matches the patient's last name and the First name supplied is similar to the patient's first name.
    - ii. The DOB supplied matches the patient's DOB. (Patient's without a DOB in the Registry cannot be matched to an incoming VXU message except through the State Registry ID parameter.)
  - c. If more than one record exists in the set of potential matching records, the following filters will be applied in the order indicated until either only a single record remains or until applying the filter would result in no matches remaining:
    - i. SSN
    - ii. Gender
    - iii. Medical Record Number
    - iv. Middle Name/Initial
    - v. Patient's Alias Name
    - vi. Mother's Maiden Name
    - vii. Mother's First and Last Name
    - viii. Birth State
  - d. If a single record remains in the set of potential matching records, it will be updated.
  - e. If multiple records or no records remain in the set of potential matching records, the patient in the incoming VXU message will be added to the Registry as a new record.
    - i. This may lead to a duplicate record being created in the Registry. When this occurs, the deduplication features of the Registry can be used to combine the records into a single instance again.



For any update request, if there is a matching record that is marked for deletion in the Registry, it will not be considered as a potential matching record.

It is important to realize that by providing the ability to accept specific identifiers and using them as the primary search criteria, a provider will have the mechanism for updating any demographic information about a patient. This allows them to correct mistakes in key fields used to identify a patient (e.g., name, DOB, etc.), but it also allows them to cause significant issues in the system if they do not pass identifiers accurately.

(NOTE: The above description is not intended to imply anything regarding about the technical design of the queries used to locate matching records in the Registry. The goal is only to describe the general concept of how the searches will work.)

### ***ACK - Acknowledgement Message (With Errors)***

The ACK message is used in response to nearly any message received by the Registry where a significant error has been encountered. In general, the Registry will make every attempt to adequately process each message it receives and to overlook small, insignificant issues. The goal is to exchange data and not to “police” the format of incoming messages.

However, there are some circumstances when the Registry will be unable to process the incoming message. In this case, an ACK message will be generated.

As mentioned previously, the message should be formatted as specified in the referenced documentation. Table 8 contains notes for various fields as they pertain to the Registry.

FIELD NAME	FIELD NUMBER	NOTES
<i>MSH Segment</i>		
Field Separator	1	<ul style="list-style-type: none"> <li>Registry will always use the pipe character (“ ”) as the field separator for all HL7 messages.</li> </ul>
Encoding Characters	2	<ul style="list-style-type: none"> <li>Registry will always put a value of “^~\&amp;” in this field.</li> </ul>
Sending Application	3	<ul style="list-style-type: none"> <li>Registry will always include the version number of the instance of the software that has generated the message.</li> </ul>
Sending Facility	4	<ul style="list-style-type: none"> <li>Registry will always put a value of “NV0000” in this field.</li> </ul>
Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will always put the value of the “Sending Application” field in the corresponding message in this field.</li> </ul>
Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry will always put the value of the “Sending Facility” field in the corresponding message in this field.</li> </ul>
Date/Time of Message	7	<ul style="list-style-type: none"> <li>Registry will always put the system date and time the message was created in this field.</li> </ul>
Security	8	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Message Type	9	<ul style="list-style-type: none"> <li>Registry will always put a value of "ACK^" in this field.</li> </ul>
Message Control ID	10	<ul style="list-style-type: none"> <li>Registry will always put a value of "YYYYMMDDNV999999" in this field. The value can be interpreted as: <ul style="list-style-type: none"> <li>YYYYMMDD = current system date when query was executed</li> <li>NV = 2 character abbreviation for Nevada</li> <li>999999 = sequential number indicating the number of HL7 messages sent from the Registry on the indicated date</li> </ul> </li> </ul>
Processing ID	11	<ul style="list-style-type: none"> <li>Registry will always put a value of "P" in the first component of this field when the message is being processed by the production system.</li> <li>Registry will always put a value of "T" in the first component of this field when the message is being processed by the test/training system.</li> <li>Registry will always leave the second component of this field empty.</li> </ul>
Version ID	12	<ul style="list-style-type: none"> <li>Registry will always put a value of "2.3.1" in this field.</li> </ul>
Sequence Number	13	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Continuation Pointer	14	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Accept Acknowledgement Type	15	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field.</li> </ul>
Application Acknowledgement Type	16	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field. (At this time, we do not intend to process responses to messages sent by the Registry, so there's no need for them to be sent back. This can be revisited if it causes issues for other systems using the interface.)</li> </ul>
Country Code	17	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default country of USA).</li> </ul>
Character Set	18	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default character set of "ASCII").</li> </ul>
Principal Language of Message	19	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default principal language of "EN").</li> </ul>
Alternate Character Set Handling	20	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default of not using alternate character set handling).</li> </ul>
<b>MSA Segment</b>		
Acknowledgment Code	1	<ul style="list-style-type: none"> <li>Registry will always respond using the original acknowledgement mode.</li> <li>Registry will send one of three codes: <ul style="list-style-type: none"> <li>AA: Indicates the message was accepted and no errors or warnings were generated</li> <li>AE: Indicates the message was processed, but one or more errors were generated</li> </ul> </li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>○ <b>AR: indicates one or more significant errors occurred and the message as rejected (i.e., it was not processed by the Registry)</b></li> </ul>
<b>Message Control ID</b>	<b>2</b>	<ul style="list-style-type: none"> <li>● <b>Registry will always put the value of the “Message Control ID” field in the MSH segment of the corresponding VXQ message in this field.</b></li> </ul>
Text Message	3	<ul style="list-style-type: none"> <li>● Registry will include a detailed message indicating the error/issue that has been encountered and is preventing the system from processing the incoming message.</li> </ul>
Expected Sequence Number	4	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Delayed Acknowledgement Type	5	<ul style="list-style-type: none"> <li>● Registry will always leave this field empty.</li> </ul>
Error Condition	6	<ul style="list-style-type: none"> <li>● Registry will include the applicable indicator from table “HL70357” for the error encountered while processing the message.</li> </ul>
<b>ERR Segment</b>		
<b>Error Code and Location</b>	<b>1</b>	<ul style="list-style-type: none"> <li>● <b>Registry will include the relevant segment, sequence, and field position of the error(s), along with the applicable indicator from table “HL70357” for the error(s) encountered while processing the message.</b></li> </ul>

Table 8: Reference Information for ACK Message

### ***QCK - Query General Acknowledgement Message***

The QCK message is a specialized instance of the ACK message that is only used when the Registry has received and successfully processed a VXQ message but does not find any matching records. As mentioned previously, the message should be formatted as specified in the referenced documentation. Table 9 contains notes for various fields as they pertain to the Registry.

FIELD NAME	FIELD NUMBER	NOTES
<b>MSH Segment</b>		
<b>Field Separator</b>	<b>1</b>	<ul style="list-style-type: none"> <li>● <b>Registry will always use the pipe character (“ ”) as the field separator for all HL7 messages.</b></li> </ul>
<b>Encoding Characters</b>	<b>2</b>	<ul style="list-style-type: none"> <li>● <b>Registry will always put a value of “^~\&amp;” in this field.</b></li> </ul>
Sending Application	3	<ul style="list-style-type: none"> <li>● Registry will always include the version number of the instance of the software that has generated the message.</li> </ul>
Sending Facility	4	<ul style="list-style-type: none"> <li>● Registry will always put a value of “NV0000” in this field.</li> </ul>
Receiving Application	5	<ul style="list-style-type: none"> <li>● Registry will always put the value of the “Sending Application” field in the corresponding message in this field.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry will always put the value of the "Sending Facility" field in the corresponding message in this field.</li> </ul>
Date/Time of Message	7	<ul style="list-style-type: none"> <li>Registry will always put the system date and time the message was created in this field.</li> </ul>
Security	8	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Message Type	9	<ul style="list-style-type: none"> <li>Registry will always put a value of "QCK^" in this field.</li> </ul>
Message Control ID	10	<ul style="list-style-type: none"> <li>Registry will always put a value of "YYYYMMDDNV999999" in this field. The value can be interpreted as: <ul style="list-style-type: none"> <li>YYYYMMDD = current system date when query was executed</li> <li>NV = 2 character abbreviation for Nevada</li> <li>999999 = sequential number indicating the number of HL7 messages sent from the Registry on the indicated date</li> </ul> </li> </ul>
Processing ID	11	<ul style="list-style-type: none"> <li>Registry will always put a value of "P" in the first component of this field when the message is being processed by the production system.</li> <li>Registry will always put a value of "T" in the first component of this field when the message is being processed by the test/training system.</li> <li>Registry will always leave the second component of this field empty.</li> </ul>
Version ID	12	<ul style="list-style-type: none"> <li>Registry will always put a value of "2.3.1" in this field.</li> </ul>
Sequence Number	13	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Continuation Pointer	14	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Accept Acknowledgement Type	15	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field.</li> </ul>
Application Acknowledgement Type	16	<ul style="list-style-type: none"> <li>Registry will always put a value of "NE" in this field. (At this time, we do not intend to process responses to messages sent by the Registry, so there's no need for them to be sent back. This can be revisited if it causes issues for other systems using the interface.)</li> </ul>
Country Code	17	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default country of USA).</li> </ul>
Character Set	18	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default character set of "ASCII").</li> </ul>
Principal Language of Message	19	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default principal language of "EN").</li> </ul>
Alternate Character Set Handling	20	<ul style="list-style-type: none"> <li>Registry will always leave this field empty (implying a default of not using alternate character set handling).</li> </ul>
<b>MSA Segment</b>		
Acknowledgment Code	1	<ul style="list-style-type: none"> <li>Registry will always respond using the original acknowledgement mode.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
		<ul style="list-style-type: none"> <li>Registry will only respond with a QCK message when the message was processed without error but no matching records were found. Therefore, the only value that will be used here is "AA".</li> </ul>
Message Control ID	2	<ul style="list-style-type: none"> <li>Registry will always put the value of the "Message Control ID" field in the MSH segment of the corresponding VXQ message in this field.</li> </ul>
Text Message	3	<ul style="list-style-type: none"> <li>Registry will include a detailed message indicating the error/issue that has been encountered and is preventing the system from processing the incoming message.</li> </ul>
Expected Sequence Number	4	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Delayed Acknowledgement Type	5	<ul style="list-style-type: none"> <li>Registry will always leave this field empty.</li> </ul>
Error Condition	6	<ul style="list-style-type: none"> <li>Registry will include the applicable indicator from table "HL70357" for the error encountered while processing the message.</li> </ul>
<b>ERR Segment</b>		
Error Code and Location	1	<ul style="list-style-type: none"> <li>Registry will include the relevant segment, sequence, and field position of the error, along with the applicable indicator from table "HL70357" for the error encountered while processing the message.</li> </ul>
<b>QAK Segment</b>		
Query Tag	1	<ul style="list-style-type: none"> <li>Registry will include the ID provided here in the "Query ID" field of the QRD segment of the corresponding VXX or VXR response message.</li> </ul>
Query Response Status	2	<ul style="list-style-type: none"> <li>Registry will always respond with a value of "NF" in this field.</li> </ul>

Table 9: Reference Information for QCK Message

### **Batch Messages**

The Registry will accept batch messages from provider systems. However, at this time, only the VXU (to submit updates to vaccination information) and ORU (to submit adverse reactions) messages will be accepted in batch. The VXQ (querying the Registry for a patient's vaccination history) message will not be accepted in a batch message.

When sending batches to the Registry via a web service call, the Registry must process these "real-time". To this end, please do not submit batches larger than 25 records. There is not limitation to the number of records that can be sent through the batch file upload process.

The formats of a batch message are defined in the CDC's Implementation Guide. Table 10 contains notes for various fields as they pertain to the Registry.

FIELD NAME	FIELD NUMBER	NOTES
<b><i>FHS Segment</i></b>		
<b>File Field Separator</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will use the pipe character (“ ”) as the field separator for all messages.</li> </ul>
<b>File Encoding Characters</b>	<b>2</b>	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will contain the recommended value of “^~&amp;” in this field.</li> </ul>
File Sending Application	3	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
File Sending Facility	4	<ul style="list-style-type: none"> <li>The NSHD Immunization Program will assign a unique ID to each provider system interfacing with the Registry. This ID should be included in this field.</li> <li>If an invalid ID is included, the message is ignored.</li> </ul>
File Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
File Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry expects all messages submitted will have a value of “NV0000” in this field.</li> <li>If an invalid ID is included, the message is ignored.</li> </ul>
File Creation Date/Time	7	<ul style="list-style-type: none"> <li>Registry will archive this in the message log.</li> </ul>
File Security	8	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
File Name/ID/Type	9	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
File Comment	10	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
File Control ID	11	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Reference File Control ID	12	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
<b><i>BHS Segment</i></b>		
<b>Batch File Separator</b>	<b>1</b>	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will use the pipe character (“ ”) as the field separator for all messages.</li> </ul>
<b>Batch Encoding Characters</b>	<b>2</b>	<ul style="list-style-type: none"> <li>Registry expects that incoming messages will contain the recommended value of “^~&amp;” in this field.</li> </ul>
Batch Sending Application	3	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Batch Sending Facility	4	<ul style="list-style-type: none"> <li>The NSHD Immunization Program will assign a unique ID to each provider system interfacing with the Registry. This ID should be included in this field.</li> <li>If an invalid ID is included, the message is ignored.</li> </ul>
Batch Receiving Application	5	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Batch Receiving Facility	6	<ul style="list-style-type: none"> <li>Registry expects all messages submitted will have a value of “NV0000” in this field.</li> <li>If an invalid ID is included, the message is ignored.</li> </ul>
Batch Creation Date/Time	7	<ul style="list-style-type: none"> <li>Registry will archive this in the message log.</li> </ul>
Batch Security	8	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Batch Name/Type	9	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>

FIELD NAME	FIELD NUMBER	NOTES
Batch Comment	10	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Batch Control ID	11	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Reference Batch Control ID	12	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
<b><i>BTS Segment</i></b>		
Batch Message Control	1	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Batch Comment	2	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
Batch Totals	3	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
<b><i>FTS Segment</i></b>		
File Batch Count	1	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>
File Trailer Comment	2	<ul style="list-style-type: none"> <li>Registry will ignore the contents of this field.</li> </ul>

**Table 10: Reference Information for Batch Messages**

---

## **Manual Interventions**

There are no manual interventions identified that need to be performed on the Registry side as part of these interfaces.

Provider systems will need to provide some type of manual user intervention in response to a VXX message from the Registry. In this case, the Registry has found multiple records that match the query definition submitted, and the receiving system will need to provide a mechanism to their users for selecting which, if any, of the records returned are the appropriate patient.



## **Additional Items for Rollout**

User IDs will need to be established prior to a provider beginning to use the HL7 interface as well as assigning the provider with a unique ID within the state. Each instance of a system that will communicate with the Registry will be required to have a unique ID. This ID will be used as part of the audit trail for any records that are created and/or updated as part of processing the message.

As part of this effort, the Registry will need to coordinate the update of some of the code tables in the system with NSHD Immunization Program personnel. In addition, some code tables will need to be modified in order to allow these updated values to be accurately mapped to the relevant list of values for any of the message fields defined in the HL7 standard.