STATE OF MINNESOTA PRICING PAGE AUGUST 2011

(Typed Responses Required)

Price quote for: Crown Battery

Vendor Name: Toyota Lift of Minnesota

Contact Person: Jeff Eshelman Street Address: 8601 Xylon Ct North

P.O. Box: City, State, Zip

Brooklyn Park, MN, 55445

Phone #: 763-425-9066
Toll Free #: 800-523-0611
Fax #: 763-425-4926

Email Address: jeffe@toyotaequipment.com

Version of Excel used:

Spec #	Information Requested	Answer
1.0	Manufacturer	Crown
	Catalog Section Price List Title	Crown Battery
	Date & I.D. of price list	August 5 2011
	Discount to be applied to price list	5%
	Make & Models Included on the Above Price List. Include: Make, Model w/Fuel Type, Tire Type, & Capacity. Make and model must meet specifications. Example: Honda.XYZ4312-Gas.Cushion.3,000lbs.	
	INSERT ADDITION ROWS ABOVE AS NEEDED Warranty	
	Delivery starting point	Toyota Lift of Minnesota
	Delivery charge per loaded mile	\$5.50
	Price for one complete additional set of O.E.M air and fluid filters to be delivered with forklift truck.	
	Price for one complete set of parts, service, repair and operations manuals to be delivered with forklift truck.	
2.0	Performance/Warranty Options: Use this section to offer performance/warranty options and include cost.	Price
2.1 2.2	options and models occi.	1 1100
2.?		
3.0	Forklift Rental	
0.4	If rental programs are available on new equipment offered, with the option to purchase, list the monthly rental rate. Also list percentage of rental that would apply to purchase price for each model that this option applies to.	Rental rate and percent of Rental Fee applied to purchase price
3.1 3.2		
3.?		

STATE OF MINNESOTA PRICING PAGE AUGUST 2011

(Typed Responses Required)

Price quote for: Crown Battery

Vendor Name: Toyota Lift of Minnesota

Contact Person: Jeff Eshelman
Street Address: 8601 Xylon Ct North

P.O. Box:

City, State, Zip Brooklyn Park, MN, 55445

Phone #: **763-425-9066**Toll Free #: **800-523-0611**Fax #: **763-425-4926**

Email Address: jeffe@toyotaequipment.com

Version of Excel used:

Spec #	Information Requested	Answer
1.0	Manufacturer	Crown
1.0	Manufacturer	Clowii
	Aftermarket Attachments (YES or NO)	no
	Catalog Section Price List Title(s)	Crown Chargers
	INSERT ADDITIONAL ROWS ABOVE AS NEEDED	
	Date and I.D. of price list	August 5th 2011
	Discount to be applied to price list	5%
	Warranty	
	Delivery starting point	Toyota Lift of Minnesota
	Delivery charge per loaded mile	\$5.50
	Price for one complete set of parts, service, repair and operations manuals to be delivered with forklift truck attachment.	
2.0	Performance/Warranty Options: Use this section to offer performance/warranty options.	
2.1	55	
2.2 2.?		
۷.:		

INDUSTRIAL LIST PRICING **EFFECTIVE: AUGUST 5, 2011**

NUMBER

SUPERSEDES: DECEMBER 17, 2010



Crown Battery Manufacturing Co.

1445 Majestic Drive . P.O. Box 990 Fremont, Ohio 43420-0990

419-334-7181 • FAX 419-334-7416

www.crownbatteny.com

K.W.H. A.H. A.H. **PART** @6HR@6HR@5HR

RATE RATE RATE

- 1 **CELL** 6

CELL

9

12 **CELL**

15 18 **CELL CELL**

24 **CELL**

40 **CELL**

PER CELL

	/ER	- WITH COV	5/8" HJGH	15	OVER	THOUT CO	'HIGH - WI	15'				A.H.	45
-1													
36		6,916	5,263	5,116	3,873	3,106	2,324	238	171	180	0.352	45-09	1027
42		7,809	5,835	5,531	4,304	3,440	2,582	271	214	225	0.440	45-11	1035
48		8,446	6,084	6,054	4,551	3,695	2,787	. 321	257	270	0.528	45-13	1045
56		9,186	6,977	6,599	5,127	4,006	2,991	356	299 🕖	315	0.616	45-15	1055
1 30		0,100	0,011	-1									
66		11,443	8,861	7,714	5,915	4,579	3,424	374	342	360	0.704	45-17	1065
74		12,237	9,495	8,250	6,323	4,857	3,660	424	385	405	0.792	45-19	1075
81		12,709	9,887	8,912	6,836	5,224	3,970	461	428	450	0.880	45-21	1085
89		13,270	10,225	9,604	7,545	5,777	4,304	492	470	495	0.968	45-23	1095
09		10,210											
98		15,152	11,712	10,131	7,953	6,065	4,519	530	513	540	1.056	45-25	1105
108		15,877	12,279	10,805	8,538	6,395	4,785	568	556	585	1.144	45-27	1115
113		16,758	13,020	12,213	9.285	6,815	5,071	619	599	630	1.232	45-29	1125
130		18,383	13,833	12,962	10,032	7,325	5,357	655	641	675	1.320	45-31	1135
130		. 0,000	. 0,000		1,								

55	A.H.	· ·			17 5/	'8" HIGH - V	VITHOUT	COVER	18	3/8" HIGH	- WITH COV	/FR	
					""							LIV	
1175	55-11	0.540	275	261	302	2,684	3,781	4,746	6,059	6,690	8,939		49
1185	<u>55-13</u>	0.648	330	314	350	2,918	4,111	5,249	6,704	7,431	9,832		59
1195	55-15	0.756	385	366	400	3,127	4,408	5,673	7,282	8,064	10,623		73
1205	55-17	0.846	440	418	448	3,597	5,063	6,574	8,527	9,471	12,290		81
1215	55-19	0.972	495	470	501	3,870	5,428	7,143	9,187	10,316	13,241		92
1225	55-21	1.080	550	523	553	4,177	5,846	7,632	9,927	11,051	14,253		104
1235	55-23	1.188	605	575	619	4,609	6,525	8,515	10,807	12,010	15,689		114
1245	55-25	1.296	660	627	672	4,866	6,844	9,042	11,486	12,806	16,662		119
		<u></u>									-	·	
1255	55-27	1.404	715	679	715	5,100	7,250	9,604	12,204	13,631	17,566		131
1265	55-29	1.512	770	732	789	5,460	7,710	10,729	13,721	15,320	19,825		138
1275	55-31	1.620	825	784	849	5,820	8.130	11,395	14,576	16,300	21,074		150
1285	55-33	1.728	880	836	884	6,200	8,650	12,071	15,442	17,279	22,344		160
											·		

INDUSTRIAL LIST PRICING EFFECTIVE: AUGUST 5, 2011

PAGE 2

<u>NU</u>	PART MBER	K.W.H @ 6 HF <u>RATE</u>		A.H. R@ 5 HF RATE		6 <u>CELI</u>	9 <u>CELI</u>	12 <u>CEL</u>	15 <u>L CELI</u>	18 <u>CELI</u>	24 <u>CELL</u>	40 <u>CELL</u>	WT PER CELL
75	A.H.				22 7	/8" HIGH -	WITHOUT	COVER	2	2 4/45 13101	1 140000		
455-										3 1/4" HIGI	1 - WITH CO	VER	<u>_l</u>
1297	75-05	0.291	150	143	293	1,912	2,763	3,507	4 200				
1307	75-07	0.473	225	214	321	2,277	3,337					b,	34
1317	75-09	0.583	300	285	352	2,602	3,743						46
1325	75-11	0.728	375	356	408	2,810	4,190						60
1335	75-13	0.874	450	428	473	2,959	4,674				9,865		72
						<u> </u>	4,074	5,435	7,641	8,331	10,987		85
1345	75-15	1.020	525	499	540	3,459	5,092	0.400					
1355	75-17	1.165	600	570	587	4,020		6,422	8,394	9,342	12,059		98
1365	75-19	1.311	675	641	671	4,405	5,910	7,519	9,523	10,558	13,530		112
1375	75-21	1.456	750	713	723	4,746	6,320	8,089	10,656	11,823	15,133		124
1385	75-23	1.602	825	784	814	5,174	6,916	8,874	11,438	12,642	16,247		137
					017	0,174	7,252	9,614	12,429	13,726	17,784		151
1395	75-25	1.748	900	855	880	5,459	7.000						
1405	75-27	1.893	975	926	961		7,928	10,192	13,195	14,498	19,359		165
1415	75-29	2.093	1050	998	1,031	6,090	8,560	10,769	13,944	15,556	20,219		176
1425	75-31	2.185	1125	1069	1,120	6,660	9,160	12,088	15,817	17,475	21,494		186
1435	75-33	2.330	1200	1140		7,170	9,760	12,954	16,850	18,567	23,684		196
			1200	1140	1,193	7,690	10,360	13,540	20,496	20,520	25,553		212
													- 1 -

85	A.H.				22.7	/8" HIGH -	MITHOUT	00/155					
			·			70 (110)	WITHOUT	COVER	2	3 1/4" HIGH	I - WITH CO	OVER	7
1447	85-05	0.328	170	162	326	2,016	0.040						
1457	85-07	0.492	255	242	356	2,461	2,919				7,447	B-10-p-	38
1467	85-09	0.656	340	323	396	2,728	3,503	4,267	5,506	6,351	8,131		50
1475	85-11	0.820	425	404	463		3,938	4,939		7,606	9,268	14,916	
1485	85-13	0.984	510	485	527	2,988	4,400	5,522	7,196	8,057	10,354	16,669	
				700	527	3,387	4,902	<u>5,954</u>	8,027	8,742	11,535	17,354	
1495	85-15	1.148	595	565	597	2 704	5.0.45						
1505	85-17	1.312	680	646	671	3,704	5,345	6,746	8,970	9,805	12,658	20,220	101
1515	85-19	1.476	765	727	737	4,303	6,217	7,894	9,994	11,069	14,205	21,845	115
1525	85-21	1.640	850	808	814	4,627	6,635	8,491	11,191	12,265	15,891	23,450	129
1535	85-23	1.804	935	888	876	4,975	7,108	9,120	11,769	13,144	17,057	25,050	138
				000	0/6	5,432	7,881	10,097	12,797	14,413	18,558	26,650	156
1545	85-25	1.968	1020	969	947	E 704	0.000						
1555	85-27	2.132	1105	1050	1,089	5,724	8,327	10,699	13,583	15,224	20,226		168
1565	85-29	2.296	1190	1131		6,120	8,970	11,311	14,363	16,344	21,323	·	181
1575	85-31	2.460	1275	1211	1,155	6,770	9,610	12,757	16,281	18,351	23,952		196
1585	85-33	2.624	1360	1292	1,215	7,440	10,220	13,589	17,350	21,768	26,191		208
			1000	IZOZ	1,292	8,080	10,840	14,217	18,143	22,372	26,986		224

INDUSTRIAL LIST PRICING EFFECTIVE: AUGUST 5, 2011 PAGE 3



Crown Battery Manufacturing Co.

1445 Majestic Drive • P.O. Box 990 Fremont, Ohio 43420-0990

419-334-7181 • FAX 419-334-7416

www.crownbattery.com

K.W.H. A.H. A.H. PART @ 6 HR @ 6 HR @ 5 HR

<u>NUMBER</u>

@6HR @6HR @5HR RATE RATE RATE

1 6 CELL CELL 9 <u>CELL</u> 12 CELL 15 18 CELL CELL 24 CELL

40 PER CELL CELL

90	A.H.				25 5	/8" HIGH - '	WITHOUT	COVER	26	1/4" LICH	MUTILION	<i>17</i>	
	*****				T					114 AIGA	- WITH CO	VER	
1597	90-05	0.349	180	171	345	1,937	3,005	3,825	4,990	5,270	7 700		
1607	90-07	0.524	270	257	383	2,570	3,505	4,400			7,790		42
1617	90-09	0.697	360	342	430	2,840	4,165	5,141	7,042	6,790	9,860		55
1625	90-11	0.872	450	428	488	3,219	4,221	5,855		7,896	10,845		70
1635	90-13	1.048	540	513	549	3,638	5,244		7,942	8,673	12,878		84
1645	90-15	1.260	630	599	633	4,120		6,543	8,879	9,745	13,699		101
				000	000	4,120	<u>5,914</u>	7,445	10,190	11,170	15,526		115
1655	90-17	1 394	720	684	705	4 600	0.050	0.450	- 11 - 1-				
1665	90-19	1.569	810	770	765	4,623	6,656	8,432	11,540	12,697	17,659		127
1675	90-21	1.743				4,901	7,139	9,116	12,445	13,666	19,052		146
1685	90-23		900	855	854	5,354	7,659	9,826	13,404	14,783	20,544		154
		1.917	990	941	940	5,790	8,395	10,752	14,448	15,947	22,310		170
1695	90-25	2.092	1080	1026	1,020	6,080	8,924	12,054	15,423	17,039	23,801		181
4705													12.
1705	90-27	2.266	1170	1112	1,124	6,750	9,780	12,318	16,566	18,325	25,575		197
1715	<u>90-29</u>	2.440	1260	1197	1,218	7,070	10,250	13,674	20,045	21,702	27,858		210
1725	90-31	2.615	1350	1283	1,314	7,490	10,750	15,413	20,696	22,471	29,408		225
1735	90-33	2.789	1440	1368	1,415	7,940	11,390	16,212	21,274	23,118	29,564		
				,				, , /	-1,-17	20,110	23,004		246

100	A.H.		<u> </u>		25 5/	8" HIGH - V	TUOHTIN	COVER	26	1/4" HIGH	- WITH CO	VER	
2007	400.05	0.000											
2097	100-05	0.388	200	190	349	2,160	3,190	4,134	5,210	6,210	7,910		48
2107	100-07	0.582	300	285	399	2,818	4,010	4,712	6,530	7,225	8,603		60
2117	100-09	0.788	400	380	456	3,057	4,422	5,448	7,217	8,321	11,272	18,665	72
2125	100-11	0.985	500	475	513	3,446	4,901	6,211	8,410	9.026	11,669	· ·	85
2135	100-13	1.182	600	570	589	3,972	5,565	7,010	9,405	10.146	12,930	21,401	
2145	100-15	1.379	700	665	684	4,412	6,273	7,903	10,794	11,636	15,995		104
								1,100	10,10-	11,000	10,000		117
2155	. 100-17	1.576	800	760	781	4,956	7,062	8,955	12,231	13,225	18,403		400
2165	100-19	1.773	900	855	867	5,257	7,587	9,685		 			133
2175	100-21	1.970	1000	950	962	5,747			13,201	14,283	20,981		145
2185	100-23	2.167	1100				8,240	10,443	14,224	15,409	22,885		158
				1045	1,054	6,211	8,924	11,869	15,334	16,630	24,485		173
2195	100-25	2.364	1200	1140	1,142	6,522	9,483	12,667	16,375	17,780	25,834		187
				- 1									

INDUSTRIAL LIST PRICING EFFECTIVE: AUGUST 5, 2011 PAGE 4

125 A.H.	•	 	T	"HIGH - W				CELL	CELL		CELL
PART NUMBER	@6HR@		-	6 CELL	9 <u>CE</u> LL	12 <u>CELL</u>	15 <u>CE</u> LL	18	24	40	WT PER

12	5 A.H.				30 1	/2" HIGH - '	WITHOUT	COVER	, '' ''' 	31" HIGH -	WITH COV	FR	
4057	100.00												 -
1857	125-05	0.485	250	238	340	2,622	3,390	4,709	5,690	7,190	0.500	40:540	
1867	125-07	0.728	375	356	430	3,318	4,190	5,414	7,080		8,590	16,510	
<u> 1877</u>	125-09	0.985	500	475	492	3,532	4,901	6,176		8,690	10,210	<u> 18,154</u>	
<u> 1885</u>	125-11	1.231	625	594	596	3,987	5,794		8,350	8,795	12,475	19,884	87
1895	125-13	1.478	750	713	658	4,438		6,932	9,709	9,879	13,701	22,818	105
1905	125-15	1.724	875	831	765		6,644	7,753	10,745	11,207	14,849	25,226	120
			0,0	001	700	4,804	7,516	9,038	12,305	13,197	17,132	29,524	140
1915	125-17	1.970	1000	050	077								
1925	125-19		1000	950	877	5,664	8,427	10,232	13,928	14,713	19,095	32,496	158
1935		2.215	1125	1069	972	6,259	9,504	11,163	15,430	16,948	21,735		178
	125-21	2.463	1250	1188	1,081	6,715	10,131	11,958	16,544	18,186	25,503		
1945	125-23	2.709	1375	1306	1,177	7,328	11,221	13,181	18,365	20,168			202
1955	125-25	2.955	1500	1425	1,273	7,737	11,849	13,916	19,590		28,140		221
							10-10	10,310	19,090	21,560	30,057		237
,				<u></u>									

160	D A.H.			·	30 1/	2" HIGH - V	MITHOUT (COVER	3	1" HIGH - 1	WITH COVE	R	T
1987 1995 2005 2015	160-09 160-11 160-13 160-15	1.229 1.536 1.843 2.150	640 800 960 1120	608 760 912 1064	646 766 889 1,010	4,343 4,983 5,745 6,341	5,927 6,814 7,853 8,700	7,727 8,947 11,169 11,766	9,793 10,997 13,983 15,616	11,510 13,303 15,217 17,035	15,973		125 144 163 190
2025 2035 2045	160-17 160-19 160-21	2.458 2.765 3.072	1280 1440 1600	1216 1368 1520	1,149 1,250 1,310	7,051 7,616 8,318	10,274 10,838 11,540	13,692 14,543 15,454	17,368 19,446 20,695	19,975 21,253 22,630	29,068 30,913 32,908		210 246 272

Added: 24-709-13 Low profile Bathey List \$10,98700 24-709-17 Low profile Bathey List \$13,53000 40-75L-11 Low profile Bathey List \$13,53000

* These Are to fit ToyotA TFBI 15, 18, 20, 25, 35 models x

INDUSTRIAL SCR CHARGER PRICING "U" PRICE SHEET EFFECTIVE AUGUST 5, 2011

		1.70	
VOLT	MODEL NUMBER	LIST PRICE	
	SCR - CHARGI		
	and the distribution is not have first the distribution of the same of find on the same of	A read the said of	district services of the Paris
1	Silver Co	ntroi	
1			
12	CR6SC1-450S	\$3,130	~.
12	CR6SC1-550S	\$3,463	1
12	CR6SC1-680S	\$2,737	
	_		
24	CR12SC1-380S	\$2,440	•
24	CR12SC1-550S	\$2,897	
24	CR12SC1-680S	\$3,053	
24	CR12SC1-850S	\$3,680	
24	CR12SC3-550S	\$3,953	
24	CR12SC3-680S	\$4,200	
24	CR12SC3-850S	\$4,377	
24	CR12SC3-1000S	\$4,717	
			
- 36	CR18SC1-600S	\$3,237	
36	CR18SC1-800S	\$3,687	
36	CR18SC3-550S	\$4,200	' [
36	CR18SC3-680S	\$4,387	
36	CR18SC3-850S	\$4,607	; [
36 36	CR18SC3-1000S	\$4,913	. ! !
36	CR18SC3-1360S	\$6,077	` !
36	CR18SC3-1600S	\$7,043	']
48	CR24SC1-600S	#4.202	,
48	CR24SC3-550S	\$4,393 \$4,483	
48	CR24SC3-680S	• •	l
48	CR24SC3-850S	\$4,893 \$5.260 '	
48	CR24SC3-1000S	\$5,260 ' \$5,947	<u> </u>
48	CR24SC3-1000S		'
	0.12-1000-10000	\$7,023	'
80	CR40SC3-850S	\$6,253	,
يكوين كد		40/200	

VOLT	MODEL NUMBER	LIST	
	SCR CHARG	ERS語彙學	
	Gold Cor	ntrol	
12	CR6SC1-450G	\$2,587	
12	CR6SC1-550G	\$2,833	
12	CR6SC1-680G	\$3,007	.]
24	CR12SC1-380G	\$2,710	
24	CR12SC1-550G	\$3,167	- 1
24	CR12SC1-680G	\$3,323	ŀ
24	CR12SC1-850G	\$3,950	. [
24	CR12SC3-550G	\$4,223	.
24	CR12SC3-680G	\$4,470	. [
24	CR12SC3-850G	\$4,647	ŀ
24	CR12SC3-1000G	\$4,987	
26	I ansans	1	
36	CR18SC1-600G	\$3,507	
36	CR18SC1-800G	\$3,957	
36 36	CR18SC3-550G	\$4,470	. +
36 36	CR18SC3-680G	\$4,657	' 1
36	CR18SC3-850G CR18SC3-1000G	\$4,877	1
36	CR18SC3-1360G	\$5,183	
36	CR18SC3-1600G	\$6,347 \$7,313	
	CK103C2-1000G	\$7,313	'
48	CR24SC1-600G	\$4,663	
48	CR24SC3-550G	\$4,753	- 1
48	CR24SC3-680G	\$5,163	1
48	CR245C3-850G	\$5,530	
48	CR24SC3-1000G	\$6,217	
48	CR24SC3-1360G	\$7,293	
80	CR40SC3-850G	\$6,523	

Staly omile

IHF CHARGER PRICING
"U" PRICE SHEET
EFFECTIVE AUGUST 5, 2011
SUPERSEDES DECEMBER 6, 2009

		264 She 28 545	(#.259°	· (e)
34.80 LASS 01 01 CARRA	MODEL NUMBER	LISTERICE	á þ	
区上等的特别	IHF CHARGERS			-
THREE (3)	PHASE			
24	CR12HF3-150	\$6,066	~	
24	CR12HF3-150C	\$8,000		
24	2CR12HF3-150	\$9,970	!	
24	4CR12HF3-150	\$25,200	!	
24	CR12HF3-300	\$8,785		
24	CR12HF3-300C	\$10,638		:
24	2CR12HF3-300	\$18,537		ī
36	CR18HF3-150	\$6,094		}
36	CR18HF3-150C	\$8,029		,
36	2CR18HF3-150	\$11,133		1
36	CR18HF3-300	\$10,142		,
36	CR18HF3-300C	\$11,957		
36	2CR18HF3-300	\$24,667		
36	CR18HF3-450	\$18,473	1	
36 -	CR18HF3-450C	\$20,045	- 1	
36	CR18HF3-600	\$23,748	i	
36	CR18HF3-750	\$28,759	1	1
48	CR24HF3-120	\$6,471	1	
48	CR24HF3-120C	\$8,581		
48	CR24HF3-240	\$9,425	†	
48	CR24HF3-240C	\$11,535		- 1
48	2CR24HF3-240	\$24,000		
48	CR24HF3-360	\$18,473		
48	CR24HF3-480	\$22,820		1
48	CR24HF3-600	\$29,702	1	<i>'</i>
100 ac 100 a				
80	CR40HF3-80	\$10,142		
80	CR40HF3-160	\$10,687		1
80,	CR40HF3-240	\$24,107)
80	CR40HF3-320	\$31,140		1
80	CR40HF3-400	\$38,173		ļ
80	CR40HF3-480	\$42,914	. !	- [

IHF CHARGERS SINGLE (1) PHASE 24	VOLT	NUMBER	LIST PRICE		
24 CR12HF1-120 \$4,723 ; 36 CR18HF1-80 \$4,709 ; 36 CR18HF1-160 \$9,373 ; 48 CR24HF1-60 \$4,276 ;			.S	4.7 ·	
36 CR18HF1-80 \$4,709 ; 36 CR18HF1-160 \$9,373 ; 48 CR24HF1-60 \$4,276 ;		.,			
36 CR18HF1-160 \$9,373 ; 48 CR24HF1-60 \$4,276 ;	24	CR12HF1-120	\$4,723	;	
36 CR18HF1-160 \$9,373 ; 48 CR24HF1-60 \$4,276 ;	36	CR18HE1_80	¢4 700	,	
48 CR24HF1-60 \$4,276 :	36		1 -4		
			45/5/5	•	
80 CR40HF1-35 \$5,433 ;	48	CR24HF1-60	\$4,276		
CR4UNP1-35 \$5,433 1 .	an an	CD40UE4 DE	# E 400		[
	- OU	CK40HF1-35	\$5,433	i ,	ı
					ľ
	1				ı
					- 1
					- [
l l					

Please note that this product list now includes the multi-circuit PowerHouse chargers. Please contact the factory if you require other sizes or configurations of the IHF charger.

Plate amaile o

INDUSTRIAL POWERHOUSE CHARGER PRICING "U" PRICE SHEET EFFECTIVE AUGUST 5, 2011 SUPERSEDES DECEMBER 6, 2009

VOLT	MODEL NUMBER	
	FERRO 100%	CHARGERS
	B) PHASE	AND THE PERSON OF THE PERSON O
`	•	
12	CR6FR3B-875	\$3,900
12	CR6FR3B-1000	\$4,572
12	CR6FR3B-1200	\$3,935
	_	, , ,
24	CR12FR3-510	\$4,213
24	CR12FR3-600	\$4,219
24	CR12FR3-750	\$4,262
24	CR12FR3-875	\$4,663
24	CR12FR3-1000	\$4,821
24	CR12FRB-1200	\$4,980
36	CR18FR3-510	\$4,449
36	CR18FR3-650	\$4,480
36	CR18FR3-750	\$4,779
36	CR18FR3-875	\$4,916
36	CR18FR3-935	\$5,106
36	CR18FR3-1000	\$5,124
36	CR18FR3-1100	\$5,444
36	CR18FR3-1200	\$5, 444
36	CR18FR3-1250	\$9,098
36	CR18FR3-1400	\$9,418
	•	
48	CR24FR3-450	\$4,565
48	CR24FR3-510	\$4,617
48	CR24FR3-600	\$4,997
48	CR24FR3-680	\$5,170
48	CR24FR3-765	\$5,212
48	CR24FR3-850	\$5,391
48	CR24FR3-900	\$5,430
48	CR24FR3-1100	\$9,664
48	CR24FR3-1200	\$9,196
48	CR24FR3-1360	\$8,932
	anaann	
72 .	CR36FR3-450	\$4,561
72	CR36FR3-510	\$8,612
72	CR36FR3-600	\$8,215 i
. 72	CR36FR3-680	\$9,119
	•	ľ
80	CR40FR3-510	\$8,757

VOLT	MODEL	LIST
	NUMBER	
	FERRO 100%	- CHARGERS
STUGEE (1) PHASE	
12	CR6FR1-450	A2 024
12-	CR6FR1-510	\$3,024
12	CR6FR1-600	\$3,028 \$3,067
12	CR6FR1-750	\$3,109
12	CR6FR1-875	\$2,958
		<i>+-,</i>
24	CR12FR1-255	\$3,045
24	CR12FR1-450	\$3,232
24	CR12FR1-510	\$3,316 :
24	CR12FR1-600	\$3,348
24 -	CR12FR1-750	\$3,622
24	CR12FR1-875	\$3,640
20	Ob40004 400	
36	CR18FR1-450	\$3,397
36 36	CR18FR1-510	\$3,474
36	CR18FR1-650 CR18FR1-750	\$4,041
20	CKTOLKT-120	\$4,238
48	CR24FR1-450	\$3,643
48	CR24FR1-510	\$4,245
48	CR24FR1-600	\$4,593
48	CR24FR1-680	\$4,062
]
		•
		1
		,
]
		i
		· 1
		ľ
		į
		ļ

Please contact the factory for availability of other types of chargers, including PowerHouse IHF and PowerHouse SCR line of chargers.

p/_/ //