Data Set Name: sh01.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|---|
| 1 | SH01_RECORD_LENGTH | Num | 8 | |
| 2 | SH01_KEYPUNCH_CODE | Num | 8 | SH01 Keypuncher Code |
| 3 | SH01_BATCHDATE | Num | 8 | SH01 Batch Date |
| 4 | SH01_VERIFYER_CODE | Num | 8 | SH01 Verifyer Code |
| 5 | SH01_DATE_LAST_MODIFIED | Num | 8 | SH01 Date record was last modified |
| 6 | SH01_TIME_LAST_MODIFIED | Num | 8 | SH01 Time record was last modified |
| 7 | SH01_EDIT_STATUS_CODE | Num | 8 | SH01 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH01_VERSNNUM | Num | 8 | Version number |
| 11 | SH01_RANDDATE | Num | 8 | Randomization Date (in days from randomization) |
| 12 | SH01_SEQUENCE | Num | 8 | Sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH01_BIRTHDATE | Num | 8 | Birth Date (in days from randomization) |
| 15 | SH01_MED_STATUS | Num | 8 | Medication status |
| 16 | SH01_SYSTBP | Num | 8 | Initial Systolic blood pressure (mmHg) |
| 17 | SH01_DIASTBP | Num | 8 | Initial Diastolic blood pressure (mmHg) |
| 18 | SH01_ELIGIBLE | Num | 8 | Is subject eligible? |
| 19 | SH01_SYSTBP_BLV1 | Num | 8 | Systolic blood pressure at baseline visit 1 (mmHg) |
| 20 | SH01_DIASTBP_BLV1 | Num | 8 | Diastolic blood pressure at baseline visit 1 (mmHg) |
| 21 | SH01_SH06_DATA_TRANSMITTED | Num | 8 | SH06 Data transmitted correctly prior to RZ? |
| 22 | SH01_CREATININE_AVAILABLE | Num | 8 | Creatinine measurement available? |
| 23 | SH01_CREATININE | Num | 8 | Creatinine (mg/dl) |
| 24 | SH01_SYSTBP_BLV2 | Num | 8 | Systolic blood pressure at baseline visit 2 (mmHg) |
| 25 | SH01_DIASTBP_BLV2 | Num | 8 | Diastolic blood pressure at baseline visit 2 (mmHg) |
| 26 | SH01_EXCLUSIONS | Num | 8 | Exclusions present? |
| 27 | SH01_CONSENT_SIGNED | Num | 8 | Consent form signed? |
| 28 | SH01_SIGNATURE_CODE | Num | 8 | Signature code |
| 29 | SH01_SYSTBP_GOAL | Num | 8 | Goal systolic blood pressure (mmHg) |
| 30 | SH01_RANDGROUP | Num | 8 | Randomization group |
| 31 | SH01_C1_BOTTLENUM | Num | 8 | C-1 Bottle number |
| 32 | SH01_C2_BOTTLENUM | Num | 8 | C-2 Bottle number |
| 33 | SH01_A1_BOTTLENUM | Num | 8 | A-1 Bottle number |
| 34 | SH01_A2_BOTTLENUM | Num | 8 | A-2 Bottle number |
| 35 | SH01_R_BOTTLENUM | Num | 8 | R Bottle number |
| 36 | SH01_RECORD_TYPE | Char | 1 | SH01 Record type |
| 37 | SH01_DATE_RECEIVED | Num | 8 | SH01 Date Tape Received from Metpath Lab |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|---|
| 38 | SH01_UPDATE_NUMBER | Num | 8 | SH01 Update number of record |
| 39 | SH01_DATE_LAST_PROCESSED | Num | 8 | SH01 Date Last Processed |
| 40 | SH01_CROSS_FORM_EDITS | Num | 8 | SH01 Cross Form Edits |
| 41 | SH01_OBSOLETE_DATA | Num | 8 | SH01 Obsolete data |
| 42 | SH01_SYSTBP_LDEV | Num | 8 | Systolic blood pressure at Last Drug Evaluation Visit (mmHg) |
| 43 | SH01_DIASTBP_LDEV | Num | 8 | Diastolic blood pressure at Last Drug Evaluation Visit (mmHg) |

Data Set Name: sh03.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|--|
| 1 | SH03_RECORD_LENGTH | Num | 8 | SH03 Record Length |
| 2 | SH03_KEYPUNCH_CODE | Num | 8 | SH03 Keypuncher Code |
| 3 | SH03_BATCHDATE | Num | 8 | SH03 Batch Date |
| 4 | SH03_VERIFYER_CODE | Num | 8 | SH03 Verifyer Code |
| 5 | SH03_DATE_LAST_MODIFIED | Num | 8 | SH03 Date record was last modified |
| 6 | SH03_TIME_LAST_MODIFIED | Num | 8 | SH03 Time record was last modified |
| 7 | SH03_EDIT_STATUS_CODE | Num | 8 | SH03 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH03_VERSNNUM | Num | 8 | SH03 Version number |
| 11 | SH03_VISITDATE | Num | 8 | SH03 Visit Date (in days from randomization) |
| 12 | SH03_SEQUENCE | Num | 8 | SH03 Sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH03_VISITTIME_HR | Num | 8 | SH03 Visit time (hours) |
| 15 | SH03_VISITTIME_MIN | Num | 8 | SH03 Visit time (minutes) |
| 16 | SH03_VISITTIME_PERIOD | Num | 8 | SH03 Visit time period (am/pm) |
| 17 | SH03_Q1 | Num | 8 | Sex |
| 18 | SH03_Q2 | Num | 8 | Race (Asian, Hispanic, Other combined into response 3) |
| 19 | SH03_Q3 | Num | 8 | Highest grade or year of school completed? |
| 20 | SH03_Q4 | Num | 8 | Current employment status? |
| 21 | SH03_Q5 | Num | 8 | Current marital status? |
| 22 | SH03_Q6A | Num | 8 | Currently smoke cigarettes? |
| 23 | SH03_Q6B | Num | 8 | How many cigarettes do you now smoke per day? |
| 24 | SH03_Q6C | Num | 8 | How old were you when you started smoking? |
| 25 | SH03_Q7A | Num | 8 | Did you ever smoke cigarettes? |
| 26 | SH03_Q7B | Num | 8 | How many cigarettes a day did you usually smoke? |
| 27 | SH03_Q7C | Num | 8 | How old were you when you started smoking? |
| 28 | SH03_Q7D | Num | 8 | How old were you when you stopped smoking? |
| 29 | SH03_Q8A | Num | 8 | How often do you drink wine, beer or liquor? |
| 30 | SH03_Q8B | Num | 8 | When you drink alcohol, how many do you drink per day? |
| 31 | SH03_Q9A | Num | 8 | Are you taking any prescription medications? |
| 32 | SH03_Q9B | Num | 8 | Total number of prescription medications being taken? |
| 33 | SH03_Q10 | Num | 8 | Have you stopped taking any prescription meds in the past 2 weeks? |
| 34 | SH03_Q11A | Num | 8 | Are you presently taking any OTC medicines or supplements? |
| 35 | SH03_Q11B | Num | 8 | Total number of OTC medicines being taken |
| 36 | SH03_Q12A | Num | 8 | Would you object us sending BP results to your health care provider? |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 37 | SH03_Q12B | Num | 8 | Clinic Name or Doctor |
| 38 | SH03_RECORD_TYPE | Num | 8 | SH03 Record Type |
| 39 | SH03_DATE_RECEIVED | Num | 8 | SH03 Date Tape Received from Metpath Lab |
| 40 | SH03_UPDATE_NUMBER | Num | 8 | SH03 Update Number |
| 41 | SH03_DATE_LAST_PROCESSED | Num | 8 | SH03 Date Last Processed |
| 42 | SH03_PAPER_COPY | Num | 8 | SH03 Paper Copy |
| 43 | SH03_CROSS_FORM_EDITS | Num | 8 | SH03 Cross Form Edits |

Data Set Name: sh04.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|--|
| 1 | SH04_RECORD_LENGTH | Num | 8 | SH04 Record Length |
| 2 | SH04_KEYPUNCH_CODE | Num | 8 | SH04 Keypuncher Code |
| 3 | SH04_BATCHDATE | Num | 8 | SH04 Batch Date |
| 4 | SH04_VERIFYER_CODE | Num | 8 | SH04 Verifyer Code |
| 5 | SH04_DATE_LAST_MODIFIED | Num | 8 | SH04 Date record was last modified |
| 6 | SH04_TIME_LAST_MODIFIED | Num | 8 | SH04 Time record was last modified |
| 7 | SH04_EDIT_STATUS_CODE | Num | 8 | SH04 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH04_VERSNNUM | Num | 8 | SH04 Version number |
| 11 | SH04_VISITDATE | Num | 8 | SH04 Visit date (in days from randomization) |
| 12 | SH04_SEQUENCE | Num | 8 | SH04 Sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH04_VISITTIME_HR | Num | 8 | SH04 Visit time (hours) |
| 15 | SH04_VISITTIME_MIN | Num | 8 | SH04 Visit time (minutes) |
| 16 | SH04_VISITTIME_PERIOD | Num | 8 | SH04 Visit time period (am/pm) |
| 17 | SH04_Q1 | Num | 8 | Has a doctor ever said you have high blood pressure? |
| 18 | SH04_Q2 | Num | 8 | Has a doctor ever said you have high blood pressure severe enough for hospitalization? |
| 19 | SH04_Q3 | Num | 8 | Has a doctor ever said you have had a heart attack? |
| 20 | SH04_Q4 | Num | 8 | Has a doctor ever said you have angina? |
| 21 | SH04_Q5 | Num | 8 | Has a doctor ever said you have congenital heart problems? |
| 22 | SH04_Q6 | Num | 8 | Has a doctor ever said you have rheumatic heart problems? |
| 23 | SH04_Q7 | Num | 8 | Has a doctor ever said you have other heart problems |
| 24 | SH04_Q8 | Num | 8 | Has a doctor ever said you have had a stroke? |
| 25 | SH04_Q9 | Num | 8 | Has a doctor ever said you have epilepsy? |
| 26 | SH04_Q10 | Num | 8 | Has a doctor ever said you have memory problems or other brain problems? |
| 27 | SH04_Q11 | Num | 8 | Has a doctor ever said you have diabetes? |
| 28 | SH04_Q12 | Num | 8 | Has a doctor ever said you have gout? |
| 29 | SH04_Q13 | Num | 8 | Has a doctor ever said you have kidney problems (nephritis, infection, stones)? |
| 30 | SH04_Q14 | Num | 8 | Has a doctor ever said you have prostate problems (infection,enlargement)? |
| 31 | SH04_Q15 | Num | 8 | Has a doctor ever said you have problems of female organs? |
| 32 | SH04_Q16 | Num | 8 | Has a doctor ever said you have urinary tract infection or bladder problems? |
| 33 | SH04_Q17 | Num | 8 | Has a doctor ever said you have pneumonia |
| 34 | SH04_Q18 | Num | 8 | Has a doctor ever said you have lung problems (TB,emphysema,pleurisy,etc.)? |
| 35 | SH04_Q19 | Num | 8 | Has a doctor ever said you have a thyroid problem? |
| 36 | SH04_Q20 | Num | 8 | Has a doctor ever said you have stomach or duodenal ulcers? |

| Num | Variable | Туре | Len | Label | |
|-----|-------------|------|-----|---|--|
| 37 | SH04_Q21 | Num | 8 | Has a doctor ever said you have colitis or intenstinal problems? | |
| 38 | SH04_Q22 | Num | 8 | Has a doctor ever said you have liver problems (hepatitis,cirrhosis,etc.)? | |
| 39 | SH04_Q23 | Num | 8 | Has a doctor ever said you have gallstones or gall bladder disease? | |
| 40 | SH04_Q24 | Num | 8 | Has a doctor ever said you have anemia? | |
| 41 | SH04_Q25 | Num | 8 | Has a doctor ever said you have cancer? | |
| 42 | SH04_Q26 | Num | 8 | Has a doctor ever said you have nervous or emotional disorder? | |
| 43 | SH04_Q27 | Num | 8 | Has a doctor ever said you have arthritis? | |
| 44 | SH04_Q28 | Num | 8 | Has a doctor ever said you have hives or hay fever? | |
| 45 | SH04_Q29 | Num | 8 | Has a doctor ever said you have any other major diseases? | |
| 46 | SH04_Q30 | Num | 8 | During the past year, have you experienced skin rash or unusual bruises? | |
| 47 | SH04_Q31 | Num | 8 | During the past year, have you experienced headaches so bad you had to stop what you were doing? | |
| 48 | SH04_Q32 | Num | 8 | During the past year, have you experienced headaches, racing heart and sweating all at the same time? | |
| 49 | SH04_Q33 | Num | 8 | During the past year, have you experienced faintness or light-headedness when you stood up quickly? | |
| 50 | SH04_Q34 | Num | 8 | During the past year, have you experienced your heart beating unusually fast or skipping beats? | |
| 51 | SH04_Q35 | Num | 8 | During the past year, have you experienced blacking out or losing consciousness? | |
| 52 | SH04_Q36 | Num | 8 | During the past year, have you experienced frequent stomach pains? | |
| 53 | SH04_Q37 | Num | 8 | During the past year, have you experienced waking up early, having trouble getting back to sleep? | |
| 54 | SH04_Q38 | Num | 8 | During the past year, have you experienced black or tarry stools? | |
| 55 | SH04_Q39 | Num | 8 | During the past year, have you experienced bright red blood in your stools? | |
| 56 | SH04_Q40 | Num | 8 | During the past year, have you experienced weight loss without dieting? | |
| 57 | SH04_Q41_V1 | Num | 8 | About how many days over the past year were you kept in bed all day because of illness/injury? | |
| 58 | SH04_Q42A | Num | 8 | Have you ever had any pain or discomfort in your chest? | |
| 59 | SH04_Q42B | Num | 8 | Have you ever had any pressure or heaviness in your chest? | |
| 60 | SH04_Q42C | Num | 8 | Do you get this pain, discomfort, pressure or heaviness when you walk uphill or hurry? | |
| 61 | SH04_Q42D | Num | 8 | Do you get this pain, discomfort, pressure or heaviness when you walk at ordinary pace on the level ground? | |
| 62 | SH04_Q42E | Num | 8 | What do you do when you get this chest pain while you are walking? | |
| 63 | SH04_Q42F | Num | 8 | Does the chest pain go away when you stand still? | |
| 64 | SH04_Q42G | Num | 8 | How soon after you stand still does the pain go away? | |
| 65 | SH04_Q42H | Num | 8 | Do you experience chest pain or discomfort in location 1? | |
| 66 | SH04_Q42I | Num | 8 | Do you experience chest pain or discomfort in location 2? | |
| 67 | SH04_Q42J | Num | 8 | Do you experience chest pain or discomfort in location 3? | |
| 68 | SH04_Q43 | Num | 8 | Have you ever had severe pain across the front of your chest lasting for half an hour or more? | |
| 69 | SH04_Q44A | Num | 8 | Have you ever had a heart attack (myocardial infarction, coronary thrombosis)? | |

| Num | Variable | Туре | Len | Label | |
|-----|-----------|------|-----|--|--|
| 70 | SH04_Q44B | Num | 8 | Were you ever hospitalized for any heart attacks? | |
| 71 | SH04_Q44C | Num | 8 | How many heart attacks have you had? | |
| 72 | SH04_Q45A | Num | 8 | Do you get pain in either leg when walking? | |
| 73 | SH04_Q45B | Num | 8 | Does leg pain ever begin when standing still or sitting? | |
| 74 | SH04_Q45C | Num | 8 | Do you get leg pain in your calves? | |
| 75 | SH04_Q45D | Num | 8 | Do you get leg pain when you walk uphill or hurry? | |
| 76 | SH04_Q45E | Num | 8 | Do you get leg pain when you walk at ordinary pace on level ground? | |
| 77 | SH04_Q45F | Num | 8 | Does leg pain ever disappear while you are still walking? | |
| 78 | SH04_Q45G | Num | 8 | What do you do if you get leg pain while walking? | |
| 79 | SH04_Q45H | Num | 8 | Does leg pain go away when you stand still? | |
| 80 | SH04_Q45I | Num | 8 | How soon after you stand still does leg pain go away? | |
| 81 | SH04_Q46A | Num | 8 | Do you usually cough first thing in the morning in winter? | |
| 82 | SH04_Q46B | Num | 8 | Do you usually cough during the day or at night in the winter? | |
| 83 | SH04_Q46C | Num | 8 | Do you cough like this on most days for as much as 3 months each year? | |
| 84 | SH04_Q46D | Num | 8 | Do you usually bring up phlegm from your chest first thing in the morning in winter? | |
| 85 | SH04_Q46E | Num | 8 | Do you usually bring up phlegm from your chest during the day or at night in winter? | |
| 86 | SH04_Q46F | Num | 8 | Do you bring up phlegm on most days for as much as 3 months each year? | |
| 87 | SH04_Q46G | Num | 8 | In past 3 years, have you had a period of increased cough and phlegm for 3 or more weeks? | |
| 88 | SH04_Q47A | Num | 8 | Are you troubled by shortness of breath when hurrying on level ground or walking up slight hill? | |
| 89 | SH04_Q47B | Num | 8 | Do you get short of breath walking with people of your own age on level ground? | |
| 90 | SH04_Q47C | Num | 8 | Do you ever wake up at night gasping for breath? | |
| 91 | SH04_Q47D | Num | 8 | Do you get short of breath at night unless you sleep on two or more pillows? | |
| 92 | SH04_Q47E | Num | 8 | Have you ever had asthma? | |
| 93 | SH04_Q47F | Num | 8 | Have you had any asthma attacks in the past three years? | |
| 94 | SH04_Q47G | Num | 8 | Do you take medication to control or treat asthma? | |
| 95 | SH04_Q48A | Num | 8 | Have you ever had any sudden feeling of numbness, tingling etc. in arm, hand, leg foot or face? | |
| 96 | SH04_Q48B | Num | 8 | How many attacks of such numbness or tingling have you had? | |
| 97 | SH04_Q48C | Num | 8 | How long did each of the numbness attacks usually last? | |
| 98 | SH04_Q48D | Num | 8 | Did you see a doctor for the numbness/tingling/loss of feeling? | |
| 99 | SH04_Q49A | Num | 8 | Have you ever had any sudden attacks of paralysis/loss of use in arm, hand, leg or foot? | |
| 100 | SH04_Q49B | Num | 8 | How many attacks of such paralysis have you had? | |
| 101 | SH04_Q49C | Num | 8 | How long did attacks of paralysis last? | |
| 102 | SH04_Q49D | Num | 8 | Did you see a doctor for this paralysis? | |
| 103 | SH04_Q50A | Num | 8 | Have you ever had any sudden loss of eyesight or blurry vision for short period of time? | |

| Num | Variable | Туре | Len | Label | |
|-----|--------------------------|------|-----|--|--|
| 104 | SH04_Q50B | Num | 8 | What part of your vision was affected? | |
| 105 | SH04_Q50C | Num | 8 | How many attacks of loss of eyesight or blurry vision have you had? | |
| 106 | SH04_Q50D | Num | 8 | How long did the attack(s) of loss of eyesight/blurry vision usually last? | |
| 107 | SH04_Q50E | Num | 8 | Did you see a doctor for this vision problem? | |
| 108 | SH04_Q51A | Num | 8 | Have you ever had any sudden attacks of changes in speech or loss of speech? | |
| 109 | SH04_Q51B | Num | 8 | How many attacks of loss of speech have you had? | |
| 110 | SH04_Q51C | Num | 8 | How long did the attack(s) of loss of speech usually last? | |
| 111 | SH04_Q51D | Num | 8 | Did you see a doctor for your speech problem? | |
| 112 | SH04_Q52A | Num | 8 | Have you ever had dizziness? | |
| 113 | SH04_Q52B | Num | 8 | Have you ever had vertigo? | |
| 114 | SH04_Q52C | Num | 8 | Have you ever had loss of balance? | |
| 115 | SH04_Q52D | Num | 8 | Have you ever had difficulty walking? | |
| 116 | SH04_Q52E | Num | 8 | Have you ever had blackouts or fainting? | |
| 117 | SH04_Q52F | Num | 8 | Have you ever had frequent falls? | |
| 118 | SH04_Q53A | Num | 8 | Did you answer yes to any of the problems in question 52? | |
| 119 | SH04_Q53B | Num | 8 | About how many total attacks of all conditions checked do you think you ever had? | |
| 120 | SH04_Q53C | Num | 8 | How long did the attack(s) usually last? | |
| 121 | SH04_Q53D | Num | 8 | Did you see a doctor for any of these spells? | |
| 122 | SH04_Q54A | Num | 8 | Have you ever had surgery to improve blood flow in arteries or vessels? | |
| 123 | SH04_Q54B | Num | 8 | Did you have surgery on your neck vessels? | |
| 124 | SH04_Q54C | Num | 8 | Did you have surgery on your heart? | |
| 125 | SH04_Q54D | Num | 8 | Did you have surgery on your aorta or leg arteries? | |
| 126 | SH04_Q55A | Num | 8 | Have you been hospitalized for any reason within the past 5 years? | |
| 127 | SH04_Q56A | Num | 8 | Have you ever had a fractured hip? | |
| 128 | SH04_Q56B | Num | 8 | Have you ever had a fractured spine? | |
| 129 | SH04_Q56C | Num | 8 | Have you ever had a fractured forearm? | |
| 130 | SH04_Q57A | Num | 8 | About how many times would you say you have fallen for no obvious reason in the last 3 months? | |
| 131 | SH04_Q57B | Num | 8 | Did you have any injury from those falls that required a doctor's attention? | |
| 132 | SH04_Q58 | Num | 8 | Have any medicines you are/have taken ever caused a skin rash or allergic reaction? | |
| 133 | SH04_RECORD_TYPE | Num | 8 | SH04 Record Type | |
| 134 | SH04_DATE_RECEIVED | Num | 8 | SH04 Date Tape Received from Metpath Lab | |
| 135 | SH04_UPDATE_NUMBER | Num | 8 | SH04 Update Number | |
| 136 | SH04_DATE_LAST_PROCESSED | Num | 8 | SH04 Date Last Processed | |
| 137 | SH04_PAPER_COPY | Num | 8 | SH04 Paper Copy | |
| 138 | SH04_CROSS_FORM_EDITS | Num | 8 | SH04 Cross Form Edits | |
| 139 | SH04_Q59A | Num | 8 | Living alone at baseline | |
| 140 | SH04_Q59B | Num | 8 | Living with spouse at baseline | |

| Num | Variable | Туре | Len | Label |
|-----|--------------|------|-----|--|
| 141 | SH04_Q59C | Num | 8 | Living with related individuals at baseline |
| 142 | SH04_Q59D | Num | 8 | Living with non-related friends at baseline |
| 143 | SH04_Q59E | Num | 8 | Living with non-related paid help at baseline |
| 144 | SH04_Q59F | Num | 8 | Don't know living arrangements at baseline |
| 145 | SH04_Q41A_V2 | Num | 8 | How many days over past 2 weeks have you reduced social activities because you did not feel well? |
| 146 | SH04_Q41B_V2 | Num | 8 | How many days over past 2 weeks have you reduced major work activity at home because you did not feel well? |
| 147 | SH04_Q41C_V2 | Num | 8 | How many days over past 2 weeks have you reduced ordinary work activity at home because you did not feel well? |
| 148 | SH04_Q41D_V2 | Num | 8 | How many days over past 2 weeks have you spent most of the day in bed because you did not feel well? |

Data Set Name: sh06.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|--|
| 1 | SH06_RECORD_LENGTH | Num | 8 | SH06 Record Length |
| 2 | SH06_KEYPUNCH_CODE | Num | 8 | SH06 Keypuncher Code |
| 3 | SH06_BATCHDATE | Num | 8 | SH06 Batch Date |
| 4 | SH06_VERIFYER_CODE | Num | 8 | SH06 Verifyer Code |
| 5 | SH06_DATE_LAST_MODIFIED | Num | 8 | SH06 Date record was last modified |
| 6 | SH06_TIME_LAST_MODIFIED | Num | 8 | SH06 Time record was last modified |
| 7 | SH06_EDIT_STATUS_CODE | Num | 8 | SH06 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH06_VERSNNUM | Num | 8 | SH06 Version number |
| 11 | SH06_VISITDATE | Num | 8 | SH06 Visit Date (in days from randomization) |
| 12 | SH06_SEQUENCE | Num | 8 | SH06 Sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH06_BIRTHDATE | Num | 8 | Birth Date (in days from randomization, 0=999999) |
| 15 | SH06_ANTIHYPER_MEDS_IC | Num | 8 | Was participant on antihypertensive medications at Intial Contact? |
| 16 | SH06_ICV_DEV_SYSTBP1 | Num | 8 | Systolic Blood Pressure, ICV or DEV, Reading #1 |
| 17 | SH06_ICV_DEV_DIASTBP1 | Num | 8 | Diastolic Blood Pressure, ICV or DEV, Reading #1 |
| 18 | SH06_ICV_DEV_SYSTBP2 | Num | 8 | Systolic Blood Pressure, ICV or DEV, Reading #2 |
| 19 | SH06_ICV_DEV_DIASTBP2 | Num | 8 | Diastolic Blood Pressure, ICV or DEV, Reading #2 |
| 20 | SH06_ICV_DEV_SYSTBP3 | Num | 8 | Systolic Blood Pressure, ICV or DEV, Reading #3 |
| 21 | SH06_ICV_DEV_DIASTBP3 | Num | 8 | Diastolic Blood Pressure, ICV or DEV, Reading #3 |
| 22 | SH06_ICV_DEV_BPDATE | Num | 8 | Date of ICV or DEV Blood Pressure measurements |
| 23 | SH06_SSN | Num | 8 | Social Security Number |
| 24 | SH06_MEDICARE_NUMBER | Num | 8 | Medicare number |
| 25 | SH06_NOT_BP_ELIGIBLE | Num | 8 | Participant is not BP eligible |
| 26 | SH06_ECG | Num | 8 | ECG completed? |
| 27 | SH06_PHYSICAL | Num | 8 | Physical completed? |
| 28 | SH06_URINALYSIS | Num | 8 | Dipstick urinalysis completed? |
| 29 | SH06_BLOOD_DRAWN | Num | 8 | Blood sample drawn? |
| 30 | SH06_VISIT_RESULT | Num | 8 | Result of this visit |
| 31 | SH06_VISIT2_DATE | Num | 8 | Date of baseline visit 2 (in days from randomization) |
| 32 | SH06_VISIT2TIME_HR | Num | 8 | Hour of baseline visit 2 |
| 33 | SH06_VISIT2TIME_MIN | Num | 8 | Minutes of baseline visit 2 |
| 34 | SH06_VISIT2TIME_PERIOD | Num | 8 | Time period (am/pm) of baseline visit 2 |
| 35 | SH06_PULSE | Num | 8 | Pulse (bpm) |
| 36 | SH06_CUFFSIZE | Num | 8 | Cuff size |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 37 | SH06_SEATED_SYSTBP1 | Num | 8 | Systolic blood pressure, seated (reading 1) |
| 38 | SH06_SEATED_DIASTBP1 | Num | 8 | Diastolic blood pressure, seated (reading 1) |
| 39 | SH06_SEATED_SYSTBP_ZEROLVL1 | Num | 8 | Systolic blood pressure zero level, seated (reading 1) |
| 40 | SH06_SEATED_DIASTBP_ZEROLVL1 | Num | 8 | Diastolic blood pressure zero level, seated (reading 1) |
| 41 | SH06_SEATED_SYSTBP1_CORR | Num | 8 | Systolic blood pressure corrected, seated (reading 1) |
| 42 | SH06_SEATED_DIASTBP1_CORR | Num | 8 | Diastolic blood pressure corrected, seated (reading 1) |
| 43 | SH06_SEATED_SYSTBP2 | Num | 8 | Systolic blood pressure, seated (reading 2) |
| 44 | SH06_SEATED_DIASTBP2 | Num | 8 | Diastolic blood pressure, seated (reading 2) |
| 45 | SH06_SEATED_SYSTBP_ZEROLVL2 | Num | 8 | Systolic blood pressure zero level, seated (reading 2) |
| 46 | SH06_SEATED_DIASTBP_ZEROLVL2 | Num | 8 | Diastolic blood pressure zero level, seated (reading 2) |
| 47 | SH06_SEATED_SYSTBP2_CORR | Num | 8 | Systolic blood pressure corrected, seated (reading 2) |
| 48 | SH06_SEATED_DIASTBP2_CORR | Num | 8 | Diastolic blood pressure corrected, seated (reading 2) |
| 49 | SH06_SEATED_SYSTBP_SUM | Num | 8 | Sum of systolic blood pressure readings 1 and 2, seated |
| 50 | SH06_SEATED_DIASTBP_SUM | Num | 8 | Sum of diastolic blood pressure readings 1 and 2, seated |
| 51 | SH06_SEATED_SYSTBP_AVG | Num | 8 | Average diastolic blood pressure, seated |
| 52 | SH06_STAND_PULSE_1MIN | Num | 8 | Pulse (bpm), 1 minute |
| 53 | SH06_STAND_SYSTBP1 | Num | 8 | Systolic blood pressure, standing (reading 1) |
| 54 | SH06_STAND_DIASTBP1 | Num | 8 | Diastolic blood pressure, standing (reading 1) |
| 55 | SH06_STAND_SYSTBP_ZEROLVL1 | Num | 8 | Systolic blood pressure zero level, standing (reading 1) |
| 56 | SH06_STAND_DIASTBP_ZEROLVL1 | Num | 8 | Diastolic blood pressure zero level, standing (reading 1) |
| 57 | SH06_STAND_SYSTBP1_CORR | Num | 8 | Systolic blood pressure corrected, standing (reading 1) |
| 58 | SH06_STAND_DIASTBP1_CORR | Num | 8 | Diastolic blood pressure corrected, standing (reading 1) |
| 59 | SH06_STAND_PULSE_3MIN | Num | 8 | Pulse (bpm), 3 minutes |
| 60 | SH06_STAND_SYSTBP2 | Num | 8 | Systolic blood pressure, standing (reading 2) |
| 61 | SH06_STAND_DIASTBP2 | Num | 8 | Diastolic blood pressure, standing (reading 2) |
| 62 | SH06_STAND_SYSTBP_ZEROLVL2 | Num | 8 | Systolic blood pressure zero level, standing (reading 2) |
| 63 | SH06_STAND_DIASTBP_ZEROLVL2 | Num | 8 | Diastolic blood pressure zero level, standing (reading 2) |
| 64 | SH06_STAND_SYSTBP2_CORR | Num | 8 | Systolic blood pressure corrected, standing (reading 2) |
| 65 | SH06_STAND_DIASTBP2_CORR | Num | 8 | Diastolic blood pressure corrected, standing (reading 2) |
| 66 | SH06_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer any symptoms on standing? |
| 67 | SH06_DIZZINESS_STANDING | Num | 8 | Did participant volunteer dizziness on standing? |
| 68 | SH06_OTHER_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer other symptoms on standing? |
| 69 | SH06_BP_ELIGIBLE | Num | 8 | Eligibility check (based on average of two corrected bp readings) |
| 70 | SH06_BP_OBSERVER_CODE | Num | 8 | Observer code |
| 71 | SH06_BP_MEDICATION | Num | 8 | Currently (last 2 weeks) taking any blood pressure medications? |
| 72 | SH06_DIGITALIS | Num | 8 | Currently (last 2 weeks) taking digitalis? |
| 73 | SH06_NITRATES | Num | 8 | Currently (last 2 weeks) taking nitrates (including nitroglycerine)? |
| 74 | SH06_PROPRANOLOL | Num | 8 | Currently (last 2 weeks) taking propranolol (other beta blockers) for reasons other than BP? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 75 | SH06_ANTI_ARRHYTHMIC | Num | 8 | Currently (last 2 weeks) taking anti-arrhythmic drugs? |
| 76 | SH06_LIPID_LOWERING | Num | 8 | Currently (last 2 weeks) taking lipid-lowering drugs (clofibrate,cholestryramine, colestipol,etc.)? |
| 77 | SH06_GOUT_AGENTS | Num | 8 | Currently (last 2 weeks) taking agents for gout (including probenecid, allopurinol or colchicine)? |
| 78 | SH06_INSULIN | Num | 8 | Currently (last 2 weeks) taking insulin? |
| 79 | SH06_ORAL_HYPOGLYCEMIC | Num | 8 | Currently (last 2 weeks) taking oral hypoglycemic agents? |
| 80 | SH06_ANTICOAGULANTS | Num | 8 | Currently (last 2 weeks) taking anticoagulants? |
| 81 | SH06_ANTIBIOTICS | Num | 8 | Currently (last 2 weeks) taking antibiotics or anti-infection agents? |
| 82 | SH06_CORTISONE | Num | 8 | Currently (last 2 weeks) taking cortisone or other gluco corticoids? |
| 83 | SH06_AMPHETAMINES | Num | 8 | Currently (last 2 weeks) taking amphetamines or other stimulants? |
| 84 | SH06_FLURAZEPAM | Num | 8 | Currently (last 2 weeks) taking flurazepam or other sedative? |
| 85 | SH06_ANTI_DEPRESSANTS | Num | 8 | Currently (last 2 weeks) taking anti-depressants? |
| 86 | SH06_LIBRIUM_VALIUM | Num | 8 | Currently (last 2 weeks) taking librium, valium or other antianxiety agents? |
| 87 | SH06_OTHER_PHYSCOTROPIC | Num | 8 | Currently (last 2 weeks) taking other psychotropic agents? |
| 88 | SH06_POTASSIUM_SUPP | Num | 8 | Currently (last 2 weeks) taking potassium supplementation (other than dietary recommendations)? |
| 89 | SH06_ESTROGEN | Num | 8 | Currently (last 2 weeks) taking estrogen? |
| 90 | SH06_ANTURANE | Num | 8 | Currently taking anturane (sulfinpyrazone) for at least 4 weeks? |
| 91 | SH06_PERSANTINE | Num | 8 | Currently taking persantine (dipyridamole) for at least 4 weeks? |
| 92 | SH06_ASPIRIN | Num | 8 | Currently taking aspirin for at least 4 weeks? |
| 93 | SH06_NON_STEROIDAL | Num | 8 | Currently (last 2 weeks) taking non-steroidal anti-inflammatory drugs? |
| 94 | SH06_WEIGHT | Num | 8 | Weight (in pounds) |
| 95 | SH06_HEIGHT | Num | 8 | Height (in inches) |
| 96 | SH06_SKIN_EXAM | Num | 8 | Skin exam results |
| 97 | SH06_HEAD_EXAM | Num | 8 | Head, ears, nose and throat exam results |
| 98 | SH06_EYES_FUNDI_EXAM | Num | 8 | Eye exam, fundi exam results |
| 99 | SH06_EYES_OTHER_EXAM | Num | 8 | Eye exam, other parts of eye examined? |
| 100 | SH06_NECK_RAISED_JUGULAR | Num | 8 | Neck exam, raised jugular venous pressure? |
| 101 | SH06_NECK_CAROTID_BRUITS | Num | 8 | Neck exam, carotid bruits? |
| 102 | SH06_NECK_CAROTID_BRUITS_POS | Num | 8 | Neck exam, position of carotid bruits? |
| 103 | SH06_NECK_CAROTID_PULSES_ABSENT | Num | 8 | Neck exam, carotid pulses absent or markedly diminished? |
| 104 | SH06_NECK_CAROTID_PULSES_POS | Num | 8 | Neck exam, position of absent carotid pulses? |
| 105 | SH06_NECK_THYROID_ABNORMAL | Num | 8 | Neck exam, thryoid abnormality? |
| 106 | SH06_NECK_OTHER_PROBLEM | Num | 8 | Neck exam, other neck problems? |
| 107 | SH06_LYMPH_NODES_EXAM | Num | 8 | Lymph node exam results? |
| 108 | SH06_CHEST_RALES_DONT_CLEAR | Num | 8 | Chest exam, bilateral rales that do not clear with coughing? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 109 | SH06_CHEST_RESP_RATE_GE20 | Num | 8 | Chest exam, respiratory rate 20 or more? |
| 110 | SH06_CHEST_WHEEZING | Num | 8 | Chest exam, wheezing? |
| 111 | SH06_CHEST_OTHER_PROBLEM | Num | 8 | Chest exam, other problems? |
| 112 | SH06_HEART_PMI_GE2CM | Num | 8 | Heart exam, PMI more than 2 cm lateral to midclavicular line? |
| 113 | SH06_HEART_MURMUR | Num | 8 | Heart exam, any murmur? |
| 114 | SH06_HEART_THIRD_SOUND | Num | 8 | Heart exam, third heart sound? |
| 115 | SH06_HEART_FOURTH_SOUND | Num | 8 | Heart exam, fourth heart sound? |
| 116 | SH06_HEART_PULSE_IRREGULAR | Num | 8 | Heart exam, pulse irregular? |
| 117 | SH06_HEART_OTHER_PROBLEM | Num | 8 | Heart exam, other heart problems? |
| 118 | SH06_BREAST_EXAM | Num | 8 | Breast exam results? |
| 119 | SH06_ABDOMEN_LIVERSPAN_GE10CM | Num | 8 | Abdomen exam, liver span 10 cm or more? |
| 120 | SH06_ABDOMEN_ABNORMAL_PULSE | Num | 8 | Abdomen exam, abnormal abdominal pulse? |
| 121 | SH06_ABDOMEN_MASSES | Num | 8 | Abdomen exam, any masses? |
| 122 | SH06_ABDOMEN_BRUIT | Num | 8 | Abdomen exam, bruit? |
| 123 | SH06_ABDOMEN_OTHER_PROBLEM | Num | 8 | Abdomen exam, other abdomen problems? |
| 124 | SH06_EXTREMITY_ANKLE_EDEMA | Num | 8 | Extremity exam, pitting ankle edema? |
| 125 | SH06_EXTREMITY_FEMORAL_BRUIT | Num | 8 | Extremity exam, femoral bruit? |
| 126 | SH06_EXTREMITY_PULSES_ABSENT | Num | 8 | Extremity exam, any peripheral pulses absent/markedly diminished? |
| 127 | SH06_EXTREMITY_OTHER_PROBLEM | Num | 8 | Extremity exam, other extremity problems? |
| 128 | SH06_NEURO_GAIT_LEFT | Num | 8 | Neurological exam, left hemiparetic gait? |
| 129 | SH06_NEURO_GAIT_RIGHT | Num | 8 | Neurological exam, right hemiparetic gait? |
| 130 | SH06_NEURO_WALK_TOES_LEFT_WEAK | Num | 8 | Neurological exam, walking on toes left weakness? |
| 131 | SH06_NEURO_WALK_TOES_RIGHT_WEAK | Num | 8 | Neurological exam, walking on toes right weakness? |
| 132 | SH06_NEURO_WALK_HEELS_LEFT_WEAK | Num | 8 | Neurological exam, walking on heels left weakness? |
| 133 | SH06_NEURO_WALK_HEELS_RIGHT_WEAK | Num | 8 | Neurological exam, walking on heels right weakness? |
| 134 | SH06_NEURO_STAND_EYES_CLOSED | Num | 8 | Neurological exam, stand stationary for 30 seconds with eyes closed? |
| 135 | SH06_NEURO_STAND_EYES_OPEN | Num | 8 | Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) |
| 136 | SH06_NEURO_CRANIAL_LEFT_WEAK | Num | 8 | Neurological exam, cranial nerves, facial weakness left? |
| 137 | SH06_NEURO_CRANIAL_RIGHT_WEAK | Num | 8 | Neurological exam, cranial nerves, facial weakness right? |
| 138 | SH06_NEURO_VISUAL_DEFICIT_LEFT | Num | 8 | Neurological exam, visual field deficit, left side? |
| 139 | SH06_NEURO_VISUAL_DEFICIT_RIGHT | Num | 8 | Neurological exam, visual field deficit, right side? |
| 140 | SH06_NEURO_EXTENSORS_LEFT_WEAK | Num | 8 | Neurological exam, motor wrist extensors, left weakness? |
| 141 | SH06_NEURO_EXTENSORS_RIGHT_WEAK | Num | 8 | Neurological exam, motor wrist extensors, right weakness? |
| 142 | SH06_NEURO_COORD_LEFT_PATTING | Num | 8 | Neurological exam, coordination, left hand patting? |
| 143 | SH06_NEURO_COORD_RIGHT_PATTING | Num | 8 | Neurological exam, coordination, right hand patting? |
| 144 | SH06_NEURO_REFLEX_PATELLA_ASSYM | Num | 8 | Neurological exam, reflexes, assymetry of patellar tendon? |
| 145 | SH06_NEURO_REFLEX_BABINSKI_LEFT | Num | 8 | Neurological exam, reflexes, Babinski sign left? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|--|
| 146 | SH06_NEURO_REFLEX_BABINSKI_RIGHT | Num | 8 | Neurological exam, reflexes, Babinski sign right? |
| 147 | SH06_NEURO_SPEECH_PROBLEMS | Num | 8 | Neurological exam, speech or language problems? |
| 148 | SH06_OTHER_PHYSICAL_FINDINGS | Num | 8 | Other physical findings? |
| 149 | SH06_CLINICIAN_CODE | Num | 8 | Clinician code |
| 150 | SH06_MALIG_HYPERTENSION_EVER | Num | 8 | On basis of history and physical exam, do you believe participant ever had malignant hypertension? |
| 151 | SH06_ANGINA_PECTORIS | Num | 8 | On basis of history and physical exam, do you believe participant has angina pectoris? |
| 152 | SH06_MYO_INFARC_EVER | Num | 8 | On basis of history and physical exam, do you believe participant ever had a myocardial infarction? |
| 153 | SH06_MYO_INFARC_LAST6MOS | Num | 8 | Was myocardial infarction in the last 6 months? |
| 154 | SH06_CORONARY_BYPASS_EVER | Num | 8 | Is there a history of coronary bypass? |
| 155 | SH06_CORONARY_BYPASS_LAST6MOS | Num | 8 | Was coronary bypass in last 6 months? |
| 156 | SH06_CONGEST_HEART_FAIL_LASTYR | Num | 8 | On basis of history and physical exam, do you believe participant has had congestive heart failure during last year? |
| 157 | SH06_ECG_ATRIAL_FLUTTER | Num | 8 | ECG results, atrial fibrillation or flutter present? |
| 158 | SH06_ECG_2ND_3RD_DEG_AV_BLOCK | Num | 8 | ECG results, second or third degree A-V block present? |
| 159 | SH06_ECG_VPBS | Num | 8 | ECG results, VPBs multifocal, pairs or runs, or more than 10% of beats? |
| 160 | SH06_ECG_BRADYCARDIA | Num | 8 | ECG results, braycardia (<50 beats/min)? |
| 161 | SH06_ECG_PACEMAKER | Num | 8 | Does participant currently have a pacemaker? |
| 162 | SH06_VASCULAR_SURG_EVER | Num | 8 | History of vascular surgery? |
| 163 | SH06_VASCULAR_SURG_BYPASS_GRAFT | Num | 8 | History of aortic, iliac, popliteal or femoral bypass or graft? |
| 164 | SH06_VASCUALR_SURG_OTHER | Num | 8 | History of other vascular surgery? |
| 165 | SH06_ARTERIAL_DISEASE | Num | 8 | On basis of history and physical exam, does participant have arterial disease with tissue necrosis? |
| 166 | SH06_CHRONIC_BRONCHITIS | Num | 8 | On basis of history and physical exam, does participant have chronic bronchitis? |
| 167 | SH06_EMPHYSEMA | Num | 8 | On basis of history and physical exam, does participant have emphysema? |
| 168 | SH06_STROKE_EVER | Num | 8 | On basis of history and physical exam, and keeping SHEP criteria in mind, do you believe participant has ever had a stroke? |
| 169 | SH06_STROKE_MOST_RECENT_MO | Num | 8 | When was the most recent (month) episode of probable stroke (not TIA)? |
| 170 | SH06_STROKE_MOST_RECENT_YR | Num | 8 | When was the most recent (year) episode of probable stroke (not TIA)? |
| 171 | SH06_STROKE_RESIDUAL_EFFECTS | Num | 8 | Are there any residual effects of stroke still present? |
| 172 | SH06_TIA_ATTACKS_LASTYR | Num | 8 | On basis of history and physical exam, do you believe participant has had TIA attacks within the last 12 months? |
| 173 | SH06_CAROTID_ENDARTERECTOMY | Num | 8 | Is there a history of carotid endarterectomy? |
| 174 | SH06_CHLORTHALIDONE_CONTRAINDIC | Num | 8 | On basis of history and physical exam, does participant have any contraindication to chlorthalidone? |
| 175 | SH06_ATENOLOL_CONTRAINDIC | Num | 8 | On basis of history and physical exam, does participant have any contraindication to atenolol? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 176 | SH06_RESERPINE_CONTRAINDIC | Num | 8 | On basis of history and physical exam, does participant have any contraindication to reserpine? |
| 177 | SH06_ATENOLOL_AND_RESERPINE | Num | 8 | Does participant have contraindication to atenolol and reserpine? |
| 178 | SH06_ALCOHOLISM | Num | 8 | On basis of history and physical exam, do you believe participant currently drinks 6+ drinks/day or that alcoholism/liver disease has been present in past? |
| 179 | SH06_DEMENTIA | Num | 8 | On basis of history and physical exam, do you believe participant definitely has any form of dementia? |
| 180 | SH06_ALLERGIC_TO_SHEP_MEDS | Num | 8 | On basis of history and physical exam, do you believe participant is allergic to one of the SHEP medications? |
| 181 | SH06_LIFE_THREATENING_DISEASE | Num | 8 | On basis of history and physical exam, is there any life-threatening disease/other reason that might impair individual's participation over next 5 yrs? |
| 182 | SH06_FRACTURE_HIP_EVER | Num | 8 | Do you believe the participant has ever had a fracture of the hip? |
| 183 | SH06_FRACTURE_SPINE_EVER | Num | 8 | Do you believe the participant has ever had a fracture of the spine? |
| 184 | SH06_FRACTURE_FOREARM_EVER | Num | 8 | Do you believe the participant has ever had a fracture of the forearm? |
| 185 | SH06_FREQUENT_FALLS | Num | 8 | Do you believe the participant has had a problem with frequent falls? |
| 186 | SH06_ELIGIBILITY | Num | 8 | Based on the information in this review, is the participant eligible for SHEP? |
| 187 | SH06_ELIGIBILITY_CLINICIAN_CODE | Num | 8 | Clinician code for person completing eligibility assessment |
| 188 | SH06_HIST_KIDNEY_DISEASE | Num | 8 | Does participant have a history of kidney disease or protein or blood in urine? |
| 189 | SH06_RECORD_TYPE | Num | 8 | Record Type |
| 190 | SH06_DATE_RECEIVED | Num | 8 | SH06 Date Tape Received from Metpath Lab |
| 191 | SH06_UPDATE_NUMBER | Num | 8 | SH06 Update Number |
| 192 | SH06_DATE_LAST_PROCESSED | Num | 8 | SH06 Date Last Processed |
| 193 | SH06_PAPER_COPY | Num | 8 | SH06 Paper Copy |
| 194 | SH06_CROSS_FORM_EDITS | Num | 8 | SH06 Cross Form Edits |
| 195 | SH06_SH04FORM | Num | 8 | Completed Baseline Medical History form (SH04)? |
| 196 | SH06_END_VISIT_PERSON_CODE | Num | 8 | Code of person who completed section of form at termination of visit |
| 197 | SH06_ICV_DATE | Num | 8 | Date of Initial Contact Visit (in days from randomization) |
| 198 | SH06_ICV_SYSTBP1 | Num | 8 | Systolic Blood Pressure, Reading #1 at ICV |
| 199 | SH06_ICV_DIASTBP1 | Num | 8 | Diastolic Blood Pressure, Reading #1 at ICV |
| 200 | SH06_ICV_SYSTBP2 | Num | 8 | Systolic Blood Pressure, Reading #2 at ICV |
| 201 | SH06_ICV_DIASTBP2 | Num | 8 | Diastolic Blood Pressure, Reading #2 at ICV |
| 202 | SH06_ICV_SYSTBP3 | Num | 8 | Systolic Blood Pressure, Reading #3 at ICV |
| 203 | SH06_ICV_DIASTBP3 | Num | 8 | Diastolic Blood Pressure, Reading #3 at ICV |
| 204 | SH06_ANTIHYPER_MED_WTHDRWDATE | Num | 8 | Date of withdrawal of antihypertensive medications (in days from randomization) |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 205 | SH06_WTHDRW_SYSTBP1 | Num | 8 | Systolic Blood Pressure, Reading #1 at withdraw date of antihypertensive medication |
| 206 | SH06_WTHDRW_DIASTBP1 | Num | 8 | Diastolic Blood Pressure, Reading #1 at withdraw date of antihypertensive medication |
| 207 | SH06_WTHDRW_SYSTBP2 | Num | 8 | Systolic Blood Pressure, Reading #2 at withdraw date of antihypertensive medication |
| 208 | SH06_WTHDRW_DIASTBP2 | Num | 8 | Diastolic Blood Pressure, Reading #2 at withdraw date of antihypertensive medication |
| 209 | SH06_WTHDRW_SYSTBP3 | Num | 8 | Systolic Blood Pressure, Reading #3 at withdraw date of antihypertensive medication |
| 210 | SH06_WTHDRW_DIASTBP3 | Num | 8 | Diastolic Blood Pressure, Reading #3 at withdraw date of antihypertensive medication |
| 211 | SH06_DEV_DATE | Num | 8 | Date of most recent Drug Evaluation Visit (in days from randomization) |
| 212 | SH06_DEV_SYSTBP1 | Num | 8 | Systolic Blood Pressure, Reading #1 at DEV |
| 213 | SH06_DEV_DIASTBP1 | Num | 8 | Diastolic Blood Pressure, Reading #1 at DEV |
| 214 | SH06_DEV_SYSTBP2 | Num | 8 | Systolic Blood Pressure, Reading #2 at DEV |
| 215 | SH06_DEV_DIASTBP2 | Num | 8 | Diastolic Blood Pressure, Reading #2 at DEV |
| 216 | SH06_DEV_SYSTBP3 | Num | 8 | Systolic Blood Pressure, Reading #3 at DEV |
| 217 | SH06_DEV_DIASTBP3 | Num | 8 | Diastolic Blood Pressure, Reading #3 at DEV |
| 218 | SH06_POP_OBSERVED | Num | 8 | Pulse Obliteration Pressure, Observed value |
| 219 | SH06_POP_SUBTRACT_ZEROLVL | Num | 8 | Pulse Obliteration Pressure, Zero level |
| 220 | SH06_POP_CORRECTED_VALUE | Num | 8 | Pulse Obliteration Pressure, Corrected value |
| 221 | SH06_POP_MAXZEROLVL_PLUS20 | Num | 8 | Pulse Obliteration Pressure, Maximum zero level plus 20 |
| 222 | SH06_POP_PEAK_INFLATION | Num | 8 | Pulse Obliteration Pressure, Peak inflation level |
| 223 | SH06_BLOOD_DRAWN_SER_CREAT | Num | 8 | Was blood sample drawn for local determination of serum creatinine? |
| 224 | SH06_LOCAL_CREATININE_RESULT | Num | 8 | Local creatinine result |
| 225 | SH06_TIMOPTIC_EYE_DROPS | Num | 8 | Currently (last 2 weeks) taking timoptic eye drops? |
| 226 | SH06_EXPERIMENTAL_DRUGS | Num | 8 | Currently (last 2 weeks) taking any experimental drugs? |
| 227 | SH06_ANGIOPLASTY | Num | 8 | Is there a history of angioplasty? |

Data Set Name: sh07.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|---|
| 1 | SH07_RECORD_LENGTH | Num | 8 | SH07 Record Length |
| 2 | SH07_KEYPUNCH_CODE | Num | 8 | SH07 Keypuncher Code |
| 3 | SH07_BATCHDATE | Num | 8 | SH07 Batch Date |
| 4 | SH07_VERIFYER_CODE | Num | 8 | SH07 Verifyer Code |
| 5 | SH07_DATE_LAST_MODIFIED | Num | 8 | SH07 Date record was last modified |
| 6 | SH07_TIME_LAST_MODIFIED | Num | 8 | SH07 Time record was last modified |
| 7 | SH07_EDIT_STATUS_CODE | Num | 8 | SH07 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH07_VERSNNUM | Num | 8 | SH07 Version number |
| 11 | SH07_VISITDATE | Num | 8 | SH07 Visit Date (in days from randomization) |
| 12 | SH07_SEQUENCE | Num | 8 | SH07 Sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH07_BV2_REPEAT | Num | 8 | Is this a repeat Baseline Visit 2? |
| 15 | SH07_PREV_BV2_SYSTBP | Num | 8 | Previous BV2 Systolic blood pressure (average of corrected readings) (mmHg) |
| 16 | SH07_PREV_BV2_DIASTBP | Num | 8 | Previous BV2 Diastolic blood pressure (average of corrected readings) (mmHg) |
| 17 | SH07_VISIT_RESULT | Num | 8 | Result of Baseline Visit 2 |
| 18 | SH07_INELIGIBLE_REASON | Num | 8 | Reason Participant is not eligible |
| 19 | SH07_GOAL_SYSTBP | Num | 8 | Goal Systolic Blood Pressure (mmHg) |
| 20 | SH07_DRUG1_BOTTLENUM | Num | 8 | Bottle Number of step 1, dose 1 drug |
| 21 | SH07_CLINIC_APPT | Num | 8 | Clinic appointment for one month visit scheduled? |
| 22 | SH07_CLINIC_APPT_DATE | Num | 8 | Date of clinic appointment (in days from randomization) |
| 23 | SH07_CLINIC_APPT_TIME_HR | Num | 8 | Time of clinic appointment, Hour |
| 24 | SH07_CLINIC_APPT_TIME_MIN | Num | 8 | Time of clinic appointment, minutes |
| 25 | SH07_CLINIC_APPT_TIME_PERIOD | Num | 8 | Time period (am/pm) of clinic appointment |
| 26 | SH07_PULSE | Num | 8 | Pulse |
| 27 | SH07_CUFFSIZE | Num | 8 | Cuff size |
| 28 | SH07_SEATED_SYSTBP1 | Num | 8 | Systolic blood pressure, seated (reading #1) |
| 29 | SH07_SEATED_DIASTBP1 | Num | 8 | Diastolic blood pressure, seated (reading #1) |
| 30 | SH07_SEATED_SYSTBP_ZEROLVL1 | Num | 8 | Systolic zero level, seated (reading #1) |
| 31 | SH07_SEATED_DIASTBP_ZEROLVL1 | Num | 8 | Diastolic zero level, seated (reading #1) |
| 32 | SH07_SEATED_SYSTBP1_CORR | Num | 8 | Corrected systolic blood pressure, seated (reading #1) |
| 33 | SH07_SEATED_DIASTBP1_CORR | Num | 8 | Corrected diastolic blood pressure, seated (reading #1) |
| 34 | SH07_SEATED_SYSTBP2 | Num | 8 | Systolic blood pressure, seated (reading #2) |
| 35 | SH07_SEATED_DIASTBP2 | Num | 8 | Diastolic blood pressure, seated (reading #2) |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 36 | SH07_SEATED_SYSTBP_ZEROLVL2 | Num | 8 | Systolic zero level, seated (reading #2) |
| 37 | SH07_SEATED_DIASTBP_ZEROLVL2 | Num | 8 | Diastolic zero level, seated (reading #2) |
| 38 | SH07_SEATED_SYSTBP2_CORR | Num | 8 | Corrected systolic blood pressure, seated (reading #2) |
| 39 | SH07_SEATED_DIASTBP2_CORR | Num | 8 | Corrected diastolic blood pressure, seated (reading #2) |
| 40 | SH07_SEATED_SYSTBP_SUM | Num | 8 | Sum of two corrected Systolic blood pressure readings, seated |
| 41 | SH07_SEATED_DIASTBP_SUM | Num | 8 | Sum of two corrected Diastolic blood pressure readings, seated |
| 42 | SH07_SEATED_SYSTBP_AVG | Num | 8 | Average of two corrected Systolic blood pressure readings, seated |
| 43 | SH07_SEATED_DIASTBP_AVG | Num | 8 | Average of two corrected Diastolic blood pressure readings, seated |
| 44 | SH07_STAND_PULSE_1MIN | Num | 8 | Pulse, standing (1 minute) |
| 45 | SH07_STAND_SYSTBP_1MIN | Num | 8 | Systolic blood pressure, standing (1 minute) |
| 46 | SH07_STAND_DIASTBP_1MIN | Num | 8 | Diastolic blood pressure, standing (1 minute) |
| 47 | SH07_STAND_SYSTBP_ZEROLVL_1MIN | Num | 8 | Systolic blood pressure zero level, standing (1 minute) |
| 48 | SH07_STAND_DIASTBP_ZEROLVL_1MIN | Num | 8 | Diastolic blood pressure zero level, standing (1 minute) |
| 49 | SH07_STAND_SYSTBP_1MIN_CORR | Num | 8 | Corrected systolic blood pressure, standing (1 minute) |
| 50 | SH07_STAND_DIASTBP_1MIN_CORR | Num | 8 | Corrected diastolic blood pressure, standing (1 minute) |
| 51 | SH07_STAND_PULSE_3MIN | Num | 8 | Pulse, standing (3 minute) |
| 52 | SH07_STAND_SYSTBP_3MIN | Num | 8 | Systolic blood pressure, standing (3 minute) |
| 53 | SH07_STAND_DIASTBP_3MIN | Num | 8 | Diastolic blood pressure, standing (3 minute) |
| 54 | SH07_STAND_SYSTBP_ZEROLVL_3MIN | Num | 8 | Systolic blood pressure zero level, standing (3 minute) |
| 55 | SH07_STAND_DIASTBP_ZEROLVL_3MIN | Num | 8 | Diastolic blood pressure zero level, standing (3 minute) |
| 56 | SH07_STAND_SYSTBP_3MIN_CORR | Num | 8 | Corrected systolic blood pressure, standing (3 minute) |
| 57 | SH07_STAND_DIASTBP_3MIN_CORR | Num | 8 | Corrected diastolic blood pressure, standing (3 minute) |
| 58 | SH07_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer any symptoms on standing? |
| 59 | SH07_DIZZINESS_STANDING | Num | 8 | Did participant volunteer dizziness on standing? |
| 60 | SH07_OTHER_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer other symptoms on standing? |
| 61 | SH07_BP_ELIGIBLE | Num | 8 | Eligibility check (using average of two corrected BP readings)? |
| 62 | SH07_BV1_AVG_SYSTRZBP | Num | 8 | Average R-Z Systolic blood pressure, Baseline Visit 1 |
| 63 | SH07_BV1_AVG_DIASTRZBP | Num | 8 | Average R-Z Diastolic blood pressure, Baseline Visit 1 |
| 64 | SH07_BV2_AVG_SYSTRZBP | Num | 8 | Average R-Z Systolic blood pressure, from Section 5b |
| 65 | SH07_BV2_AVG_DIASTRZBP | Num | 8 | Average R-Z Diastolic blood pressure, from Section 5b |
| 66 | SH07_SUM_AVG_SYSTRZBP | Num | 8 | Sum of average R-Z systolic blood pressure, BV1 + BV2 |
| 67 | SH07_SUM_AVG_DIASTRZBP | Num | 8 | Sum of average R-Z diastolic blood pressure, BV1 + BV2 |
| 68 | SH07_BASELINE_SYSTRZBP | Num | 8 | Baseline R-Z systolic blood pressure, ((BV1+BV2)/2) |
| 69 | SH07_BASELINE_DIASTRZBP | Num | 8 | Baseline R-Z diastolic blood pressure, ((BV1+BV2)/2) |
| 70 | SH07_BASELINE_BP_ELIGIBLE | Num | 8 | Baseline blood pressure eligibility (Average of BV1 and BV2) |
| 71 | SH07_CREATININE_ELIGIBLE | Num | 8 | Creatinine eligibility |
| 72 | SH07_OBSERVERS_CODE | Num | 8 | Observer's code |
| 73 | SH07_DEMENTIA_EVAL | Num | 8 | Result of SHORTCARE evaluation, dementia component |
| 74 | SH07_SLV_UNWELL | Num | 8 | Since last visit, have you felt unwell? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|--|
| 75 | SH07_SLV_DIFFERENT_PROBS | Num | 8 | Are any of these problems different from the way things were at last visit? |
| 76 | SH07_SLV_DOC_VISIT | Num | 8 | Since last visit, have you seen a doctor for any reason? |
| 77 | SH07_SLV_HOSP | Num | 8 | Since your last visit, have you been in the hospital for any reason? |
| 78 | SH07_SLV_HOSP_NUMVISITS | Num | 8 | Number of times in hospital since last visit |
| 79 | SH07_SLV_HOSP_VISIT1_DATE | Num | 8 | Date of first visit to hospital (in days from randomization) |
| 80 | SH07_SLV_HOSP_VISIT1_DAYS | Num | 8 | Length of first hospital stay (in days) |
| 81 | SH07_SLV_HOSP_VISIT2_DATE | Num | 8 | Date of second visit to hospital (in days from randomization) |
| 82 | SH07_SLV_HOSP_VISIT2_DAYS | Num | 8 | Length of second hospital stay (in days) |
| 83 | SH07_SLV_HOSP_VISIT3_DATE | Num | 8 | Date of third visit to hospital (in days from randomization) |
| 84 | SH07_SLV_HOSP_VISIT3_DAYS | Num | 8 | Length of third hospital stay (in days) |
| 85 | SH07_NUMBNESS_SLV | Num | 8 | Since your last visit, have you had unusual coldness or numbness in hands/feet? |
| 86 | SH07_NUMBNESS_NEW | Num | 8 | Is this new since last visit? |
| 87 | SH07_NUMBNESS_FREQ | Num | 8 | Frequency of unusual coldness or numbness in hands/feet |
| 88 | SH07_NUMBNESS_SEVERITY | Num | 8 | Severity of unusual coldness or numbness in hands/feet |
| 89 | SH07_SKIN_RASH_SLV | Num | 8 | Since your last visit, have you had unusual skin rash or bruising? |
| 90 | SH07_SKIN_RASH_NEW | Num | 8 | Is this new since last visit? |
| 91 | SH07_SKIN_RASH_FREQ | Num | 8 | Frequency of unusual skin rash or bruising |
| 92 | SH07_SKIN_RASH_SEVERITY | Num | 8 | Severity of unusual skin rash or bruising |
| 93 | SH07_SKIN_RASH_PRESENT | Num | 8 | Is an acute skin rash present on physical exam? |
| 94 | SH07_IMBALANCE_SLV | Num | 8 | Since your last visit, have you had feelings of unsteadiness or imbalance? |
| 95 | SH07_IMBALANCE_NEW | Num | 8 | Is this new since last visit? |
| 96 | SH07_IMBALANCE_FREQ | Num | 8 | Frequency of feelings of unsteadiness or imbalance |
| 97 | SH07_IMBALANCE_SEVERITY | Num | 8 | Severity of feelings of unsteadiness or imbalance |
| 98 | SH07_LIGHTHEADED_SLV | Num | 8 | Since your last visit, have you had faintness or light headedness when stand up quickly? |
| 99 | SH07_LIGHTHEADED_NEW | Num | 8 | Is this new since last visit? |
| 100 | SH07_LIGHTHEADED_FREQ | Num | 8 | Frequency of faintness or light headedness when stand up quickly |
| 101 | SH07_LIGHTHEADED_SEVERITY | Num | 8 | Severity of faintness or light headedness when stand up quickly |
| 102 | SH07_PASSOUT_SLV | Num | 8 | Since your last visit, have you had loss of consciousness or passing out? |
| 103 | SH07_PASSOUT_NEW | Num | 8 | Is this new since last visit? |
| 104 | SH07_PASSOUT_FREQ | Num | 8 | Frequency of loss of consciousness or passing out |
| 105 | SH07_PASSOUT_SEVERITY | Num | 8 | Severity of loss of consciousness or passing out |
| 106 | SH07_DROP_IN_BP | Num | 8 | Is there an observable postural drop in blood pressure? |
| 107 | SH07_FALLS_SLV | Num | 8 | Since your last visit, have you had falls? |
| 108 | SH07_FALLS_NEW | Num | 8 | Is this new since last visit? |
| 109 | SH07_FALLS_FREQ | Num | 8 | Frequency of falls |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|--|
| 110 | SH07_FALLS_SEVERITY | Num | 8 | Severity of falls |
| 111 | SH07_FRACTURES_SLV | Num | 8 | Since your last visit, have you had fractures? |
| 112 | SH07_FRACTURES_NEW | Num | 8 | Is this new since last visit? |
| 113 | SH07_FRACTURES_FREQ | Num | 8 | Frequency of fractures |
| 114 | SH07_FRACTURES_SEVERITY | Num | 8 | Severity of fractures |
| 115 | SH07_FRACTURES_HIP | Num | 8 | Hip fracture since last visit? |
| 116 | SH07_FRACTURES_SPINE | Num | 8 | Spine fracture since last visit? |
| 117 | SH07_FRACTURES_FOREARM | Num | 8 | Forearm fracture since last visit? |
| 118 | SH07_JOINTPAIN_SLV | Num | 8 | Since your last visit, have you had unusual pain in joints? |
| 119 | SH07_JOINTPAIN_NEW | Num | 8 | Is this new since last visit? |
| 120 | SH07_JOINTPAIN_FREQ | Num | 8 | Frequency of unusual pain in joints |
| 121 | SH07_JOINTPAIN_SEVERITY | Num | 8 | Severity of unusual pain in joints |
| 122 | SH07_JOINTPAIN_ARTHRITIS | Num | 8 | Are there physical signs of acute arthritis? |
| 123 | SH07_MUSCLEWEAK_SLV | Num | 8 | Since your last visit, have you had muscle weakness or cramping? |
| 124 | SH07_MUSCLEWEAK_NEW | Num | 8 | Is this new since last visit? |
| 125 | SH07_MUSCLEWEAK_FREQ | Num | 8 | Frequency of muscle weakness or cramping |
| 126 | SH07_MUSCLEWEAK_SEVERITY | Num | 8 | Severity of muscle weakness or cramping |
| 127 | SH07_EXCESSTHIRST_SLV | Num | 8 | Since your last visit, have you had excessive thirst? |
| 128 | SH07_EXCESSTHIRST_NEW | Num | 8 | Is this new since last visit? |
| 129 | SH07_EXCESSTHIRST_FREQ | Num | 8 | Frequency of excessive thirst |
| 130 | SH07_EXCESSTHIRST_SEVERITY | Num | 8 | Severity of excessive thirst |
| 131 | SH07_LOSSAPPETITE_SLV | Num | 8 | Since your last visit, have you had loss of appetite |
| 132 | SH07_LOSSAPPETITE_NEW | Num | 8 | Is this new since last visit? |
| 133 | SH07_LOSSAPPETITE_FREQ | Num | 8 | Frequency of loss of appetite |
| 134 | SH07_LOSSAPPETITE_SEVERITY | Num | 8 | Severity of loss of appetite |
| 135 | SH07_NAUSEA_SLV | Num | 8 | Since your last visit, have you had nausea or vomitting? |
| 136 | SH07_NAUSEA_NEW | Num | 8 | Is this new since last visit? |
| 137 | SH07_NAUSEA_FREQ | Num | 8 | Frequency of nausea or vomitting |
| 138 | SH07_NAUSEA_SEVERITY | Num | 8 | Severity of nausea or vomitting |
| 139 | SH07_INDIGESTION_SLV | Num | 8 | Since your last visit, have you had unusual indigestion? |
| 140 | SH07_INDIGESTION_NEW | Num | 8 | Is this new since last visit? |
| 141 | SH07_INDIGESTION_FREQ | Num | 8 | Frequency of unusual indigestion |
| 142 | SH07_INDIGESTION_SEVERITY | Num | 8 | Severity of unusual indigestion |
| 143 | SH07_BOWELCHANGE_SLV | Num | 8 | Since your last visit, have you had change in bowel habits |
| 144 | SH07_BOWELCHANGE_NEW | Num | 8 | Is this new since last visit? |
| 145 | SH07_BOWELCHANGE_FREQ | Num | 8 | Frequency of change in bowel habits |
| 146 | SH07_BOWELCHANGE_SEVERITY | Num | 8 | Severity of change in bowel habits |
| 147 | SH07_TARRYSTOOL_SLV | Num | 8 | Since your last visit, have you had tarry black stool or red blood in stool? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|---|
| 148 | SH07_TARRYSTOOL_NEW | Num | 8 | Is this new since last visit? |
| 149 | SH07_TARRYSTOOL_FREQ | Num | 8 | Frequency of tarry black stool or red blood in stool |
| 150 | SH07_TARRYSTOOL_SEVERITY | Num | 8 | Severity of tarry black stool or red blood in stool |
| 151 | SH07_FASTHB_SLV | Num | 8 | Since your last visit, have you had heart beating unusually fast/skipping beats? |
| 152 | SH07_FASTHB_NEW | Num | 8 | Is this new since last visit? |
| 153 | SH07_FASTHB_FREQ | Num | 8 | Frequency of heart beating unusually fast/skipping beats |
| 154 | SH07_FASTHB_SEVERITY | Num | 8 | Severity of heart beating unusually fast/skipping beats |
| 155 | SH07_SLOWHB_SLV | Num | 8 | Since your last visit, have you had heart beating unusually slow? |
| 156 | SH07_SLOWHB_NEW | Num | 8 | Is this new since last visit? |
| 157 | SH07_SLOWHB_FREQ | Num | 8 | Frequency of heart beating unusually slow |
| 158 | SH07_SLOWHB_SEVERITY | Num | 8 | Severity of heart beating unusually slow |
| 159 | SH07_CHESTPAIN_SLV | Num | 8 | Since your last visit, have you had episodes of chest pain or heaviness in chest? |
| 160 | SH07_CHESTPAIN_NEW | Num | 8 | Is this new since last visit? |
| 161 | SH07_CHESTPAIN_FREQ | Num | 8 | Frequency of episodes of chest pain or heaviness in chest |
| 162 | SH07_CHESTPAIN_SEVERITY | Num | 8 | Severity of episodes of chest pain or heaviness in chest |
| 163 | SH07_ARRHYTHMIA_PRESENT | Num | 8 | Is an arrhythmia present on physical exam? |
| 164 | SH07_HEADACHES_SLV | Num | 8 | Since your last visit, have you had headaches so bad you had to stop what you were doing? |
| 165 | SH07_HEADACHES_NEW | Num | 8 | Is this new since last visit? |
| 166 | SH07_HEADACHES_FREQ | Num | 8 | Frequency of headaches so bad you had to stop what you were doing |
| 167 | SH07_HEADACHES_SEVERITY | Num | 8 | Severity of headaches so bad you had to stop what you were doing |
| 168 | SH07_STUFFYNOSE_SLV | Num | 8 | Since your last visit, have you had stuffy nose? |
| 169 | SH07_STUFFYNOSE_NEW | Num | 8 | Is this new since last visit? |
| 170 | SH07_STUFFYNOSE_FREQ | Num | 8 | Frequency of stuffy nose |
| 171 | SH07_STUFFYNOSE_SEVERITY | Num | 8 | Severity of stuffy nose |
| 172 | SH07_WHEEZING_SLV | Num | 8 | Since your last visit, have you had unusual shortness of breath or wheezing? |
| 173 | SH07_WHEEZING_NEW | Num | 8 | Is this new since last visit? |
| 174 | SH07_WHEEZING_FREQ | Num | 8 | Frequency of unusual shortness of breath or wheezing |
| 175 | SH07_WHEEZING_SEVERITY | Num | 8 | Severity of unusual shortness of breath or wheezing |
| 176 | SH07_WHEEZING_BRONCOSPASM | Num | 8 | Is there evidence for bronchospasm on auscultation of the chest? |
| 177 | SH07_TIREDNESS_SLV | Num | 8 | Since your last visit, have you had unusual tiredness or loss of pep? |
| 178 | SH07_TIREDNESS_NEW | Num | 8 | Is this new since last visit? |
| 179 | SH07_TIREDNESS_FREQ | Num | 8 | Frequency of unusual tiredness or loss of pep |
| 180 | SH07_TIREDNESS_SEVERITY | Num | 8 | Severity of unusual tiredness or loss of pep |
| 181 | SH07_ANKLESSWELL_SLV | Num | 8 | Since your last visit, have you had swelling of ankles? |
| 182 | SH07_ANKLESSWELL_NEW | Num | 8 | Is this new since last visit? |
| 183 | SH07_ANKLESSWELL_FREQ | Num | 8 | Frequency of swelling of ankles |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 184 | SH07_ANKLESSWELL_SEVERITY | Num | 8 | Severity of swelling of ankles |
| 185 | SH07_CHF_PRESENT | Num | 8 | Is there evidence of CHF on physical exam? |
| 186 | SH07_DEPRESSION_SLV | Num | 8 | Since your last visit, have you had depression so bad it interfered with work, recreation, etc.? |
| 187 | SH07_DEPRESSION_NEW | Num | 8 | Is this new since last visit? |
| 188 | SH07_DEPRESSION_FREQ | Num | 8 | Frequency of depression so bad it interfered with work, recreation, etc. |
| 189 | SH07_DEPRESSION_SEVERITY | Num | 8 | Severity of depression so bad it interfered with work, recreation, etc. |
| 190 | SH07_MEMORY_SLV | Num | 8 | Since your last visit, have you had trouble with memory or concentration? |
| 191 | SH07_MEMORY_NEW | Num | 8 | Is this new since last visit? |
| 192 | SH07_MEMORY_FREQ | Num | 8 | Frequency of trouble with memory or concentration |
| 193 | SH07_MEMORY_SEVERITY | Num | 8 | Severity of trouble with memory or concentration |
| 194 | SH07_NIGHTMARES_SLV | Num | 8 | Since your last visit, have you had nightmares? |
| 195 | SH07_NIGHTMARES_NEW | Num | 8 | Is this new since last visit? |
| 196 | SH07_NIGHTMARES_FREQ | Num | 8 | Frequency of nightmares |
| 197 | SH07_NIGHTMARES_SEVERITY | Num | 8 | Severity of nightmares |
| 198 | SH07_SEXACTIVITY_SLV | Num | 8 | Since your last visit, have you had any changes in sexual activity? |
| 199 | SH07_SEXACTIVITY_NEW | Num | 8 | Is this new since last visit? |
| 200 | SH07_SEXACTIVITY_FREQ | Num | 8 | Frequency of changes in sexual activity |
| 201 | SH07_SEXACTIVITY_SEVERITY | Num | 8 | Severity of changes in sexual activity |
| 202 | SH07_SEXACTIVITY_LOI | Num | 8 | Change in sexual activity due to loss of interest? |
| 203 | SH07_SEXACTIVITY_FREQ_DECLINE | Num | 8 | Change in sexual activity due to decline in frequency? |
| 204 | SH07_SEXACTIVITY_LOE | Num | 8 | Change in sexual activity due to loss of enjoyment? |
| 205 | SH07_SEXACTIVITY_FUNC_IMPAIR | Num | 8 | Change in sexual activity due to functional impairment? |
| 206 | SH07_SLEEP_SLV | Num | 8 | Since your last visit, have you had trouble going to sleep/waking up early/getting back to sleep? |
| 207 | SH07_SLEEP_NEW | Num | 8 | Is this new since last visit? |
| 208 | SH07_SLEEP_FREQ | Num | 8 | Frequency of trouble going to sleep/waking up early/getting back to sleep |
| 209 | SH07_SLEEP_SEVERITY | Num | 8 | Severity of trouble going to sleep/waking up early/getting back to sleep |
| 210 | SH07_NIGHTURINATE_SLV | Num | 8 | Since your last visit, have you been waking up more frequently at night to urinate? |
| 211 | SH07_NIGHTURINATE_NEW | Num | 8 | Is this new since last visit? |
| 212 | SH07_NIGHTURINATE_FREQ | Num | 8 | Frequency of waking up more frequently at night to urinate |
| 213 | SH07_NIGHTURINATE_SEVERITY | Num | 8 | Severity of waking up more frequently at night to urinate |
| 214 | SH07_ANXIETY_SLV | Num | 8 | Since your last visit, have you had more worry or anxiety than usual? |
| 215 | SH07_ANXIETY_NEW | Num | 8 | Is this new since last visit? |
| 216 | SH07_ANXIETY_FREQ | Num | 8 | Frequency of more worry or anxiety than usual |
| 217 | SH07_ANXIETY_SEVERITY | Num | 8 | Severity of more worry or anxiety than usual |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 218 | SH07_WEAK1SIDE_SLV | Num | 8 | Since your last visit, have you had weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 219 | SH07_WEAK1SIDE_NEW | Num | 8 | Is this new since last visit? |
| 220 | SH07_WEAK1SIDE_FREQ | Num | 8 | Frequency of weakness/numbness on one side or unexpected difficulties talking/thinking |
| 221 | SH07_WEAK1SIDE_SEVERITY | Num | 8 | Severity of weakness/numbness on one side or unexpected difficulties talking/thinking |
| 222 | SH07_STROKE_EVIDENCE | Num | 8 | Is there evidence of a stroke on physical exam? |
| 223 | SH07_OTHERSYMPTOMS_SLV | Num | 8 | Since your last visit, have you had other relevant symptoms? |
| 224 | SH07_OTHERSYMPTOMS_NEW | Num | 8 | Is this new since last visit? |
| 225 | SH07_OTHERSYMPTOMS_FREQ | Num | 8 | Frequency of other relevant symptoms |
| 226 | SH07_OTHERSYMPTOMS_SEVERITY | Num | 8 | Severity of other relevant symptoms |
| 227 | SH07_OTHER_RELEVANT_SIGNS | Num | 8 | Are there other revelant signs on physical exam? |
| 228 | SH07_POSITIVE_RESPONSES_7AB | Num | 8 | Are there any positive responses in Side effects history section? |
| 229 | SH07_EXCLUDE | Num | 8 | In the clinician's judgement, should participant be excluded from SHEP due to any of these conditions? |
| 230 | SH07_EXCLUDE_COMMENTS | Num | 8 | Comments on exclusion |
| 231 | SH07_RANDOMIZATION_COMPLETE | Num | 8 | Randomization complete? |
| 232 | SH07_FORM_COMPLETER_CODE | Num | 8 | Code of person who completed randomization section |
| 233 | SH07_CLINIC_PHYSICIAN_CODE | Num | 8 | Code of clinic physician |
| 234 | SH07_DOUBLE_NEXT_DOSE | Num | 8 | If you miss a dose, have you been told to wait and double the next dose? |
| 235 | SH07_TAKE_NEXT_SCHEDULED_DOSE | Num | 8 | If you miss a dose, have you been told to just take next dose as usual? |
| 236 | SH07_REPORT_MISSED_DOSE | Num | 8 | If you miss a dose, have you been told to report the missed dose(s) at next clinic visit? |
| 237 | SH07_CALL_CLINIC | Num | 8 | If you miss a dose, have you been told to call SHEP clinic? |
| 238 | SH07_RECORD_MISSED_DOSE | Num | 8 | If you miss a dose, have you been told to record missed dose(s)? |
| 239 | SH07_TAKE_LATER | Num | 8 | If you miss a dose, have you been told to take it later? |
| 240 | SH07_NOTHING | Num | 8 | If you miss a dose, have you been told to do nothing? |
| 241 | SH07_OTHER | Num | 8 | If you miss a dose, have you been told to do something else? |
| 242 | SH07_PILLS_TIMESPERDAY | Num | 8 | How many times per day should you take your pills that were given today? |
| 243 | SH07_PILLS_NUMBER | Num | 8 | How many pills should you take each time? |
| 244 | SH07_PILLS_TIMEOFDAY | Num | 8 | When should you take these pills? |
| 245 | SH07_PILLS_REMINDER_NEEDED | Num | 8 | Will you need to do anything to help you to take the SHEP medicine(s)? |
| 246 | SH07_PILLS_SOMEONE_REMIND | Num | 8 | Will there be anyone who helps remind you to take the SHEP medicine(s)? |
| 247 | SH07_PILLS_SOMEONE_REMIND_WHO | Num | 8 | Who is the person that will help remind you? |
| 248 | SH07_PILLS_SOMEONE_REMIND_LIVE | Num | 8 | Does this person live with you? |
| 249 | SH07_REASON_IMPROVE_HEALTH | Num | 8 | Joined SHEP to improve my health |
| 250 | SH07_REASON_FREE_MED_CARE | Num | 8 | Joined SHEP for free medical care |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 251 | SH07_REASON_CONTRIBUTE | Num | 8 | Joined SHEP to contribute to science |
| 252 | SH07_REASON_IMPROVE_OTH_HEALTH | Num | 8 | Joined SHEP to improve health of others |
| 253 | SH07_REASON_PLACE_TO_GO | Num | 8 | Joined SHEP for some place to go |
| 254 | SH07_REASON_SOMEONE_TO_TALK | Num | 8 | Joined SHEP for somone to talk with |
| 255 | SH07_REASON_OTHER | Num | 8 | Joined SHEP for other reasons |
| 256 | SH07_BLOOD_SAMPLE_DRAWN | Num | 8 | Blood sample drawn |
| 257 | SH07_DRAWDATE | Num | 8 | Date blood sample was drawn (in days from randomization) |
| 258 | SH07_OTHER_PARTICIPANT_ID | Num | 8 | Other participant ID |
| 259 | SH07_RECORD_TYPE | Num | 8 | SH07 Record Type |
| 260 | SH07_DATE_RECEIVED | Num | 8 | SH07 Date Tape Received from Metpath Lab |
| 261 | SH07_UPDATE_NUMBER | Num | 8 | SH07 Update Number |
| 262 | SH07_DATE_LAST_PROCESSED | Num | 8 | SH07 Date Last Processed |
| 263 | SH07_PAPER_COPY | Num | 8 | SH07 Paper Copy |
| 264 | SH07_CROSS_FORM_EDITS | Num | 8 | SH07 Cross Form Edits |
| 265 | SH07_SH30_COMPLETED | Num | 8 | SHORTCARE evalution (SH30) completed? |
| 266 | SH07_BLOOD_SAMPLE_COLLECTED | Num | 8 | Blood sample collected? |
| 267 | SH07_HEMATOLOGY_RESULTS | Num | 8 | Local hematology results entered on SH11? |
| 268 | SH07_SH33_COMPLETED | Num | 8 | Activities of daily life form (SH33) completed? |
| 269 | SH07_SH35_COMPLETED | Num | 8 | Behavioral evaluation - part II (SH35) completed? |
| 270 | SH07_REVIEWER_CODE | Num | 8 | Reviewer's code |
| 271 | SH07_POP_OBSERVED | Num | 8 | Pulse Obliteration Pressure, Observed value |
| 272 | SH07_POP_ZEROLVL | Num | 8 | Pulse Obliteration Pressure, Zero level |
| 273 | SH07_POP_CORRECTED | Num | 8 | Pulse Obliteration Pressure, Corrected value |
| 274 | SH07_POP_MAXZEROLVL_PLUS20 | Num | 8 | Pulse Obliteration Pressure, Maximum zero level plus 20 |
| 275 | SH07_POP_PEAK_INFLATION | Num | 8 | Pulse Obliteration Pressure, Peak inflation level |

Data Set Name: sh08.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 1 | SH08_RECORD_LENGTH | Num | 8 | SH08 Record Length |
| 2 | SH08_KEYPUNCH_CODE | Num | 8 | SH08 Keypuncher Code |
| 3 | SH08_BATCHDATE | Num | 8 | SH08 Batch Date |
| 4 | SH08_VERIFYER_CODE | Num | 8 | SH08 Verifyer Code |
| 5 | SH08_DATE_LAST_MODIFIED | Num | 8 | SH08 Date record was last modified |
| 6 | SH08_TIME_LAST_MODIFIED | Num | 8 | SH08 Time record was last modified |
| 7 | SH08_EDIT_STATUS_CODE | Num | 8 | SH08 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH08_VERSNNUM | Num | 8 | SH08 Version number |
| 11 | SH08_VISITDATE | Num | 8 | Date of visit (in days from randomization |
| 12 | SH08_SEQUENCE | Num | 8 | SH08 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH08_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH08_VISIT_TYPE_V1 | Num | 8 | Type of visit (version 1) |
| 16 | SH08_VISIT_REASON_V1 | Num | 8 | Reason for other interim visit (version 1) |
| 17 | SH08_VISIT_PLACE | Num | 8 | Place of visit |
| 18 | SH08_STEP1_MEDS_START_LV | Num | 8 | Were Step 1 medications started or increased at last visit? |
| 19 | SH08_STEP2_MEDS_START_LV | Num | 8 | Were Step 2 medications started or increased at last visit? |
| 20 | SH08_BP_WEIGHT_COMPLETED | Num | 8 | Pulse, BP and weight measured at this visit? |
| 21 | SH08_SH11_URINALYSIS_COMPLETED | Num | 8 | Dipstick urinalysis completed at this visit? |
| 22 | SH08_SH12_COMPLETED | Num | 8 | Blood (central) completed at this visit? |
| 23 | SH08_SH11_OTHLABWORK_COMPLETED | Num | 8 | Other lab work (local) completed at this visit? |
| 24 | SH08_SH40_COMPLETED | Num | 8 | Compliance completed at this visit? |
| 25 | SH08_SH41_COMPLETED | Num | 8 | General well-being completed at this visit? |
| 26 | SH08_SH42_COMPLETED | Num | 8 | Specific side effects completed at this visit? |
| 27 | SH08_SH43_COMPLETED | Num | 8 | Medication and Scheduling decision completed at this visit? |
| 28 | SH08_SH30_COMPLETED | Num | 8 | SHORTCARE/CES-D completed at this visit? |
| 29 | SH08_SH34_COMPLETED | Num | 8 | Social Network completed at this visit? |
| 30 | SH08_PULSE | Num | 8 | Pulse |
| 31 | SH08_CUFFSIZE | Num | 8 | Cuff size |
| 32 | SH08_SEATED_SYSTBP1 | Num | 8 | Systolic blood pressure, seated (reading #1) |
| 33 | SH08_SEATED_DIASTBP1 | Num | 8 | Diastolic blood pressure, seated (reading #1) |
| 34 | SH08_SEATED_SYSTBP_ZEROLVL1 | Num | 8 | Systolic zero level, seated (reading #1) |
| 35 | SH08_SEATED_DIASTBP_ZEROLVL1 | Num | 8 | Diastolic zero level, seated (reading #1) |
| 36 | SH08_SEATED_SYSTBP1_CORR | Num | 8 | Corrected systolic blood pressure, seated (reading #1) |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 37 | SH08_SEATED_DIASTBP1_CORR | Num | 8 | Corrected diastolic blood pressure, seated (reading #1) |
| 38 | SH08_SEATED_SYSTBP2 | Num | 8 | Systolic blood pressure, seated (reading #2) |
| 39 | SH08_SEATED_DIASTBP2 | Num | 8 | Diastolic blood pressure, seated (reading #2) |
| 40 | SH08_SEATED_SYSTBP_ZEROLVL2 | Num | 8 | Systolic zero level, seated (reading #2) |
| 41 | SH08_SEATED_DIASTBP_ZEROLVL2 | Num | 8 | Diastolic zero level, seated (reading #2) |
| 42 | SH08_SEATED_SYSTBP2_CORR | Num | 8 | Corrected systolic blood pressure, seated (reading #2) |
| 43 | SH08_SEATED_DIASTBP2_CORR | Num | 8 | Corrected diastolic blood pressure, seated (reading #2) |
| 44 | SH08_SEATED_SYSTBP_SUM | Num | 8 | Sum of two corrected Systolic blood pressure readings, seated |
| 45 | SH08_SEATED_DIASTBP_SUM | Num | 8 | Sum of two corrected Diastolic blood pressure readings, seated |
| 46 | SH08_SEATED_SYSTBP_AVG | Num | 8 | Average of two corrected Systolic blood pressure readings, seated |
| 47 | SH08_SEATED_DIASTBP_AVG | Num | 8 | Average of two corrected Diastolic blood pressure readings, seated |
| 48 | SH08_STAND_PULSE_1MIN | Num | 8 | Pulse, standing (1 minute) |
| 49 | SH08_STAND_SYSTBP_1MIN | Num | 8 | Systolic blood pressure, standing (1 minute) |
| 50 | SH08_STAND_DIASTBP_1MIN | Num | 8 | Diastolic blood pressure, standing (1 minute) |
| 51 | SH08_STAND_SYSTBP_ZEROLVL_1MIN | Num | 8 | Systolic blood pressure zero level, standing (1 minute) |
| 52 | SH08_STAND_DIASTBP_ZEROLVL_1MIN | Num | 8 | Diastolic blood pressure zero level, standing (1 minute) |
| 53 | SH08_STAND_SYSTBP_1MIN_CORR | Num | 8 | Corrected systolic blood pressure, standing (1 minute) |
| 54 | SH08_STAND_DIASTBP_1MIN_CORR | Num | 8 | Corrected diastolic blood pressure, standing (1 minute) |
| 55 | SH08_STAND_PULSE_3MIN | Num | 8 | Pulse, standing (3 minute) |
| 56 | SH08_STAND_SYSTBP_3MIN | Num | 8 | Systolic blood pressure, standing (3 minute) |
| 57 | SH08_STAND_DIASTBP_3MIN | Num | 8 | Diastolic blood pressure, standing (3 minute) |
| 58 | SH08_STAND_SYSTBP_ZEROLVL_3MIN | Num | 8 | Systolic blood pressure zero level, standing (3 minute) |
| 59 | SH08_STAND_DIASTBP_ZEROLVL_3MIN | Num | 8 | Diastolic blood pressure zero level, standing (3 minute) |
| 60 | SH08_STAND_SYSTBP_3MIN_CORR | Num | 8 | Corrected systolic blood pressure, standing (3 minute) |
| 61 | SH08_STAND_DIASTBP_3MIN_CORR | Num | 8 | Corrected diastolic blood pressure, standing (3 minute) |
| 62 | SH08_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer any symptoms on standing? |
| 63 | SH08_DIZZINESS_STANDING | Num | 8 | Did participant volunteer dizziness on standing? |
| 64 | SH08_OTHER_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer other symptoms on standing? |
| 65 | SH08_WEIGHT | Num | 8 | Weight (pounds) |
| 66 | SH08_OBSERVER_CODE | Num | 8 | SH08 Observer code |
| 67 | SH08_ACTIONSREQ_NONE | Num | 8 | Action required as a result of this visit, Nothing |
| 68 | SH08_ACTIONSREQ_SH20 | Num | 8 | Action required as a result of this visit, Initial Notification of Morbid Event (SH20) |
| 69 | SH08_ACTIONSREQ_SH27 | Num | 8 | Action required as a result of this visit, Neurologic Exam for Stroke (SH27) |
| 70 | SH08_ACTIONSREQ_SH28 | Num | 8 | Action required as a result of this visit, Neurologic Exam for TIA (SH28) |
| 71 | SH08_ACTIONSREQ_SH48 | Num | 8 | Action required as a result of this visit, Deviation from Protocol (SH48) |
| 72 | SH08_ACTIONSREQ_SH31 | Num | 8 | Action required as a result of this visit, Dementia Referral (SH31) |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 73 | SH08_ACTIONSREQ_SH32 | Num | 8 | Action required as a result of this visit, Depression Referral (SH32) |
| 74 | SH08_ACTIONSREQ_SH49 | Num | 8 | Action required as a result of this visit, Report of Unblinding (SH49) |
| 75 | SH08_VISIT_COMMENTS | Num | 8 | Comments on this visit |
| 76 | SH08_NEXT_VISIT_DATE | Num | 8 | Date of next clinic visit (in days from randomization) |
| 77 | SH08_NEXT_VISIT_TIME_HR | Num | 8 | Time of next clinic visit (hour) |
| 78 | SH08_NEXT_VISIT_TIME_MIN | Num | 8 | Time of next clinic visit (minutes) |
| 79 | SH08_NEXT_VISIT_TIME_PERIOD | Num | 8 | Time period of next clinic visit (am/pm) |
| 80 | SH08_RECORD_TYPE | Num | 8 | SH08 Record Type |
| 81 | SH08_DATE_RECEIVED | Num | 8 | SH08 Date Tape Received from Metpath Lab |
| 82 | SH08_UPDATE_NUMBER | Num | 8 | SH08 Update Number |
| 83 | SH08_DATE_LAST_PROCESSED | Num | 8 | SH08 Date Last Processed |
| 84 | SH08_PAPER_COPY | Num | 8 | SH08 Paper Copy |
| 85 | SH08_CROSS_FORM_EDITS | Num | 8 | SH08 Cross Form Edits |
| 86 | SH08_VISIT_TYPE_V2 | Num | 8 | Type of visit (version 2) |
| 87 | SH08_VISIT_SCHEDULED | Num | 8 | Visit scheduled by: |
| 88 | SH08_VISIT_REASON_BP | Num | 8 | Reason for visit, BP check |
| 89 | SH08_VISIT_REASON_K | Num | 8 | Reason for visit, Potassium re-check (local) |
| 90 | SH08_VISIT_REASON_SIDE_EFFECTS | Num | 8 | Reason for visit, Possible side effects |
| 91 | SH08_VISIT_REASON_OTHER | Num | 8 | Reason for visit, Other |
| 92 | SH08_PROTOCOL_COMPLETED | Num | 8 | Protocol review completed at this visit? |
| 93 | SH08_BEHAVIOR_EVAL_COMPLETED | Num | 8 | Behavioral evaluation - Part 2 completed this visit? |
| 94 | SH08_REVIEWER_CODE | Num | 8 | SH08 Reviewer Code |
| 95 | SH08_POP_OBSERVED | Num | 8 | Pulse Obliteration Pressure, Observed value |
| 96 | SH08_POP_ZEROLVL | Num | 8 | Pulse Obliteration Pressure, Zero level |
| 97 | SH08_POP_CORRECTED | Num | 8 | Pulse Obliteration Pressure, Corrected value |
| 98 | SH08_POP_MAXZEROLVL_PLUS20 | Num | 8 | Pulse Obliteration Pressure, Maximum zero level plus 20 |
| 99 | SH08_POP_PEAK_INFLATION | Num | 8 | Pulse Obliteration Pressure, Peak inflation level |
| 100 | SH08_SLV_UNWELL | Num | 8 | Have you felt unwell in any way since your last visit; has anything been bothering you? |
| 101 | SH08_SLV_DIFFERENT_PROBS | Num | 8 | Are any of these problems different from the way things were at your last visit? |
| 102 | SH08_SLV_DOC_VISIT | Num | 8 | Since your last visit, have you seen a doctor for any reason? |
| 103 | SH08_SLV_HOSP | Num | 8 | Since your last visit, have you been in the hospital for any reason? |
| 104 | SH08_SLV_HOSP_NUMVISITS | Num | 8 | Number of times in hospital since last visit |
| 105 | SH08_SLV_HOSP_VISIT1_DATE | Num | 8 | Date of admission to hospital (Visit #1) (in days from randomization) |
| 106 | SH08_SLV_HOSP_VISIT1_DAYS | Num | 8 | Number of days spent in hospital (Visit #1) |
| 107 | SH08_SLV_HOSP_VISIT2_DATE | Num | 8 | Date of admission to hospital (Visit #2) (in days from randomization) |
| 108 | SH08_SLV_HOSP_VISIT2_DAYS | Num | 8 | Number of days spent in hospital (Visit #2) |
| 109 | SH08_SLV_HOSP_VISIT3_DATE | Num | 8 | Date of admission to hospital (Visit #3) (in days from randomization) |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 110 | SH08_SLV_HOSP_VISIT3_DAYS | Num | 8 | Number of days spent in hospital (Visit #3) |
| 111 | SH08_NUMBNESS_SLV | Num | 8 | Since last visit, have you had any sudden feeling of numbers/tingling/loss of feeling in arm, hand, leg, foot or face? |
| 112 | SH08_NUMBNESS_NUM | Num | 8 | How many attacks of such numbness/tingling have you had? |
| 113 | SH08_NUMBNESS_LENGTH | Num | 8 | How long did each of the attacks of numbness/tingling usually last? |
| 114 | SH08_PARALYSIS_SLV | Num | 8 | Since last visit, have you had any sudden attacks of paralysis/loss of use in arm, hand, leg or foot? |
| 115 | SH08_PARALYSIS_NUM | Num | 8 | How many attacks of such paralysis have you had? |
| 116 | SH08_PARALYSIS_LENGTH | Num | 8 | How long did each of the attacks of paralysis usually last? |
| 117 | SH08_LOSSEYESIGHT_SLV | Num | 8 | Since last visit, have you had any sudden loss of eyesight/blurring of vision for short period of time? |
| 118 | SH08_LOSSEYESIGHT_PART_LOST | Num | 8 | What part of your vision was affected? |
| 119 | SH08_LOSSEYESIGHT_NUM | Num | 8 | How many attacks of loss of eyesight/blurring of vision have you had? |
| 120 | SH08_LOSSEYESIGHT_LENGTH | Num | 8 | How long did each of the attacks of loss of eyesight usually last? |
| 121 | SH08_LOSSSPEECH_SLV | Num | 8 | Since last visit, have you had any sudden attacks of loss of speech? |
| 122 | SH08_LOSSSPEECH_NUM | Num | 8 | How many attacks of loss of speech have you had? |
| 123 | SH08_LOSSSPEECH_LENGTH | Num | 8 | How long did each of the attacks of loss of speech usually last? |
| 124 | SH08_OTHERSYMPTS_DIZZY | Num | 8 | Since last visit, have you experienced dizziness? |
| 125 | SH08_OTHERSYMPTS_VERTIGO | Num | 8 | Since last visit, have you experienced vertigo? |
| 126 | SH08_OTHERSYMPTS_LOSSBALANCE | Num | 8 | Since last visit, have you experienced loss of balance? |
| 127 | SH08_OTHERSYMPTS_WALK | Num | 8 | Since last visit, have you experienced difficulty walking? |
| 128 | SH08_OTHERSYMPTS_FAINT | Num | 8 | Since last visit, have you experienced blackouts or fainting? |
| 129 | SH08_OTHERSYMPTS_FALLS | Num | 8 | Since last visit, have you experienced frequent falls? |
| 130 | SH08_OTHERSYMPTS_NUM | Num | 8 | About how many total attacks of all of these conditions do you think you ever had? |
| 131 | SH08_OTHERSYMPTS_LENGTH | Num | 8 | How long did the attack(s) usually last? |
| 132 | SH08_STROKE_SLV | Num | 8 | Since your last SHEP visit, have you been told by a doctor or otherwise learned that you may have had a stroke? |
| 133 | SH08_STOPPED_MEDS_SLV | Num | 8 | Have you stopped taking any medications since your last visit? |
| 134 | SH08_INC_DEC_MEDS_SLV | Num | 8 | Have you increased or decreased any medications since your last visit? |
| 135 | SH08_NEW_MEDS_SLV | Num | 8 | Have you started taking any new medications since your last visit? |
| 136 | SH08_BRING_NONSHEP_MEDS | Num | 8 | Did the participant bring all non-SHEP medications to the clinic at this visit? |
| 137 | SH08_SYMPTOMS_REPORTED | Num | 8 | Did the participant volunteer any complaints/problems? |
| 138 | SH08_PROBS_STUDY_RELATED | Num | 8 | Are these problems that, in your opinion, may be related to study medications? |
| 139 | SH08_SIDE_EFFECTS | Num | 8 | Are there positive responses to items 16-25 or on Side effects questionnaire (SH42)? |
| 140 | SH08_SIDE_EFFECTS_STROKE | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of a stroke? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 141 | SH08_SIDE_EFFECTS_MYOINFARC | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of acute myocardial infarction? |
| 142 | SH08_SIDE_EFFECTS_LTVENTFAIL | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of left ventricular failure? |
| 143 | SH08_SIDE_EFFECTS_TIA | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of TIA? |
| 144 | SH08_SIDE_EFFECTS_OTHCARDIO | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of other cardiovascular hospitalization? |
| 145 | SH08_SIDE_EFFECTS_OTHHOSP | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of any other hospitalization? |
| 146 | SH08_SIDE_EFFECTS_NURSEHOME | Num | 8 | In the judgement of the SHEP clinician, are any of these positive/abnormal responses a result of intermediate or skilled care nursing home admission? |
| 147 | SH08_HOSPITALIZED | Num | 8 | Was the participant hospitalized or seen by a physician for any of the side effects? |
| 148 | SH08_CONDITIONS_FROM_SHEPMEDS | Num | 8 | Does the participant think that any of these conditions are due to the SHEP medications? |
| 149 | SH08_COMPLETER_CODE | Num | 8 | Code of person completing Side effects section of SH08 |
| 150 | SH08_SHEP_MEDS_PRESCRIBED_LV | Num | 8 | At the last visit, were SHEP medications prescribed in dosages specified in the protocol? |
| 151 | SH08_SHEP_MEDS_ALTERED_SLV | Num | 8 | Since the last visit, have SHEP medications been altered to dosages other than prescribed at the last visit? |
| 152 | SH08_OPEN_ANTIHYPER_MEDS_SLV | Num | 8 | Since the last visit, have open-label antihypertensive medications been prescribed or taken? |
| 153 | SH08_DEVIATION_REPORTED | Num | 8 | Has this deviation already been reported on a Deviation from Protocol form (SH48)? |
| 154 | SH08_DEVIATION_CAUSE | Num | 8 | What has happened with respect to the problem which caused this deviation from protocol? |
| 155 | SH08_DEVIATION_SERIOUS | Num | 8 | Have any other potentially serious conditions arisen since last visit which are probably a result of the use of SHEP medications? |
| 156 | SH08_DEVIATION_RESTORE | Num | 8 | At this visit, do you plan to restore participant to SHEP drugs and doses specified in protocol? (including discontinuing open-label antihypertensives) |
| 157 | SH08_DEVIATION_SIDE_EFFECTS | Num | 8 | Reason for not returning to protocol at this visit, Side effects judged to be severe enough to deviate from protocol |
| 158 | SH08_DEVIATION_ESCAPE_BP | Num | 8 | Reason for not returning to protocol at this visit, Participant has reached escape blood pressure |
| 159 | SH08_DEVIATION_PRIVATE_MD | Num | 8 | Reason for not returning to protocol at this visit, Private MD has prescribed alternative BP therapy |
| 160 | SH08_DEVIATION_PARTICIPANT | Num | 8 | Reason for not returning to protocol at this visit, Participant request |
| 161 | SH08_DEVIATION_OTHER | Num | 8 | Reason for not returning to protocol at this visit, Other |
| 162 | SH08_SIDE_EFFECTS_SHEPMEDS | Num | 8 | In judgment of SHEP clinician, are any of the positive/abnormal responses in General Well-Being/Side effects sections related to current use of SHEP meds? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|--|
| 163 | SH08_DEVIATION_REQUIRED | Num | 8 | In judgment of SHEP clinician and physician, do any of these responses require a deviation from protocol in prescribing SHEP medication? |
| 164 | SH08_CONDITIONS_HARMFUL | Num | 8 | Are any of these conditions possibly harmful to the participant? |
| 165 | SH08_OTHER_REASONS | Num | 8 | Are there reasons other than these that require a deviation from protocol in prescribing SHEP meds (e.g. interference from other meds)? |
| 166 | SH08_STEP1MEDS_LV_V2 | Num | 8 | Step 1 Medication prescription at last visit? (version 2) |
| 167 | SH08_STEP1MEDS_LV_BOTTLE | Num | 8 | Bottle number of Step 1 medications from last visit |
| 168 | SH08_STEP2MEDS_LV_V2 | Num | 8 | Step 2 Medication prescription at last visit? (version 2) |
| 169 | SH08_STEP2MEDS_LV_BOTTLE | Num | 8 | Bottle number of Step 2 mediations from last visit |
| 170 | SH08_OL_ANTIHYPER_LV_V2 | Num | 8 | Open-label antihypertensives prescribed last visit? (version 2) |
| 171 | SH08_POTASSIUM_SUPP_LV_V2 | Num | 8 | Potassium supplement prescribed last visit? (version 2) |
| 172 | SH08_POTASSIUM_DOSE_LV | Num | 8 | Dose of potassium supplement prescribed last visit (meq/day) |
| 173 | SH08_URIC_ACID_LV_V2 | Num | 8 | Uric acid agent prescribed last visit? (version 2) |
| 174 | SH08_NOCHANGE_MEDS_TV | Num | 8 | No change to medication prescriptions at this visit? |
| 175 | SH08_STEP1MEDS_TV_V2 | Num | 8 | Step 1 Medication prescriptions at this visit? (version 2) |
| 176 | SH08_STEP1MEDS_TV_BOTTLE | Num | 8 | Bottle number of Step 1 medications from this visit |
| 177 | SH08_STEP2MEDS_TV_V2 | Num | 8 | Step 2 Medication prescriptions at this visit? (version 2) |
| 178 | SH08_STEP2MEDS_TV_BOTTLE | Num | 8 | Bottle number of Step 2 mediations from this visit |
| 179 | SH08_OL_ANTIHYPER_TV_V2 | Num | 8 | Open-label antihypertensives prescribe this visit? (version 2) |
| 180 | SH08_POTASSIUM_SUPP_TV_V2 | Num | 8 | Potassium supplement prescribed this visit? (version 2) |
| 181 | SH08_POTASSIUM_DOSE_TV | Num | 8 | Dose of potassium supplement prescribed this visit (meq/day) |
| 182 | SH08_URIC_ACID_TV_V2 | Num | 8 | Uric acid agent prescribed this visit? (version 2) |
| 183 | SH08_CLINICIAN_CODE | Num | 8 | Code of clinician completing SH08 medication section |
| 184 | SH08_SH33_COMPLETED | Num | 8 | Activities of Daily Life completed this visit? |
| 185 | SH08_BLINDED_MEDS_SLV | Num | 8 | Were any SHEP blinded medications prescribed at the last visit? |
| 186 | SH08_BLINDED_MEDS_DC_SLV | Num | 8 | Were all SHEP blinded medications discontinued since the last visit? |
| 187 | SH08_BLINDED_MEDS_OTH_SLV | Num | 8 | Were there any other changes made in the SHEP blinded medications since the last visit? |
| 188 | SH08_OL_ANTIHYPER_MEDS_LV | Num | 8 | Were open-label antihypertensive medications prescribed at last visit (any source)? |
| 189 | SH08_OL_ANTIHYPER_MEDS_SLV | Num | 8 | Were open-label antihypertensive medications prescribed since last visit (any source)? |
| 190 | SH08_ESCAPE_BP_TV | Num | 8 | Has the participant reached the escape blood pressure at this visit? |
| 191 | SH08_VISIT1_BPDATE | Num | 8 | Date of visit #1 (in days from randomization) |
| 192 | SH08_VISIT1_SYSTBP | Num | 8 | Systolic blood pressure at visit #1 |
| 193 | SH08_VISIT1_DIASTBP | Num | 8 | Diastolic blood pressure at visit #1 |
| 194 | SH08_VISIT2_BPDATE | Num | 8 | Date of visit #2 (in days from randomization) |
| 195 | SH08_VISIT2_SYSTBP | Num | 8 | Systolic blood pressure at visit #2 |
| 196 | SH08_VISIT2_DIASTBP | Num | 8 | Diastolic blood pressure at visit #2 |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|--|
| 197 | SH08_VISIT3_BPDATE | Num | 8 | Date of visit #3 (in days from randomization) |
| 198 | SH08_VISIT3_SYSTBP | Num | 8 | Systolic blood pressure at visit #3 |
| 199 | SH08_VISIT3_DIASTBP | Num | 8 | Diastolic blood pressure at visit #3 |
| 200 | SH08_Q38_A | Num | 8 | Will you be prescribing SHEP medications according to prescribed SHEP blood pressure treatment regimen at this visit? |
| 201 | SH08_Q38_B | Num | 8 | Will you be prescribing open-label antihypertensive medications at this visit? |
| 202 | SH08_Q38_C | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Participant reached escape blood pressure |
| 203 | SH08_Q38_D | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Possible/probably side effects in judgement of SHEP clinician |
| 204 | SH08_Q38_E | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Perceived side effects in judgement of participant |
| 205 | SH08_Q38_F | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Stroke |
| 206 | SH08_Q38_G | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Myocardial infarction |
| 207 | SH08_Q38_H | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Left ventricular failure |
| 208 | SH08_Q38_I | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Angina |
| 209 | SH08_Q38_J | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Other medical reason |
| 210 | SH08_Q38_K | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Participant refusal or preference |
| 211 | SH08_Q38_L | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Private MD request |
| 212 | SH08_Q38_M | Num | 8 | Reason for not prescribing SHEP medications according to BP regimen, Other |
| 213 | SH08_STEP1MEDS_LV_V3 | Num | 8 | Step 1 Medication prescription at last visit? (version 3) |
| 214 | SH08_STEP2MEDS_LV_V3 | Num | 8 | Step 2 Medication prescription at last visit? (version 3) |
| 215 | SH08_OL_DRUGS_LV | Num | 8 | Open-label drugs prescribed last visit? |
| 216 | SH08_OL_DRUGS_SOURCE_LV | Num | 8 | Source of open label drugs last visit |
| 217 | SH08_POTASSIUM_SUPP_LV_V3 | Num | 8 | Potassium supplement prescribed last visit? (version 3) |
| 218 | SH08_URIC_ACID_LV_V3 | Num | 8 | Uric acid agent prescribed last visit? (version 3) |
| 219 | SH08_STEP1MEDS_TV_V3 | Num | 8 | Step 1 Medication prescriptions at this visit? (version 3) |
| 220 | SH08_STEP2MEDS_TV_V3 | Num | 8 | Step 2 Medication prescriptions at this visit? (version 3) |
| 221 | SH08_OL_DRUGS_TV | Num | 8 | Open-label drugs prescribed this visit? |
| 222 | SH08_OL_DRUGS_SOURCE_TV | Num | 8 | Source of open label drugs this visit |
| 223 | SH08_POTASSIUM_SUPP_TV_V3 | Num | 8 | Potassium supplement prescribed this visit? (version 2) |
| 224 | SH08_URIC_ACID_TV_V3 | Num | 8 | Uric acid agent prescribed this visit? (version 2) |
| 225 | SH08_NEXT_SCHEDULED_APPT | Num | 8 | Scheduled next appointment? |

Data Set Name: sh09.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 1 | SH09_RECORD_LENGTH | Num | 8 | SH09 Record Length |
| 2 | SH09_KEYPUNCH_CODE | Num | 8 | SH09 Keypuncher Code |
| 3 | SH09_BATCHDATE | Num | 8 | SH09 Batch Date |
| 4 | SH09_VERIFYER_CODE | Num | 8 | SH09 Verifyer Code |
| 5 | SH09_DATE_LAST_MODIFIED | Num | 8 | SH09 Date record was last modified |
| 6 | SH09_TIME_LAST_MODIFIED | Num | 8 | SH09 Time record was last modified |
| 7 | SH09_EDIT_STATUS_CODE | Num | 8 | SH09 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH09_VERSNNUM | Num | 8 | SH09 Version number |
| 11 | SH09_VISITDATE | Num | 8 | Date of visit (in days from randomization |
| 12 | SH09_SEQUENCE | Num | 8 | SH09 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH09_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH09_STUDYYR | Num | 8 | Year of Study |
| 16 | SH09_VISIT_LOCATION | Num | 8 | Location of visit |
| 17 | SH09_VISIT_TIME_HR | Num | 8 | Time of visit (hour) |
| 18 | SH09_VISIT_TIME_MIN | Num | 8 | Time of visit (minutes) |
| 19 | SH09_VISIT_TIME_PD | Num | 8 | Time of visit (am/pm) |
| 20 | SH09_SH44_DTV | Num | 8 | Annual Medical and Medication and Habits History form (SH44) done this visit? |
| 21 | SH09_SH10_DTV | Num | 8 | ECG and two-minute rhythm strip (SH10) done this visit? |
| 22 | SH09_URINALYSIS_DTV | Num | 8 | Dipstick urinalysis done this visit? |
| 23 | SH09_URINE_SAMP_DTV | Num | 8 | Urine sample (central) done this visit? |
| 24 | SH09_BLOOD_SAMP_DTV | Num | 8 | Blood sample (local) done this visit? |
| 25 | SH09_FAST_BLOOD_SAMP_DTV | Num | 8 | Fasting blood sample (central) done this visit? |
| 26 | SH09_NONFAST_BLOOD_SAMP_DTV | Num | 8 | Non-fasting blood sample (central) done this visit? |
| 27 | SH09_SHORTCARE_DTV | Num | 8 | SHORTCARE/CES-D done this visit? |
| 28 | SH09_SH33_DTV | Num | 8 | Activities of Daily Life done this visit? |
| 29 | SH09_SH34_DTV | Num | 8 | Social Network done this visit? |
| 30 | SH09_SH35_DTV | Num | 8 | Behavioral Evaluation Part II done this visit? |
| 31 | SH09_ACTIONSREQ_NONE | Num | 8 | Actions required as a result of this visit, None |
| 32 | SH09_ACTIONSREQ_SH20 | Num | 8 | Actions required as a result of this visit, Initial Notification of Morbid Event (SH20) |
| 33 | SH09_ACTIONSREQ_SH27 | Num | 8 | Actions required as a result of this visit, SHEP Neurological Evaluation for Strokes (SH27) |
| 34 | SH09_ACTIONSREQ_SH28 | Num | 8 | Actions required as a result of this visit, SHEP Neurological Evaluation for TIA (SH28) |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 35 | SH09_ACTIONSREQ_SH31 | Num | 8 | Actions required as a result of this visit, Dementia Referral (SH31) |
| 36 | SH09_ACTIONSREQ_SH32 | Num | 8 | Actions required as a result of this visit, Depression Referral (SH32) |
| 37 | SH09_ACTIONSREQ_SH48 | Num | 8 | Actions required as a result of this visit, Deviation from Protocol (SH48) |
| 38 | SH09_ACTIONSREQ_SH49 | Num | 8 | Actions required as a result of this visit, Report of Unblinding (SH49) |
| 39 | SH09_NEXT_VISIT_DATE | Num | 8 | Date of next clinic visit (in days from randomization) |
| 40 | SH09_NEXT_VISIT_TIME_HR | Num | 8 | Time of next clinic visit (hour) |
| 41 | SH09_NEXT_VISIT_TIME_MIN | Num | 8 | Time of next clinic visit (minutes) |
| 42 | SH09_NEXT_VISIT_TIME_PD | Num | 8 | Time of next clinic visit (am/pm) |
| 43 | SH09_VISIT_COMPLETED_TIME_HR | Num | 8 | Time visit completed (hour) |
| 44 | SH09_VISIT_COMPLETED_TIME_MIN | Num | 8 | Time visit completed (minutes) |
| 45 | SH09_VISIT_COMPLETED_TIME_PD | Num | 8 | Time visit completed (am/pm) |
| 46 | SH09_REVIEWER_CODE | Num | 8 | Code of person reviewing SH09 |
| 47 | SH09_PULSE | Num | 8 | Pulse |
| 48 | SH09_CUFFSIZE | Num | 8 | Cuff Size |
| 49 | SH09_POP_OBSERVED | Num | 8 | Pulse Obliteration Pressure, Observed value |
| 50 | SH09_POP_ZEROLVL | Num | 8 | Pulse Obliteration Pressure, Zero level |
| 51 | SH09_POP_CORRECTED | Num | 8 | Pulse Obliteration Pressure, Corrected value |
| 52 | SH09_POP_MAXZEROLVL_PLUS20 | Num | 8 | Pulse Obliteration Pressure, Maximum zero level plus 20 |
| 53 | SH09_POP_PEAK_INFLATION | Num | 8 | Pulse Obliteration Pressure, Peak inflation level |
| 54 | SH09_SEATED_SYSTBP1 | Num | 8 | Systolic blood pressure, seated (reading #1) |
| 55 | SH09_SEATED_DIASTBP1 | Num | 8 | Diastolic blood pressure, seated (reading #1) |
| 56 | SH09_SEATED_SYSTBP_ZEROLVL1 | Num | 8 | Systolic zero level, seated (reading #1) |
| 57 | SH09_SEATED_DIASTBP_ZEROLVL1 | Num | 8 | Diastolic zero level, seated (reading #1) |
| 58 | SH09_SEATED_SYSTBP1_CORR | Num | 8 | Corrected systolic blood pressure, seated (reading #1) |
| 59 | SH09_SEATED_DIASTBP1_CORR | Num | 8 | Corrected diastolic blood pressure, seated (reading #1) |
| 60 | SH09_SEATED_SYSTBP2 | Num | 8 | Systolic blood pressure, seated (reading #2) |
| 61 | SH09_SEATED_DIASTBP2 | Num | 8 | Diastolic blood pressure, seated (reading #2) |
| 62 | SH09_SEATED_SYSTBP_ZEROLVL2 | Num | 8 | Systolic zero level, seated (reading #2) |
| 63 | SH09_SEATED_DIASTBP_ZEROLVL2 | Num | 8 | Diastolic zero level, seated (reading #2) |
| 64 | SH09_SEATED_SYSTBP2_CORR | Num | 8 | Corrected systolic blood pressure, seated (reading #2) |
| 65 | SH09_SEATED_DIASTBP2_CORR | Num | 8 | Corrected diastolic blood pressure, seated (reading #2) |
| 66 | SH09_SEATED_SYSTBP_SUM | Num | 8 | Sum of two corrected Systolic blood pressure readings, seated |
| 67 | SH09_SEATED_DIASTBP_SUM | Num | 8 | Sum of two corrected Diastolic blood pressure readings, seated |
| 68 | SH09_SEATED_SYSTBP_AVG | Num | 8 | Average of two corrected Systolic blood pressure readings, seated |
| 69 | SH09_SEATED_DIASTBP_AVG | Num | 8 | Average of two corrected Diastolic blood pressure readings, seated |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 70 | SH09_STAND_PULSE_1MIN | Num | 8 | Pulse, standing (1 minute) |
| 71 | SH09_STAND_SYSTBP_1MIN | Num | 8 | Systolic blood pressure, standing (1 minute) |
| 72 | SH09_STAND_DIASTBP_1MIN | Num | 8 | Diastolic blood pressure, standing (1 minute) |
| 73 | SH09_STAND_SYSTBP_ZEROLVL_1MIN | Num | 8 | Systolic blood pressure zero level, standing (1 minute) |
| 74 | SH09_STAND_DIASTBP_ZEROLVL_1MIN | Num | 8 | Diastolic blood pressure zero level, standing (1 minute) |
| 75 | SH09_STAND_SYSTBP_1MIN_CORR | Num | 8 | Corrected systolic blood pressure, standing (1 minute) |
| 76 | SH09_STAND_DIASTBP_1MIN_CORR | Num | 8 | Corrected diastolic blood pressure, standing (1 minute) |
| 77 | SH09_STAND_PULSE_3MIN | Num | 8 | Pulse, standing (3 minute) |
| 78 | SH09_STAND_SYSTBP_3MIN | Num | 8 | Systolic blood pressure, standing (3 minute) |
| 79 | SH09_STAND_DIASTBP_3MIN | Num | 8 | Diastolic blood pressure, standing (3 minute) |
| 80 | SH09_STAND_SYSTBP_ZEROLVL_3MIN | Num | 8 | Systolic blood pressure zero level, standing (3 minute) |
| 81 | SH09_STAND_DIASTBP_ZEROLVL_3MIN | Num | 8 | Diastolic blood pressure zero level, standing (3 minute) |
| 82 | SH09_STAND_SYSTBP_3MIN_CORR | Num | 8 | Corrected systolic blood pressure, standing (3 minute) |
| 83 | SH09_STAND_DIASTBP_3MIN_CORR | Num | 8 | Corrected diastolic blood pressure, standing (3 minute) |
| 84 | SH09_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer any symptoms on standing? |
| 85 | SH09_DIZZINESS_STANDING | Num | 8 | Did participant volunteer dizziness on standing? |
| 86 | SH09_OTHER_SYMPTOMS_STANDING | Num | 8 | Did participant volunteer other symptoms on standing? |
| 87 | SH09_PHONE_BP_SLV | Num | 8 | Since the last time that you came to the SHEP clinic, have you had your blood pressure taken? (telephone interviews) |
| 88 | SH09_PHONE_BP_DATE_SLV_MO | Num | 8 | When was the last time you had your blood pressure taken (month)? (telephone interviews) |
| 89 | SH09_PHONE_BP_DATE_SLV_YR | Num | 8 | When was the last time you had your blood pressure taken (year)? (telephone interviews) |
| 90 | SH09_PHONE_SYSTBP_SLV | Num | 8 | Systolic blood pressure at last measurement (telephone interviews) |
| 91 | SH09_PHONE_DIASTBP_SLV | Num | 8 | Diastolic blood pressure at last measurement (telephone interviews) |
| 92 | SH09_OBSERVER_CODE | Num | 8 | SH09 Observer code |
| 93 | SH09_COMP_MISSED_MEDS_LAST7 | Num | 8 | Have you missed taking your SHEP medicines anytime in the past 7 days? |
| 94 | SH09_COMP_NUM_DAYS_MISSED | Num | 8 | Number of days missed taking your SHEP medicines in past 7 days? |
| 95 | SH09_COMP_REASON_MISSED_UNWELL | Num | 8 | Reason of missing taking medicine, Wasn't feeling well |
| 96 | SH09_COMP_REASON_MISSED_MADEILL | Num | 8 | Reason of missing taking medicine, Medicine made participant ill |
| 97 | SH09_COMP_REASON_MISSED_FORGOT | Num | 8 | Reason of missing taking medicine, Just forgot |
| 98 | SH09_COMP_REASON_MISSED_AWAY | Num | 8 | Reason of missing taking medicine, Away from home/didn't have medicine |
| 99 | SH09_COMP_REASON_MISSED_RANOUT | Num | 8 | Reason of missing taking medicine, Ran out of medicine |
| 100 | SH09_COMP_REASON_MISSED_NOWANT | Num | 8 | Reason of missing taking medicine, Didn't want to take |
| 101 | SH09_COMP_REASON_MISSED_DOCTOR | Num | 8 | Reason of missing taking medicine, Doctor (usual source of care) told me to stop |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 102 | SH09_COMP_REASON_MISSED_OTHER | Num | 8 | Reason of missing taking medicine, Other |
| 103 | SH09_COMP_ACTION_MISSED_DOUBLE | Num | 8 | Action when missed taking SHEP medicine, Waited and doubled next dose |
| 104 | SH09_COMP_ACTION_MISSED_USUAL | Num | 8 | Action when missed taking SHEP medicine, Did nothing/took usual dose next time |
| 105 | SH09_COMP_ACTION_MISSED_REPORT | Num | 8 | Action when missed taking SHEP medicine, Reports missed dose(s) at next clinic visit |
| 106 | SH09_COMP_ACTION_MISSED_CALL | Num | 8 | Action when missed taking SHEP medicine, Called SHEP clinic |
| 107 | SH09_COMP_ACTION_MISSED_RECORD | Num | 8 | Action when missed taking SHEP medicine, Recorded missed dose(s) |
| 108 | SH09_COMP_ACTION_MISSED_TOOK | Num | 8 | Action when missed taking SHEP medicine, Took it later |
| 109 | SH09_COMP_ACTION_MISSED_OTHER | Num | 8 | Action when missed taking SHEP medicine, Other |
| 110 | SH09_COMP_STEP1_TIMESPERDAY | Num | 8 | How many times a day do you take your C1/C2 (Step 1 drug)? |
| 111 | SH09_COMP_STEP1_NUMPILLS | Num | 8 | How many Step 1 pills do you take each time? |
| 112 | SH09_COMP_STEP1_TIMEOFDAY | Num | 8 | When do you take your step 1 pills? |
| 113 | SH09_COMP_STEP2_TIMESPERDAY | Num | 8 | How many times a day do you take your A1/A2/R (Step 2 drug)? |
| 114 | SH09_COMP_STEP2_NUMPILLS | Num | 8 | How many Step 2 pills do you take each time? |
| 115 | SH09_COMP_STEP2_TIMEOFDAY | Num | 8 | When do you take your Step 2 pills? |
| 116 | SH09_COMP_PILLCOUNT | Num | 8 | Was a pill count done at this visit? |
| 117 | SH09_COMP_PILLCOUNT_STEP1 | Num | 8 | Step 1 pill count result |
| 118 | SH09_COMP_PILLCOUNT_STEP2 | Num | 8 | Step 2 pill count result |
| 119 | SH09_UNWELL_SLV | Num | 8 | Have you felt unwell in any way since your last visit; has anything been bothering you? |
| 120 | SH09_DIFFERENT_PROBS_SLV | Num | 8 | Are any of these problems different from the way things were at your last visit? |
| 121 | SH09_DOC_VISIT_SLV | Num | 8 | Since your last visit, have you seen a doctor for any reason? |
| 122 | SH09_HOSP_SLV | Num | 8 | Since your last visit, have you been in the hospital for any reason? |
| 123 | SH09_HOSP_NUMVISITS_SLV | Num | 8 | Number of times in hospital since last visit |
| 124 | SH09_HOSP_VISIT1_DATE_SLV | Num | 8 | Date of admission to hospital (Visit #1) (in days from randomization) |
| 125 | SH09_HOSP_VISIT1_DAYS_SLV | Num | 8 | Number of days spent in hospital (Visit #1) |
| 126 | SH09_HOSP_VISIT2_DATE_SLV | Num | 8 | Date of admission to hospital (Visit #2) (in days from randomization) |
| 127 | SH09_HOSP_VISIT2_DAYS_SLV | Num | 8 | Number of days spent in hospital (Visit #2) |
| 128 | SH09_HOSP_VISIT3_DATE_SLV | Num | 8 | Date of admission to hospital (Visit #3) (in days from randomization) |
| 129 | SH09_HOSP_VISIT3_DAYS_SLV | Num | 8 | Number of days spent in hospital (Visit #3) |
| 130 | SH09_STROKE_SLV | Num | 8 | Since your last SHEP visit, have you been told by a doctor or otherwise learned that you may have had a stroke? |
| 131 | SH09_STOPPED_MEDS_SLV | Num | 8 | Have you stopped taking any medications since your last visit? |
| 132 | SH09_INC_DEC_MEDS_SLV | Num | 8 | Have you increased or decreased any medications since your last visit? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 133 | SH09_STARTED_MEDS_SLV | Num | 8 | Have you started taking any new medications since your last visit? |
| 134 | SH09_BRING_NON_SHEP_MEDS | Num | 8 | Did the participant bring all non-SHEP medications to the clinic at this visit? |
| 135 | SH09_NUMBNESS_SLV | Num | 8 | Since last visit, have you had unusual coldness/numbness of hands or feet? |
| 136 | SH09_NUMBNESS_NEW | Num | 8 | Is this coldness/numbness of hands or feet new since last visit? |
| 137 | SH09_NUMBNESS_FREQ | Num | 8 | What is the frequency of this coldness/numbness of hands or feet? |
| 138 | SH09_NUMBNESS_SEVERITY | Num | 8 | What is the severity of this coldness/numbness of hands or feet? |
| 139 | SH09_NUMBNESS_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is coldness/numbness of hands or feet due to use of SHEP medications? |
| 140 | SH09_SKIN_RASH_SLV | Num | 8 | Since last visit, have you had unusual skin rash or bruising? |
| 141 | SH09_SKIN_RASH_NEW | Num | 8 | Is this skin rash or bruising new since last visit? |
| 142 | SH09_SKIN_RASH_FREQ | Num | 8 | What is the frequency of this skin rash or bruising? |
| 143 | SH09_SKIN_RASH_SEVERITY | Num | 8 | What is the severity of this skin rash or bruising? |
| 144 | SH09_SKIN_RASH_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is skin rash or bruising due to use of SHEP medications? |
| 145 | SH09_SKIN_RASH_PRESENT | Num | 8 | Is an acute skin rash present on physical exam? |
| 146 | SH09_IMBALANCE_SLV | Num | 8 | Since last visit, have you had feelings of unsteadiness or loss of balance? |
| 147 | SH09_IMBALANCE_NEW | Num | 8 | Is this unsteadness/loss of balance new since last visit? |
| 148 | SH09_IMBALANCE_FREQ | Num | 8 | What is the frequency of this unsteadness/loss of balance? |
| 149 | SH09_IMBALANCE_SEVERITY | Num | 8 | What is the severity of this unsteadness/loss of balance? |
| 150 | SH09_IMBALANCE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is unsteadness/loss of balance due to use of SHEP medications? |
| 151 | SH09_LIGHTHEADED_SLV | Num | 8 | Since last visit, have you had faintness or lightheadedness when stand up quickly? |
| 152 | SH09_LIGHTHEADED_NEW | Num | 8 | Is this faintness or lightheadedness new since last visit? |
| 153 | SH09_LIGHTHEADED_FREQ | Num | 8 | What is the frequency of this faintness or lightheadedness? |
| 154 | SH09_LIGHTHEADED_SEVERITY | Num | 8 | What is the severity of this faintness or lightheadedness? |
| 155 | SH09_LIGHTHEADED_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is faintness or lightheadedness due to use of SHEP medications? |
| 156 | SH09_PASSOUT_SLV | Num | 8 | Since last visit, have you had loss of consciousness or passing out? |
| 157 | SH09_PASSOUT_NEW | Num | 8 | Is this loss of consciousness/passing out new since last visit? |
| 158 | SH09_PASSOUT_FREQ | Num | 8 | What is the frequency of this loss of consciousness/passing out? |
| 159 | SH09_PASSOUT_SEVERITY | Num | 8 | What is the severity of this loss of consciousness/passing out? |
| 160 | SH09_PASSOUT_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is loss of consciousness/passing out due to use of SHEP medications? |
| 161 | SH09_DROP_IN_BP | Num | 8 | Is there an observable postural drop in blood pressure? |
| 162 | SH09_FALLS_SLV | Num | 8 | Since last visit, have you had any falls? |
| 163 | SH09_FALLS_NEW | Num | 8 | Are these falls new since last visit? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|--|
| 164 | SH09_FALLS_FREQ | Num | 8 | What is the frequency of these falls? |
| 165 | SH09_FALLS_SEVERITY | Num | 8 | What is the severity of these falls? |
| 166 | SH09_FALLS_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these falls due to use of SHEP medications? |
| 167 | SH09_FRACTURES_SLV | Num | 8 | Since last visit, have you had any fractures? |
| 168 | SH09_FRACTURES_NEW | Num | 8 | Are this fractures new since last visit? |
| 169 | SH09_FRACTURES_FREQ | Num | 8 | What is the frequency of these fractures? |
| 170 | SH09_FRACTURES_SEVERITY | Num | 8 | What is the severity of these fractures? |
| 171 | SH09_FRACTURES_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are fractures due to use of SHEP medications? |
| 172 | SH09_FRACTURES_HIP | Num | 8 | Since last visit, have you had a hip fracture? |
| 173 | SH09_FRACTURES_SPINE | Num | 8 | Since last visit, have you had a spine fracture? |
| 174 | SH09_FRACTURES_FOREARM | Num | 8 | Since last visit, have you had a forearm fracture? |
| 175 | SH09_JOINTPAIN_SLV | Num | 8 | Since last visit, have you had unusual pain in any joints? |
| 176 | SH09_JOINTPAIN_NEW | Num | 8 | Is this unusual pain in joints new since last visit? |
| 177 | SH09_JOINTPAIN_FREQ | Num | 8 | What is the frequency of this unusual pain in joints? |
| 178 | SH09_JOINTPAIN_SEVERITY | Num | 8 | What is the severity of this unusual pain in joints? |
| 179 | SH09_JOINTPAIN_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual pain in joints due to use of SHEP medications? |
| 180 | SH09_JOINTPAIN_ARTHRITIS | Num | 8 | Are there physical signs of acute arthritis? |
| 181 | SH09_MUSCLEWEAK_SLV | Num | 8 | Since last visit, have you had any muscle weakness or cramping? |
| 182 | SH09_MUSCLEWEAK_NEW | Num | 8 | Is this muscle weakness/cramping new since last visit? |
| 183 | SH09_MUSCLEWEAK_FREQ | Num | 8 | What is the frequency of this muscle weakness/cramping? |
| 184 | SH09_MUSCLEWEAK_SEVERITY | Num | 8 | What is the severity of this muscle weakness/cramping? |
| 185 | SH09_MUSCLEWEAK_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this muscle weakness/cramping due to use of SHEP medications? |
| 186 | SH09_EXCESSTHIRST_SLV | Num | 8 | Since last visit, have you had excessive thirst? |
| 187 | SH09_EXCESSTHIRST_NEW | Num | 8 | Is this excessive thirst new since last visit? |
| 188 | SH09_EXCESSTHIRST_FREQ | Num | 8 | What is the frequency of this excessive thirst? |
| 189 | SH09_EXCESSTHIRST_SEVERITY | Num | 8 | What is the severity of this excessive thirst? |
| 190 | SH09_EXCESSTHIRST_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this excessive thirst due to use of SHEP medications? |
| 191 | SH09_LOSSAPPETITE_SLV | Num | 8 | Since last visit, have you had loss of appetite? |
| 192 | SH09_LOSSAPPETITE_NEW | Num | 8 | Is this loss of appetite new since last visit? |
| 193 | SH09_LOSSAPPETITE_FREQ | Num | 8 | What is the frequency of this loss of appetite? |
| 194 | SH09_LOSSAPPETITE_SEVERITY | Num | 8 | What is the severity of this loss of appetite? |
| 195 | SH09_LOSSAPPETITE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this loss of appetite due to use of SHEP medications? |
| 196 | SH09_NAUSEA_SLV | Num | 8 | Since last visit, have you had nausea or vomitting? |
| 197 | SH09_NAUSEA_NEW | Num | 8 | Is this nausea or vomitting new since last visit? |
| 198 | SH09_NAUSEA_FREQ | Num | 8 | What is the frequency of this nausea or vomitting? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 199 | SH09_NAUSEA_SEVERITY | Num | 8 | What is the severity of this nausea or vomitting? |
| 200 | SH09_NAUSEA_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this nausea or vomitting due to use of SHEP medications? |
| 201 | SH09_INDIGESTION_SLV | Num | 8 | Since last visit, have you had unusual indigestion? |
| 202 | SH09_INDIGESTION_NEW | Num | 8 | Is this unusual indigestion new since last visit? |
| 203 | SH09_INDIGESTION_FREQ | Num | 8 | What is the frequency of this unusual indigestion? |
| 204 | SH09_INDIGESTION_SEVERITY | Num | 8 | What is the severity of this unusual indigestion? |
| 205 | SH09_INDIGESTION_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual indigestion due to use of SHEP medications? |
| 206 | SH09_BOWELCHANGE_SLV | Num | 8 | Since last visit, have you had a change in bowel habits? |
| 207 | SH09_BOWELCHANGE_NEW | Num | 8 | Is this change in bowel habits new since last visit? |
| 208 | SH09_BOWELCHANGE_FREQ | Num | 8 | What is the frequency of this change in bowel habits? |
| 209 | SH09_BOWELCHANGE_SEVERITY | Num | 8 | What is the severity of this change in bowel habits? |
| 210 | SH09_BOWELCHANGE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this change in bowel habits due to use of SHEP medications? |
| 211 | SH09_TARRYSTOOL_SLV | Num | 8 | Since last visit, have you had tarry black stool or red blood in stool? |
| 212 | SH09_TARRYSTOOL_NEW | Num | 8 | Is this tarry black stool or red blood in stool new since last visit? |
| 213 | SH09_TARRYSTOOL_FREQ | Num | 8 | What is the frequency of this tarry black stool or red blood in stool? |
| 214 | SH09_TARRYSTOOL_SEVERITY | Num | 8 | What is the severity of this tarry black stool or red blood in stool? |
| 215 | SH09_TARRYSTOOL_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this tarry black or red blood in stool due to use of SHEP medications? |
| 216 | SH09_FASTHB_SLV | Num | 8 | Since last visit, have you had unusually fast heart beat or skipping beats? |
| 217 | SH09_FASTHB_NEW | Num | 8 | Is this unusually fast heart beat or skipping beats new since last visit? |
| 218 | SH09_FASTHB_FREQ | Num | 8 | What is the frequency of this unusually fast heart beat or skipping beats? |
| 219 | SH09_FASTHB_SEVERITY | Num | 8 | What is the severity of this unusually fast heart beat or skipping beats? |
| 220 | SH09_FASTHB_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusually fast heart beat or skipping beats due to use of SHEP medications? |
| 221 | SH09_SLOWHB_SLV | Num | 8 | Since last visit, have you had unusually slow heart beat? |
| 222 | SH09_SLOWHB_NEW | Num | 8 | Is this unusually slow heart beat new since last visit? |
| 223 | SH09_SLOWHB_FREQ | Num | 8 | What is the frequency of this unusually slow heart beat? |
| 224 | SH09_SLOWHB_SEVERITY | Num | 8 | What is the severity of this unusually slow heart beat? |
| 225 | SH09_SLOWHB_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusually slow heart beat due to use of SHEP medications? |
| 226 | SH09_CHESTPAIN_SLV | Num | 8 | Since last visit, have you had episodes of chest pain or heaviness in chest? |
| 227 | SH09_CHESTPAIN_NEW | Num | 8 | Are these episodes of chest pain/heaviness in chest new since last visit? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 228 | SH09_CHESTPAIN_FREQ | Num | 8 | What is the frequency of these episodes of chest pain/heaviness in chest? |
| 229 | SH09_CHESTPAIN_SEVERITY | Num | 8 | What is the severity of these episodes of chest pain/heaviness in chest? |
| 230 | SH09_CHESTPAIN_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these episodes of chest pain/heaviness in chest due to use of SHEP medications? |
| 231 | SH09_ARRHYTHMIA_PRESENT | Num | 8 | Is an arrhythmia present on physical exam? |
| 232 | SH09_HEADACHES_SLV | Num | 8 | Since last visit, have you had headaches so bad you had to stop what you were doing? |
| 233 | SH09_HEADACHES_NEW | Num | 8 | Are these headaches new since last visit? |
| 234 | SH09_HEADACHES_FREQ | Num | 8 | What is the frequency of these headaches? |
| 235 | SH09_HEADACHES_SEVERITY | Num | 8 | What is the severity of these headaches? |
| 236 | SH09_HEADACHES_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these headaches due to use of SHEP medications? |
| 237 | SH09_STUFFYNOSE_SLV | Num | 8 | Since last visit, have you had a stuffy nose? |
| 238 | SH09_STUFFYNOSE_NEW | Num | 8 | Is this stuffy nose new since last visit? |
| 239 | SH09_STUFFYNOSE_FREQ | Num | 8 | What is the frequency of this stuffy nose? |
| 240 | SH09_STUFFYNOSE_SEVERITY | Num | 8 | What is the severity of this stuffy nose? |
| 241 | SH09_STUFFYNOSE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this stuffy nose due to use of SHEP medications? |
| 242 | SH09_WHEEZING_SLV | Num | 8 | Since last visit, have you had a unusual shortness of breath/wheezing? |
| 243 | SH09_WHEEZING_NEW | Num | 8 | Is this unusual shortness of breath/wheezing new since last visit? |
| 244 | SH09_WHEEZING_FREQ | Num | 8 | What is the frequency of this unusual shortness of breath/wheezing? |
| 245 | SH09_WHEEZING_SEVERITY | Num | 8 | What is the severity of this unusual shortness of breath/wheezing? |
| 246 | SH09_WHEEZING_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual shortness of breath/wheezing due to use of SHEP medications? |
| 247 | SH09_WHEEZING_BRONCOSPASM | Num | 8 | Is there evidence for broncospasm on auscultation of the chest? |
| 248 | SH09_TIREDNESS_SLV | Num | 8 | Since last visit, have you had a unusual tiredness/loss of pep? |
| 249 | SH09_TIREDNESS_NEW | Num | 8 | Is this unusual tiredness/loss of pep new since last visit? |
| 250 | SH09_TIREDNESS_FREQ | Num | 8 | What is the frequency of this unusual tiredness/loss of pep? |
| 251 | SH09_TIREDNESS_SEVERITY | Num | 8 | What is the severity of this unusual tiredness/loss of pep? |
| 252 | SH09_TIREDNESS_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual tiredness/loss of pep due to use of SHEP medications? |
| 253 | SH09_ANKLESSWELL_SLV | Num | 8 | Since last visit, have you had a swelling of ankles? |
| 254 | SH09_ANKLESSWELL_NEW | Num | 8 | Is this swelling of ankles new since last visit? |
| 255 | SH09_ANKLESSWELL_FREQ | Num | 8 | What is the frequency of this swelling of ankles? |
| 256 | SH09_ANKLESSWELL_SEVERITY | Num | 8 | What is the severity of this swelling of ankles? |
| 257 | SH09_ANKLESSWELL_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this swelling of ankles due to use of SHEP medications? |
| 258 | SH09_CHF_PRESENT | Num | 8 | Is there evidence of CHF on physical exam? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 259 | SH09_DEPRESSION_SLV | Num | 8 | Since last visit, have you had a feeling so depressed that it interferes with work, recreation or sleep? |
| 260 | SH09_DEPRESSION_NEW | Num | 8 | Is this depression new since last visit? |
| 261 | SH09_DEPRESSION_FREQ | Num | 8 | What is the frequency of this depression? |
| 262 | SH09_DEPRESSION_SEVERITY | Num | 8 | What is the severity of this depression? |
| 263 | SH09_DEPRESSION_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this depression due to use of SHEP medications? |
| 264 | SH09_MEMORY_SLV | Num | 8 | Since last visit, have you had a trouble with memory or concentration? |
| 265 | SH09_MEMORY_NEW | Num | 8 | Is this trouble with memory or concentration new since last visit? |
| 266 | SH09_MEMORY_FREQ | Num | 8 | What is the frequency of this trouble with memory or concentration? |
| 267 | SH09_MEMORY_SEVERITY | Num | 8 | What is the severity of this trouble with memory or concentration? |
| 268 | SH09_MEMORY_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this trouble with memory or concentration due to use of SHEP medications? |
| 269 | SH09_NIGHTMARES_SLV | Num | 8 | Since last visit, have you had nightmares? |
| 270 | SH09_NIGHTMARES_NEW | Num | 8 | Are these nightmares new since last visit? |
| 271 | SH09_NIGHTMARES_FREQ | Num | 8 | What is the frequency of these nightmares? |
| 272 | SH09_NIGHTMARES_SEVERITY | Num | 8 | What is the severity of these nightmares? |
| 273 | SH09_NIGHTMARES_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are thes nightmares due to use of SHEP medications? |
| 274 | SH09_SEXACTIVITY_SLV | Num | 8 | Since last visit, have you had any changes in sexual activity? |
| 275 | SH09_SEXACTIVITY_NEW | Num | 8 | Are these changes in sexual activity new since last visit? |
| 276 | SH09_SEXACTIVITY_FREQ | Num | 8 | What is the frequency of these changes in sexual activity? |
| 277 | SH09_SEXACTIVITY_SEVERITY | Num | 8 | What is the severity of these changes in sexual activity? |
| 278 | SH09_SEXACTIVITY_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these changes in sexual activity due to use of SHEP medications? |
| 279 | SH09_SEXACTIVITY_LOI | Num | 8 | Is the change is sexual activity due to loss of interest? |
| 280 | SH09_SEXACTIVITY_FREQ_DECLINE | Num | 8 | Is the change is sexual activity due to decline in frequency? |
| 281 | SH09_SEXACTIVITY_LOE | Num | 8 | Is the change is sexual activity due to loss of enjoyment? |
| 282 | SH09_SEXACTIVITY_FUNC_IMPAIR | Num | 8 | Is the change is sexual activity due to functional impairment? |
| 283 | SH09_SLEEP_SLV | Num | 8 | Since your last visit, have you had trouble going to sleep/waking up early/getting back to sleep? |
| 284 | SH09_SLEEP_NEW | Num | 8 | Is this trouble going to sleep/waking up early/getting back to sleep new since last visit? |
| 285 | SH09_SLEEP_FREQ | Num | 8 | What is frequency of this trouble going to sleep/waking up early/getting back to sleep? |
| 286 | SH09_SLEEP_SEVERITY | Num | 8 | What is severity of this trouble going to sleep/waking up early/getting back to sleep? |
| 287 | SH09_SLEEP_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this trouble going to sleep/waking up early/getting back to sleep due to use of SHEP medications? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 288 | SH09_NIGHTURINATE_SLV | Num | 8 | Since your last visit, have you been waking up more frequently at night to urinate? |
| 289 | SH09_NIGHTURINATE_NEW | Num | 8 | Is this waking up more frequently at night to urinate new since last visit? |
| 290 | SH09_NIGHTURINATE_FREQ | Num | 8 | What is frequency of waking up more frequently at night to urinate? |
| 291 | SH09_NIGHTURINATE_SEVERITY | Num | 8 | What is severity of waking up more frequently at night to urinate? |
| 292 | SH09_NIGHTURINATE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this waking up more frequently at night to urinate due to use of SHEP medications? |
| 293 | SH09_ANXIETY_SLV | Num | 8 | Since your last visit, have you had more worry or anxiety than usual? |
| 294 | SH09_ANXIETY_NEW | Num | 8 | Is this increased worry or anxiety new since last visit? |
| 295 | SH09_ANXIETY_FREQ | Num | 8 | What is frequency of increased worry or anxiety? |
| 296 | SH09_ANXIETY_SEVERITY | Num | 8 | What is severity of increased worry or anxiety? |
| 297 | SH09_ANXIETY_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this increased worry or anxiety due to use of SHEP medications? |
| 298 | SH09_WEAK1SIDE_SLV | Num | 8 | Since your last visit, have you had weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 299 | SH09_WEAK1SIDE_NEW | Num | 8 | Is this weakness/numbness on one side or unexpected difficulties talking/thinking new since last visit? |
| 300 | SH09_WEAK1SIDE_FREQ | Num | 8 | What is frequency of weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 301 | SH09_WEAK1SIDE_SEVERITY | Num | 8 | What is severity of weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 302 | SH09_WEAK1SIDE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this weakness/numbness on one side or unexpected difficulties talking/thinking due to use of SHEP medications? |
| 303 | SH09_STROKE_EVIDENCE | Num | 8 | Is there evidence of a stroke on physical exam? |
| 304 | SH09_OTHERSYMPTOM_SLV | Num | 8 | Since your last visit, have you had other relevant symptoms? |
| 305 | SH09_OTHERSYMPTOM_NEW | Num | 8 | Are these other relevant symptoms new since last visit? |
| 306 | SH09_OTHERSYMPTOM_FREQ | Num | 8 | What is frequency of other relevant symptoms? |
| 307 | SH09_OTHERSYMPTOM_SEVERITY | Num | 8 | What is severity of other relevant symptoms? |
| 308 | SH09_OTHERSYMPTOM_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these other relevant symptoms due to use of SHEP medications? |
| 309 | SH09_OTHER_RELEVANT_SIGNS | Num | 8 | Are there other revelant signs on physical exam? |
| 310 | SH09_MEDS_BP_ANTIHYPER | Num | 8 | Is participant taking any medication for blood pressure or any drugs with antihypertensive action? |
| 311 | SH09_MEDS_DIGITALIS | Num | 8 | Is participant taking digitalis? |
| 312 | SH09_MEDS_NITRATES | Num | 8 | Is participant taking nitrates (including nitroglycerine or other coronary vasodilator)? |
| 313 | SH09_MEDS_PROPRANOLOL | Num | 8 | Is participant taking propranolol or other beta blockers for other than treatment of blood pressure (excluding timoptic eye drops)? |
| 314 | SH09_MEDS_TIMOPTIC_EYEDROPS | Num | 8 | Is participant taking timoptic eye drops? |
| 315 | SH09_MEDS_ANTI_ARRHYTHMIC | Num | 8 | Is participant taking anti-arrhythmic drugs? |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|---|
| 316 | SH09_MEDS_LIPID_LOWERING_V1 | Num | 8 | Is participant taking lipid-lowering drugs (including clofibrate, cholestryramine, colestipol, nicotinic acid, etc.)? |
| 317 | SH09_MEDS_GOUT_AGENTS | Num | 8 | Is participant taking agents for gout (including probenecid, allopurinol or colchincine)? |
| 318 | SH09_MEDS_INSULIN | Num | 8 | Is participant taking insulin? |
| 319 | SH09_MEDS_ORAL_HYPOGLYCEMIC | Num | 8 | Is participant taking oral hypoglycemic agents? |
| 320 | SH09_MEDS_ANTICOAGULANTS | Num | 8 | Is participant taking anticoagulants? |
| 321 | SH09_MEDS_ANTIBOTICS | Num | 8 | Is participant taking antibotics or anti-infection agents? |
| 322 | SH09_MEDS_CORTISONE | Num | 8 | Is participant taking cortisone or other gluco corticoids? |
| 323 | SH09_MEDS_AMPHETAMINES | Num | 8 | Is participant taking amphetamines or other stimulant? |
| 324 | SH09_MEDS_FLURAZEPAM | Num | 8 | Is participant taking flurazepam or other sedative? |
| 325 | SH09_MEDS_ANTI_DEPRESSANTS | Num | 8 | Is participant taking anti-depressants? |
| 326 | SH09_MEDS_LIBRIUM | Num | 8 | Is participant taking librium, valium or other antianxiety agents? |
| 327 | SH09_MEDS_OTHER_PSYCHOTROPIC | Num | 8 | Is participant taking other physcotropic agents? |
| 328 | SH09_MEDS_POTASSIUM_SUPP | Num | 8 | Is participant taking potassium supplementation other than dietary recommendations? |
| 329 | SH09_MEDS_ESTROGEN | Num | 8 | Is participant taking estrogen? |
| 330 | SH09_MEDS_ANTURANE | Num | 8 | Is participant taking anturane (sulfinpyrazone) at least 4 weeks? |
| 331 | SH09_MEDS_PERSANTINE | Num | 8 | Is participant taking persantine (dipyridamole) at least 4 weeks? |
| 332 | SH09_MEDS_ASPIRIN | Num | 8 | Is participant taking aspirin at least 4 weeks? |
| 333 | SH09_MEDS_NON_STEROIDAL | Num | 8 | Is participant taking non-steroidal anti-inflammatory drugs? |
| 334 | SH09_MEDS_EXPERIMENTAL | Num | 8 | Is participant taking any experimental drugs? |
| 335 | SH09_WEIGHT | Num | 8 | Weight (in pounds) |
| 336 | SH09_HEIGHT | Num | 8 | Height (in inches) |
| 337 | SH09_SKIN_EXAM | Num | 8 | Skin exam results |
| 338 | SH09_HEAD_EXAM | Num | 8 | Head, ears, nose and throat exam results |
| 339 | SH09_EYES_FUNDI | Num | 8 | Eye exam, fundi exam results |
| 340 | SH09_EYES_OTHER | Num | 8 | Eye exam, other parts of eye examined? |
| 341 | SH09_NECK_RAISED_JUGULAR | Num | 8 | Neck exam, raised jugular venous pressure? |
| 342 | SH09_NECK_CAROTID_BRUITS | Num | 8 | Neck exam, carotid bruits? |
| 343 | SH09_NECK_CAROTID_BRUITS_POS | Num | 8 | Neck exam, position of carotid bruits? |
| 344 | SH09_NECK_CAROTID_PULSES_DIM | Num | 8 | Neck exam, carotid pulses absent or markedly diminished? |
| 345 | SH09_NECK_CAROTID_PULSES_POS | Num | 8 | Neck exam, position of absent carotid pulses? |
| 346 | SH09_NECK_THYROID | Num | 8 | Neck exam, thryoid abnormality? |
| 347 | SH09_NECK_OTHER | Num | 8 | Neck exam, other neck problems? |
| 348 | SH09_LYMPH_NODES_EXAM | Num | 8 | Lymph node exam results? |
| 349 | SH09_CHEST_RALES_DONT_CLEAR | Num | 8 | Chest exam, bilateral rales that do not clear with coughing? |
| 350 | SH09_CHEST_RESP_RATE_GE20 | Num | 8 | Chest exam, respiratory rate 20 or more? |
| 351 | SH09_CHEST_WHEEZING | Num | 8 | Chest exam, wheezing? |
| | | | | |

| 355 SH09_HEART_PMI_GE2CM Num 8 Heart exam, PMI more than 2 cm lateral to midclavicular line? 355 SH09_HEART_PMIRD_SOUND Num 8 Heart exam, any murrun? 355 SH09_HEART_POLTH_SOUND Num 8 Heart exam, fund theart sound? 356 SH09_HEART_POLTH_SOUND Num 8 Heart exam, fund theart sound? 357 SH09_HEART_POLSE_JIREEGULAR Num 8 Heart exam, durb theart problems? 358 SH09_BREAST_EXAM Num 8 Heart exam, durb theart problems? 359 SH09_BREAST_EXAM Num 8 Abdomen exam, abnormal abdominal pulse? 360 SH09_ABDOMEN_LIVERSPAN_GELOCM Num 8 Abdomen exam, any marses? 361 SH09_ABDOMEN_ABNORMAL_PULSE Num 8 Abdomen exam, any marses? 363 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other abdomen problems? 365 SH09_EXTREMITY_NELEFISEND Num 8 Extremity exam, fibring ankle edema? 366 SH09_EXTREMITY_PULSE_ABSENT Num 8 Extremity exam, other exam, start abdomen problems? 366 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other exam, start abdomen? 367 SH09_EXTREMITY_OTHER_PROBLEM Nu | Num | Variable | Туре | Len | Label |
|--|-----|----------------------------------|------|-----|---|
| 355 SH09_HEART_THIRD_SOUND Num 8 356 SH09_HEART_OURTH_SOUND Num 8 357 SH09_HEART_OURTH_SOUND Num 8 358 SH09_HEART_OTHRE_PROBEEM Num 8 358 SH09_HEART_OTHRE_PROBEEM Num 8 358 SH09_JERAST_EXAM Num 8 360 SH09_ABDOMEN_LIVERSPAN_GEIOCM Num 8 361 SH09_ABDOMEN_ABNORMAL_PULSE Num 8 363 SH09_ABDOMEN_MASSES Num 8 364 SH09_ABDOMEN_MASSES Num 8 365 SH09_ABDOMEN_OTHER_PROBLEM Num 8 364 SH09_EXTREMITY_EMORAL_BRUIT Num 8 365 SH09_EXTREMITY_PULSE_ABSENT Num 8 366 SH09_EXTREMITY_PULSE_ABSENT Num 8 367 SH09_EXTREMITY_PULSE_ABSENT Num 8 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 369 SH09_NEURO_GATT_RGHT Num 8 369 SH09_NEURO_GATT_RGHT Num 8 360 NH09_NEURO_GATT_RGHT Num 8 370 SH09_NEURO_GATT_RGHT Num 8 371 | 353 | SH09_HEART_PMI_GE2CM | Num | 8 | Heart exam, PMI more than 2 cm lateral to midclavicular line? |
| 356 SH09_HEART_FOURTH_SOUND Num 8 357 SH09_HEART_PULSE_IRREGULAR Num 8 358 SH09_HEART_PULSE_IRREGULAR Num 8 359 SH09_BREAST_EXAM Num 8 350 SH09_ABDOMEN_LIVERSPAN_GE10CM Num 8 360 SH09_ABDOMEN_LIVERSPAN_GE10CM Num 8 361 SH09_ABDOMEN_LIVERSPAN_GE10CM Num 8 362 SH09_ABDOMEN_MASSTS Num 8 363 SH09_ABDOMEN_MASSTS Num 8 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 365 SH09_EXTREMITY_AKLE_EDEMA Num 8 366 SH09_EXTREMITY_AKLE_EDEMA Num 8 366 SH09_EXTREMITY_PUSES_ABSEN1 Num 8 366 SH09_EXTREMITY_OTHER_PROBLEM Num 8 368 SH09_FXTREMITY_OTHER_PROBLEM Num 8 369 SH09_NEURO_GAIT_LEFT Num 8 360 SH09_NEURO_GAIT_LEFT Num 8 370 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 371 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 372 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num | 354 | SH09_HEART_MURMUR | Num | 8 | Heart exam, any murmur? |
| 357 SH09_HEART_PUTSF_IRREGULAR Num 8 Heart exam, pulse irregular? 358 SH09_HEART_OTHER_PROBLEM Num 8 Heart exam, other heart problems? 359 SH09_ABDOMEN_LIVERSPAN_GEIOCM Num 8 Heast exam results? 360 SH09_ABDOMEN_LIVERSPAN_GEIOCM Num 8 Abdomen exam, other pain 10 cm or more? 361 SH09_ABDOMEN_LANORMAL_PULSE Num 8 Abdomen exam, other addominal pulse? 362 SH09_ABDOMEN_BRUIT Num 8 Abdomen exam, other addomen problems? 363 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other addomen problems? 364 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, other addomen problems? 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, any peripheral pulses absent/markedly 366 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Neurological exam, walking on toes right weakness? 370 SH09_NEURO_GATL_HEFT Num 8 Neurological exam, walking on toes right weakness? 372 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, walking on toes right weakness? 373 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 s | 355 | SH09_HEART_THIRD_SOUND | Num | 8 | Heart exam, third heart sound? |
| 358 SH09_HEART_OTHER_PROBLEM Num 8 Heart exam, other heart problems? 359 SH09_BREAST_EXAM Num 8 Breast exam results? 360 SH09_ABDOMEN_LIVERSPAN_GEIOCM Num 8 Abdomen exam, normal abdominal pulse? 361 SH09_ABDOMEN_ABNORMAL_PULSE Num 8 Abdomen exam, any masses? 362 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, other abdomen problems? 363 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other abdomen problems? 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Externity exam, femcal bruit? 366 SH09_EXTREMITY_PRORAL_BRUIT Num 8 Externity exam, femcal bruit? 366 SH09_EXTREMITY_PULSES_ABSENT Num 8 Externity exam, finder at bruit? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Neurological exam, tight hemiparetic gait? 370 SH09_NEURO_GAIT_RIGHT Num 8 Neurological exam, walking on toes left weakness? 372 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on heels left weakness? 371 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 372 | 356 | SH09_HEART_FOURTH_SOUND | Num | 8 | Heart exam, fourth heart sound? |
| 359 SH09_BREAST_EXAM Num 8 Breast exam results? 360 SH09_ABDOMEN_LIVERSPAN_GEIOCM Num 8 Abdomen exam, hiver span 10 cm or more? 361 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 362 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 363 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, nut?? 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, nut?? 365 SH09_EXTREMITY_FENORAL_BRUIT Num 8 Extremity exam, femoral bruit? 366 SH09_EXTREMITY_FENORAL_BRUIT Num 8 Extremity exam, femoral bruit? 367 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Neurological exam, walking on toes left weakness? 369 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, walking on toes right weakness? 371 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on toes right weakness? 373 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, valking on heels right weakness? 374 SH09_NEURO_STAND_EYES_CLOSED | 357 | SH09_HEART_PULSE_IRREGULAR | Num | 8 | Heart exam, pulse irregular? |
| 360 SH09_ABDOMEN_LIVERSPAN_GE10CM Num 8 Abdomen exam, liver span 10 cm or more? 361 SH09_ABDOMEN_ABNORMAL_PULSE Num 8 Abdomen exam, any masses? 362 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 363 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 364 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 365 SH09_EXTREMITY_ANKLE_EDMA Num 8 Abdomen exam, other abdomen problems? 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, femoral bruit? 366 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Neurological exam, telt hemiparetic gait? 370 SH09_NEURO_GATI_RIGHT Num 8 Neurological exam, walking on toes left weakness? 371 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 Neurological exam, walking on toes left weakness? 373 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, walking on heels right weakness? 374 SH09_NEURO_STAND_FYFS_CLOSED Num 8 Neurological exam, ranial nerves, facial weakness? 375 | 358 | SH09_HEART_OTHER_PROBLEM | Num | 8 | Heart exam, other heart problems? |
| 361 SH09_ABDOMEN_ABNORMAL_PULSE Num 8 Abdomen exam, abnormal abdominal pulse? 362 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 363 SH09_ABDOMEN_BRUIT Num 8 Abdomen exam, other abdomen problems? 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other abdomen problems? 365 SH09_EXTREMITY_ANKLE_EDEMA Num 8 Extremity exam, other abdomen problems? 366 SH09_EXTREMITY_PULSES_ABSENT Num 8 Extremity exam, any peripheral pulses absent/markedly diminished? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 369 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, left hemiparetic gait? 370 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, walking on toes left weakness? 371 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on theels right weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 375 SH09_NEURO_CANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_CANIAL_LEFT_WEAK Num< | 359 | SH09_BREAST_EXAM | Num | 8 | Breast exam results? |
| 362 SH09_ABDOMEN_MASSES Num 8 Abdomen exam, any masses? 363 SH09_ABDOMEN_BRUIT Num 8 Abdomen exam, other abdomen problems? 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other abdomen problems? 365 SH09_EXTREMITY_ANKLE_EDEMA Num 8 Extremity exam, fitting ankle edema? 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, other extremity problems? 367 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 369 SH09_NEURO_GATT_LEFT Num 8 Neurological exam, walking on toes left weakness? 370 SH09_NEURO_WALK_TOES_EEFT_WEAK Num 8 Neurological exam, walking on toes left weakness? 372 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on heels right weakness? 373 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, cranial nerves, facial weakness left? 378 SH09_NEURO_CRANIAL_RIGHT_WEAK Num 8 </td <td>360</td> <td>SH09_ABDOMEN_LIVERSPAN_GE10CM</td> <td>Num</td> <td>8</td> <td>Abdomen exam, liver span 10 cm or more?</td> | 360 | SH09_ABDOMEN_LIVERSPAN_GE10CM | Num | 8 | Abdomen exam, liver span 10 cm or more? |
| 363 SH09_ABDOMEN_BRUIT Num 8 Abdomen exam, bruit? 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other abdomen problems? 365 SH09_EXTREMITY_ANKLE_EDEMA Num 8 Extremity exam, pitting ankle edema? 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, femoral bruit? 367 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 369 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, walking on toes left weakness? 370 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on toes left weakness? 371 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, walking on heels left weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 375 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_CRANIAL_LEFT_WEAK | 361 | SH09_ABDOMEN_ABNORMAL_PULSE | Num | 8 | Abdomen exam, abnormal abdominal pulse? |
| 364 SH09_ABDOMEN_OTHER_PROBLEM Num 8 Abdomen exam, other abdomen problems? 365 SH09_EXTREMITY_ANKLE_EDEMA Num 8 Extremity exam, pitting ankle edema? 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, any peripheral pulses absent/markedly diminished? 367 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 368 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, left hemiparetic gait? 370 SH09_NEURO_GAIT_RIGHT Num 8 Neurological exam, walking on toes left weakness? 371 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 Neurological exam, walking on toes left weakness? 373 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, walking on toels left weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 375 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 N | 362 | SH09_ABDOMEN_MASSES | Num | 8 | Abdomen exam, any masses? |
| 365 SH09_EXTREMITY_ANKLE_EDEMA Num 8 Extremity exam, pitting ankle edema? 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, femoral bruit? 367 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 368 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, other extremity problems? 370 SH09_NEURO_GAIT_RIGHT Num 8 Neurological exam, right hemiparetic gait? 371 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 Neurological exam, walking on toes left weakness? 373 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on heels left weakness? 374 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_STAND_EYES_OPEN Num 8 Neurological exam, visual field deficit, left side? 378 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) 377 SH09_NEURO_CRANIAL_RIGHT_WEAK Num 8 Neurological exam, visual field deficit, left side? < | 363 | SH09_ABDOMEN_BRUIT | Num | 8 | Abdomen exam, bruit? |
| 366 SH09_EXTREMITY_FEMORAL_BRUIT Num 8 Extremity exam, femoral bruit? 367 SH09_EXTREMITY_PULSES_ABSENT Num 8 Extremity exam, any peripheral pulses absent/markedly diminished? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 369 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, right hemiparetic gait? 370 SH09_NEURO_GAIT_RIGHT Num 8 Neurological exam, right hemiparetic gait? 371 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on toes right weakness? 373 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on heels left weakness? 374 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_STAND_EYES_OPEN Num 8 Neurological exam, cranial nerves, facial weakness right? 378 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num | 364 | SH09_ABDOMEN_OTHER_PROBLEM | Num | 8 | Abdomen exam, other abdomen problems? |
| 367 SH09_EXTREMITY_PULSES_ABSENT Num 8 Extremity exam, any peripheral pulses absent/markedly diminished? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 369 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, left hemiparetic gait? 370 SH09_NEURO_GAIT_RIGHT Num 8 Neurological exam, sight hemiparetic gait? 371 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 Neurological exam, walking on toes left weakness? 373 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on toes right weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, walking on heels left weakness? 374 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, cranial nerves, facial weakness right? 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_CRANIAL_RIGHT_WEAK Num 8 Neurological exam, cranial nerves, facial weakness | 365 | SH09_EXTREMITY_ANKLE_EDEMA | Num | 8 | Extremity exam, pitting ankle edema? |
| diminished? diminished? 368 SH09_EXTREMITY_OTHER_PROBLEM Num 8 Extremity exam, other extremity problems? 369 SH09_NEURO_GAIT_LEFT Num 8 Neurological exam, left hemiparetic gait? 370 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 Neurological exam, right hemiparetic gait? 371 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on toes left weakness? 373 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on toes right weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_STAND_EYES_OPEN Num 8 Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, visual field deficit, left side? 378 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, visual field deficit, left side? 378 <t< td=""><td>366</td><td>SH09_EXTREMITY_FEMORAL_BRUIT</td><td>Num</td><td>8</td><td>Extremity exam, femoral bruit?</td></t<> | 366 | SH09_EXTREMITY_FEMORAL_BRUIT | Num | 8 | Extremity exam, femoral bruit? |
| 369SH09_NEURO_GAIT_LEFTNum8Neurological exam, left hemiparetic gait?370SH09_NEURO_GAIT_RIGHTNum8Neurological exam, right hemiparetic gait?371SH09_NEURO_WALK_TOES_LEFT_WEAKNum8Neurological exam, walking on toes left weakness?372SH09_NEURO_WALK_TOES_RIGHT_WEAKNum8Neurological exam, walking on toes right weakness?373SH09_NEURO_WALK_HEELS_LEFT_WEAKNum8Neurological exam, walking on heels left weakness?374SH09_NEURO_WALK_HEELS_RIGHT_WEAKNum8Neurological exam, stand stationary for 30 seconds with eyes closed?375SH09_NEURO_STAND_EYES_CLOSEDNum8Neurological exam, stand stationary for 30 seconds with eyes closed?376SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, cranial nerves, facial weakness left?378SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, cranial nerves, facial weakness left?378SH09_NEURO_CRANIAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, left side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, motor wrist extensors, left weakness?382SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, Babinski sign right?386SH09_NEURO_REFLE | 367 | SH09_EXTREMITY_PULSES_ABSENT | Num | 8 | |
| 370 SH09_NEURO_GAIT_RIGHT Num 8 Neurological exam, right hemiparetic gait? 371 SH09_NEURO_WALK_TOES_LEFT_WEAK Num 8 Neurological exam, walking on toes left weakness? 372 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on toes right weakness? 373 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on toes right weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_STAND_EYES_OPEN Num 8 Neurological exam, cranial nerves, facial weakness left? 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, visual field deficit, left side? 378 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, cranial nerves, facial weakness left? 379 SH09_NEURO_CRANIAL_RIGHT_WEAK Num 8 Neurological exam, visual field deficit, right side? 380 SH09_NEURO_VISUAL_DEFICTT_LEFT Num 8 Neurological exam, notor wrist extensors, left weakness? 381 SH09_NEURO_COORD_LEFT_PATTING Num 8 Neurological exam, coordination, left h | 368 | SH09_EXTREMITY_OTHER_PROBLEM | Num | 8 | Extremity exam, other extremity problems? |
| 371SH09_NEURO_WALK_TOES_LEFT_WEAKNum8Neurological exam, walking on toes left weakness?372SH09_NEURO_WALK_TOES_RIGHT_WEAKNum8Neurological exam, walking on toes right weakness?373SH09_NEURO_WALK_HEELS_LEFT_WEAKNum8Neurological exam, walking on heels left weakness?374SH09_NEURO_WALK_HEELS_RIGHT_WEAKNum8Neurological exam, walking on heels right weakness?375SH09_NEURO_STAND_EYES_CLOSEDNum8Neurological exam, stand stationary for 30 seconds with eyes closed?376SH09_NEURO_STAND_EYES_OPENNum8Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed)377SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, canial nerves, facial weakness right?378SH09_NEURO_CRANIAL_RIGHT_WEAKNum8Neurological exam, visual field deficit, left side?379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, right side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, motor wrist extensors, left weakness?381SH09_NEURO_COORD_LEFT_WEAKNum8Neurological exam, coordination, left hand patting?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, reflexes, asymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinsk | 369 | SH09_NEURO_GAIT_LEFT | Num | 8 | Neurological exam, left hemiparetic gait? |
| 372 SH09_NEURO_WALK_TOES_RIGHT_WEAK Num 8 Neurological exam, walking on toes right weakness? 373 SH09_NEURO_WALK_HEELS_LEFT_WEAK Num 8 Neurological exam, walking on heels left weakness? 374 SH09_NEURO_WALK_HEELS_RIGHT_WEAK Num 8 Neurological exam, walking on heels right weakness? 375 SH09_NEURO_STAND_EYES_CLOSED Num 8 Neurological exam, stand stationary for 30 seconds with eyes closed? 376 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed) 377 SH09_NEURO_CRANIAL_LEFT_WEAK Num 8 Neurological exam, cranial nerves, facial weakness right? 378 SH09_NEURO_CRANIAL_RIGHT_WEAK Num 8 Neurological exam, visual field deficit, left side? 378 SH09_NEURO_VISUAL_DEFICIT_LEFT Num 8 Neurological exam, visual field deficit, right side? 380 SH09_NEURO_EXTENSORS_LEFT_WEAK Num 8 Neurological exam, notor wrist extensors, left weakness? 381 SH09_NEURO_COORD_LEFT_RATING Num 8 Neurological exam, coordination, left hand patting? 382 SH09_NEURO_COORD_LEFT_PATTING Num | 370 | SH09_NEURO_GAIT_RIGHT | Num | 8 | Neurological exam, right hemiparetic gait? |
| 373SH09_NEURO_WALK_HEELS_LEFT_WEAKNum8Neurological exam, walking on heels left weakness?374SH09_NEURO_WALK_HEELS_RIGHT_WEAKNum8Neurological exam, walking on heels right weakness?375SH09_NEURO_STAND_EYES_CLOSEDNum8Neurological exam, stand stationary for 30 seconds with eyes closed?376SH09_NEURO_STAND_EYES_OPENNum8Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed)377SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, cranial nerves, facial weakness right?378SH09_NEURO_CRANIAL_RIGHT_WEAKNum8Neurological exam, cranial nerves, facial weakness right?379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, right side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, motor wrist extensors, left weakness?381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, re | 371 | SH09_NEURO_WALK_TOES_LEFT_WEAK | Num | 8 | Neurological exam, walking on toes left weakness? |
| 374SH09_NEURO_WALK_HEELS_RIGHT_WEAKNum8Neurological exam, walking on heels right weakness?375SH09_NEURO_STAND_EYES_CLOSEDNum8Neurological exam, stand stationary for 30 seconds with eyes closed?376SH09_NEURO_STAND_EYES_OPENNum8Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed)377SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, cranial nerves, facial weakness left?378SH09_NEURO_CRANIAL_RIGHT_WEAKNum8Neurological exam, cranial nerves, facial weakness right?379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, right side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, notor wrist extensors, left weakness?381SH09_NEURO_COORD_LEFT_WEAKNum8Neurological exam, coordination, left hand patting?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, right hand patting?384SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, Babinski sign left?385SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign right?386SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?386SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinsk | 372 | SH09_NEURO_WALK_TOES_RIGHT_WEAK | Num | 8 | Neurological exam, walking on toes right weakness? |
| 375SH09_NEURO_STAND_EYES_CLOSEDNum8Neurological exam, stand stationary for 30 seconds with eyes closed?376SH09_NEURO_STAND_EYES_OPENNum8Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed)377SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, cranial nerves, facial weakness left?378SH09_NEURO_CRANIAL_RIGHT_WEAKNum8Neurological exam, cranial nerves, facial weakness left?379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, left side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, notor wrist extensors, left weakness?381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, reflexes, asymetry of patellar tendon?386SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSK1_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_REFLEX_BABINSK1_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_REFLEX_BABINSK1_RIGHTNum8Neurological exam, reflexes, B | 373 | SH09_NEURO_WALK_HEELS_LEFT_WEAK | Num | 8 | Neurological exam, walking on heels left weakness? |
| Image: closed?376SH09_NEURO_STAND_EYES_OPENNum8Neurological exam, stand stationary for 30 seconds with eyes open? (if unable with eyes closed)377SH09_NEURO_CRANIAL_LEFT_WEAKNum8Neurological exam, cranial nerves, facial weakness left?378SH09_NEURO_CRANIAL_RIGHT_WEAKNum8Neurological exam, visual field deficit, left side?379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, left side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, notor wrist extensors, left weakness?381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?382SH09_NEURO_EXTENSORS_RIGHT_WEAKNum8Neurological exam, coordination, left hand patting?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, right hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, reflexes, Babinski sign right? | 374 | SH09_NEURO_WALK_HEELS_RIGHT_WEAK | Num | 8 | Neurological exam, walking on heels right weakness? |
| Image: Content of the system | 375 | SH09_NEURO_STAND_EYES_CLOSED | Num | 8 | |
| 378SH09_NEURO_CRANIAL_RIGHT_WEAKNum8Neurological exam, cranial nerves, facial weakness right?379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, left side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, visual field deficit, right side?381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, motor wrist extensors, left weakness?382SH09_NEURO_EXTENSORS_RIGHT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, reflexes, Babinski sign right? | 376 | SH09_NEURO_STAND_EYES_OPEN | Num | 8 | |
| 379SH09_NEURO_VISUAL_DEFICIT_LEFTNum8Neurological exam, visual field deficit, left side?380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, visual field deficit, right side?381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, motor wrist extensors, left weakness?382SH09_NEURO_EXTENSORS_RIGHT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, reflexes, Babinski sign right? | 377 | SH09_NEURO_CRANIAL_LEFT_WEAK | Num | 8 | Neurological exam, cranial nerves, facial weakness left? |
| 380SH09_NEURO_VISUAL_DEFICIT_RIGHTNum8Neurological exam, visual field deficit, right side?381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, motor wrist extensors, left weakness?382SH09_NEURO_EXTENSORS_RIGHT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, speech or language problems? | 378 | SH09_NEURO_CRANIAL_RIGHT_WEAK | Num | 8 | Neurological exam, cranial nerves, facial weakness right? |
| 381SH09_NEURO_EXTENSORS_LEFT_WEAKNum8Neurological exam, motor wrist extensors, left weakness?382SH09_NEURO_EXTENSORS_RIGHT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, speech or language problems? | 379 | SH09_NEURO_VISUAL_DEFICIT_LEFT | Num | 8 | Neurological exam, visual field deficit, left side? |
| 382SH09_NEURO_EXTENSORS_RIGHT_WEAKNum8Neurological exam, motor wrist extensors, right weakness?383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, speech or language problems? | 380 | SH09_NEURO_VISUAL_DEFICIT_RIGHT | Num | 8 | Neurological exam, visual field deficit, right side? |
| 383SH09_NEURO_COORD_LEFT_PATTINGNum8Neurological exam, coordination, left hand patting?384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, speech or language problems? | 381 | SH09_NEURO_EXTENSORS_LEFT_WEAK | Num | 8 | Neurological exam, motor wrist extensors, left weakness? |
| 384SH09_NEURO_COORD_RIGHT_PATTINGNum8Neurological exam, coordination, right hand patting?385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, speech or language problems? | 382 | SH09_NEURO_EXTENSORS_RIGHT_WEAK | Num | 8 | Neurological exam, motor wrist extensors, right weakness? |
| 385SH09_NEURO_REFLEX_PATELLA_ASSYMNum8Neurological exam, reflexes, assymetry of patellar tendon?386SH09_NEURO_REFLEX_BABINSKI_LEFTNum8Neurological exam, reflexes, Babinski sign left?387SH09_NEURO_REFLEX_BABINSKI_RIGHTNum8Neurological exam, reflexes, Babinski sign right?388SH09_NEURO_SPEECH_PROBLEMSNum8Neurological exam, speech or language problems? | 383 | SH09_NEURO_COORD_LEFT_PATTING | Num | 8 | Neurological exam, coordination, left hand patting? |
| 386 SH09_NEURO_REFLEX_BABINSKI_LEFT Num 8 Neurological exam, reflexes, Babinski sign left? 387 SH09_NEURO_REFLEX_BABINSKI_RIGHT Num 8 Neurological exam, reflexes, Babinski sign right? 388 SH09_NEURO_SPEECH_PROBLEMS Num 8 Neurological exam, speech or language problems? | 384 | SH09_NEURO_COORD_RIGHT_PATTING | Num | 8 | Neurological exam, coordination, right hand patting? |
| 387 SH09_NEURO_REFLEX_BABINSKI_RIGHT Num 8 Neurological exam, reflexes, Babinski sign right? 388 SH09_NEURO_SPEECH_PROBLEMS Num 8 Neurological exam, speech or language problems? | 385 | SH09_NEURO_REFLEX_PATELLA_ASSYM | Num | 8 | Neurological exam, reflexes, assymetry of patellar tendon? |
| 388 SH09_NEURO_SPEECH_PROBLEMS Num 8 Neurological exam, speech or language problems? | 386 | SH09_NEURO_REFLEX_BABINSKI_LEFT | Num | 8 | Neurological exam, reflexes, Babinski sign left? |
| | 387 | SH09_NEURO_REFLEX_BABINSKI_RIGHT | Num | 8 | Neurological exam, reflexes, Babinski sign right? |
| 389 SH09_PHYSEXAM_CLINICIAN_CODE Num 8 Clinician code | 388 | SH09_NEURO_SPEECH_PROBLEMS | Num | 8 | Neurological exam, speech or language problems? |
| | 389 | SH09_PHYSEXAM_CLINICIAN_CODE | Num | 8 | Clinician code |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 390 | SH09_ANGINA_PECTORIS | Num | 8 | On the basis of your history and/or physical exam, do you believe that the participant has angina pectoris? |
| 391 | SH09_MYO_INFARC_PASTYR | Num | 8 | On the basis of ECG and/or your history and physical exam, do you believe the paricipant has had a myocardial infarction in the past year? |
| 392 | SH09_MYO_INFARC_PASTYR_DATE | Num | 8 | When was the most recent possible myocardial infarction (in months from randomization)? |
| 393 | SH09_CORONARY_BYPASS_PASTYR | Num | 8 | Is there a history of coronary bypass in the past year? |
| 394 | SH09_CORONARY_BYPASS_DATE | Num | 8 | Date of coronary bypass surgery (in months from randomization) |
| 395 | SH09_CONGEST_HEART_FAIL_PASTYR | Num | 8 | On the basis of your history and/or physical exam, do you believe the participant has had congestive heart failure in the past year? |
| 396 | SH09_ECG_PERFORMED | Num | 8 | Was an ECG performed this visit? |
| 397 | SH09_ECG_ATRIAL_FLUTTER | Num | 8 | ECG, is artrial fibrillation or flutter present? |
| 398 | SH09_ECG_2ND_3RD_DEG_AV_BLOCK | Num | 8 | ECG, is second or third degree A-V block present? |
| 399 | SH09_ECG_VPBS | Num | 8 | ECG, are VPBS - multifocal, pairs or runs, or more than 10% of beats present? |
| 400 | SH09_ECG_BRADYCARDIA | Num | 8 | ECG, is Bradycardia (<50 beats/min) present? |
| 401 | SH09_ECG_PACEMAKER | Num | 8 | Does the participant currently have a pacemaker? |
| 402 | SH09_VASCULAR_SURG_PASTYR | Num | 8 | Is there a history of vascular surgery in the past year? |
| 403 | SH09_VASCULAR_SURG_BYPASS_GRAFT | Num | 8 | Is there history of aortic, iliac, popliteal or femoral bypass or graft? |
| 404 | SH09_VASCULAR_SURG_ANGIOPLASTY | Num | 8 | Is there history of angioplasty? |
| 405 | SH09_VASCULAR_SURG_OTHER | Num | 8 | Is there history of other vascular surgery? |
| 406 | SH09_ARTERIAL_DISEASE | Num | 8 | On the basis of your history and/or physical exam, does the participant have arterial disease with tissue necrosis or related loss of an extremity? |
| 407 | SH09_CHRONIC_BRONCHITIS | Num | 8 | On the basis of the history and/or physical exam, does participant have chronic bronchitis? |
| 408 | SH09_EMPHYSEMA | Num | 8 | On the basis of the history and/or physical exam, does participant have emphysema? |
| 409 | SH09_STROKE_PASTYR | Num | 8 | On the basis of your history and/or physical exam, and keeping the SHEP criteria in mind, do you believe the participant has had a stroke in the past year? |
| 410 | SH09_STROKE_MOSTRECENT_DATE | Num | 8 | When was the most recent episode of probable stroke (in months from randomization)? |
| 411 | SH09_STROKE_RESIDUAL_EFFECTS | Num | 8 | Are there any residual effects of stroke still present? |
| 412 | SH09_TIA_PASTYR | Num | 8 | On the basis of your history and/or physical exam, do you believe the participant has had transcient cerebral ischemic attacks within the past year? |
| 413 | SH09_CAROTID_ENDART_PASTYR | Num | 8 | Is there a history of carotid endarterectomy in the past year? |
| 414 | SH09_CONTRAINDIC_CHLORTHALIDONE | Num | 8 | On the basis of your history and/or physical examination, does this participant have any contraindication or allergy to chlorthalidone? |
| 415 | SH09_CONTRAINDIC_ATENOLOL | Num | 8 | On the basis of your history and/or physical examination, does this participant have any contraindication or allergy to atenolol? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 416 | SH09_CONTRAINDIC_RESERPINE | Num | 8 | On the basis of your history and/or physical examination, does this participant have any contraindication or allergy to reserpine? |
| 417 | SH09_FRACTURE_HIP_PASTYR | Num | 8 | Do you believe the participant has had a fracture of the hip in the past year? |
| 418 | SH09_FRACTURE_SPINE_PASTYR | Num | 8 | Do you believe the participant has had a fracture of the spine in the past year? |
| 419 | SH09_FRACTURE_FOREARM_PASTYR | Num | 8 | Do you believe the participant has had a fracture of the forearm in the past year? |
| 420 | SH09_FREQUENT_FALLS_PASTYR | Num | 8 | Do you believe the participant has had a problem with frequent falls in the past year? |
| 421 | SH09_ALCOHOLISM_PASTYR | Num | 8 | On the basis of your history and/or physical exam, do you believe the participant drinks 6 or more drinks/day or alcoholism or alcoholic liver disease have been present in the past year? |
| 422 | SH09_DEMENTIA | Num | 8 | On the basis of your history and physical exam, do you believe the participant definitely has any form of dementia? |
| 423 | SH09_CANCER_PASTYR | Num | 8 | Has the participant had cancer (except basal cell cancer) diagnosed within the past year? |
| 424 | SH09_OTHER_HOSPITALIZED_PASTYR | Num | 8 | Other than possible stroke, TIA, left ventricular failure, myocardial infarction and vascular surgery, was participant hospitalized or admitted to intermediate or skilled care nursing home in past year? |
| 425 | SH09_LIFETHREAT_DISEASE_NEXTYR | Num | 8 | On the basis of history and/or physical exam, is there any other life-threatening disease or reason that might seriously impair individual's participation in SHEP over the next year? |
| 426 | SH09_JUDGEMENT_CLINICIAN_CODE | Num | 8 | Clinician Code |
| 427 | SH09_SHEP_MEDS_PRESCRIBED_LV | Num | 8 | At last visit, were SHEP medications prescribed in dosages specified in protocol? |
| 428 | SH09_SHEP_MEDS_ALTERED_SLV | Num | 8 | Since the last visit, have SHEP medications been altered to dosages other than prescribed at the last visit? |
| 429 | SH09_OPEN_ANTIHYPER_MEDS_SLV | Num | 8 | Since the last visit, have open-label antihypertensive medications been prescribed or taken? |
| 430 | SH09_DEV_REPORTED | Num | 8 | Has this deviation from protocol been reported on a Deviation from Protocol form (SH48)? |
| 431 | SH09_DEV_CAUSE | Num | 8 | What happened with respect to the problem which caused this deviation from protocol? |
| 432 | SH09_SERIOUS_CONDITIONS_SLV | Num | 8 | Have any other potentially serious conditions arisen since the last visit that are probably a result of use of SHEP medications? |
| 433 | SH09_RESTORE_SHEP_MEDS | Num | 8 | At this visit, do you plan to restore participant to SHEP drugs and doses specifed in protocol (inlcuding discontinuing open-label antihypertensives)? |
| 434 | SH09_DEV_REASON_SIDE_EFFECTS | Num | 8 | Reason for deviation from protocol, Side effects judged to be severe enough to deviate from protocol |
| 435 | SH09_DEV_REASON_ESCAPE_BP | Num | 8 | Reason for deviation from protocol, Participant has reached escape blood pressure |
| 436 | SH09_DEV_REASON_ALTERNATE_BP | Num | 8 | Reason for deviation from protocol, Private MD has prescribed alternative BP therapy |
| 437 | SH09_DEV_REASON_PARTICIPANT_REQ | Num | 8 | Reason for deviation from protocol, Participant's request |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 438 | SH09_DEV_REASON_OTHER | Num | 8 | Reason for deviation from protocol, Other |
| 439 | SH09_SIDE_OR_GWB_FROM_SHEP_MEDS | Num | 8 | In judgment of SHEP clinician are any of the positive/abnormal responses in General-Well being or side effects sections related to current use of SHEP meds? |
| 440 | SH09_DEVIATION_REQUIRED | Num | 8 | In judgment of SHEP clinician and physician, do any of these responses require deviation from protocol in prescribing SHEP medication? |
| 441 | SH09_CONDITIONS_HARMFUL | Num | 8 | Are any of these conditions possibly harmful to participant? |
| 442 | SH09_OTHER_REASONS_DEVIATION | Num | 8 | Are there reasons other than those in questions 104-111 that require deviation from protocol in prescribing SHEP meds (e.g. interference from other medicine)? |
| 443 | SH09_STEP1MEDS_LV_V1 | Num | 8 | Step 1 medications prescribed last visit? (Version 1) |
| 444 | SH09_STEP1MEDS_BOTTLENUM_LV | Num | 8 | Bottle number of Step 1 medications prescribed last visit |
| 445 | SH09_STEP2MEDS_LV_V1 | Num | 8 | Step 2 medications prescribed last visit? (Version 1) |
| 446 | SH09_STEP2MEDS_BOTTLENUM_LV | Num | 8 | Bottle number of Step 2 medications prescribed last visit |
| 447 | SH09_OPEN_ANTIHYPER_LV | Num | 8 | Open-label antihypertensives prescribed last visit? |
| 448 | SH09_POTASSIUM_SUPP_LV_V1 | Num | 8 | Potassium supplement prescribed last visit? (Version 1) |
| 449 | SH09_POTASSIUM_SUPP_DOSE_LV | Num | 8 | Potassium supplement dosage prescribed last visit (meg/day) |
| 450 | SH09_URICACID_LV_V1 | Num | 8 | Uric acid agent prescribed last visit? (Version 1) |
| 451 | SH09_NO_CHANGE_TO_MEDS_TV | Num | 8 | No changes made to medications this visit |
| 452 | SH09_STEP1MEDS_TV_V1 | Num | 8 | Step 1 medications prescribed this visit? (Version 1) |
| 453 | SH09_STEP1MEDS_BOTTLENUM_TV | Num | 8 | Bottle number of Step 1 medications prescribed this visit |
| 454 | SH09_STEP2MEDS_TV_V1 | Num | 8 | Step 2 medications prescribed this visit (Version 1) |
| 455 | SH09_STEP2MEDS_BOTTLENUM_TV | Num | 8 | Bottle number of Step 2 medications prescribed this visit |
| 456 | SH09_OPEN_ANTIHYPER_TV | Num | 8 | Open-label antihypertensives prescribed this visit? |
| 457 | SH09_POTASSIUM_SUPP_TV_V1 | Num | 8 | Potassium supplement prescribed this visit? (Version 1) |
| 458 | SH09_POTASSIUM_SUPP_DOSE_TV | Num | 8 | Potassium supplement dosage prescribed this visit (meq/day) |
| 459 | SH09_URICACID_TV_V1 | Num | 8 | Uric acid agent prescribed this visit? (Version 1) |
| 460 | SH09_MEDREV_CLINICIAN_CODE | Num | 8 | Code of clinician completing medication review |
| 461 | SH09_RECORD_TYPE | Num | 8 | SH09 Record Type |
| 462 | SH09_DATE_RECEIVED | Num | 8 | SH09 Date Tape Received from Metpath Lab |
| 463 | SH09_UPDATE_NUMBER | Num | 8 | SH09 Update Number |
| 464 | SH09_DATE_LAST_PROCESSED | Num | 8 | SH09 Date Last Processed |
| 465 | SH09_PAPER_COPY | Num | 8 | SH09 Paper Copy |
| 466 | SH09_CROSS_FORM_EDITS | Num | 8 | SH09 Cross form edits |
| 467 | SH09_VITAL_STATUS | Num | 8 | Vital status |
| 468 | SH09_MEDS_HMG_COA | Num | 8 | Is participant taking HMG CoA reductase inhibitors (e.g. Lovastatin, Mevicor)? |
| 469 | SH09_BLIND_MEDS_PRES_LV | Num | 8 | Were any SHEP blinded medications prescribed at the last visit? |
| 470 | SH09_BLIND_MEDS_DIS_SLV | Num | 8 | Were all SHEP blinded medications discontinued since the last visit? |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 471 | SH09_BLIND_MEDS_OCHANGES_SLV | Num | 8 | Were there any other changes made in the SHEP blinded medications since last visit? |
| 472 | SH09_OPEN_ANTIHYPER_PRES_LV | Num | 8 | Were open-label antihypertensive medications prescribed at last visit (any source)? |
| 473 | SH09_OPEN_ANTIHYPER_PRES_SLV | Num | 8 | Were open-label antihypertensive medications prescribed since last visit (any source)? |
| 474 | SH09_ESCAPE_BP_REACHED | Num | 8 | Has the participant reached escape blood pressure at this visit? |
| 475 | SH09_VISIT1_BPDATE | Num | 8 | Date of visit #1 (in days from randomization) |
| 476 | SH09_VISIT1_SYSTBP | Num | 8 | Systolic blood pressure at visit #1 |
| 477 | SH09_VISIT1_DIASTBP | Num | 8 | Diastolic blood pressure at visit #1 |
| 478 | SH09_VISIT2_BPDATE | Num | 8 | Date of visit #2 (in days from randomization) |
| 479 | SH09_VISIT2_SYSTBP | Num | 8 | Systolic blood pressure at visit #2 |
| 480 | SH09_VISIT2_DIASTBP | Num | 8 | Diastolic blood pressure at visit #2 |
| 481 | SH09_VISIT3_BPDATE | Num | 8 | Date of visit #3 (in days from randomization) |
| 482 | SH09_VISIT3_SYSTBP | Num | 8 | Systolic blood pressure at visit #3 |
| 483 | SH09_VISIT3_DIASTBP | Num | 8 | Diastolic blood pressure at visit #3 |
| 484 | SH09_107A | Num | 8 | Will you be prescribing SHEP medications acording to prescribed SHEP blood pressure treatment regimen at this visit? |
| 485 | SH09_107B | Num | 8 | Will you be prescribing open-label antihypertensive medications at this visit? |
| 486 | SH09_107C | Num | 8 | Reasons, Participant has reached escape blood pressure at this visit or a previous visit |
| 487 | SH09_107D | Num | 8 | Reasons, Possible or probable side effects in judgment of SHEP clinician |
| 488 | SH09_107E | Num | 8 | Reasons, Perceived side effects in judgment of participant |
| 489 | SH09_107F | Num | 8 | Reasons, Stroke |
| 490 | SH09_107G | Num | 8 | Reasons, Myocardial infarction |
| 491 | SH09_107H | Num | 8 | Reasons, Left ventricular failure |
| 492 | SH09_107I | Num | 8 | Reasons, Angina |
| 493 | SH09_107J | Num | 8 | Reasons, Other medical |
| 494 | SH09_107K | Num | 8 | Reasons, Participant refusal or preference |
| 495 | SH09_107L | Num | 8 | Reasons, Private MD request |
| 496 | SH09_107M | Num | 8 | Reasons, Other |
| 497 | SH09_STEP1MEDS_LV_V2 | Num | 8 | Step 1 medications prescribed last visit (Version 2) |
| 498 | SH09_STEP2MEDS_LV_V2 | Num | 8 | Step 2 medications prescribed last visit (Version 2) |
| 499 | SH09_OL_DRUGS_LV | Num | 8 | Open-label drugs prescribed last visit |
| 500 | SH09_OL_DRUGS_SOURCE_LV | Num | 8 | Source of open-label drugs prescribed last visit |
| 501 | SH09_POTASSIUM_SUPP_LV_V2 | Num | 8 | Potassium supplement prescribed last visit (Version 2) |
| 502 | SH09_URICACID_LV_V2 | Num | 8 | Uric acid agent prescribed last visit (Version 2) |
| 503 | SH09_STEP1MEDS_TV_V2 | Num | 8 | Step 1 medications prescribed this visit (Version 2) |
| 504 | SH09_STEP2MEDS_TV_V2 | Num | 8 | Step 2 medications prescribed this visit (Version 2) |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 505 | SH09_OL_DRUGS_TV | Num | 8 | Open-label drugs prescribed this visit |
| 506 | SH09_OL_DRUGS_SOURCE_TV | Num | 8 | Source of open-label drugs prescribed this visit |
| 507 | SH09_POTASSIUM_SUPP_TV_V2 | Num | 8 | Potassium supplement prescribed this visit (Version 2) |
| 508 | SH09_URICACID_TV_V2 | Num | 8 | Uric acid agent prescribed this visit (Version 2) |
| 509 | SH09_NEXT_VISIT_SCHEDULED | Num | 8 | Scheduled next appointment |
| 510 | SH09_MEDS_OTHER_LIPID_LOWERING | Num | | Other lipid-lowering drugs, including clofibrate, cholestryramine, colestipol nicotinic acid, etc.? |

Data Set Name: sh10.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|---|
| 1 | SH10_RECORD_LENGTH | Num | 8 | SH10 Record Length |
| 2 | SH10_KEYPUNCH_CODE | Num | 8 | SH10 Keypuncher Code |
| 3 | SH10_BATCHDATE | Num | 8 | SH10 Batch Date |
| 4 | SH10_VERIFYER_CODE | Num | 8 | SH10 Verifyer Code |
| 5 | SH10_DATE_LAST_MODIFIED | Num | 8 | SH10 Date record was last modified |
| 6 | SH10_TIME_LAST_MODIFIED | Num | 8 | SH10 Time record was last modified |
| 7 | SH10_EDIT_STATUS_CODE | Num | 8 | SH10 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH10_VERSNNUM | Num | 8 | SH10 Version number |
| 11 | SH10_ECG_DATE | Num | 8 | Date ECG recorded at Clinical Center (in days from randomization) |
| 12 | SH10_SEQUENCE | Num | 8 | SH10 Sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH10_VISIT_TYPE | Num | 8 | Type of visit |
| 15 | SH10_ECG_TECH_CODE | Num | 8 | ECG Technician code |
| 16 | SH10_DATE_SENT_TO_CC | Num | 8 | Date sent to Coordinating Center (in days from randomization) |
| 17 | SH10_DATE_CC_SENT_TO_ECG | Num | 8 | Date Coordinating Center sends to ECG Reading Center (in days from randomization) |
| 18 | SH10_CODING_DATE | Num | 8 | Date of coding (in days from randomization) |
| 19 | SH10_ECG_QQS_1LV6 | Num | 8 | Twelve-lead ECG, Q and QS Patterns (1X), 1L V6 |
| 20 | SH10_ECG_QQS_23F | Num | 8 | Twelve-lead ECG, Q and QS Patterns (1X), 23 F |
| 21 | SH10_ECG_QQS_V1V5 | Num | 8 | Twelve-lead ECG, Q and QS Patterns (1X), V1 V5 |
| 22 | SH10_ECG_STJ_1LV6 | Num | 8 | Twelve-lead ECG, S-T Junction and Segment Depression (4X), 1L V6 |
| 23 | SH10_ECG_STJ_23F | Num | 8 | Twelve-lead ECG, S-T Junction and Segment Depression (4X), 23 F |
| 24 | SH10_ECG_STJ_V1V5 | Num | 8 | Twelve-lead ECG, S-T Junction and Segment Depression (4X), V1 V5 |
| 25 | SH10_ECG_TWAVE_1LV6 | Num | 8 | Twelve-lead ECG, T Wave Items (5X), 1L V6 |
| 26 | SH10_ECG_TWAVE_23F | Num | 8 | Twelve-lead ECG, T Wave Items (5X), 23 F |
| 27 | SH10_ECG_TWAVE_V1V5 | Num | 8 | Twelve-lead ECG, T Wave Items (5X), V1 V5 |
| 28 | SH10_ECG_STSE_1LV6 | Num | 8 | Twelve-lead ECG, ST Segment Elevation (9.2), 1L V6 |
| 29 | SH10_ECG_STSE_23F | Num | 8 | Twelve-lead ECG, ST Segment Elevation (9.2), 23 F |
| 30 | SH10_ECG_STSE_V1V5 | Num | 8 | Twelve-lead ECG, ST Segment Elevation (9.2), V1 V5 |
| 31 | SH10_ECG_R3X | Num | 8 | Twelve-lead ECG, R 3X |
| 32 | SH10_ECG_AV_CONDUCT | Num | 8 | Twelve-lead ECG, A-V Conduction Defect (6X) |
| 33 | SH10_ECG_VENT_CONDUCT | Num | 8 | Twelve-lead ECG, Ventricular Conduction Defect (7x) |
| 34 | SH10_ECG_ARRHYTHMIA_1X | Num | 8 | Twelve-lead ECG, Arrhythmias (8X), 1X |
| 35 | SH10_ECG_ARRHYTHMIA_2X | Num | 8 | Twelve-lead ECG, Arrhythmias (8X), 2X |
| 36 | SH10_ECG_ARRHYTHMIA_3X | Num | 8 | Twelve-lead ECG, Arrhythmias (8X), 3X |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|---|
| 37 | SH10_ECG_ARRHYTHMIA_4X | Num | 8 | Twelve-lead ECG, Arrhythmias (8X), 4X |
| 38 | SH10_ECG_ARRHYTHMIA_5X | Num | 8 | Twelve-lead ECG, Arrhythmias (8X), 5X |
| 39 | SH10_ECG_ARRHYTHMIA_6X | Num | 8 | Twelve-lead ECG, Arrhythmias (8X), 6X |
| 40 | SH10_ECG_ECTOPIC_SVPB | Num | 8 | Twelve-lead ECG, Ectopic Codes, SVPB |
| 41 | SH10_ECG_ECTOPIC_VPB | Num | 8 | Twelve-lead ECG, Ectopic Codes, VPB |
| 42 | SH10_ECG_ECTOPIC_RNBG | Num | 8 | Twelve-lead ECG, Ectopic Codes, RN BG |
| 43 | SH10_ECG_ECTOPIC_MF | Num | 8 | Twelve-lead ECG, Ectopic Codes, M F |
| 44 | SH10_ECG_ECTOPIC_TR | Num | 8 | Twelve-lead ECG, Ectopic Codes, T-R |
| 45 | SH10_ECG_MISC_91 | Num | 8 | Twelve-lead ECG, Miscellaneous Items, 91 |
| 46 | SH10_ECG_MISC_93 | Num | 8 | Twelve-lead ECG, Miscellaneous Items, 93 |
| 47 | SH10_ECG_MISC_95 | Num | 8 | Twelve-lead ECG, Miscellaneous Items, 95 |
| 48 | SH10_ECG_MISC_U | Num | 8 | Twelve-lead ECG, Miscellaneous Items, U |
| 49 | SH10_ECG_HEART_RATE | Num | 8 | Twelve-lead ECG, Heart Rate (beats/min) |
| 50 | SH10_ECG_QRS_AXIS_SIGN | Char | 1 | Twelve-lead ECG, QRS Axis sign (+/-) |
| 51 | SH10_ECG_QRS_AXIS | Num | 8 | Twelve-lead ECG, QRS Axis |
| 52 | SH10_ECG_MAX_R_HT_L123 | Num | 8 | Twelve-lead ECG, Max R Height (mm), Lead I,II,III |
| 53 | SH10_ECG_MAX_R_HT_V456 | Num | 8 | Twelve-lead ECG, Max R Height (mm), Lead V 4,5,6 |
| 54 | SH10_ECG_MAX_S_HT_L123 | Num | 8 | Twelve-lead ECG, Max S Height (mm), Lead I,II,III |
| 55 | SH10_ECG_MAX_S_HT_V456 | Num | 8 | Twelve-lead ECG, Max S Height (mm), Lead V 4,5,6 |
| 56 | SH10_ECG_T_HT_V5_SIGN | Char | 1 | Twelve-lead ECG, T Height V5 Sign (+/-) |
| 57 | SH10_ECG_T_HT_V5 | Num | 8 | Twelve-lead ECG, T Height V5 (mm) |
| 58 | SH10_ECG_R_HT_AVL | Num | 8 | Twelve-lead ECG, R Height AVL (mm) |
| 59 | SH10_ECG_TECHPROB98 | Num | 8 | Twelve-lead ECG, TechProb98 |
| 60 | SH10_ECG_TERMPV1_DUR | Num | 8 | Twelve-lead ECG, Terminal P V1 Duration |
| 61 | SH10_ECG_TERMPV1_DEPTH | Num | 8 | Twelve-lead ECG, Terminal P V1 Depth (mm) |
| 62 | SH10_ECG_CLEAR10 | Num | 8 | Twelve-lead ECG, Clear 1.0 |
| 63 | SH10_RHYTHM_HEART_RATE | Num | 8 | Two-minute rhythm strip, Heart Rate (beats/min) |
| 64 | SH10_RHYTHM_QTDUR | Num | 8 | Two-minute rhythm strip, QT duration (m.sec) |
| 65 | SH10_RHYTHM_COUP_INT | Num | 8 | Two-minute rhythm strip, Coupling interval (m. sec) |
| 66 | SH10_RHYTHM_RR | Num | 8 | Two-minute rhythm strip, R-R (m.m) |
| 67 | SH10_RHYTHM_ECTOPIC_VPB | Num | 8 | Two-minute rhythm strip, Ectopic codes, VPB |
| 68 | SH10_RHYTHM_ECTOPIC_RNBG | Num | 8 | Two-minute rhythm strip, Ectopic codes, RN BG |
| 69 | SH10_RHYTHM_ECTOPIC_MF | Num | 8 | Two-minute rhythm strip, Ectopic codes, M F |
| 70 | SH10_RECORD_TYPE | Num | 8 | SH10 Record Type |
| 71 | SH10_DATE_RECEIVED | Num | 8 | SH10 Date Tape Received from Metpath Lab |
| 72 | SH10_UPDATE_NUMBER | Num | 8 | SH10 Update Number |
| 73 | SH10_DATE_LAST_PROCESSED | Num | 8 | SH10 Date Last Processed |
| 74 | SH10_CROSS_FORM_EDITS | Num | 8 | SH10 Cross form edits |

Data Set Name: sh11.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 1 | SH11_RECORD_LENGTH | Num | 8 | SH11 Record Length |
| 2 | SH11_KEYPUNCH_CODE | Num | 8 | SH11 Keypuncher Code |
| 3 | SH11_BATCHDATE | Num | 8 | SH11 Batch Date |
| 4 | SH11_VERIFYER_CODE | Num | 8 | SH11 Verifyer Code |
| 5 | SH11_DATE_LAST_MODIFIED | Num | 8 | SH11 Date record was last modified |
| 6 | SH11_TIME_LAST_MODIFIED | Num | 8 | SH11 Time record was last modified |
| 7 | SH11_EDIT_STATUS_CODE | Num | 8 | SH11 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH11_VERSNNUM | Num | 8 | SH11 Version number |
| 11 | SH11_CLINIC_VISITDATE | Num | 8 | Clinic visit date for which SH11 form is needed (in days from randomization) |
| 12 | SH11_SEQUENCE | Num | 8 | SH11 sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH11_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH11_COMPLETION_DATE | Num | 8 | Date of SH11 form completion (in days from randomization) |
| 16 | SH11_BLOODWORK_NOT_COMPLETE | Num | 8 | Blood results not completed |
| 17 | SH11_POTASSIUM_MEASURED | Num | 8 | Potassium measured? |
| 18 | SH11_POTASSIUM | Num | 8 | Potassium (mEq/l) |
| 19 | SH11_URICACID_MEASURED | Num | 8 | Uric acid measured? |
| 20 | SH11_URICACID | Num | 8 | Uric acid (mg/dl) |
| 21 | SH11_CREATININE_MEASURED | Num | 8 | Creatinine measured? |
| 22 | SH11_CREATININE | Num | 8 | Creatinine (mg/dl) |
| 23 | SH11_GLUCOSE_MEASURED | Num | 8 | Glucose measured? |
| 24 | SH11_GLUCOSE | Num | 8 | Glucose (mg/dl) |
| 25 | SH11_SODIUM_MEASURED | Num | 8 | Sodium measured? |
| 26 | SH11_SODIUM | Num | 8 | Sodium (mEq/l) |
| 27 | SH11_CHOLESTEROL_MEASURED | Num | 8 | Cholesterol measured? |
| 28 | SH11_CHOLESTEROL | Num | 8 | Cholesterol (mg/dl) |
| 29 | SH11_BUN_MEASURED | Num | 8 | BUN measured? |
| 30 | SH11_BUN | Num | 8 | BUM (mg/dl) |
| 31 | SH11_SGOT_MEASURED | Num | 8 | SGOT measured? |
| 32 | SH11_SGOT | Num | 8 | SGOT (mu/ml) |
| 33 | SH11_CALCIUM_MEASURED | Num | 8 | Calcium measured? |
| 34 | SH11_CALCIUM | Num | 8 | Calcium (mg/dl) |
| 35 | SH11_HDL_MEASURED | Num | 8 | HDL measured? |
| 36 | SH11_HDL | Num | 8 | HDL (mg/dl) |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 37 | SH11_TRIGLYCERIDES_MEASURED | Num | 8 | Triglycerides measured? |
| 38 | SH11_TRIGLYCERIDES | Num | 8 | Triglycerides (mg/dl) |
| 39 | SH11_OTHER_MEASURED | Num | 8 | Other measurements? |
| 40 | SH11_HEMATOLOGY_NOT_COMPLETED | Num | 8 | Hematology results not completed |
| 41 | SH11_WBC | Num | 8 | WBC (thousands) |
| 42 | SH11_HEMATOCRIT | Num | 8 | Hematocrit (%) |
| 43 | SH11_HEMOGLOBIN | Num | 8 | Hemoglobin (g/100ml) |
| 44 | SH11_URINALYSIS_NOT_COMPLETED | Num | 8 | Dipstick urinalysis not completed |
| 45 | SH11_URINALYSIS_PROTEIN | Num | 8 | Urinalysis protein results |
| 46 | SH11_URINALYSIS_GLUCOSE | Num | 8 | Urinalysis glucose results |
| 47 | SH11_URINALYSIS_PH | Num | 8 | Urinalysis PH results |
| 48 | SH11_URINALYSIS_BLOOD | Num | 8 | Urinalysis blood results |
| 49 | SH11_URINALYSIS_BILIRUBIN | Num | 8 | Urinalysis bilirubin results |
| 50 | SH11_URINALYSIS_KETONES | Num | 8 | Urinalysis ketones results |
| 51 | SH11_URINALYSIS_UROBILINOGEN | Num | 8 | Urinalysis urobilinogen results |
| 52 | SH11_NO_OTHER_TESTS | Num | 8 | No other tests run |
| 53 | SH11_OTHER_TESTS | Num | 8 | Other tests run? |
| 54 | SH11_COMPLETER_CODE | Num | 8 | Code of person who completed form |
| 55 | SH11_RECORD_TYPE | Num | 8 | SH11 Record Type |
| 56 | SH11_DATE_RECEIVED | Num | 8 | SH11 Date Tape Received from Metpath Lab |
| 57 | SH11_UPDATE_NUMBER | Num | 8 | SH11 Update Number |
| 58 | SH11_DATE_LAST_PROCESSED | Num | 8 | SH11 Date Last Processed |
| 59 | SH11_PAPER_COPY | Num | 8 | SH11 Paper Copy |
| 60 | SH11_CROSS_FORM_EDITS | Num | 8 | SH11 Cross form edits |

Data Set Name: sh12.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|---|
| 1 | SH12_RECORD_LENGTH | Num | 8 | SH12 Record Length |
| 2 | SH12_KEYPUNCH_CODE | Num | 8 | SH12 Keypuncher Code |
| 3 | SH12_BATCHDATE | Num | 8 | SH12 Batch Date |
| 4 | SH12_VERIFYER_CODE | Num | 8 | SH12 Verifyer Code |
| 5 | SH12_DATE_LAST_MODIFIED | Num | 8 | SH12 Date record was last modified |
| 6 | SH12_TIME_LAST_MODIFIED | Num | 8 | SH12 Time record was last modified |
| 7 | SH12_EDIT_STATUS_CODE | Num | 8 | SH12 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH12_VERSNNUM | Num | 8 | SH12 Version number |
| 11 | SH12_DRAWDATE | Num | 8 | Date Blood sample was drawn (in days from randomization) |
| 12 | SH12_SEQUENCE | Num | 8 | SH12 Sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH12_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH12_CLINIC_ACCOUNTNUM | Num | 8 | Clinic Account number |
| 16 | SH12_BLOOD_SPECNUM | Char | 6 | Blood sample specimen number |
| 17 | SH12_DATE_LAB_RECEIVED | Num | 8 | Date specimen received at lab (in days from randomization) |
| 18 | SH12_DATE_LAB_PROCESSED | Num | 8 | Date specimen processed by lab (in days from randomization) |
| 19 | SH12_CHEMSCREEN_PANEL | Num | 8 | Chemistry screen panel done? |
| 20 | SH12_CHEMSCREEN_QUALITY | Char | 3 | Quality of Chemistry Panel tests? |
| 21 | SH12_ALKALINE_PHOS | Char | 6 | Alkaline Phosphatase (I.U/L) (implied decimal XXXX.XX) |
| 22 | SH12_ALKALINE_PHOS_FLAG | Char | 1 | Alkaline Phosphatase range flag |
| 23 | SH12_ALKALINE_PHOS_MESSAGE | Char | 3 | Message code for alkaline phospatase test result |
| 24 | SH12_BUN | Num | 8 | BUN (mg/dL) (implied decimal XXXX.XX) |
| 25 | SH12_BUN_FLAG | Char | 1 | BUN range flag |
| 26 | SH12_BUN_MESSAGE | Char | 3 | Message code for BUN test result |
| 27 | SH12_CA | Num | 8 | Calcium (mg/dL) (implied decimal XXXX.XX) |
| 28 | SH12_CA_FLAG | Char | 1 | Calcium range flag |
| 29 | SH12_CA_MESSAGE | Char | 3 | Message code for Calcium test result |
| 30 | SH12_CREATININE | Num | 8 | Creatinine (mg/dL) (implied decimal XXXX.XX) |
| 31 | SH12_CREATININE_FLAG | Char | 1 | Creatinine range flag |
| 32 | SH12_CREATININE_MESSAGE | Char | 3 | Message code for Creatinine test result |
| 33 | SH12_G_GLUTAMYL | Char | 6 | G-Glutamyl Transpeptide (units/L) (implied decimal XXXX.XX) |
| 34 | SH12_G_GLUTAMYL_FLAG | Char | 1 | G-Glutamyl Transpeptide range flag |
| 35 | SH12_G_GLUTAMYL_MESSAGE | Char | 3 | Message code for G-Glutamyl Transpeptide test result |
| 36 | SH12_GLUCOSE | Char | 6 | Glucose (mg/dL) (implied decimal XXXX.XX) |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|---|
| 37 | SH12_GLUCOSE_FLAG | Char | 1 | Glucose range flag |
| 38 | SH12_GLUCOSE_MESSAGE | Char | 3 | Message code for Glucose test result |
| 39 | SH12_POTASSIUM | Char | 6 | Potassium (mmol/L) (implied decimal XXXX.XX) |
| 40 | SH12_POTASSIUM_FLAG | Char | 1 | Potassium range flag |
| 41 | SH12_POTASSIUM_MESSAGE | Char | 3 | Message code for Potassium test result |
| 42 | SH12_SGOT | Num | 8 | SGOT (IU/L) (implied decimal XXXX.XX) |
| 43 | SH12_SGOT_FLAG | Char | 1 | SGOT range flag |
| 44 | SH12_SGOT_MESSAGE | Char | 3 | Message code for SGOT test result |
| 45 | SH12_SODIUM | Char | 6 | Sodium (mmol/L) (implied decimal XXXX.XX) |
| 46 | SH12_SODIUM_FLAG | Char | 1 | Sodium range flag |
| 47 | SH12_SODIUM_MESSAGE | Char | 3 | Message code for Sodium test result |
| 48 | SH12_URICACID | Num | 8 | Uric Acid (mg/dL) (implied decimal XXXX.XX) |
| 49 | SH12_URICACID_FLAG | Char | 1 | Uric Acid range flag |
| 50 | SH12_URICACID_MESSAGE | Char | 3 | Message code for Uric Acid test result |
| 51 | SH12_CHOLESTEROL | Char | 6 | Cholesterol (mg/dL) (implied decimal XXXX.XX) |
| 52 | SH12_CHOLESTEROL_FLAG | Char | 1 | Cholesterol range flag |
| 53 | SH12_CHOLESTEROL_MESSAGE | Char | 3 | Message code for Cholesterol test result |
| 54 | SH12_HDL | Num | 8 | HDL (mg/dL) (implied decimal XXXX.XX) |
| 55 | SH12_HDL_FLAG | Char | 1 | HDL range flag |
| 56 | SH12_HDL_MESSAGE | Char | 3 | Message code for HDL test result |
| 57 | SH12_TRIGLYCERIDE | Num | 8 | Triglycerides (mg/dL) (implied decimal XXXX.XX) |
| 58 | SH12_TRIGLYCERIDE_FLAG | Char | 1 | Triglycerides range flag |
| 59 | SH12_TRIGLYCERIDE_MESSAGE | Char | 3 | Message code for Triglycerides test result |
| 60 | SH12_LIPID_MESSAGE | Char | 3 | Message code for Lipid Pattern |
| 61 | SH12_LIPID_FLAG | Char | 1 | Range flag for Lipid Pattern test |
| 62 | SH12_RECORD_TYPE | Num | 8 | SH12 Record Type |
| 63 | SH12_DATE_RECEIVED | Num | 8 | SH12 Date Tape Received from Metpath Lab |
| 64 | SH12_UPDATE_NUMBER | Num | 8 | SH12 Update Number |
| 65 | SH12_DATE_LAST_PROCESSED | Num | 8 | SH12 Date Last Processed |
| 66 | SH12_CROSS_FORM_EDITS | Num | 8 | SH12 Cross form edits |

Data Set Name: sh13.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|---|
| 1 | SH13_RECORD_LENGTH | Num | 8 | SH13 Record Length |
| 2 | SH13_KEYPUNCH_CODE | Num | 8 | SH13 Keypuncher Code |
| 3 | SH13_BATCHDATE | Num | 8 | SH13 Batch Date |
| 4 | SH13_VERIFYER_CODE | Num | 8 | SH13 Verifyer Code |
| 5 | SH13_DATE_LAST_MODIFIED | Num | 8 | SH13 Date record was last modified |
| 6 | SH13_TIME_LAST_MODIFIED | Num | 8 | SH13 Time record was last modified |
| 7 | SH13_EDIT_STATUS_CODE | Num | 8 | SH13 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH13_VERSNNUM | Num | 8 | SH13 Version number |
| 11 | SH13_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH13_SEQUENCE | Num | 8 | SH13 Sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH13_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH13_DATE_RESULT_RCVD | Num | 8 | Date test result received (in days from randomization) |
| 16 | SH13_DATE_CLINICIAN_RCVD | Num | 8 | Date test result received by clinician (in days from randomization) |
| 17 | SH13_POTASSIUM_ABNORMAL | Num | 8 | Potassium result abnormal? |
| 18 | SH13_POTASSIUM_VALUE | Num | 8 | Potassium (mEq/L) (implied decimal X.X) |
| 19 | SH13_URICACID_ABNORMAL | Num | 8 | Uric Acid result abnormal? |
| 20 | SH13_URICACID_VALUE | Num | 8 | Uric Acid (mg/dL) (implied decimal XX.X) |
| 21 | SH13_OTHER_ABNORMAL | Num | 8 | Other results abnormal? |
| 22 | SH13_RECEIVER_CODE | Num | 8 | Code of person receiving result |
| 23 | SH13_CLINICIAN_CODE | Num | 8 | Code of clinician reviewing result |
| 24 | SH13_RECORD_TYPE | Num | 8 | SH13 Record Type |
| 25 | SH13_DATE_RECEIVED | Num | 8 | SH13 Date Tape Received from Metpath Lab |
| 26 | SH13_UPDATE_NUMBER | Num | 8 | SH13 Update Number |
| 27 | SH13_DATE_LAST_PROCESSED | Num | 8 | SH13 Date Last Processed |
| 28 | SH13_PAPER_COPY | Num | 8 | SH13 Paper Copy |
| 29 | SH13_CROSS_FORM_EDITS | Num | 8 | SH13 Cross form edits |

Data Set Name: sh14.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|---|
| 1 | SH14_RECORD_LENGTH | Num | 8 | SH14 Record Length |
| 2 | SH14_KEYPUNCH_CODE | Num | 8 | SH14 Keypuncher Code |
| 3 | SH14_BATCHDATE | Num | 8 | SH14 Batch Date |
| 4 | SH14_VERIFYER_CODE | Num | 8 | SH14 Verifyer Code |
| 5 | SH14_DATE_LAST_MODIFIED | Num | 8 | SH14 Date record was last modified |
| 6 | SH14_TIME_LAST_MODIFIED | Num | 8 | SH14 Time record was last modified |
| 7 | SH14_EDIT_STATUS_CODE | Num | 8 | SH14 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH14_VERSNNUM | Num | 8 | SH14 Version number |
| 11 | SH14_DATE_INITIATED | Num | 8 | Date SH14 form was initiated (in days from randomization) |
| 12 | SH14_SEQUENCE | Num | 8 | SH14 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH14_CT_SCAN_DATE | Num | 8 | Date of CT Scan (in days from randomization) |
| 15 | SH14_CT_SCAN_SOURCE | Num | 8 | Source of CT Scan |
| 16 | SH14_FINAL_REPORT_DATE | Num | 8 | Date of Final report to which this CT Scan applies (in days from randomization) |
| 17 | SH14_ONSET_DATE | Num | 8 | Date of Onset (in days from randomization) |
| 18 | SH14_DATE_CC_SENDS_RC | Num | 8 | Date Coordinating Center sends to CT Scan Reading Center (in days from randomization) |
| 19 | SH14_CODER_NUMBER | Char | 2 | Coder number |
| 20 | SH14_CODING_DATE | Num | 8 | Date of coding at CT Scan Reading Center (in days from randomization) |
| 21 | SH14_SCAN_TYPE | Num | 8 | Type of Scan |
| 22 | SH14_TECHNICAL_ADEQUACY | Num | 8 | Technical adequacy of scan? |
| 23 | SH14_CT_SCAN_NORMAL | Num | 8 | Is CT Scan normal? |
| 24 | SH14_NUM_LESIONS | Num | 8 | Number of lesions related to this event |
| 25 | SH14_LESION1_SIDE | Num | 8 | Side, Lesion 1 |
| 26 | SH14_LESION2_SIDE | Num | 8 | Side, Lesion 2 |
| 27 | SH14_LESION3_SIDE | Num | 8 | Side, Lesion 3 |
| 28 | SH14_LESION4_SIDE | Num | 8 | Side, Lesion 4 |
| 29 | SH14_LESION5_SIDE | Num | 8 | Side, Lesion 5 |
| 30 | SH14_LESION6_SIDE | Num | 8 | Side, Lesion 6 |
| 31 | SH14_LESION1_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 1 |
| 32 | SH14_LESION1_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 1 |
| 33 | SH14_LESION1_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 1 |
| 34 | SH14_LESION1_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 1 |
| 35 | SH14_LESION2_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 2 |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|-----------------------|
| 36 | SH14_LESION2_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 2 |
| 37 | SH14_LESION2_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 2 |
| 38 | SH14_LESION2_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 2 |
| 39 | SH14_LESION3_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 3 |
| 40 | SH14_LESION3_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 3 |
| 41 | SH14_LESION3_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 3 |
| 42 | SH14_LESION3_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 3 |
| 43 | SH14_LESION4_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 4 |
| 44 | SH14_LESION4_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 4 |
| 45 | SH14_LESION4_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 4 |
| 46 | SH14_LESION4_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 4 |
| 47 | SH14_LESION5_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 5 |
| 48 | SH14_LESION5_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 5 |
| 49 | SH14_LESION5_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 5 |
| 50 | SH14_LESION5_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 5 |
| 51 | SH14_LESION6_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 6 |
| 52 | SH14_LESION6_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 6 |
| 53 | SH14_LESION6_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 6 |
| 54 | SH14_LESION6_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 6 |
| 55 | SH14_LESION1_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 1 |
| 56 | SH14_LESION1_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 1 |
| 57 | SH14_LESION1_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 1 |
| 58 | SH14_LESION1_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 1 |
| 59 | SH14_LESION1_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 1 |
| 60 | SH14_LESION2_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 2 |
| 61 | SH14_LESION2_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 2 |
| 62 | SH14_LESION2_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 2 |
| 63 | SH14_LESION2_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 2 |
| 64 | SH14_LESION2_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 2 |
| 65 | SH14_LESION3_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 3 |
| 66 | SH14_LESION3_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 3 |
| 67 | SH14_LESION3_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 3 |
| 68 | SH14_LESION3_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 3 |
| 69 | SH14_LESION3_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 3 |
| 70 | SH14_LESION4_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 4 |
| 71 | SH14_LESION4_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 4 |
| 72 | SH14_LESION4_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 4 |
| 73 | SH14_LESION4_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 4 |
| 74 | SH14_LESION4_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 4 |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 75 | SH14_LESION5_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 5 |
| 76 | SH14_LESION5_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 5 |
| 77 | SH14_LESION5_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 5 |
| 78 | SH14_LESION5_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 5 |
| 79 | SH14_LESION5_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 5 |
| 80 | SH14_LESION6_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 6 |
| 81 | SH14_LESION6_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 6 |
| 82 | SH14_LESION6_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 6 |
| 83 | SH14_LESION6_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 6 |
| 84 | SH14_LESION6_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 6 |
| 85 | SH14_LESION1_DENSITY | Num | 8 | Density, Lesion 1 |
| 86 | SH14_LESION2_DENSITY | Num | 8 | Density, Lesion 2 |
| 87 | SH14_LESION3_DENSITY | Num | 8 | Density, Lesion 3 |
| 88 | SH14_LESION4_DENSITY | Num | 8 | Density, Lesion 4 |
| 89 | SH14_LESION5_DENSITY | Num | 8 | Density, Lesion 5 |
| 90 | SH14_LESION6_DENSITY | Num | 8 | Density, Lesion 6 |
| 91 | SH14_LESION1_SIZE_SCALE | Num | 8 | Size scale, Lesion 1 |
| 92 | SH14_LESION2_SIZE_SCALE | Num | 8 | Size scale, Lesion 2 |
| 93 | SH14_LESION3_SIZE_SCALE | Num | 8 | Size scale, Lesion 3 |
| 94 | SH14_LESION4_SIZE_SCALE | Num | 8 | Size scale, Lesion 4 |
| 95 | SH14_LESION5_SIZE_SCALE | Num | 8 | Size scale, Lesion 5 |
| 96 | SH14_LESION6_SIZE_SCALE | Num | 8 | Size scale, Lesion 6 |
| 97 | SH14_LESION1_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 1 |
| 98 | SH14_LESION2_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 2 |
| 99 | SH14_LESION3_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 3 |
| 100 | SH14_LESION4_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 4 |
| 101 | SH14_LESION5_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 5 |
| 102 | SH14_LESION6_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 6 |
| 103 | SH14_LESION1_EDEMA | Num | 8 | Edema, Lesion 1 |
| 104 | SH14_LESION2_EDEMA | Num | 8 | Edema, Lesion 2 |
| 105 | SH14_LESION3_EDEMA | Num | 8 | Edema, Lesion 3 |
| 106 | SH14_LESION4_EDEMA | Num | 8 | Edema, Lesion 4 |
| 107 | SH14_LESION5_EDEMA | Num | 8 | Edema, Lesion 5 |
| 108 | SH14_LESION6_EDEMA | Num | 8 | Edema, Lesion 6 |
| 109 | SH14_LESION1_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 1 |
| 110 | SH14_LESION2_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 2 |
| 111 | SH14_LESION3_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 3 |
| 112 | SH14_LESION4_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 4 |
| 113 | SH14_LESION5_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 5 |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 114 | SH14_LESION6_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 6 |
| 115 | SH14_LESION1_ENHANCEMENT | Num | 8 | Enhancement, Lesion 1 |
| 116 | SH14_LESION2_ENHANCEMENT | Num | 8 | Enhancement, Lesion 2 |
| 117 | SH14_LESION3_ENHANCEMENT | Num | 8 | Enhancement, Lesion 3 |
| 118 | SH14_LESION4_ENHANCEMENT | Num | 8 | Enhancement, Lesion 4 |
| 119 | SH14_LESION5_ENHANCEMENT | Num | 8 | Enhancement, Lesion 5 |
| 120 | SH14_LESION6_ENHANCEMENT | Num | 8 | Enhancement, Lesion 6 |
| 121 | SH14_LESION1_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 1 |
| 122 | SH14_LESION2_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 2 |
| 123 | SH14_LESION3_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 3 |
| 124 | SH14_LESION4_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 4 |
| 125 | SH14_LESION5_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 5 |
| 126 | SH14_LESION6_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 6 |
| 127 | SH14_LESION1_CLIN_RELEVANCE | Num | 8 | Clin revelance, Lesion 1 |
| 128 | SH14_LESION2_CLIN_RELEVANCE | Num | 8 | Clin revelance, Lesion 2 |
| 129 | SH14_LESION3_CLIN_RELEVANCE | Num | 8 | Clin revelance, Lesion 3 |
| 130 | SH14_LESION4_CLIN_RELEVANCE | Num | 8 | Clin revelance, Lesion 4 |
| 131 | SH14_LESION5_CLIN_RELEVANCE | Num | 8 | Clin revelance, Lesion 5 |
| 132 | SH14_LESION6_CLIN_RELEVANCE | Num | 8 | Clin revelance, Lesion 6 |
| 133 | SH14_LESION1_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 1 |
| 134 | SH14_LESION2_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 2 |
| 135 | SH14_LESION3_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 3 |
| 136 | SH14_LESION4_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 4 |
| 137 | SH14_LESION5_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 5 |
| 138 | SH14_LESION6_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 6 |
| 139 | SH14_CORTICAL_ATROPHY | Num | 8 | Cortical atrophy? |
| 140 | SH14_HYDROCEPHALUS | Num | 8 | Hydrocephalus? |
| 141 | SH14_RECORD_TYPE | Num | 8 | SH14 Record Type |
| 142 | SH14_DATE_RECEIVED | Num | 8 | SH14 Date Tape Received from Metpath Lab |
| 143 | SH14_UPDATE_NUMBER | Num | 8 | SH14 Update Number |
| 144 | SH14_DATE_LAST_PROCESSED | Num | 8 | SH14 Date Last Processed |
| 145 | SH14_PAPER_COPY | Num | 8 | SH14 Paper Copy |
| 146 | SH14_CROSS_FORM_EDITS | Num | 8 | SH14 Cross form edits |
| 147 | SH14_LESION1_VOLUME | Num | 8 | Volume, Lesion 1 (cc) |
| 148 | SH14_LESION2_VOLUME | Num | 8 | Volume, Lesion 2 (cc) |
| 149 | SH14_LESION3_VOLUME | Num | 8 | Volume, Lesion 3 (cc) |
| 150 | SH14_LESION4_VOLUME | Num | 8 | Volume, Lesion 4 (cc) |
| 151 | SH14_LESION5_VOLUME | Num | 8 | Volume, Lesion 5 (cc) |
| 152 | SH14_LESION6_VOLUME | Num | 8 | Volume, Lesion 6 (cc) |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|---|
| 153 | SH14_LESION1_DIAMETER | Num | 8 | Diameter, Lesion 1 (mm) |
| 154 | SH14_LESION2_DIAMETER | Num | 8 | Diameter, Lesion 2 (mm) |
| 155 | SH14_LESION3_DIAMETER | Num | 8 | Diameter, Lesion 3 (mm) |
| 156 | SH14_LESION4_DIAMETER | Num | 8 | Diameter, Lesion 4 (mm) |
| 157 | SH14_LESION5_DIAMETER | Num | 8 | Diameter, Lesion 5 (mm) |
| 158 | SH14_LESION6_DIAMETER | Num | 8 | Diameter, Lesion 6 (mm) |
| 159 | SH14_CORONAL_VIEWS | Num | 8 | If SAH, were coronal views done? |
| 160 | SH14_CORONAL_VIEW_RESULTS | Num | 8 | Results of coronal views |
| 161 | SH14_LESION1_THICKNESS | Num | 8 | Thickness, Lesion 1 (mm) |
| 162 | SH14_LESION2_THICKNESS | Num | 8 | Thickness, Lesion 2 (mm) |
| 163 | SH14_LESION3_THICKNESS | Num | 8 | Thickness, Lesion 3 (mm) |
| 164 | SH14_LESION4_THICKNESS | Num | 8 | Thickness, Lesion 4 (mm) |
| 165 | SH14_LESION5_THICKNESS | Num | 8 | Thickness, Lesion 5 (mm) |
| 166 | SH14_LESION6_THICKNESS | Num | 8 | Thickness, Lesion 6 (mm) |
| 167 | SH14_LESION1_NUM_SECTIONS | Num | 8 | Number of sections lesion 1 is visible in |
| 168 | SH14_LESION2_NUM_SECTIONS | Num | 8 | Number of sections lesion 2 is visible in |
| 169 | SH14_LESION3_NUM_SECTIONS | Num | 8 | Number of sections lesion 3 is visible in |
| 170 | SH14_LESION4_NUM_SECTIONS | Num | 8 | Number of sections lesion 4 is visible in |
| 171 | SH14_LESION5_NUM_SECTIONS | Num | 8 | Number of sections lesion 5 is visible in |
| 172 | SH14_LESION6_NUM_SECTIONS | Num | 8 | Number of sections lesion 6 is visible in |
| 173 | SH14_LESION1_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 1 (mm) |
| 174 | SH14_LESION2_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 2 (mm) |
| 175 | SH14_LESION3_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 3 (mm) |
| 176 | SH14_LESION4_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 4 (mm) |
| 177 | SH14_LESION5_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 5 (mm) |
| 178 | SH14_LESION6_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 6 (mm) |
| 179 | SH14_LESION1_DIA_RT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 1 (mm) |
| 180 | SH14_LESION2_DIA_RT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 2 (mm) |
| 181 | SH14_LESION3_DIA_RT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 3 (mm) |
| 182 | SH14_LESION4_DIA_RT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 4 (mm) |
| 183 | SH14_LESION5_DIA_RT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 5 (mm) |
| 184 | SH14_LESION6_DIA_RT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 6 (mm) |
| 185 | SH14_PERIVENT_HYPODENSITY | Num | 8 | Periventricular hypodensity (by CT)? |
| 186 | SH14_BRIGHT_PLAQUES | Num | 8 | Bright plaques (T 2 image MRI)? |
| 187 | SH14_COMMENTS | Num | 8 | Comments or additional description? |
| 188 | SH14_CODING_RESULT | Num | 8 | Coding result |
| 189 | SH14_ADJUDICATION_RESULT | Num | 8 | Result of adjudication |

Data Set Name: sh15.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|---|
| 1 | SH15_RECORD_LENGTH | Num | 8 | SH15 Record Length |
| 2 | SH15_KEYPUNCH_CODE | Num | 8 | SH15 Keypuncher Code |
| 3 | SH15_BATCHDATE | Num | 8 | SH15 Batch Date |
| 4 | SH15_VERIFYER_CODE | Num | 8 | SH15 Verifyer Code |
| 5 | SH15_DATE_LAST_MODIFIED | Num | 8 | SH15 Date record was last modified |
| 6 | SH15_TIME_LAST_MODIFIED | Num | 8 | SH15 Time record was last modified |
| 7 | SH15_EDIT_STATUS_CODE | Num | 8 | SH15 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH15_VERSNNUM | Num | 8 | SH15 Version number |
| 11 | SH15_DATE_COLLECTED | Num | 8 | Urine sample collection date (in days from randomization) |
| 12 | SH15_SEQUENCE | Num | 8 | SH15 Sequence |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH15_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH15_CLINIC_ACCOUNTNUM | Num | 8 | Clinic Account number |
| 16 | SH15_URINE_SPECNUM | Char | 6 | Urine sample specimen number |
| 17 | SH15_DATE_LAB_RECEIVED | Num | 8 | Date Lab received sample (in days from randomization) |
| 18 | SH15_DATE_LAB_PROCESS | Num | 8 | Date Lab processed sample (in days from randomization) |
| 19 | SH15_CHLORTHALIDONE | Num | 8 | Presence of Chlorthalidone confirmed? |
| 20 | SH15_CHLORTHALIDONE_MESSAGE | Char | 3 | Message code for Chlorthalidone test result |
| 21 | SH15_RECORD_TYPE | Num | 8 | SH15 Record Type |
| 22 | SH15_DATE_RECEIVED | Num | 8 | SH15 Date Tape Received from Metpath Lab |
| 23 | SH15_UPDATE_NUMBER | Num | 8 | SH15 Update Number |
| 24 | SH15_DATE_LAST_PROCESSED | Num | 8 | SH15 Date Last Processed |
| 25 | SH15_PAPER_COPY | Num | 8 | SH15 Paper Copy |

Data Set Name: sh16.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|---|
| 1 | SH16_RECORD_LENGTH | Num | 8 | SH16 Record Length |
| 2 | SH16_KEYPUNCH_CODE | Num | 8 | SH16 Keypuncher Code |
| 3 | SH16_BATCHDATE | Num | 8 | SH16 Batch Date |
| 4 | SH16_VERIFYER_CODE | Num | 8 | SH16 Verifyer Code |
| 5 | SH16_DATE_LAST_MODIFIED | Num | 8 | SH16 Date record was last modified |
| 6 | SH16_TIME_LAST_MODIFIED | Num | 8 | SH16 Time record was last modified |
| 7 | SH16_EDIT_STATUS_CODE | Num | 8 | SH16 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH16_VERSNNUM | Num | 8 | SH16 Version number |
| 11 | SH16_DATE_INITIATED | Num | 8 | Date SH16 was initiated (in days from randomization) |
| 12 | SH16_SEQUENCE | Num | 8 | SH16 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH16_CT_SCAN_DATE | Num | 8 | Date of CT scan (in days from randomization) |
| 15 | SH16_CT_SCAN_SOURCE | Num | 8 | Source of CT scan |
| 16 | SH16_SH31_DATE | Num | 8 | Date of Dementia Evaluation Form (SH31) this CT scan applies (in days from randomization) |
| 17 | SH16_DATE_CC_SENDS_CT | Num | 8 | Date Coordinating Center sends to CT Scan Reading Center (in days from randomization) |
| 18 | SH16_CODER_NUMBER | Num | 8 | Coder number |
| 19 | SH16_CODING_DATE | Num | 8 | Date of coding at CT Scan Reading Center (in days from randomization) |
| 20 | SH16_SCAN_TYPE | Num | 8 | Type of Scan |
| 21 | SH16_ADEQUACY | Num | 8 | Technical adequacy of this study |
| 22 | SH16_CT_SCAN_NORMAL | Num | 8 | Is CT scan normal? |
| 23 | SH16_NUM_FOCAL_LESIONS | Num | 8 | Number of focal lesions related to this event |
| 24 | SH16_LESION1_SIDE | Num | 8 | Side, Lesion 1 |
| 25 | SH16_LESION2_SIDE | Num | 8 | Side, Lesion 2 |
| 26 | SH16_LESION3_SIDE | Num | 8 | Side, Lesion 3 |
| 27 | SH16_LESION4_SIDE | Num | 8 | Side, Lesion 4 |
| 28 | SH16_LESION5_SIDE | Num | 8 | Side, Lesion 5 |
| 29 | SH16_LESION6_SIDE | Num | 8 | Side, Lesion 6 |
| 30 | SH16_LESION1_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 1 |
| 31 | SH16_LESION1_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 1 |
| 32 | SH16_LESION1_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 1 |
| 33 | SH16_LESION1_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 1 |
| 34 | SH16_LESION2_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 2 |
| 35 | SH16_LESION2_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 2 |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|-----------------------|
| 36 | SH16_LESION2_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 2 |
| 37 | SH16_LESION2_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 2 |
| 38 | SH16_LESION3_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 3 |
| 39 | SH16_LESION3_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 3 |
| 40 | SH16_LESION3_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 3 |
| 41 | SH16_LESION3_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 3 |
| 42 | SH16_LESION4_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 4 |
| 43 | SH16_LESION4_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 4 |
| 44 | SH16_LESION4_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 4 |
| 45 | SH16_LESION4_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 4 |
| 46 | SH16_LESION5_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 5 |
| 47 | SH16_LESION5_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 5 |
| 48 | SH16_LESION5_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 5 |
| 49 | SH16_LESION5_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 5 |
| 50 | SH16_LESION6_PATHOLOGY1 | Num | 8 | Pathology 1, Lesion 6 |
| 51 | SH16_LESION6_PATHOLOGY2 | Num | 8 | Pathology 2, Lesion 6 |
| 52 | SH16_LESION6_PATHOLOGY3 | Num | 8 | Pathology 3, Lesion 6 |
| 53 | SH16_LESION6_PATHOLOGY4 | Num | 8 | Pathology 4, Lesion 6 |
| 54 | SH16_LESION1_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 1 |
| 55 | SH16_LESION1_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 1 |
| 56 | SH16_LESION1_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 1 |
| 57 | SH16_LESION1_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 1 |
| 58 | SH16_LESION1_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 1 |
| 59 | SH16_LESION2_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 2 |
| 60 | SH16_LESION2_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 2 |
| 61 | SH16_LESION2_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 2 |
| 62 | SH16_LESION2_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 2 |
| 63 | SH16_LESION2_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 2 |
| 64 | SH16_LESION3_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 3 |
| 65 | SH16_LESION3_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 3 |
| 66 | SH16_LESION3_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 3 |
| 67 | SH16_LESION3_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 3 |
| 68 | SH16_LESION3_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 3 |
| 69 | SH16_LESION4_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 4 |
| 70 | SH16_LESION4_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 4 |
| 71 | SH16_LESION4_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 4 |
| 72 | SH16_LESION4_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 4 |
| 73 | SH16_LESION4_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 4 |
| 74 | SH16_LESION5_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 5 |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|---|
| 75 | SH16_LESION5_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 5 |
| 76 | SH16_LESION5_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 5 |
| 77 | SH16_LESION5_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 5 |
| 78 | SH16_LESION5_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 5 |
| 79 | SH16_LESION6_ANATOMY1 | Num | 8 | Anatomy 1, Lesion 6 |
| 80 | SH16_LESION6_ANATOMY2 | Num | 8 | Anatomy 2, Lesion 6 |
| 81 | SH16_LESION6_ANATOMY3 | Num | 8 | Anatomy 3, Lesion 6 |
| 82 | SH16_LESION6_ANATOMY4 | Num | 8 | Anatomy 4, Lesion 6 |
| 83 | SH16_LESION6_ANATOMY5 | Num | 8 | Anatomy 5, Lesion 6 |
| 84 | SH16_LESION1_THICKNESS | Num | 8 | Thickness, Lesion 1 (mm) |
| 85 | SH16_LESION2_THICKNESS | Num | 8 | Thickness, Lesion 2 (mm) |
| 86 | SH16_LESION3_THICKNESS | Num | 8 | Thickness, Lesion 3 (mm) |
| 87 | SH16_LESION4_THICKNESS | Num | 8 | Thickness, Lesion 4 (mm) |
| 88 | SH16_LESION5_THICKNESS | Num | 8 | Thickness, Lesion 5 (mm) |
| 89 | SH16_LESION6_THICKNESS | Num | 8 | Thickness, Lesion 6 (mm) |
| 90 | SH16_LESION1_NUM_SECTIONS | Num | 8 | Number of sections lesion 1 is visible in |
| 91 | SH16_LESION2_NUM_SECTIONS | Num | 8 | Number of sections lesion 2 is visible in |
| 92 | SH16_LESION3_NUM_SECTIONS | Num | 8 | Number of sections lesion 3 is visible in |
| 93 | SH16_LESION4_NUM_SECTIONS | Num | 8 | Number of sections lesion 4 is visible in |
| 94 | SH16_LESION5_NUM_SECTIONS | Num | 8 | Number of sections lesion 5 is visible in |
| 95 | SH16_LESION6_NUM_SECTIONS | Num | 8 | Number of sections lesion 6 is visible in |
| 96 | SH16_LESION1_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 1 (mm) |
| 97 | SH16_LESION2_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 2 (mm) |
| 98 | SH16_LESION3_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 3 (mm) |
| 99 | SH16_LESION4_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 4 (mm) |
| 100 | SH16_LESION5_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 5 (mm) |
| 101 | SH16_LESION6_LARGEST_DIA | Num | 8 | Largest diameter, Lesion 6 (mm) |
| 102 | SH16_LESION1_DIA_RIGHT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 1 (mm) |
| 103 | SH16_LESION2_DIA_RIGHT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 2 (mm) |
| 104 | SH16_LESION3_DIA_RIGHT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 3 (mm) |
| 105 | SH16_LESION4_DIA_RIGHT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 4 (mm) |
| 106 | SH16_LESION5_DIA_RIGHT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 5 (mm) |
| 107 | SH16_LESION6_DIA_RIGHT_ANGLE | Num | 8 | Diameter at right angles to largest diameter, Lesion 6 (mm) |
| 108 | SH16_LESION1_DENSITY | Num | 8 | Density, Lesion 1 |
| 109 | SH16_LESION2_DENSITY | Num | 8 | Density, Lesion 2 |
| 110 | SH16_LESION3_DENSITY | Num | 8 | Density, Lesion 3 |
| 111 | SH16_LESION4_DENSITY | Num | 8 | Density, Lesion 4 |
| 112 | SH16_LESION5_DENSITY | Num | 8 | Density, Lesion 5 |
| 113 | SH16_LESION6_DENSITY | Num | 8 | Density, Lesion 6 |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 114 | SH16_LESION1_SIZE_SCALE | Num | 8 | Size scale, Lesion 1 |
| 115 | SH16_LESION2_SIZE_SCALE | Num | 8 | Size scale, Lesion 2 |
| 116 | SH16_LESION3_SIZE_SCALE | Num | 8 | Size scale, Lesion 3 |
| 117 | SH16_LESION4_SIZE_SCALE | Num | 8 | Size scale, Lesion 4 |
| 118 | SH16_LESION5_SIZE_SCALE | Num | 8 | Size scale, Lesion 5 |
| 119 | SH16_LESION6_SIZE_SCALE | Num | 8 | Size scale, Lesion 6 |
| 120 | SH16_LESION1_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 1 |
| 121 | SH16_LESION2_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 2 |
| 122 | SH16_LESION3_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 3 |
| 123 | SH16_LESION4_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 4 |
| 124 | SH16_LESION5_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 5 |
| 125 | SH16_LESION6_SIZE_CHANGE | Num | 8 | Change in size from previous CT scan, Lesion 6 |
| 126 | SH16_LESION1_EDEMA | Num | 8 | Edema, Lesion 1 |
| 127 | SH16_LESION2_EDEMA | Num | 8 | Edema, Lesion 2 |
| 128 | SH16_LESION3_EDEMA | Num | 8 | Edema, Lesion 3 |
| 129 | SH16_LESION4_EDEMA | Num | 8 | Edema, Lesion 4 |
| 130 | SH16_LESION5_EDEMA | Num | 8 | Edema, Lesion 5 |
| 131 | SH16_LESION6_EDEMA | Num | 8 | Edema, Lesion 6 |
| 132 | SH16_LESION1_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 1 |
| 133 | SH16_LESION2_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 2 |
| 134 | SH16_LESION3_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 3 |
| 135 | SH16_LESION4_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 4 |
| 136 | SH16_LESION5_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 5 |
| 137 | SH16_LESION6_MASS_EFFECT | Num | 8 | Mass Effect, Lesion 6 |
| 138 | SH16_LESION1_ENHANCEMENT | Num | 8 | Enhancement, Lesion 1 |
| 139 | SH16_LESION2_ENHANCEMENT | Num | 8 | Enhancement, Lesion 2 |
| 140 | SH16_LESION3_ENHANCEMENT | Num | 8 | Enhancement, Lesion 3 |
| 141 | SH16_LESION4_ENHANCEMENT | Num | 8 | Enhancement, Lesion 4 |
| 142 | SH16_LESION5_ENHANCEMENT | Num | 8 | Enhancement, Lesion 5 |
| 143 | SH16_LESION6_ENHANCEMENT | Num | 8 | Enhancement, Lesion 6 |
| 144 | SH16_LESION1_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 1 |
| 145 | SH16_LESION2_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 2 |
| 146 | SH16_LESION3_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 3 |
| 147 | SH16_LESION4_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 4 |
| 148 | SH16_LESION5_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 5 |
| 149 | SH16_LESION6_ENHANCEMENT_TYPE | Num | 8 | Enhancement type, Lesion 6 |
| 150 | SH16_LESION1_CLIN_REVELANCE | Num | 8 | Clin revelance, Lesion 1 |
| 151 | SH16_LESION2_CLIN_REVELANCE | Num | 8 | Clin revelance, Lesion 2 |
| 152 | SH16_LESION3_CLIN_REVELANCE | Num | 8 | Clin revelance, Lesion 3 |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 153 | SH16_LESION4_CLIN_REVELANCE | Num | 8 | Clin revelance, Lesion 4 |
| 154 | SH16_LESION5_CLIN_REVELANCE | Num | 8 | Clin revelance, Lesion 5 |
| 155 | SH16_LESION6_CLIN_REVELANCE | Num | 8 | Clin revelance, Lesion 6 |
| 156 | SH16_LESION1_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 1 |
| 157 | SH16_LESION2_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 2 |
| 158 | SH16_LESION3_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 3 |
| 159 | SH16_LESION4_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 4 |
| 160 | SH16_LESION5_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 5 |
| 161 | SH16_LESION6_HEMORRHAGE | Num | 8 | Hemorrhage, Lesion 6 |
| 162 | SH16_CORTICAL_ATROPHY | Num | 8 | Cortical atrophy? |
| 163 | SH16_HYDROCEPHALUS | Num | 8 | Hydrocephalus? |
| 164 | SH16_PERIVENT_HYPODENSITY | Num | 8 | Periventricular hypodensity (by CT)? |
| 165 | SH16_BRIGHT_PLAQUES | Num | 8 | Bright plaques (T 2 image MRI) |
| 166 | SH16_SULCUS_WIDTH_LT | Num | 8 | Sulcus/fissure enlargement, Average sulcus width, left side (mm) |
| 167 | SH16_SULCUS_WIDTH_RT | Num | 8 | Sulcus/fissure enlargement, Average sulcus width, right side (mm) |
| 168 | SH16_ANTERIOR_END_SYLVIAN_LT | Num | 8 | Sulcus/fissure enlargement, Anterior end of sylvian fissure, left side (mm) |
| 169 | SH16_ANTERIOR_END_SYLVIAN_RT | Num | 8 | Sulcus/fissure enlargement, Anterior end of sylvian fissure, right side (mm) |
| 170 | SH16_INTERHEMISPHERE_SPACE | Num | 8 | Sulcus/fissure enlargement, Interhemisphere space anteriorly at the level of the body of the lateral ventricles (mm) |
| 171 | SH16_3RD_VENTRICLE | Num | 8 | Ventricular measures and ratios, 3rd ventricle (mm) |
| 172 | SH16_TEMPORAL_HORNS_WIDTH_LT | Num | 8 | Ventricular measures and ratios, Width of temporal horns, left (mm) |
| 173 | SH16_TEMPORAL_HORNS_WIDTH_RT | Num | 8 | Ventricular measures and ratios, Width of temporal horns, right (mm) |
| 174 | SH16_LATERAL_FRONTAL_HORN | Num | 8 | Ventricular measures and ratios, Lateral frontal horn distance, maximum (mm) |
| 175 | SH16_SKULL_DIAMETER_HORN | Num | 8 | Ventricular measures and ratios, Skull diameter at location of lateral frontal horn maximum distance (mm) |
| 176 | SH16_SKULL_FRONTAL_HORN_RATIO | Num | 8 | Ventricular measures and ratios, Ratio of lateral frontal horn distance to skull diameter |
| 177 | SH16_TRANSVERSE_DIA_LAT_VENTS | Num | 8 | Cella media ratio, Transverse diameter of the body of lateral ventricles (mm) |
| 178 | SH16_SKULL_DIAMETER_LAT_VENTS | Num | 8 | Cella media ratio, Skull diameter at location of transverse diameter measurement |
| 179 | SH16_SKULL_LAT_VENTS_RATIO | Num | 8 | Cella media ratio, Transverse diameter to skull diameter ratio |
| 180 | SH16_LT_SYLVIAN_3RD_VENT_DIST | Num | 8 | 3rd ventricle-Sylvian fissure/skull ratio, Distance from left sylvian fissure to 3rd ventricle (mm) |
| 181 | SH16_RT_SYLVIAN_3RD_VENT_DIST | Num | 8 | 3rd ventricle-Sylvian fissure/skull ratio, Distance from right sylvian fissure to 3rd ventricle (mm) |
| 182 | SH16_SKULL_DIAMETER_SYLVIAN | Num | 8 | 3rd ventricle-Sylvian fissure/skull ratio, Diameter of skull at same location (mm) |
| 183 | SH16_LT_RT_SYLVIAN_RATIO | Num | 8 | 3rd ventricle-Sylvian fissure/skull ratio ((Dist. from left + Dist. from right)/Skull diameter) |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 184 | SH16_COMMENTS | Num | 8 | Comments or additional descriptions of other abnormalities |
| 185 | SH16_CODING_RESULT | Num | 8 | Coding result |
| 186 | SH16_ADJUDICATION_RESULT | Num | 8 | Result of adjudication |
| 187 | SH16_RECORD_TYPE | Num | 8 | SH16 Record Type |
| 188 | SH16_DATE_RECEIVED | Num | 8 | SH16 Date Tape Received from Metpath Lab |
| 189 | SH16_UPDATE_NUMBER | Num | 8 | SH16 Update Number |
| 190 | SH16_DATE_LAST_PROCESSED | Num | 8 | SH16 Date Last Processed |
| 191 | SH16_PAPER_COPY | Num | 8 | SH16 Paper Copy |
| 192 | SH16_CROSS_FORM_EDITS | Num | 8 | SH16 Cross Form Edits |

Data Set Name: sh17.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|---|
| 1 | SH17_RECORD_LENGTH | Num | 8 | SH17 Record Length |
| 2 | SH17_KEYPUNCH_CODE | Num | 8 | SH17 Keypuncher Code |
| 3 | SH17_BATCHDATE | Num | 8 | SH17 Batch Date |
| 4 | SH17_VERIFYER_CODE | Num | 8 | SH17 Verifyer Code |
| 5 | SH17_DATE_LAST_MODIFIED | Num | 8 | SH17 Date record was last modified |
| 6 | SH17_TIME_LAST_MODIFIED | Num | 8 | SH17 Time record was last modified |
| 7 | SH17_EDIT_STATUS_CODE | Num | 8 | SH17 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH17_VERSNNUM | Num | 8 | SH17 Version number |
| 11 | SH17_KEYDATE | Num | 8 | Date data was received (in days from randomization) |
| 12 | SH17_SEQUENCE | Num | 8 | SH17 Sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH17_BASE_ECG_DATE | Num | 8 | Date of baseline ECG scan (in days from randomization) |
| 15 | SH17_BASE_ECG_QS1 | Num | 8 | Baseline QS1 |
| 16 | SH17_BASE_ECG_QS2 | Num | 8 | Baseline QS2 |
| 17 | SH17_BASE_ECG_QS3 | Num | 8 | Baseline QS3 |
| 18 | SH17_2YR_ECG_DATE | Num | 8 | Date of two-year ECG scan (in days from randomization) |
| 19 | SH17_2YR_ECG_QS1 | Num | 8 | Two-year QS1 |
| 20 | SH17_2YR_ECG_QS2 | Num | 8 | Two-year QS2 |
| 21 | SH17_2YR_ECG_QS3 | Num | 8 | Two-year QS3 |
| 22 | SH17_FINAL_ECG_DATE | Num | 8 | Date of final annual ECG scan (in days from randomization) |
| 23 | SH17_FINAL_ECG_QS1 | Num | 8 | Final annual QS1 |
| 24 | SH17_FINAL_ECG_QS2 | Num | 8 | Final annual QS2 |
| 25 | SH17_FINAL_ECG_QS3 | Num | 8 | Final annual QS3 |
| 26 | SH17_BASE_TO_2YR | Num | 8 | Myocardial infarction between baseline and two-year ECG |
| 27 | SH17_BASE_TO_2YR_ED_RULE | Num | 8 | Evolving diagnostic between baseline and two-year ECG |
| 28 | SH17_BASE_TO_FINAL | Num | 8 | Myocardial infarction between baseline and final annual ECG |
| 29 | SH17_BASE_TO_FINAL_ED_RULE | Num | 8 | Evolving diagnostic between baseline and final annual ECG |
| 30 | SH17_2YR_TO_FINAL | Num | 8 | Myocardial infarction between two-year and final annual ECG |
| 31 | SH17_2YR_TO_FINAL_ED_RULE | Num | 8 | Evolving diagnostic between two-year and final annual ECG |

Data Set Name: sh20.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 1 | SH20_RECORD_LENGTH | Num | 8 | SH20 Record Length |
| 2 | SH20_KEYPUNCH_CODE | Num | 8 | SH20 Keypuncher Code |
| 3 | SH20_BATCHDATE | Num | 8 | SH20 Batch Date |
| 4 | SH20_VERIFYER_CODE | Num | 8 | SH20 Verifyer Code |
| 5 | SH20_DATE_LAST_MODIFIED | Num | 8 | SH20 Date record was last modified |
| 6 | SH20_TIME_LAST_MODIFIED | Num | 8 | SH20 Time record was last modified |
| 7 | SH20_EDIT_STATUS_CODE | Num | 8 | SH20 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH20_VERSNNUM | Num | 8 | SH20 Version number |
| 11 | SH20_MORBID_EVENT_DATE | Num | 8 | Date of onset of morbid event (in days from randomization) |
| 12 | SH20_SEQUENCE | Num | 8 | SH20 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH20_DATE_COMPLETED | Num | 8 | Date SH20 form completed (in days from randomization) |
| 15 | SH20_EVENT_STROKE | Num | 8 | Morbid event was a Stroke |
| 16 | SH20_EVENT_AMI | Num | 8 | Morbid event was Acute Myocardial Infarction |
| 17 | SH20_EVENT_LVF | Num | 8 | Morbid event was Left Ventricular Failure |
| 18 | SH20_EVENT_TIA | Num | 8 | Morbid event was Transient Ischemic Attack |
| 19 | SH20_HOSPITALIZED | Num | 8 | Was the participant hospitalized? |
| 20 | SH20_NON_SHEP_DOCTOR | Num | 8 | Was the participant seen by a non SHEP doctor? |
| 21 | SH20_COMPLETER_CODE | Num | 8 | Code of the person that completed this form |
| 22 | SH20_RECORD_TYPE | Num | 8 | SH20 Record Type |
| 23 | SH20_DATE_RECEIVED | Num | 8 | SH20 Date Tape Received from Metpath Lab |
| 24 | SH20_UPDATE_NUMBER | Num | 8 | SH20 Update Number |
| 25 | SH20_DATE_LAST_PROCESSED | Num | 8 | SH20 Date Last Processed |
| 26 | SH20_PAPER_COPY | Num | 8 | SH20 Paper Copy |
| 27 | SH20_CROSS_FORM_EDITS | Num | 8 | SH20 Cross Form Edits |
| 28 | SH20_EVENT_OTHER | Num | 8 | Morbid event was Other Hospitalization |
| 29 | SH20_EVENT_NURSING_HOME | Num | 8 | Morbid event was Admission to intermediate or skilled nursing home |

Data Set Name: sh21.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 1 | SH21_RECORD_LENGTH | Num | 8 | SH21 Record Length |
| 2 | SH21_KEYPUNCH_CODE | Num | 8 | SH21 Keypuncher Code |
| 3 | SH21_BATCHDATE | Num | 8 | SH21 Batch Date |
| 4 | SH21_VERIFYER_CODE | Num | 8 | SH21 Verifyer Code |
| 5 | SH21_DATE_LAST_MODIFIED | Num | 8 | SH21 Date record was last modified |
| 6 | SH21_TIME_LAST_MODIFIED | Num | 8 | SH21 Time record was last modified |
| 7 | SH21_EDIT_STATUS_CODE | Num | 8 | SH21 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH21_VERSNNUM | Num | 8 | SH21 Version number |
| 11 | SH21_MORBID_EVENT_DATE | Num | 8 | Date of onset of morbid event (in days from randomization) |
| 12 | SH21_SEQUENCE | Num | 8 | SH21 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH21_DATE_COMPLETED | Num | 8 | Date SH20 form completed (in days from randomization) |
| 15 | SH21_HOSPITALIZED | Num | 8 | Was participant hospitalized or admitted to a skilled or intermediate care nursing home? |
| 16 | SH21_ADMISSION_DATE | Num | 8 | Date of admission (if hospitalized) (in days from randomization) |
| 17 | SH21_DISCHARGE_DATE | Num | 8 | Date of discharge (if applicable) (in days from randomization) |
| 18 | SH21_HOSP_DISCHARGE_SUMM | Num | 8 | Hospital discharge summary enclosed? |
| 19 | SH21_HOSP_DISCHARGE_DIAG | Num | 8 | Hospital discharge diagnosis enclosed? |
| 20 | SH21_HOSP_ECG_RESULTS | Num | 8 | Hospital ECG results enclosed? |
| 21 | SH21_HOSP_LAB_RESULTS | Num | 8 | Hospital laboratory results enclosed? |
| 22 | SH21_NON_SHEP_CT_SCAN | Num | 8 | Non-SHEP CT scan results enclosed? |
| 23 | SH21_HOSP_XRAYS | Num | 8 | Hospital X-ray or angiography results enclosed? |
| 24 | SH21_HOSP_SURGICAL_RESULTS | Num | 8 | Hospital surgical pathology results enclosed? |
| 25 | SH21_SH27 | Num | 8 | SHEP Neurologic Exam for Stroke (SH27) enclosed? |
| 26 | SH21_SHEP_CT_SCAN | Num | 8 | SHEP CT Scan results enclosed? |
| 27 | SH21_SH28 | Num | 8 | SHEP Neurologic Exam for TIA (SH28) enclosed? |
| 28 | SH21_EMERGENCY_RECORDS | Num | 8 | Emergency room records enclosed? |
| 29 | SH21_AMBULANCE_RECORDS | Num | 8 | Ambulance records enclosed? |
| 30 | SH21_NURSINGHOME_RECORDS | Num | 8 | Nursing home records enclosed? |
| 31 | SH21_USUALCARE_RECORDS | Num | 8 | Records from usual source of care enclosed? |
| 32 | SH21_INTERVIEWS_PARTICIPANT | Num | 8 | Interview (SH24) with participant enclosed? |
| 33 | SH21_INTERVIEWS_PHYSICIAN | Num | 8 | Interview (SH24) with participant's physician enclosed? |
| 34 | SH21_INTERVIEWS_NEXTOFKIN | Num | 8 | Interview (SH24) with participant's next of kin enclosed? |
| 35 | SH21_COMPLETER_CODE | Num | 8 | Code of person completing SH21 form |
| 36 | SH21_RECORD_TYPE | Num | 8 | SH21 Record Type |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 37 | SH21_DATE_RECEIVED | Num | 8 | SH21 Date Tape Received from Metpath Lab |
| 38 | SH21_UPDATE_NUMBER | Num | 8 | SH21 Update Number |
| 39 | SH21_DATE_LAST_PROCESSED | Num | 8 | SH21 Date Last Processed |
| 40 | SH21_PAPER_COPY | Num | 8 | SH21 Paper Copy |
| 41 | SH21_CROSS_FORM_EDITS | Num | 8 | SH21 Cross Form Edits |

Data Set Name: sh22.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 1 | SH22_RECORD_LENGTH | Num | 8 | SH22 Record Length |
| 2 | SH22_KEYPUNCH_CODE | Num | 8 | SH22 Keypuncher Code |
| 3 | SH22_BATCHDATE | Num | 8 | SH22 Batch Date |
| 4 | SH22_VERIFYER_CODE | Num | 8 | SH22 Verifyer Code |
| 5 | SH22_DATE_LAST_MODIFIED | Num | 8 | SH22 Date record was last modified |
| 6 | SH22_TIME_LAST_MODIFIED | Num | 8 | SH22 Time record was last modified |
| 7 | SH22_EDIT_STATUS_CODE | Num | 8 | SH22 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH22_VERSNNUM | Num | 8 | SH22 Version number |
| 11 | SH22_DEATH_DATE | Num | 8 | Death Date (in days from randomization) |
| 12 | SH22_SEQUENCE | Num | 8 | SH22 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH22_DATE_COMPLETED | Num | 8 | Date SH22 form completed (in days from randomization) |
| 15 | SH22_DATE_LEARNED | Num | 8 | Date SHEP staff learned of death (in days from randomization) |
| 16 | SH22_DEATH_STATE | Num | 8 | State of Death |
| 17 | SH22_DEATH_ZIP | Num | 8 | Zip code of death |
| 18 | SH22_TAKEN_HOSPITAL | Num | 8 | After onset of the fatal event, was participant taken to hospital? |
| 19 | SH22_CLINICIAN_SEEN | Num | 8 | After onset of the fatal event, was participant seen by a clinician? |
| 20 | SH22_COMPLETER_CODE | Num | 8 | Code of person completing SH22 form |
| 21 | SH22_RECORD_TYPE | Num | 8 | SH22 Record Type |
| 22 | SH22_DATE_RECEIVED | Num | 8 | SH22 Date Tape Received from Metpath Lab |
| 23 | SH22_UPDATE_NUMBER | Num | 8 | SH22 Update Number |
| 24 | SH22_DATE_LAST_PROCESSED | Num | 8 | SH22 Date Last Processed |
| 25 | SH22_PAPER_COPY | Num | 8 | SH22 Paper Copy |
| 26 | SH22_CROSS_FORM_EDITS | Num | 8 | SH22 Cross Form Edits |

Data Set Name: sh23.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|---|
| 1 | SH23_RECORD_LENGTH | Num | 8 | SH23 Record Length |
| 2 | SH23_KEYPUNCH_CODE | Num | 8 | SH23 Keypuncher Code |
| 3 | SH23_BATCHDATE | Num | 8 | SH23 Batch Date |
| 4 | SH23_VERIFYER_CODE | Num | 8 | SH23 Verifyer Code |
| 5 | SH23_DATE_LAST_MODIFIED | Num | 8 | SH23 Date record was last modified |
| 6 | SH23_TIME_LAST_MODIFIED | Num | 8 | SH23 Time record was last modified |
| 7 | SH23_EDIT_STATUS_CODE | Num | 8 | SH23 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH23_VERSNNUM | Num | 8 | SH23 Version number |
| 11 | SH23_DEATH_DATE | Num | 8 | Death Date (in days from randomization) |
| 12 | SH23_SEQUENCE | Num | 8 | SH23 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH23_DATE_COMPLETED | Num | 8 | Date SH23 form completed (in days from randomization) |
| 15 | SH23_DEATH_TIME_HR | Num | 8 | Time of death (hour) |
| 16 | SH23_DEATH_TIME_MIN | Num | 8 | Time of death (minutes |
| 17 | SH23_DEATH_TIME_PD | Num | 8 | Time of death (am/pm) |
| 18 | SH23_DEATH_CERTIFICATE | Num | 8 | Is a copy of death certificate enclosed? |
| 19 | SH23_AUTOPSY | Num | 8 | Was an autopsy performed? |
| 20 | SH23_AUTOPSY_RESULTS | Num | 8 | Copy of autopsy report enclosed? |
| 21 | SH23_HOSP_DISCHARGE_SUMM | Num | 8 | Hospital discharge summary enclosed? |
| 22 | SH23_HOSP_DISCHARGE_DIAG | Num | 8 | Hospital discharge diagnosis enclosed? |
| 23 | SH23_HOSP_ECG_RESULTS | Num | 8 | Hospital ECG results enclosed? |
| 24 | SH23_HOSP_LAB_RESULTS | Num | 8 | Hospital laboratory results enclosed? |
| 25 | SH23_NON_SHEP_CT_SCAN | Num | 8 | Non-SHEP CT scan results enclosed? |
| 26 | SH23_HOSP_XRAYS | Num | 8 | Hospital X-ray or angiography results enclosed? |
| 27 | SH23_HOSP_SURGICAL_RESULTS | Num | 8 | Hospital surgical pathology results enclosed? |
| 28 | SH23_SH27 | Num | 8 | SHEP Neurologic Exam for Stroke (SH27) enclosed? |
| 29 | SH23_SHEP_CT_SCAN | Num | 8 | SHEP CT Scan results enclosed? |
| 30 | SH23_SH28 | Num | 8 | SHEP Neurologic Exam for TIA (SH28) enclosed? |
| 31 | SH23_EMERGENCY_RECORDS | Num | 8 | Emergency room records enclosed? |
| 32 | SH23_AMBULANCE_RECORDS | Num | 8 | Ambulance records enclosed? |
| 33 | SH23_NURSINGHOME_RECORDS | Num | 8 | Nursing home records enclosed? |
| 34 | SH23_USUALCARE_RECORDS | Num | 8 | Records from usual source of care enclosed? |
| 35 | SH23_INTERVIEWS_WITNESS | Num | 8 | Interview (SH26) with witness to death enclosed? |
| 36 | SH23_INTERVIEWS_NEXTOFKIN | Num | 8 | Interview (SH26) with next-of-kin enclosed? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|---|
| 37 | SH23_INTERVIEWS_CLINICIAN | Num | 8 | Interview (SH26) with participant's clinician enclosed? |
| 38 | SH23_COMMENTS | Num | 8 | SH23 Comments |
| 39 | SH23_COMPLETER_CODE | Num | 8 | Code of person completing SH23 form |
| 40 | SH23_RECORD_TYPE | Num | 8 | SH23 Record Type |
| 41 | SH23_DATE_RECEIVED | Num | 8 | SH23 Date Tape Received from Metpath Lab |
| 42 | SH23_UPDATE_NUMBER | Num | 8 | SH23 Update Number |
| 43 | SH23_DATE_LAST_PROCESSED | Num | 8 | SH23 Date Last Processed |
| 44 | SH23_PAPER_COPY | Num | 8 | SH23 Paper Copy |
| 45 | SH23_CROSS_FORM_EDITS | Num | 8 | SH23 Cross Form Edits |

Data Set Name: sh27.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 1 | SH27_RECORD_LENGTH | Num | 8 | SH27 Record Length |
| 2 | SH27_KEYPUNCH_CODE | Num | 8 | SH27 Keypuncher Code |
| 3 | SH27_BATCHDATE | Num | 8 | SH27 Batch Date |
| 4 | SH27_VERIFYER_CODE | Num | 8 | SH27 Verifyer Code |
| 5 | SH27_DATE_LAST_MODIFIED | Num | 8 | SH27 Date record was last modified |
| 6 | SH27_TIME_LAST_MODIFIED | Num | 8 | SH27 Time record was last modified |
| 7 | SH27_EDIT_STATUS_CODE | Num | 8 | SH27 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH27_VERSNNUM | Num | 8 | SH27 Version number |
| 11 | SH27_EVAL_DATE | Num | 8 | Date of evaluation (in days from randomization) |
| 12 | SH27_SEQUENCE | Num | 8 | SH27 Sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH27_HANDEDNESS | Num | 8 | Handedness |
| 15 | SH27_MYOCARDIAL_INFARC | Num | 8 | Previous or simultaneous myocardial infarction |
| 16 | SH27_MYOCARDIAL_INFARC_DATE | Num | 8 | Date of most recent myocardial infarction (in days from randomization) |
| 17 | SH27_VALVULAR_HEART_DISEASE | Num | 8 | Evidence of valvular heart disease? |
| 18 | SH27_ATRIAL_FIBRILLATION | Num | 8 | Has patient been diagnosed or treated for Atrial fibrillation? |
| 19 | SH27_OTHER_ARRHYTHMIA | Num | 8 | Has patient been diagnosed or treated for Other arrhythmias? |
| 20 | SH27_ANGINA | Num | 8 | Has patient been diagnosed or treated for Angina? |
| 21 | SH27_CONGESTIVE_FAILURE | Num | 8 | Has patient been diagnosed or treated for Congestive failure? |
| 22 | SH27_CLAUDICATION | Num | 8 | Has patient been diagnosed or treated for Claudication in lower limbs? |
| 23 | SH27_MURAL_THROMBUS | Num | 8 | Echocardiogram or cardiac CT shows mural thrombus or source of emboli |
| 24 | SH27_SYSTEMIC_EMBOLI | Num | 8 | Has patient been diagnosed or treated for Systemic emboli? |
| 25 | SH27_OTHER_EMBOLI | Num | 8 | Has patient been diagnosed or treated for other source of emboli? |
| 26 | SH27_DIABETES | Num | 8 | Has patient ever been diagnosed or treated for diabetes? |
| 27 | SH27_CANCER | Num | 8 | Has patient ever been diagnosed or treated for cancer? |
| 28 | SH27_Q11 | Num | 8 | Is there evidence for intracranial infectious disease, brain tumor, trauma or metabolic cause for neurologic symptoms? |
| 29 | SH27_HISTORY_MIGRANES | Num | 8 | Evidence of a history of migraines? |
| 30 | SH27_HISTORY_SEIZURES | Num | 8 | Evidence of a history of seizures? |
| 31 | SH27_NEURO_SYMPTOM_DATE | Num | 8 | Date of onset of neurologic symptoms? (in days from randomization) |
| 32 | SH27_NEURO_SYMPTOM_TIME_HR | Num | 8 | Time (hour) of onset of neurologic symptoms? |
| 33 | SH27_NEURO_SYMPTOM_TIME_PD | Num | 8 | Time period (am/pm) of onset of neurologic symptoms |
| 34 | SH27_TIA_EVER | Num | 8 | Has patient ever had a TIA? |

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 35 | SH27_TIA_HOW_LONG_AGO | Num | 8 | How long ago was last TIA? |
| 36 | SH27_TIA_NUM_ATTACKS | Num | 8 | Number of TIA attacks? |
| 37 | SH27_TIA_VASCULAR_TERR | Num | 8 | Vascular territory of past TIAs? |
| 38 | SH27_TIA_SAME_TERR_SYMPTOMS | Num | 8 | Prior TIA in same territory as present neurologic symptoms? |
| 39 | SH27_STROKE_EVER | Num | 8 | Has patient ever had a stroke before this event? |
| 40 | SH27_STROKE_HOW_LONG_AGO | Num | 8 | How long ago was last stroke? |
| 41 | SH27_STROKE_NUM | Num | 8 | Number of strokes? |
| 42 | SH27_STROKE_TYPE_ISCHEMIC | Num | 8 | Type of stroke, Ischemic? |
| 43 | SH27_STROKE_TYPE_ICH | Num | 8 | Type of stroke, Intracerebral hemorrhage (ICH)? |
| 44 | SH27_STROKE_TYPE_SAH | Num | 8 | Type of stroke, Subarachnoid hemorrhage (SAH)? |
| 45 | SH27_STROKE_TYPE_UNKNOWN | Num | 8 | Type of stroke, Unknown? |
| 46 | SH27_STROKE_VASCULAR_TERR | Num | 8 | Vascular territory of Stroke? |
| 47 | SH27_DEFICIT_PRESENT_AWAKEN | Num | 8 | Was deficit present on awakening? |
| 48 | SH27_ONSET_SEVERE_HEADACHE | Num | 8 | At time of onset, was there a severe headache? |
| 49 | SH27_ONSET_VOMITTING | Num | 8 | At time of onset, was there vomitting? |
| 50 | SH27_ONSET_SEIZURES | Num | 8 | At time of onset, was there seizures? |
| 51 | SH27_ONSET_FOCAL_DEFICIT | Num | 8 | At time of onset, was there a focal deficit? |
| 52 | SH27_ONSET_DEC_CONSCIOUS | Num | 8 | At time of onset, was there decreased consciousness? |
| 53 | SH27_ONSET_COMA | Num | 8 | At time of onset, was there a coma? |
| 54 | SH27_SUDDEN_ONSET_MAXDEF | Num | 8 | Was there a sudden onset with maximum deficit within 10 minutes? |
| 55 | SH27_WORSENING_STEPLIKE | Num | 8 | Was the worsening steplike? |
| 56 | SH27_WORSENING_GRADUAL | Num | 8 | Was the worsening gradual? |
| 57 | SH27_MAXDEF_WITHIN_1WK | Num | 8 | Deficit reached maximum within one week of onset? |
| 58 | SH27_IMPROVE_WITHIN_24HRS | Num | 8 | Improvement occured (even temporarily) within the first 24 hours after onset? |
| 59 | SH27_HYPOTENSION_PRECIP | Num | 8 | Was documented hypotension a possible precipitator of this event? |
| 60 | SH27_ANTICOAGULANTS | Num | 8 | Were anticoagulants (heparin, coumadin) being used at time of event? |
| 61 | SH27_ANTIPLATELET | Num | 8 | Were antiplatelet drugs being used at time of event? |
| 62 | SH27_EXAM_NOT_DONE | Num | 8 | Examination not done |
| 63 | SH27_EXAM_VERBAL_RESPONSE | Num | 8 | Examination, Verbal response |
| 64 | SH27_EXAM_EYE_OPENING | Num | 8 | Examination, Eye opening |
| 65 | SH27_EXAM_MOTOR_RESPONSE | Num | 8 | Examination, Motor response |
| 66 | SH27_EXAM_ALERTNESS | Num | 8 | Examination, Degree of alertness |
| 67 | SH27_EXAM_REMAINDER | Num | 8 | Examination, Remainder of neurologic exam |
| 68 | SH27_EXAM_REMAINDER_RELATED | Num | 8 | Examination, if remainder of neurologic exam abnormal, is it related to current event? |
| 69 | SH27_EXAM_WEAKNESS | Num | 8 | Examination, Weakness |
| 70 | SH27_EXAM_WEAKNESS_RELATED | Num | 8 | Examination, is weakness related to current event? |
| 71 | SH27_EXAM_TONGUE_WEAK_LT | Num | 8 | Examination, Weakness scale, Left tongue |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 72 | SH27_EXAM_TONGUE_WEAK_LT_NR | Num | 8 | Examination, Left tongue not related to current event |
| 73 | SH27_EXAM_TONGUE_WEAK_RT | Num | 8 | Examination, Weakness, scale, Right tongue |
| 74 | SH27_EXAM_TONGUE_WEAK_RT_NR | Num | 8 | Examination, Right tongue not related to current event |
| 75 | SH27_EXAM_FACE_WEAK_LT | Num | 8 | Examination, Weakness scale, Left face |
| 76 | SH27_EXAM_FACE_WEAK_LT_NR | Num | 8 | Examination, Left face not related to current event |
| 77 | SH27_EXAM_FACE_WEAK_RT | Num | 8 | Examination, Weakness, scale, Right face |
| 78 | SH27_EXAM_FACE_WEAK_RT_NR | Num | 8 | Examination, Right face not related to current event |
| 79 | SH27_EXAM_SHOULDER_WEAK_LT | Num | 8 | Examination, Weakness scale, Left shoulder |
| 80 | SH27_EXAM_SHOULDER_WEAK_LT_NR | Num | 8 | Examination, Left shoulder not related to current event |
| 81 | SH27_EXAM_SHOULDER_WEAK_RT | Num | 8 | Examination, Weakness, scale, Right shoulder |
| 82 | SH27_EXAM_SHOULDER_WEAK_RT_NR | Num | 8 | Examination, Right shoulder not related to current event |
| 83 | SH27_EXAM_HAND_WEAK_LT | Num | 8 | Examination, Weakness scale, Left hand |
| 84 | SH27_EXAM_HAND_WEAK_LT_NR | Num | 8 | Examination, Left hand not related to current event |
| 85 | SH27_EXAM_HAND_WEAK_RT | Num | 8 | Examination, Weakness, scale, Right hand |
| 86 | SH27_EXAM_HAND_WEAK_RT_NR | Num | 8 | Examination, Right hand not related to current event |
| 87 | SH27_EXAM_HIP_WEAK_LT | Num | 8 | Examination, Weakness scale, Left hip |
| 88 | SH27_EXAM_HIP_WEAK_LT_NR | Num | 8 | Examination, Left hip not related to current event |
| 89 | SH27_EXAM_HIP_WEAK_RT | Num | 8 | Examination, Weakness, scale, Right hip |
| 90 | SH27_EXAM_HIP_WEAK_RT_NR | Num | 8 | Examination, Right hip not related to current event |
| 91 | SH27_EXAM_FOOT_WEAK_LT | Num | 8 | Examination, Weakness scale, Left foot |
| 92 | SH27_EXAM_FOOT_WEAK_LT_NR | Num | 8 | Examination, Left foot not related to current event |
| 93 | SH27_EXAM_FOOT_WEAK_RT | Num | 8 | Examination, Weakness, scale, Right foot |
| 94 | SH27_EXAM_FOOT_WEAK_RT_NR | Num | 8 | Examination, Right foot not related to current event |
| 95 | SH27_EXAM_ATAXIA | Num | 8 | Examination, Ataxia |
| 96 | SH27_EXAM_ATAXIA_RELATED | Num | 8 | Examination, ataxia related to current event? |
| 97 | SH27_EXTRAOCULAR_MOVEMENTS | Num | 8 | Examination, Extraocular movements? |
| 98 | SH27_EXTRA_HOR_GAZE_PALSY | Num | 8 | Extraocular movements, Horizontal gaze palsy |
| 99 | SH27_EXTRA_HOR_GAZE_PALSY_NR | Num | 8 | Extraocular movements, Horizontal gaze palsy not related to current event |
| 100 | SH27_EXTRA_VERT_GAZE_PALSY | Num | 8 | Extraocular movements, Vertical gaze palsy |
| 101 | SH27_EXTRA_VERT_GAZE_PALSY_NR | Num | 8 | Extraocular movements, Vertical gaze palsy not related to current event |
| 102 | SH27_EXTRA_OPTHALMOPLEGIA | Num | 8 | Extraocular movements, Internuc opthalmoplegia |
| 103 | SH27_EXTRA_OPTHALMOPLEGIA_NR | Num | 8 | Extraocular movements, Internuc opthalmoplegia not related to current event |
| 104 | SH27_EXTRA_CN_III_PALSY | Num | 8 | Extraocular movements, CN III palsy |
| 105 | SH27_EXTRA_CN_III_PALSY_NR | Num | 8 | Extraocular movements, CN III palsy not related to current event |
| 106 | SH27_EXTRA_CN_VI_PALSY | Num | 8 | Extraocular movements, CN VI palsy |
| 107 | SH27_EXTRA_CN_VI_PALSY_NR | Num | 8 | Extraocular movements, CN VI palsy not related to current event |
| 108 | SH27_EXTRA_SKEW_DEVIATION | Num | 8 | Extraocular movements, Skew deviation |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|---|
| 109 | SH27_EXTRA_SKEW_DEVIATION_NR | Num | 8 | Extraocular movements, Skew deviation not related to current event |
| 110 | SH27_EXTRA_VERT_NYSTAGMUS | Num | 8 | Extraocular movements, Vertical nystagmus |
| 111 | SH27_EXTRA_VERT_NYSTAGMUS_NR | Num | 8 | Extraocular movements, Vertical nystagmus not related to current event |
| 112 | SH27_EXTRA_HOR_NYSTAGMUS | Num | 8 | Extraocular movements, Horizontal nystagmus |
| 113 | SH27_EXTRA_HOR_NYSTAGMUS_NR | Num | 8 | Extraocular movements, Horizontal nystagmus not related to current event |
| 114 | SH27_EXTRA_FIXED_PUPILS | Num | 8 | Extraocular movements, Fixed pupils |
| 115 | SH27_EXTRA_FIXED_PUPILS_NR | Num | 8 | Extraocular movements, Fixed pupils not related to current event |
| 116 | SH27_EXTRA_SUBHYALOID_HEM | Num | 8 | Extraocular movements, Subhyaloid hemorrhage |
| 117 | SH27_EXTRA_SUBHYALOID_HEM_NR | Num | 8 | Extraocular movements, Subhyaloid hemorrhage not related to current event |
| 118 | SH27_SENSORY_DEFICITS | Num | 8 | Examination, Sensory deficits (pin test) |
| 119 | SH27_SENSORY_FACE_LT | Num | 8 | Sensory deficit scale, Left face |
| 120 | SH27_SENSORY_FACE_LT_NR | Num | 8 | Left face deficit not related to current event |
| 121 | SH27_SENSORY_FACE_RT | Num | 8 | Sensory deficit scale, Right face |
| 122 | SH27_SENSORY_FACE_RT_NR | Num | 8 | Right face deficit not related to current event |
| 123 | SH27_SENSORY_SHOULDER_LT | Num | 8 | Sensory deficit scale, Left shoulder |
| 124 | SH27_SENSORY_SHOULDER_LT_NR | Num | 8 | Left shoulder deficit not related to current event |
| 125 | SH27_SENSORY_SHOULDER_RT | Num | 8 | Sensory deficit scale, Right shoulder |
| 126 | SH27_SENSORY_SHOULDER_RT_NR | Num | 8 | Right shoulder deficit not related to current event |
| 127 | SH27_SENSORY_HAND_LT | Num | 8 | Sensory deficit scale, Left hand |
| 128 | SH27_SENSORY_HAND_LT_NR | Num | 8 | Left hand deficit not related to current event |
| 129 | SH27_SENSORY_HAND_RT | Num | 8 | Sensory deficit scale, Right hand |
| 130 | SH27_SENSORY_HAND_RT_NR | Num | 8 | Right hand deficit not related to current event |
| 131 | SH27_SENSORY_HIP_LT | Num | 8 | Sensory deficit scale, Left hip |
| 132 | SH27_SENSORY_HIP_LT_NR | Num | 8 | Left hip deficit not related to current event |
| 133 | SH27_SENSORY_HIP_RT | Num | 8 | Sensory deficit scale, Right hip |
| 134 | SH27_SENSORY_HIP_RT_NR | Num | 8 | Right hip deficit not related to current event |
| 135 | SH27_SENSORY_FOOT_LT | Num | 8 | Sensory deficit scale, Left foot |
| 136 | SH27_SENSORY_FOOT_LT_NR | Num | 8 | Left foot deficit not related to current event |
| 137 | SH27_SENSORY_FOOT_RT | Num | 8 | Sensory deficit scale, Right foot |
| 138 | SH27_SENSORY_FOOT_RT_NR | Num | 8 | Right foot deficit not related to current event |
| 139 | SH27_SENSORY_TRUNK_LT | Num | 8 | Sensory deficit scale, Left trunk |
| 140 | SH27_SENSORY_TRUNK_LT_NR | Num | 8 | Left trunk deficit not related to current event |
| 141 | SH27_SENSORY_TRUNK_RT | Num | 8 | Sensory deficit scale, Right trunk |
| 142 | SH27_SENSORY_TRUNK_RT_NR | Num | 8 | Right trunk deficit not related to current event |
| 143 | SH27_VISUAL_FIELDS | Num | 8 | Examination, Visual fields |
| 144 | SH27_VISUAL_MONOCULAR | Num | 8 | Visual fields, Monocular |
| 145 | SH27_VISUAL_MONOCULAR_NR | Num | 8 | Monocular is not related to current event |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 146 | SH27_VISUAL_QUADRANTANOPIA | Num | 8 | Visual fields, Quadrantanopia |
| 147 | SH27_VISUAL_QUADRANTANOPIA_NR | Num | 8 | Quadrantanopia is not related to current event |
| 148 | SH27_VISUAL_HEMIANOPIA | Num | 8 | Visual fields, Hemianopia |
| 149 | SH27_VISUAL_HEMIANOPIA_NR | Num | 8 | Hemianopia is not related to current event |
| 150 | SH27_VISUAL_HEMINEGLECT | Num | 8 | Visual fields, Hemineglect |
| 151 | SH27_VISUAL_HEMINEGLECT_NR | Num | 8 | Hemineglect is not related to current event |
| 152 | SH27_LANGUAGE | Num | 8 | Examination, Language |
| 153 | SH27_LANGUAGE_RELATED | Num | 8 | Language problems related to current event? |
| 154 | SH27_DYSARTHRIA | Num | 8 | Examination, Dysarthria? |
| 155 | SH27_DYSARTHRIA_RELATED | Num | 8 | Examination, Dysarthria related to current event? |
| 156 | SH27_NUCHAL_RIGIDITY | Num | 8 | Examination, Nuchal rigidity? |
| 157 | SH27_NUCHAL_RIGIDITY_RELATED | Num | 8 | Examination, Nuchal rigidity related to current event? |
| 158 | SH27_CERVICAL_BRUIT | Num | 8 | Examination, Cervical bruit |
| 159 | SH27_CERVICAL_LT_CAROTID | Num | 8 | Examination, Left carotid |
| 160 | SH27_CERVICAL_LT_CAROTID_NR | Num | 8 | Examination, Left carotid not related to current event |
| 161 | SH27_CERVICAL_RT_CAROTID | Num | 8 | Examination, Right carotid |
| 162 | SH27_CERVICAL_RT_CAROTID_NR | Num | 8 | Examination, Right carotid not related to current event |
| 163 | SH27_CERVICAL_LT_SUBCLAVIAN | Num | 8 | Examination, Left subclavian |
| 164 | SH27_CERVICAL_LT_SUBCLAVIAN_NR | Num | 8 | Examination, Left subclavian not related to current event |
| 165 | SH27_CERVICAL_RT_SUBCLAVIAN | Num | 8 | Examination, Right subclavian |
| 166 | SH27_CERVICAL_RT_SUBCLAVIAN_NR | Num | 8 | Examination, Right subclavian not related to current event |
| 167 | SH27_PERIPHERAL_PULSE_ANKLE | Num | 8 | Examination, Peripheral pulses in the foot and ankle |
| 168 | SH27_OTHER_HEMISPHERAL_SIGNS | Num | 8 | Examination, Other hemispheral signs (apraxia, neglect, etc.) |
| 169 | SH27_OTHER_HEMISPHERAL_RELATED | Num | 8 | Examination, Other hemispheral signs related to current event? |
| 170 | SH27_DIAG_PRIM_DIAGNOSIS | Num | 8 | Diagnosis, Primary diagnosis |
| 171 | SH27_DIAG_PRIM_CERE_SITECODE | Num | 8 | Diagnosis, Primary cerebral site (2-digit code) |
| 172 | SH27_DIAG_OTHER_CERE_SITECODE1 | Num | 8 | Diagnosis, Other cerebral site 1 (2-digit code) |
| 173 | SH27_DIAG_OTHER_CERE_SITECODE2 | Num | 8 | Diagnosis, Other cerebral site 2 (2-digit code) |
| 174 | SH27_DIAG_OTHER_CERE_SITECODE3 | Num | 8 | Diagnosis, Other cerebral site 3 (2-digit code) |
| 175 | SH27_DIAG_OTHER_CERE_SITECODE4 | Num | 8 | Diagnosis, Other cerebral site 4 (2-digit code) |
| 176 | SH27_DIAG_GT5_CEREBRAL_SITES | Num | 8 | Diagnosis, Are more than 5 cerebral sites listed? |
| 177 | SH27_DIAG_PRIM_VASC_SITECODE | Num | 8 | Diagnosis, Primary Vascular site (2-digit code) |
| 178 | SH27_DIAG_OTHER_VASC_SITECODE1 | Num | 8 | Diagnosis, Other vascular site 1 (2-digit code) |
| 179 | SH27_DIAG_OTHER_VASC_SITECODE2 | Num | 8 | Diagnosis, Other vascular site 2 (2-digit code) |
| 180 | SH27_DIAG_OTHER_VASC_SITECODE3 | Num | 8 | Diagnosis, Other vascular site 3 (2-digit code) |
| 181 | SH27_DIAG_OTHER_VASC_SITECODE4 | Num | 8 | Diagnosis, Other vascular site 4 (2-digit code) |
| 182 | SH27_DIAG_GT5_VASCULAR_SITES | Num | 8 | Diagnosis, Are more than 5 vascular sites listed? |
| 183 | SH27_FINAL_DEFICIT_GE24HR | Num | 8 | Final Assessment, Is there evidence of a deficit lasting 24+ hours or until death intervenes? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 184 | SH27_FINAL_RAPID_ONSET | Num | 8 | Final Assessment, Is there evidence of rapid onset of deficit? |
| 185 | SH27_FINAL_LOSS_CONSCIOUSNESS | Num | 8 | Final Assessment, Is there evidence of loss of consciousness? |
| 186 | SH27_FINAL_Q50 | Num | 8 | Final Assessment, Is there evidence of focal brain deficit? |
| 187 | SH27_FINAL_Q50A | Num | 8 | Final Assessment, Is there evidence that focal brain deficit lacunar in type? |
| 188 | SH27_FINAL_Q50A_1 | Num | 8 | Final Assessment, If focal brain deficit is lacunar, is it pure motor hemiparesis? |
| 189 | SH27_FINAL_Q50A_2 | Num | 8 | Final Assessment, If focal brain deficit is lacunar, is it pure sensory? |
| 190 | SH27_FINAL_Q50A_3 | Num | 8 | Final Assessment, If focal brain deficit is lacunar, is it pure dysarthria clumsy hand? |
| 191 | SH27_FINAL_Q50A_4 | Num | 8 | Final Assessment, If focal brain deficit is lacunar, is it pure ataxic hemiparesis? |
| 192 | SH27_FINAL_Q50B | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is sensory motor only? |
| 193 | SH27_FINAL_Q50C | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is hemichorea? |
| 194 | SH27_FINAL_Q50D | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is aphasia only? |
| 195 | SH27_FINAL_Q50E | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is visual field defect only? |
| 196 | SH27_FINAL_Q50F | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is other hemisphere deficit? |
| 197 | SH27_FINAL_Q50G | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is bilateral brainstem-cerebellar? |
| 198 | SH27_FINAL_Q50H | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is unilateral brainstem-cerebrellar (not under 50a)? |
| 199 | SH27_FINAL_Q50I | Num | 8 | Final Assessment, Is there evidence that focal brain deficit is other? |
| 200 | SH27_FINAL_LP_HEMORRHAGE | Num | 8 | Final Assessment, LP evidence of hemorrhage? |
| 201 | SH27_FINAL_Q52 | Num | 8 | Final Assessment, CT scan evidence of a lesion compatible with this event? |
| 202 | SH27_FINAL_Q52A | Num | 8 | Final Assessment, CT results, Deep lacunar infarction (<2cm)? |
| 203 | SH27_FINAL_Q52B | Num | 8 | Final Assessment, CT results, Cortical infarction (<1/2 lobe)? |
| 204 | SH27_FINAL_Q52C | Num | 8 | Final Assessment, CT results, Larger infarction? |
| 205 | SH27_FINAL_Q52D | Num | 8 | Final Assessment, CT results, Mottled hemorrhagic infarction? |
| 206 | SH27_FINAL_Q52E | Num | 8 | Final Assessment, CT results, Subarachnoid hemorrhage? |
| 207 | SH27_FINAL_Q52F | Num | 8 | Final Assessment, CT results, Intraparenchymal hemorrhage? |
| 208 | SH27_FINAL_Q52G | Num | 8 | Final Assessment, CT results, Watershed area infarction? |
| 209 | SH27_FINAL_Q52H | Num | 8 | Final Assessment, CT results, More than 1 infarction (old or new)? |
| 210 | SH27_FINAL_EEG_ABNORMAL | Num | 8 | Final Assessment, EEG abnormal? |
| 211 | SH27_FINAL_EEG_FOCAL_SLOWING | Num | 8 | Final Assessment, EEG shows focal slowing compatible with stroke? |
| 212 | SH27_FINAL_SEVERE_STENOSIS | Num | 8 | Final Assessment, Non-invasive testing shows evidence of severe stenosis or occlusion of relevant carotid? |
| 213 | SH27_FINAL_Q55 | Num | 8 | Final Assessment, Angiographic evidence of a cause or source of event exists? |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|---|
| 214 | SH27_FINAL_Q55A | Num | 8 | Final Assessment, Angiographic evidence, AVM |
| 215 | SH27_FINAL_Q55B | Num | 8 | Final Assessment, Angiographic evidence, Aneurysm |
| 216 | SH27_FINAL_Q55C | Num | 8 | Final Assessment, Angiographic evidence, Mass effect |
| 217 | SH27_FINAL_Q55D | Num | 8 | Final Assessment, Angiographic evidence, Source for embolus (ulcerated plaque or free clot) |
| 218 | SH27_FINAL_Q55E1 | Num | 8 | Final Assessment, Angiographic evidence, Stenosis (>=70%) or occlusion of relevant extracranial artery |
| 219 | SH27_FINAL_Q55E2 | Num | 8 | Final Assessment, Angiographic evidence, Stenosis (>=70%) or occlusion of relevant major cerebral stem or basilar |
| 220 | SH27_FINAL_Q55E3 | Num | 8 | Final Assessment, Angiographic evidence, Stenosis (>=70%) or occlusion of relevant branch occlusion |
| 221 | SH27_FINAL_Q55F | Num | 8 | Final Assessment, Angiographic evidence, Arteritis |
| 222 | SH27_FINAL_Q55G | Num | 8 | Final Assessment, Angiographic evidence, Dissection of the arterial wall |
| 223 | SH27_FINAL_Q55H | Num | 8 | Final Assessment, Angiographic evidence, Other |
| 224 | SH27_FINAL_SURGERY_STROKE | Num | 8 | Final Assessment, Surgical evidence of stroke? |
| 225 | SH27_FINAL_AUTOPSY_STROKE | Num | 8 | Final Assessment, for deaths, autopsy evidence of stroke? |
| 226 | SH27_FINAL_Q58A | Num | 8 | Final Assessment, Evidence is for Subarachnoid hemorrhage |
| 227 | SH27_FINAL_Q58B | Num | 8 | Final Assessment, Evidence is for Intraparenchymal hemorrhage |
| 228 | SH27_FINAL_Q58C | Num | 8 | Final Assessment, Evidence is for Ischemic Stroke |
| 229 | SH27_FINAL_Q58C1 | Num | 8 | Final Assessment, Evidence is for Lacune ischemic stroke |
| 230 | SH27_FINAL_Q58C2 | Num | 8 | Final Assessment, Evidence is for Embolic ischemic stroke |
| 231 | SH27_FINAL_Q58C3 | Num | 8 | Final Assessment, Evidence is for Atherosclerotic ischemic stroke |
| 232 | SH27_FINAL_Q58C4 | Num | 8 | Final Assessment, Evidence is for other ischemic stroke |
| 233 | SH27_FINAL_DEATH_WITHIN24HRS | Num | 8 | Final Assessment, Death occured within 24 hours of event? |
| 234 | SH27_FINAL_COMMENTS | Num | 8 | Final Assessment, Comments |
| 235 | SH27_NEUROLOGIST_CODE | Num | 8 | Neurologist code |
| 236 | SH27_RECORD_TYPE | Num | 8 | SH27 Record Type |
| 237 | SH27_DATE_RECEIVED | Num | 8 | SH27 Date Tape Received from Metpath Lab |
| 238 | SH27_UPDATE_NUMBER | Num | 8 | SH27 Update Number |
| 239 | SH27_DATE_LAST_PROCESSED | Num | 8 | SH27 Date Last Processed |
| 240 | SH27_PAPER_COPY | Num | 8 | SH27 Paper Copy |
| 241 | SH27_CROSS_FORM_EDITS | Num | 8 | SH27 Cross Form Edits |

Data Set Name: sh28.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 1 | SH28_RECORD_LENGTH | Num | 8 | SH28 Record Length |
| 2 | SH28_KEYPUNCH_CODE | Num | 8 | SH28 Keypuncher Code |
| 3 | SH28_BATCHDATE | Num | 8 | SH28 Batch Date |
| 4 | SH28_VERIFYER_CODE | Num | 8 | SH28 Verifyer Code |
| 5 | SH28_DATE_LAST_MODIFIED | Num | 8 | SH28 Date record was last modified |
| 6 | SH28_TIME_LAST_MODIFIED | Num | 8 | SH28 Time record was last modified |
| 7 | SH28_EDIT_STATUS_CODE | Num | 8 | SH28 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH28_VERSNNUM | Num | 8 | SH28 Version number |
| 11 | SH28_EVAL_DATE | Num | 8 | Date of evaluation (in days from randomization) |
| 12 | SH28_SEQUENCE | Num | 8 | SH28 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH28_EVENT_LAST_LT24HRS | Num | 8 | Have you had event(s) lasting less than 24 hours? |
| 15 | SH28_EVENT_LAST_MT30SEC | Num | 8 | Have you had event(s) lasting more than 30 seconds? |
| 16 | SH28_EVENT_MAX_DEF_LT5MIN | Num | 8 | Have you had event(s) where maximum deficit was attained in less than 5 minutes? |
| 17 | SH28_PROCEEDING_HEAD_TRAUMA | Num | 8 | History of proceeding head trauma? |
| 18 | SH28_CLONIC_JERKING | Num | 8 | History of clonic jerking? |
| 19 | SH28_CONJUGATE_EYE_DEVIATION | Num | 8 | History of conjugate eye deviation? |
| 20 | SH28_SCINTILLATING_SCOTOMA | Num | 8 | History of scintillating scotoma? |
| 21 | SH28_HEADACHES_WITH_NAUSEA | Num | 8 | History of headaches with nausea and vomiting? |
| 22 | SH28_EVIDENCE_SEIZURES | Num | 8 | Other evidence for seizures? |
| 23 | SH28_EVIDENCE_HYPOGLYCEMIA | Num | 8 | Other evidence for hypoglycemia? |
| 24 | SH28_EVIDENCE_MIGRAINE | Num | 8 | Other evidence for migraine? |
| 25 | SH28_EVIDENCE_DRUG_INTOX | Num | 8 | Other evidence for drug intoxication? |
| 26 | SH28_EVIDENCE_ORTHOSTATIC | Num | 8 | Other evidence for orthostatic hypotension? |
| 27 | SH28_EVIDENCE_BRAIN_TUMOR | Num | 8 | Other evidence for brain tumor? |
| 28 | SH28_EVIDENCE_CERE_ISCHEMIA | Num | 8 | Other evidence for generalized cerebral ischemia? |
| 29 | SH28_VISION_LOSS_LT_EYE | Num | 8 | Symptoms during attack(s), Loss of vision in left eye? |
| 30 | SH28_VISION_LOSS_RT_EYE | Num | 8 | Symptoms during attack(s), Loss of vision in right eye? |
| 31 | SH28_LT_VISUAL_FIELD_LOSS | Num | 8 | Symptoms during attack(s), Left visual field loss? |
| 32 | SH28_RT_VISUAL_FIELD_LOSS | Num | 8 | Symptoms during attack(s), Right visual field loss? |
| 33 | SH28_SIM_VISUAL_FIELD_LOSS | Num | 8 | Symptoms during attack(s), Simultaneously visual field loss? |
| 34 | SH28_PARALYSIS_LT_FACE | Num | 8 | Symptoms during attack(s), Weakness, paralysis, or clumsiness of left face? |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 35 | SH28_PARALYSIS_RT_FACE | Num | 8 | Symptoms during attack(s), Weakness, paralysis, or clumsiness of right face? |
| 36 | SH28_PARALYSIS_LT_ARM | Num | 8 | Symptoms during attack(s), Weakness, paralysis, or clumsiness of left arm? |
| 37 | SH28_PARALYSIS_RT_ARM | Num | 8 | Symptoms during attack(s), Weakness, paralysis, or clumsiness of right arm? |
| 38 | SH28_PARALYSIS_LT_LEG | Num | 8 | Symptoms during attack(s), Weakness, paralysis, or clumsiness of left leg? |
| 39 | SH28_PARALYSIS_RT_LEG | Num | 8 | Symptoms during attack(s), Weakness, paralysis, or clumsiness of right leg? |
| 40 | SH28_LOF_LT_FACE | Num | 8 | Symptoms during attack(s), Loss of feeling in left face? |
| 41 | SH28_LOF_RT_FACE | Num | 8 | Symptoms during attack(s), Loss of feeling in right face? |
| 42 | SH28_LOF_LT_ARM | Num | 8 | Symptoms during attack(s), Loss of feeling in left arm? |
| 43 | SH28_LOF_RT_ARM | Num | 8 | Symptoms during attack(s), Loss of feeling in right arm? |
| 44 | SH28_LOF_LT_LEG | Num | 8 | Symptoms during attack(s), Loss of feeling in left leg? |
| 45 | SH28_LOF_RT_LEG | Num | 8 | Symptoms during attack(s), Loss of feeling in right leg? |
| 46 | SH28_NUMBNESS_LT_FACE | Num | 8 | Symptoms during attack(s), Numbness paresthesias in left face? |
| 47 | SH28_NUMBNESS_RT_FACE | Num | 8 | Symptoms during attack(s), Numbness paresthesias in right face? |
| 48 | SH28_NUMBNESS_LT_ARM | Num | 8 | Symptoms during attack(s), Numbness paresthesias in left arm? |
| 49 | SH28_NUMBNESS_RT_ARM | Num | 8 | Symptoms during attack(s), Numbness paresthesias in right arm? |
| 50 | SH28_NUMBNESS_LT_LEG | Num | 8 | Symptoms during attack(s), Numbness paresthesias in left leg? |
| 51 | SH28_NUMBNESS_RT_LEG | Num | 8 | Symptoms during attack(s), Numbness paresthesias in right leg? |
| 52 | SH28_DYSARTHRIA | Num | 8 | Symptoms during attack(s), Dysarthria? |
| 53 | SH28_APHASIA | Num | 8 | Symptoms during attack(s), Aphasia? |
| 54 | SH28_ATAXIA | Num | 8 | Symptoms during attack(s), Ataxia? |
| 55 | SH28_LOSS_BALANCE | Num | 8 | Symptoms during attack(s), Loss of balance? |
| 56 | SH28_VERTIGO | Num | 8 | Symptoms during attack(s), Vertigo? |
| 57 | SH28_DIPLOPIA | Num | 8 | Symptoms during attack(s), Diplopia? |
| 58 | SH28_DYSPHAGIA | Num | 8 | Symptoms during attack(s), Dysphagia? |
| 59 | SH28_ATTACKS_STEROTYPED | Num | 8 | Symptoms during attack(s), Attacks are sterotyped? |
| 60 | SH28_NUM_ATTACKS | Num | 8 | Number of attacks |
| 61 | SH28_EVENTS_DESC | Num | 8 | Description of event(s) |
| 62 | SH28_ATTACKS_TIA | Num | 8 | In your opinion, do these attacks represent TIA? |
| 63 | SH28_TIA_LOC_LT_CAROTID | Num | 8 | Location of TIA, Left carotid |
| 64 | SH28_TIA_LOC_RT_CAROTID | Num | 8 | Location of TIA, Right carotid |
| 65 | SH28_TIA_LOC_VERTEBROBASILAR | Num | 8 | Location of TIA, Vertebrobasilar |
| 66 | SH28_TIA_LOC_MULTIFOCAL | Num | 8 | Location of TIA, Multifocal |
| 67 | SH28_NEUROLOGIST_CODE | Num | 8 | Code of Neurologist completing SH28 |
| 68 | SH28_ONSET_DATE | Num | 8 | Date of onset (in days from randomization) |
| 69 | SH28_RECORD_TYPE | Num | 8 | SH28 Record Type |
| 70 | SH28_DATE_RECEIVED | Num | 8 | SH28 Date Tape Received from Metpath Lab |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--------------------------|
| 71 | SH28_UPDATE_NUMBER | Num | 8 | SH28 Update Number |
| 72 | SH28_DATE_LAST_PROCESSED | Num | 8 | SH28 Date Last Processed |
| 73 | SH28_PAPER_COPY | Num | 8 | SH28 Paper Copy |
| 74 | SH28_CROSS_FORM_EDITS | Num | 8 | SH28 Cross Form Edits |

Data Set Name: sh30.sas7bdat

| Num | Variable | Туре | Len | Label | | |
|-----|--------------------------|------|-----|---|--|--|
| 1 | SH30_RECORD_LENGTH | Num | 8 | SH30 Record Length | | |
| 2 | SH30_KEYPUNCH_CODE | Num | 8 | SH30 Keypuncher Code | | |
| 3 | SH30_BATCHDATE | Num | 8 | SH30 Batch Date | | |
| 4 | SH30_VERIFYER_CODE | Num | 8 | SH30 Verifyer Code | | |
| 5 | SH30_DATE_LAST_MODIFIED | Num | 8 | SH30 Date record was last modified | | |
| 6 | SH30_TIME_LAST_MODIFIED | Num | 8 | SH30 Time record was last modified | | |
| 7 | SH30_EDIT_STATUS_CODE | Num | 8 | SH30 Edit status code | | |
| 8 | SHEPID | Num | 8 | SHEP ID | | |
| 9 | FORMNUM | Num | 8 | Form number | | |
| 10 | SH30_VERSNNUM | Num | 8 | SH30 Version number | | |
| 11 | SH30_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) | | |
| 12 | SH30_SEQUENCE | Num | 8 | SH30 sequence number | | |
| 13 | ACROSTIC | Num | 8 | Acrostic | | |
| 14 | SH30_VISIT_SEQNUM | Num | 8 | Clinic visit sequence number | | |
| 15 | SH30_SHORTCARE_DATE | Num | 8 | Date of SHORTCARE evaluation (in days from randomization) | | |
| 16 | SH30_TOTAL_SCORE1 | Num | 8 | Total Score #1 | | |
| 17 | SH30_TOTAL_SCORE2 | Num | 8 | Total Score #2 | | |
| 18 | SH30_REFERRED_DEMENTIA | Num | 8 | Participant referred for dementia evaluation (SH31) | | |
| 19 | SH30_REFERRED_DEPRESSION | Num | 8 | Participant referred for depression evaluation (SH32) | | |
| 20 | SH30_REFERRED_OTHER | Num | 8 | Participant referred for other evaluation | | |
| 21 | SH30_EVALUATION_COMMENTS | Num | 8 | Evaluation comments | | |
| 22 | SH30_INTERVIEWER_CODE | Num | 8 | Interviewer's code | | |
| 23 | SH30_Q8A | Num | 8 | Subject cannot repeat rough approximation of rater's name | | |
| 24 | SH30_Q9A | Num | 8 | Stated answer to: 'How old are you?' | | |
| 25 | SH30_Q9B | Num | 8 | Subject does not know or does not complete reply to: 'How old are you?' | | |
| 26 | SH30_Q9C | Num | 8 | Stated age different by more than 1 year from most accurate estimate | | |
| 27 | SH30_Q10A | Num | 8 | Stated answer to: 'What year were you born?' (in months from randomization) | | |
| 28 | SH30_Q10B | Num | 8 | Subject does not know or doesn't complete reply to: 'What year were you born?' | | |
| 29 | SH30_Q10C | Num | 8 | Stated birth year different from most accurate estimate | | |
| 30 | SH30_Q11A | Num | 8 | Discrepency between stated birthdate AND stated age is not corrected by subject | | |
| 31 | SH30_Q11B | Num | 8 | Subject shows marked uncertainty about age AND birthdate | | |
| 32 | SH30_Q11C | Num | 8 | Either stated birthdate, stated age or both are obviously wrong | | |
| 33 | SH30_Q12A | Num | 8 | Subject does not know or doesn't complete reply to: 'How long have you lived in this neighborhood?' | | |
| 34 | SH30_Q13A | Num | 8 | Subject does not know or doesn't complete reply to: 'What is your home address?' | | |

| Num | Variable | Туре | Len | Label | |
|-----|-----------|------|-----|--|--|
| 35 | SH30_Q13B | Num | 8 | Subject gives incorrect or incomplete house number and/or town | |
| 36 | SH30_Q14A | Num | 8 | Subject does not know or doesn't complete reply to: 'How long have you lived at this address?' | |
| 37 | SH30_Q15A | Num | 8 | Subject does have a telephone | |
| 38 | SH30_Q15B | Num | 8 | Subject does not know or doesn't complete reply to: 'What is your telephone number?' | |
| 39 | SH30_Q15C | Num | 8 | Subject gives incorrect or incomplete phone number | |
| 40 | SH30_Q16A | Num | 8 | Subject admits to worrying without further probing | |
| 41 | SH30_Q16B | Num | 8 | Subject worries about almost everything | |
| 42 | SH30_Q17A | Num | 8 | Subject has been sad or depressed during past month | |
| 43 | SH30_Q17B | Num | 8 | Subject has had depression that lasts longer than just the occasional few hours | |
| 44 | SH30_Q17C | Num | 8 | Subject's depression is worst at the beginning of the day | |
| 45 | SH30_Q17D | Num | 8 | Subject has felt live wasn't worth living | |
| 46 | SH30_Q18A | Num | 8 | Subject has cried | |
| 47 | SH30_Q18B | Num | 8 | Subject has felt like crying but did not | |
| 48 | SH30_Q19A | Num | 8 | How do you feel about your future? What are your hopes for the future? | |
| 49 | SH30_Q20A | Num | 8 | In the past month have you at any time felt that you would rather be dead or felt that you wanted to end it all? | |
| 50 | SH30_Q21A | Num | 8 | Subject does not mention feeling happy in the last month | |
| 51 | SH30_Q22A | Num | 8 | Do you feel happy about yourself as a person? If no, do you have regrets? Do you blame yourself for anything? | |
| 52 | SH30_Q23A | Num | 8 | Subject has had trouble falling or staying asleep in the past month | |
| 53 | SH30_Q23B | Num | 8 | Subject is taking medication for sleeping | |
| 54 | SH30_Q23C | Num | 8 | Difficulty sleeping is due to altered moods or tension | |
| 55 | SH30_Q24A | Num | 8 | Subject awakes about 2 hours or more before normal time of awakening and cannot go back to sleep | |
| 56 | SH30_Q24B | Num | 8 | Subject wakes up feeling tired | |
| 57 | SH30_Q25A | Num | 8 | Subject claims difficulty with memories | |
| 58 | SH30_Q25B | Num | 8 | Subject forgets what he/she is attending to or has just attended to in TV, reading, radio, talking | |
| 59 | SH30_Q26A | Num | 8 | Subject does not recall even a rough approximation of rater's name | |
| 60 | SH30_Q27A | Num | 8 | Subject does not recall the name of the current President | |
| 61 | SH30_Q27B | Num | 8 | Subject does not recall the name of previous President | |
| 62 | SH30_Q28A | Num | 8 | Subject does not know month or does not complete reply to: 'What month is it?' | |
| 63 | SH30_Q28B | Num | 8 | Subject gives incorrect month to question:'What month is it?' | |
| 64 | SH30_Q28C | Num | 8 | Subject does not know year or does not complete reply to: 'What year is it?' | |
| 65 | SH30_Q28D | Num | 8 | Subject gives incorrect year to question: 'What year is it?' | |
| 66 | SH30_Q29A | Num | 8 | Recently, have you felt listlessness or subjective restriction of energy? | |
| 67 | SH30_Q30A | Num | 8 | Do you feel you have become subjectively slowed down in physical movements? | |
| 68 | SH30_Q31A | Num | 8 | Have you been doing less than usual? | |

| Num | Variable | Туре | Len | Label | |
|-----|-----------|------|-----|---|--|
| 69 | SH30_Q31B | Num | 8 | Do you experience slowness or anergia worst in mornings? | |
| 70 | SH30_Q31C | Num | 8 | Do you sit or lay around becuase of lack of energy? | |
| 71 | SH30_Q32A | Num | 8 | Subject admits to being restless | |
| 72 | SH30_Q33A | Num | 8 | Subject did not previously and does not currently recall even a rough approximation of rater's name | |
| 73 | SH30_Q34A | Num | 8 | Subject has headaches | |
| 74 | SH30_Q35A | Num | 8 | Subject has enjoyed almost nothing in the past month | |
| 75 | SH30_Q36A | Num | 8 | Subject spent less time than usual on interests or activities | |
| 76 | SH30_Q37A | Num | 8 | Subject has less interest or enjoyment in activities than before | |
| 77 | SH30_Q37B | Num | 8 | Subject is too depressed or nervous to enjoy activities | |
| 78 | SH30_Q38A | Num | 8 | In general, how happy are you? | |
| 79 | SH30_Q39A | Num | 8 | Subject has felt lonely in the past month | |
| 80 | SH30_Q39B | Num | 8 | Subject often feels lonely | |
| 81 | SH30_Q40A | Num | 8 | How much of the cooking and preparation of meals do you do yourself? Is that without any help from anyone? | |
| 82 | SH30_Q41A | Num | 8 | Subject performed one or more incorrect manuevers | |
| 83 | SH30_Q42A | Num | 8 | Subject has problems handling personal business by self | |
| 84 | SH30_Q43A | Num | 8 | Do you do all of your own shopping without any help from anyone else? | |
| 85 | SH30_Q44A | Num | 8 | How many light chores do you do by yourself? Is that without any help from anyone else? | |
| 86 | SH30_Q45A | Num | 8 | What heavy chores do you do yourself? Is that without any help from anyone else? | |
| 87 | SH30_Q46A | Num | 8 | Subject has problems/difficulty in basic dressing | |
| 88 | SH30_Q47 | Num | 8 | During the past week, How often were you bothered by things that usually don't bother you? | |
| 89 | SH30_Q48 | Num | 8 | During the past week, How often did you not feel like eating, had a poor appetite? | |
| 90 | SH30_Q49 | Num | 8 | During the past week, How often did you feel that you could not shake off the blues even with help from friends/family? | |
| 91 | SH30_Q50 | Num | 8 | How often did you feel like you were as good as other people? | |
| 92 | SH30_Q51 | Num | 8 | How often did you have trouble keeping your mind on what you were doing? | |
| 93 | SH30_Q52 | Num | 8 | During the past week, How often did you feel depressed? | |
| 94 | SH30_Q53 | Num | 8 | How often did you feel that everything you did was an effort? | |
| 95 | SH30_Q54 | Num | 8 | How often did you feel hopeful about the future? | |
| 96 | SH30_Q55 | Num | 8 | During the past week, How often did you feel your life was a failure? | |
| 97 | SH30_Q56 | Num | 8 | How often did you feel fearful? | |
| 98 | SH30_Q57 | Num | 8 | How often was your sleep restless? | |
| 99 | SH30_Q58 | Num | 8 | During the past week, How often were you happy? | |
| 100 | SH30_Q59 | Num | 8 | How often did it seem like you talked less than usual? | |
| 101 | SH30_Q60 | Num | 8 | How often did you feel lonely? | |
| 102 | SH30_Q61 | Num | 8 | During the past week, How often were people unfriendly to you? | |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--|
| 103 | SH30_Q62 | Num | 8 | How often did you enjoy life? |
| 104 | SH30_Q63 | Num | 8 | How often have you had crying spells? |
| 105 | SH30_Q64 | Num | 8 | During the past week, How often have you felt sad? |
| 106 | SH30_Q65 | Num | 8 | How often have you felt people disliked you? |
| 107 | SH30_Q66 | Num | 8 | How often could you not get going? |
| 108 | SH30_Q67 | Num | 8 | Total Score |
| 109 | SH30_Q68 | Num | 8 | Were all items in this questionnaire read? |
| 110 | SH30_Q69 | Num | 8 | How would you rate the overall validity of the responses obtained? |
| 111 | SH30_Q70A | Num | 8 | Did anything in particular contribute non-completion or adversely effect quality of interview? |
| 112 | SH30_Q70B | Num | 8 | Did a hearing problem effect completion? |
| 113 | SH30_Q70C | Num | 8 | Did language difficulty effect completion? |
| 114 | SH30_Q70D | Num | 8 | Did mental confusion effect completion? |
| 115 | SH30_Q70E | Num | 8 | Did a hostile attitude effect completion? |
| 116 | SH30_Q70F | Num | 8 | Did lack of interest effect completion? |
| 117 | SH30_Q70G | Num | 8 | Did fatigue effect completion? |
| 118 | SH30_Q70H | Num | 8 | Did participant's proxy effect completion? |
| 119 | SH30_Q70I | Num | 8 | Did noise or interruptions effect completion? |
| 120 | SH30_Q70J | Num | 8 | Did time pressure effect completion? |
| 121 | SH30_Q70K | Num | 8 | Other things effect completion? |
| 122 | SH30_RECORD_TYPE | Num | 8 | SH30 Record Type |
| 123 | SH30_DATE_RECEIVED | Num | 8 | SH30 Date Tape Received from Metpath Lab |
| 124 | SH30_UPDATE_NUMBER | Num | 8 | SH30 Update Number |
| 125 | SH30_DATE_LAST_PROCESSED | Num | 8 | SH30 Date Last Processed |
| 126 | SH30_PAPER_COPY | Num | 8 | SH30 Paper Copy |
| 127 | SH30_CROSS_FORM_EDITS | Num | 8 | SH30 Cross Form Edits |

Data Set Name: sh31.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 1 | SH31_RECORD_LENGTH | Num | 8 | SH31 Record Length |
| 2 | SH31_KEYPUNCH_CODE | Num | 8 | SH31 Keypuncher Code |
| 3 | SH31_BATCHDATE | Num | 8 | SH31 Batch Date |
| 4 | SH31_VERIFYER_CODE | Num | 8 | SH31 Verifyer Code |
| 5 | SH31_DATE_LAST_MODIFIED | Num | 8 | SH31 Date record was last modified |
| 6 | SH31_TIME_LAST_MODIFIED | Num | 8 | SH31 Time record was last modified |
| 7 | SH31_EDIT_STATUS_CODE | Num | 8 | SH31 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH31_VERSNNUM | Num | 8 | SH31 Version number |
| 11 | SH31_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH31_SEQUENCE | Num | 8 | SH31 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH31_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH31_SHORTCARE_DATE | Num | 8 | Date of SHORTCARE evaluation (in days from randomization) |
| 16 | SH31_LOSS_INTELLECTUAL | Num | 8 | Loss of intellectual abilities severe enough to interfere with social/occupational functioning present? |
| 17 | SH31_MEMORY_IMPAIR | Num | 8 | Memory impairment present? |
| 18 | SH31_ABSTRACT_IMPAIR | Num | 8 | Impairment of abstract thinking present? |
| 19 | SH31_JUDGMENT_IMPAIR | Num | 8 | Impaired judgment present? |
| 20 | SH31_OTHER_DISTURBANCES | Num | 8 | Other disturbances of higher cortical function (aphasia, apraxia, agnosia, etc.) present? |
| 21 | SH31_PERSONALITY_CHANGE | Num | 8 | Personality change present? |
| 22 | SH31_UNCLOUDED_STATE | Num | 8 | Unclouded state of consciousness present? |
| 23 | SH31_NO_REVERSIBLE_COURSE | Num | 8 | Evidence from history, exam, and lab tests that no specific reversible course of dementia is present? |
| 24 | SH31_CT_SCAN_RESULTS | Num | 8 | Results of CT Scan present? |
| 25 | SH31_HACHINSKI_SCORE | Num | 8 | Hachinski Ischemic Score |
| 26 | SH31_CAUSE_COGNITIVE_DECLINE | Num | 8 | Does patient have psychiatric cause for cognitive decline? |
| 27 | SH31_DEMENTIA | Num | 8 | In your opinion, does the participant have dementia? |
| 28 | SH31_DEMENTIA_TYPE_V1 | Num | 8 | What type of dementia? (form version 1) |
| 29 | SH31_SYMPTOMS_ABRUPT | Num | 8 | Did patient's symptoms of cognitive deterioration appear abruptly? |
| 30 | SH31_DETER_STEPWISE | Num | 8 | Did the deterioration appear to progress in a stepwise fashion over time, each new step characterized by additional level of impairment? |
| 31 | SH31_DETER_FLUCTUATED | Num | 8 | Did the patient experience a fluctuating course of his deterioration? |
| 32 | SH31_NOCTURNAL_CONFUSION | Num | 8 | Does the patient appear relatively lucid during the daytime but exhibit evidence of nocturnal confusion? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 33 | SH31_WELL_PRESERVED | Num | 8 | Does the patient's general personality appear to be well-preserved? |
| 34 | SH31_DEPRESSION | Num | 8 | Is depression present? |
| 35 | SH31_SOMATIC_COMPLAINTS | Num | 8 | Does patient present somatic complaints (headache, dizziness, fatigue, etc.)? |
| 36 | SH31_EMOTIONAL_INCONTINENCE | Num | 8 | Does patient exhibit evidence of emotional incontinence? |
| 37 | SH31_HYPERTENSION | Num | 8 | Does patient have history of hypertension (DBP >= 90 mmHg and/or SBP >=160 mmHg)? |
| 38 | SH31_STROKE | Num | 8 | Does the patient present a history of prior strokes or cerebrovascular accidents? |
| 39 | SH31_ATHEROSCLEROSIS | Num | 8 | Is there other evidence of atherosclerosis in this patient (retinal artery changes, etc.)? |
| 40 | SH31_TRANSIENT_FOCAL_SYMPTOMS | Num | 8 | Does the patient describe experiencing transient focal neurologica symptoms (visual/sensory disturbances, etc.)? |
| 41 | SH31_EVAL_FOCAL_NEURO_SIGNS | Num | 8 | Upon neurological evaluation, is there evidence of focal neurological signs (sluggish pupils, visual field defects, etc.)? |
| 42 | SH31_OBSERVER_CODE | Num | 8 | SH31 Observer Code |
| 43 | SH31_EXAMINER_CODE | Num | 8 | SH31 Examiner Code |
| 44 | SH31_RECORD_TYPE | Num | 8 | SH31 Record Type |
| 45 | SH31_DATE_RECEIVED | Num | 8 | SH31 Date Tape Received from Metpath Lab |
| 46 | SH31_UPDATE_NUMBER | Num | 8 | SH31 Update Number |
| 47 | SH31_DATE_LAST_PROCESSED | Num | 8 | SH31 Date Last Processed |
| 48 | SH31_PAPER_COPY | Num | 8 | SH31 Paper Copy |
| 49 | SH31_CROSS_FORM_EDITS | Num | 8 | SH31 Cross Form Edits |
| 50 | SH31_EXAMINER | Num | 8 | Examiner is: |
| 51 | SH31_NEUROLOGIST_CODE | Num | 8 | Neurologist or Psychiatrist code |
| 52 | SH31_HIST1_INTERVIEW_PATIENT | Num | 8 | Dementia history #1 Interview with patient |
| 53 | SH31_HIST1_INTERVIEW_FRIEND | Num | 8 | Dementia history #1 Interview with friend |
| 54 | SH31_HIST1_INTERVIEW_FAMILY | Num | 8 | Dementia history #1 Interview with family member |
| 55 | SH31_HIST1_INTERVIEW_RECORDS | Num | 8 | Dementia history #1 Interview based on medical records |
| 56 | SH31_HIST1_INTERVIEW_OTHER | Num | 8 | Dementia history #1 Interview with other person |
| 57 | SH31_LAST_GRADE_ATTENDED | Num | 8 | Last grade attended in school |
| 58 | SH31_EDUCATION | Num | 8 | Maximum education attainment |
| 59 | SH31_PREMORBID_ABILITY | Num | 8 | Estimate of premorbid intellectual ability based on employment history and life activities? |
| 60 | SH31_MENTAL_STATUS | Num | 8 | Present mental status |
| 61 | SH31_DETER_ON_JOB | Num | 8 | Is there a history of deterioration in intellectual performance on the job? |
| 62 | SH31_DETER_SOCIALLY | Num | 8 | Is there a history of deterioration in intellectual performance socially? |
| 63 | SH31_DETER_HOUSEHOLD_TASKS | Num | 8 | Is there a history of deterioration in intellectual performance in household tasks (cooking, etc.)? |
| 64 | SH31_DETER_COPING_MONEY | Num | 8 | Is there a history of deterioration in intellectual performance in coping with small sums of money? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 65 | SH31_DETER_REMEMBER_SHORTLIST | Num | 8 | Is there a history of deterioration in intellectual performance remembering short list of items? |
| 66 | SH31_DETER_FAMILIAR_STREETS | Num | 8 | Is there a history of deterioration in intellectual performance finding the way about on familiar streets? |
| 67 | SH31_DETER_FIND_WAY_INDOORS | Num | 8 | Is there a history of deterioration in intellectual performance finding the way about indoors? |
| 68 | SH31_DETER_RECALLING_EVENTS | Num | 8 | Is there a history of deterioration in intellectual performance recalling events? |
| 69 | SH31_DETER_INTERPRETING | Num | 8 | Is there a history of deterioration in intellectual performance interpreting surroundings? |
| 70 | SH31_DETER_OTHER | Num | 8 | Is there a history of deterioration in intellectual performance in other situations? |
| 71 | SH31_SYMPT_DIFF_DRESSING | Num | 8 | Does the patient have difficulty dressing? |
| 72 | SH31_SYMPT_CONSTRUCTIONAL | Num | 8 | Does the patient have problems putting things together? |
| 73 | SH31_SYMPT_IMPAIR_JUDGMENT | Num | 8 | Does the patient have impaired judgement? |
| 74 | SH31_SYMPT_SEIZURES | Num | 8 | Does the patient have seizures? |
| 75 | SH31_SYMPT_NIGHT_CONFUSION | Num | 8 | Does the patient have confusion at night or in unfamiliar places? |
| 76 | SH31_SYMPT_REPEATS_SELF | Num | 8 | Does the patient repeat self? |
| 77 | SH31_PERSONAL_CHANGE_PAST6MOS | Num | 8 | Patient has had difficulty with personality change (decreased initiative, apathy, etc.) in past 6 months? |
| 78 | SH31_HALLUCINATIONS_PAST6MOS | Num | 8 | Patient has had difficulty with seeing or hearing things that are not present in past 6 months? |
| 79 | SH31_LANGUAGE_PROBS_PAST6MOS | Num | 8 | Patient has had difficulty with language (speech problems, reading, etc.) in past 6 months? |
| 80 | SH31_MOTOR_SYMPTOMS_PAST6MOS | Num | 8 | Patient has had difficulty with motor symptoms (falls, tremors, gait) in past 6 months? |
| 81 | SH31_BOWEL_INCONTINENCE | Num | 8 | Patient has had difficulty with urinary/bowel incontinence in past 6 months? |
| 82 | SH31_MINI_ORIENTATION_SCORE1 | Num | 8 | Mini-Mental State Exam, Orientation Score #1 (What is year/season/date/day/month) |
| 83 | SH31_MINI_ORIENTATION_SCORE2 | Num | 8 | Mini-Mental State Exam, Orientation Score #2 (Where are we state/country/town/hospital/floor?) |
| 84 | SH31_MINI_REGISTRATION_SCORE1 | Num | 8 | Mini-Mental State Exam, Registration Score #1 (Patient repeat words ball, house, flower) |
| 85 | SH31_MINI_REGISTRATION_SCORE2 | Num | 8 | Mini-Mental State Exam, Registration Score #2 (Number of trials for patient to learn 3 words) |
| 86 | SH31_MINI_ATTENTION_SCORE | Num | 8 | Mini-Mental State Exam, Attention and Calculation Score (Serial 7s) |
| 87 | SH31_MINI_RECALL_SCORE | Num | 8 | Mini-Mental State Exam, Recall Score #1 (Ask subject to repeat 3 words from Registration) |
| 88 | SH31_MINI_LANGUAGE_SCORE1 | Num | 8 | Mini-Mental State Exam, Language Score #1 (Name a pencil and a watch) |
| 89 | SH31_MINI_LANGUAGE_SCORE2 | Num | 8 | Mini-Mental State Exam, Language Score #2 (Repeat:'No ifs, ands or buts') |
| 90 | SH31_MINI_LANGUAGE_SCORE3 | Num | 8 | Mini-Mental State Exam, Language Score #3 (Follow 3-stage command) |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 91 | SH31_MINI_LANGUAGE_SCORE4 | Num | 8 | Mini-Mental State Exam, Language Score #4 (Obey command: 'Close your eyes') |
| 92 | SH31_MINI_LANGUAGE_SCORE5 | Num | 8 | Mini-Mental State Exam, Language Score #5 (Obey command: 'Write a sentence') |
| 93 | SH31_MINI_LANGUAGE_SCORE6 | Num | 8 | Mini-Mental State Exam, Language Score #6 (Obey command: 'Copy design') |
| 94 | SH31_MINI_TOTAL_SCORE | Num | 8 | Mini-Mental State Exam score (do not include Registration Score #2) |
| 95 | SH31_MINI_DETERIORATION | Num | 8 | Based on preceding history and Mini-Mental State score (<23), is there evidence of intellectual deterioration/current performance below that expected from employment activities and schooling attainment? |
| 96 | SH31_EVAL_COMPLETER_CODE | Num | 8 | Code of person completing Dementia evaluation history #1 section |
| 97 | SH31_HIST2_INTERVIEW_PATIENT | Num | 8 | Dementia history #2 Interview with patient |
| 98 | SH31_HIST2_INTERVIEW_FRIEND | Num | 8 | Dementia history #2 Interview with friend |
| 99 | SH31_HIST2_INTERVIEW_FAMILY | Num | 8 | Dementia history #2 Interview with family member |
| 100 | SH31_HIST2_INTERVIEW_RECORDS | Num | 8 | Dementia history #2 Interview based on medical records |
| 101 | SH31_HIST2_INTERVIEW_OTHER | Num | 8 | Dementia history #2 Interview with other person |
| 102 | SH31_DEMENTIA_ONSET | Num | 8 | Onset of dementia? |
| 103 | SH31_DEMENTIA_COURSE | Num | 8 | Course of dementia? |
| 104 | SH31_DEMENTIA_PLATEAUS | Num | 8 | Dementia Plateaus? |
| 105 | SH31_DEMENTIA_DURATION | Num | 8 | Duration of dementia? |
| 106 | SH31_STROKE_HIST2 | Num | 8 | Is there a history of stroke? |
| 107 | SH31_VISION_IMPAIR_24HRS | Num | 8 | Was there a sudden impairment of vision last longer than 24 hours? |
| 108 | SH31_SPEECH_IMPAIR_24HRS | Num | 8 | Was there a sudden impairment of speech last longer than 24 hours? |
| 109 | SH31_STRENGTH_IMPAIR_24HRS | Num | 8 | Was there a sudden impairment of strength last longer than 24 hours? |
| 110 | SH31_SENSATION_IMPAIR_24HRS | Num | 8 | Was there a sudden impairment of sensation last longer than 24 hours? |
| 111 | SH31_HEAD_TRAUMA_UNCONSCIOUS | Num | 8 | Is there a history of head trauma with unconsciousness? |
| 112 | SH31_HEAD_TRAUMA_CONSCIOUS | Num | 8 | Is there a history of head trauma without definite unconsciousness? |
| 113 | SH31_MEDICAL_ILLNESS_PRIOR | Num | 8 | History of other medical illness preceding or with onset of dementia? |
| 114 | SH31_PSYHCIATRIC_ILLNESS_PRIOR | Num | 8 | History of psychiatric illness preceding or with onset of dementia? |
| 115 | SH31_PSYHCIATRIC_TREATMENT | Num | 8 | Treatment employed for psychiatric illnesses? |
| 116 | SH31_DEMENTIA_FROM_DEPRESSION | Num | 8 | Evidence of dementia due to depression? |
| 117 | SH31_DEPRESSION_HIST2 | Num | 8 | Evidence of depression? (Dementia Evaluation History #2) |
| 118 | SH31_CURR_ALCOHOL_USE | Num | 8 | Current alcohol use? |
| 119 | SH31_CAGE_REVIEW_POSITIVE | Num | 8 | Is Cage Review positive for alcoholism? |
| 120 | SH31_ALCOHOL_POTENTIAL_CAUSE | Num | 8 | Is alcohol intake a potential cause for dementia? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 121 | SH31_MEDS_ANTI_ANXIETY | Num | 8 | Does the patient use anti-anxiety medications? |
| 122 | SH31_MEDS_PHENOTHIAZINES | Num | 8 | Does the patient use phenothiazines? |
| 123 | SH31_MEDS_BARBITURATES | Num | 8 | Does the patient use barbiturates? |
| 124 | SH31_MEDS_ANTIDEPRESSANTS | Num | 8 | Does the patient use antidepressants? |
| 125 | SH31_MEDS_SLEEPING_PILLS | Num | 8 | Does the patient use sleeping pills? |
| 126 | SH31_MEDS_OTHER | Num | 8 | Does the patient use other medications that may impair cognition? |
| 127 | SH31_HYPERPARATHYROIDISM | Num | 8 | Medical history of possible treatable causes of dementia, Hyperparathyroidism? |
| 128 | SH31_HYPOTHYROIDISM | Num | 8 | Medical history of possible treatable causes of dementia, Hypothyroidism? |
| 129 | SH31_B12_DEFICIENCY | Num | 8 | Medical history of possible treatable causes of dementia, B12 deficiency? |
| 130 | SH31_SYPHILIS | Num | 8 | Medical history of possible treatable causes of dementia, Syphilis? |
| 131 | SH31_BRAIN_ABSCESS | Num | 8 | Medical history of possible treatable causes of dementia, Brain abscess? |
| 132 | SH31_BRAIN_TUMOR | Num | 8 | Medical history of possible treatable causes of dementia, Brain tumor? |
| 133 | SH31_SUBARACHNOID_HEMORRHAGE | Num | 8 | Medical history of possible treatable causes of dementia, Subarachnoid hemorrhage? |
| 134 | SH31_SUBDURAL_HEMATOMA | Num | 8 | Medical history of possible treatable causes of dementia, Subdural hematoma? |
| 135 | SH31_MENINGITIS | Num | 8 | Medical history of possible treatable causes of dementia, Bacterial/fungal meningitis or viral encephalitis? |
| 136 | SH31_LIVER_DISEASE | Num | 8 | Medical history of possible treatable causes of dementia, Liver disease? |
| 137 | SH31_KIDNEY_DISEASE | Num | 8 | Medical history of possible treatable causes of dementia, Kidney disease? |
| 138 | SH31_SEVERE_PULMONARY_DISEASE | Num | 8 | Medical history of possible treatable causes of dementia, Severe obstructive pulmonary disease? |
| 139 | SH31_VASCULAR_DISEASE | Num | 8 | Medical history of possible treatable causes of dementia, Collagen/vascular disease? |
| 140 | SH31_OTHER_MEDICAL_CAUSES | Num | 8 | Medical history of possible treatable causes of dementia, Other? |
| 141 | SH31_FAMHIST_DEMENTIA | Num | 8 | Is there a family history of dementia? |
| 142 | SH31_STAND_STILL_EYES_OPEN | Num | 8 | Ability to stand and maintain station on a narrow base with arms oustretched for 30 seconds with eyes open? |
| 143 | SH31_STAND_STILL_EYES_CLOSED | Num | 8 | Ability to stand and maintain station on a narrow base with arms oustretched for 30 seconds with eyes closed? |
| 144 | SH31_DOWNWARD_LEFT_ARM | Num | 8 | If unsuccessful with eyes open, Downward drift of left arm? |
| 145 | SH31_DOWNWARD_RIGHT_ARM | Num | 8 | If unsuccessful with eyes open, Downward drift of right arm? |
| 146 | SH31_WALK_ORDINARY_GAIT | Num | 8 | Able to perform ordinary gait without difficulty when walking? |
| 147 | SH31_WALK_HEELS_LT_DROOP | Num | 8 | When walking on heels, left foot droops? |
| 148 | SH31_WALK_HEELS_RT_DROOP | Num | 8 | When walking on heels, left right droops? |
| 149 | SH31_WALK_HEEL_TOE | Num | 8 | Tandem walking (heel to toe) without difficulty? |
| 150 | SH31_PAPILLEDEMA | Num | 8 | Fundoscopic examination, Papilledema present? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 151 | SH31_VISION_FIELD_CUT | Num | 8 | Visual field cut? |
| 152 | SH31_VISION_MONOCULAR_LOSS | Num | 8 | Monocular loss? |
| 153 | SH31_PUPIL_ROUNDESS | Num | 8 | Pupil roundness present? |
| 154 | SH31_PUPIL_REACT_LIGHT | Num | 8 | React to light and accommodation? |
| 155 | SH31_FULL_LT_LATERAL_GAZE | Num | 8 | Extraocular movements, Full left lateral gaze |
| 156 | SH31_FULL_RT_LATERAL_GAZE | Num | 8 | Extraocular movements, Full right lateral gaze |
| 157 | SH31_FULL_UPWARD_GAZE | Num | 8 | Extraocular movements, Full upward gaze |
| 158 | SH31_FULL_DOWNWARD_GAZE | Num | 8 | Extraocular movements, Full downward gaze |
| 159 | SH31_ROTATE_HEAD_HOR | Num | 8 | Occulocephalic reflex, have patient fixate on a point and rotate head horizontally |
| 160 | SH31_ROTATE_HEAD_VERT | Num | 8 | Occulocephalic reflex, have patient fixate on a point and rotate head vertically |
| 161 | SH31_FORCED_EYE_CLOSURE | Num | 8 | Forced eye closure |
| 162 | SH31_BLOWOUT_CHEEKS | Num | 8 | Blow out cheeks |
| 163 | SH31_TONGUE_IN_CHEEK_LT | Num | 8 | Tongue in left cheek |
| 164 | SH31_TONGUE_IN_CHEEK_RT | Num | 8 | Tongue in right cheek |
| 165 | SH31_SHOW_TEETH_LT_FACE | Num | 8 | Show teeth, left face |
| 166 | SH31_SHOW_TEETH_RT_FACE | Num | 8 | Show teeth, right face |
| 167 | SH31_STRENGTH_LEFT_ARM | Num | 8 | Strength, left arm/hand |
| 168 | SH31_STRENGTH_RIGHT_ARM | Num | 8 | Strength, right arm/hand |
| 169 | SH31_STRENGTH_LEFT_LEG | Num | 8 | Strength, left leg |
| 170 | SH31_STRENGTH_RIGHT_LEG | Num | 8 | Strength, right leg |
| 171 | SH31_TONE_ARM_LEG | Num | 8 | Tone of arms and legs |
| 172 | SH31_LT_ARM_ABNORMALITY | Num | 8 | Type of left arm abnormality |
| 173 | SH31_LT_LEG_ABNORMALITY | Num | 8 | Type of left leg abnormality |
| 174 | SH31_RT_ARM_ABNORMALITY | Num | 8 | Type of right arm abnormality |
| 175 | SH31_RT_LEG_ABNORMALITY | Num | 8 | Type of right leg abnormality |
| 176 | SH31_REFLEXES | Num | 8 | Reflexes in arms and legs |
| 177 | SH31_REFLEX_BICEPS_LT_ABNORM | Num | 8 | Left biceps reflex abnormal |
| 178 | SH31_REFLEX_BICEPS_RT_ABNORM | Num | 8 | Right biceps reflex abnormal |
| 179 | SH31_REFLEX_TRICEPS_LT_ABNORM | Num | 8 | Left triceps reflex abnormal |
| 180 | SH31_REFLEX_TRICEPS_RT_ABNORM | Num | 8 | Right triceps reflex abnormal |
| 181 | SH31_REFLEX_KNEE_LT_ABNORM | Num | 8 | Left knee reflex abnormal |
| 182 | SH31_REFLEX_KNEE_RT_ABNORM | Num | 8 | Right knee reflex abnormal |
| 183 | SH31_REFLEX_ANKLE_LT_ABNORM | Num | 8 | Left ankle reflex abnormal |
| 184 | SH31_REFLEX_ANKLE_RT_ABNORM | Num | 8 | Right ankle reflex abnormal |
| 185 | SH31_REFLEX_PLANTAR_LT_ABNORM | Num | 8 | Left plantar reflex abnormal |
| 186 | SH31_REFLEX_PLANTAR_RT_ABNORM | Num | 8 | Right plantar reflex abnormal |
| 187 | SH31_REFLEX_ANKLE_DEPRESS | Num | 8 | Reflexes at ankle when depressed? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 188 | SH31_REFLEX_KNEE_DEPRESS | Num | 8 | Reflexes at knee when depressed? |
| 189 | SH31_SENSATION_PIN | Num | 8 | Sensation, Pin |
| 190 | SH31_SENSATION_POSITION_TOES | Num | 8 | Sensation, Position sense toes |
| 191 | SH31_EXAM_REFLEXES_SNOUT | Num | 8 | Additional reflexes, snout/suck/rooting |
| 192 | SH31_EXAM_REFLEXES_GRASP | Num | 8 | Additional reflexes, grasp/reflex/hand |
| 193 | SH31_EXAM_REFLEXES_GLABELLAR | Num | 8 | Additional reflexes, glabellar |
| 194 | SH31_COORD_FINGER_NOSE_LT | Num | 8 | Coordination, Finger to nose, left |
| 195 | SH31_COORD_FINGER_NOSE_RT | Num | 8 | Coordination, Finger to nose, right |
| 196 | SH31_COORD_HAND_PAT_LT | Num | 8 | Coordination, patting left hand |
| 197 | SH31_COORD_HAND_PAT_RT | Num | 8 | Coordination, patting right hand |
| 198 | SH31_EXAM_TREMOR_AT_REST | Num | 8 | On the basis of the examination and observation have you seen tremor at rest? |
| 199 | SH31_EXAM_TREMOR_POSTURE_HOLD | Num | 8 | On the basis of the examination and observation have you seen tremor on posture holding? |
| 200 | SH31_EXAM_TREMOR_ON_ACTION | Num | 8 | On the basis of the examination and observation have you seen tremor on action? |
| 201 | SH31_EXAM_CHOREA | Num | 8 | On the basis of the examination and observation have you seen chorea? |
| 202 | SH31_EXAM_OTHER_INVOL_MOVEMENTS | Num | 8 | On the basis of the examination and observation have you seen other involuntary movements? |
| 203 | SH31_EXAM_BRADYKINESIA | Num | 8 | On the basis of the examination and observation have you seen bradykinesia? |
| 204 | SH31_EXAM_MOTOR_PERSISTENCE | Num | 8 | On the basis of the examination and observation have you seen motor persistence? |
| 205 | SH31_EXAM_MOTOR_IMPERSISTENCE | Num | 8 | On the basis of the examination and observation have you seen motor impersistence? |
| 206 | SH31_EXAM_APRAXIA | Num | 8 | On the basis of the examination and observation have you seen apraxia? |
| 207 | SH31_EXAM_AGNOSIA | Num | 8 | On the basis of the examination and observation have you seen agnosia? |
| 208 | SH31_EXAM_MOTOR_APHASIA | Num | 8 | On the basis of the examination and observation have you seen speech/language/motor aphasia? |
| 209 | SH31_EXAM_COMPREHENSION | Num | 8 | On the basis of the examination and observation have you seen comprehension deficit? |
| 210 | SH31_EXAM_DYSARTHRIA | Num | 8 | On the basis of the examination and observation have you seen articulation/dysarthria? |
| 211 | SH31_FOCAL_NEURO_ABNORMALITIES | Num | 8 | Are focal neurologic abnormalities present? |
| 212 | SH31_ABNORMALITIES_STROKE | Num | 8 | If yes, are focal neurologic abnormalities consistent with stroke? |
| 213 | SH31_CBC | Num | 8 | Laboratory Exam of Dementia, CBC? |
| 214 | SH31_ELECTROLYTES | Num | 8 | Laboratory Exam of Dementia, Electrolytes? |
| 215 | SH31_GLUCOSE | Num | 8 | Laboratory Exam of Dementia, Glucose? |
| 216 | SH31_LIVER_FUNCTION | Num | 8 | Laboratory Exam of Dementia, Liver function tests? |
| 217 | SH31_RENAL | Num | 8 | Laboratory Exam of Dementia, Renal (BUN, Creat)? |

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 218 | SH31_THYROID_PANEL | Num | 8 | Laboratory Exam of Dementia, Thyroid panel? |
| 219 | SH31_VDRL | Num | 8 | Laboratory Exam of Dementia, VDRL/FTA? |
| 220 | SH31_SED_RATE | Num | 8 | Laboratory Exam of Dementia, Sed Rate? |
| 221 | SH31_B12_LVL | Num | 8 | Laboratory Exam of Dementia, B12 level? |
| 222 | SH31_DRUG_SCREEN | Num | 8 | Laboratory Exam of Dementia, Drug screen? |
| 223 | SH31_EEG | Num | 8 | Laboratory Exam of Dementia, EEG? |
| 224 | SH31_LUMBAR_PUNCTURE | Num | 8 | Laboratory Exam of Dementia, Lumbar puncture? |
| 225 | SH31_ANGIOGRAM | Num | 8 | Laboratory Exam of Dementia, Angiogram/DSA? |
| 226 | SH31_PSYCHOLOGICAL_TESTS | Num | 8 | Laboratory Exam of Dementia, Psychological testing? |
| 227 | SH31_OTHER_DSMIII_CRITERIA | Num | 8 | Does patient have at least one criteria (impaired abstract, impair judgement, other)? |
| 228 | SH31_MEETS_DSMIII_CRITERIA | Num | 8 | Does patient meet all DSM III criteria for dementia? |
| 229 | SH31_PSEUDODEMENTIA | Num | 8 | Are pseudodementia and/or depression appearing to make a significant contribution to mental disturbance? |
| 230 | SH31_TREATABLE_CAUSE | Num | 8 | Is there a potential treatable cause for dementia? |
| 231 | SH31_ASSOCIATED_OTHER_NEURO | Num | 8 | Is the dementia associated with other neurological diseases? |
| 232 | SH31_NON_NEURO_CAUSE | Num | 8 | Is there any other non-neurological cause for dementia? |
| 233 | SH31_DEMENTIA_CAUSE | Num | 8 | Probable cause of dementia? |
| 234 | SH31_DEMENTIA_PRESENT | Num | 8 | Is dementia present? |
| 235 | SH31_DEMENTIA_TYPE_V2 | Num | 8 | Type of dementia (versions 2 & 3) |
| 236 | SH31_DATE_FINAL_CODING | Num | 8 | Date of final coding (in days from randomization) |
| 237 | SH31_MINI_SUM_MAX_SCORES | Num | 8 | Sum of maximum scores for scored Mini-Mental State exam tasks |
| 238 | SH31_MINI_CORRECTED_SCORE | Num | 8 | Corrected score for Mini-Mental State exam |

Data Set Name: sh32.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------|------|-----|--|
| 1 | SH32_RECORD_LENGTH | Num | 8 | SH32 Record Length |
| 2 | SH32_KEYPUNCH_CODE | Num | 8 | SH32 Keypuncher Code |
| 3 | SH32_BATCHDATE | Num | 8 | SH32 Batch Date |
| 4 | SH32_VERIFYER_CODE | Num | 8 | SH32 Verifyer Code |
| 5 | SH32_DATE_LAST_MODIFIED | Num | 8 | SH32 Date record was last modified |
| 6 | SH32_TIME_LAST_MODIFIED | Num | 8 | SH32 Time record was last modified |
| 7 | SH32_EDIT_STATUS_CODE | Num | 8 | SH32 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH32_VERSNNUM | Num | 8 | SH32 Version number |
| 11 | SH32_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH32_SEQUENCE | Num | 8 | SH32 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH32_VISIT_SEQNUM | Num | 8 | Clinic visit sequence number |
| 15 | SH32_SHORTCARE_DATE | Num | 8 | Date of SHORTCARE evaluation (in days from randomization) |
| 16 | SH32_Q5 | Num | 8 | Dysphoric mood or loss of interest in usual activities or past times |
| 17 | SH32_Q5A | Num | 8 | Mood is characterized by symptoms such as depression, sad, blue, etc. |
| 18 | SH32_Q5B | Num | 8 | Mood disturbance is prominent and relatively persistent |
| 19 | SH32_Q6A | Num | 8 | Poor appetite with weight loss or increased appetite with weight gain |
| 20 | SH32_Q6B | Num | 8 | Insomnia or hypersomnia |
| 21 | SH32_Q6C | Num | 8 | Psychomotor agitation or retardation |
| 22 | SH32_Q6D | Num | 8 | Loss of interest/pleasure in sexual activities or decrease in sexual drive |
| 23 | SH32_Q6E | Num | 8 | Loss of energy or fatigue |
| 24 | SH32_Q6F | Num | 8 | Feelings of worthlessness, self-reproach or excessive/inappropriate guilt |
| 25 | SH32_Q6G | Num | 8 | Complaints or evidence of diminished ability to think or concentrate |
| 26 | SH32_Q6H | Num | 8 | Recurrent thoughts of death, suicidal indication, wishes to be dead or suicide attempt |
| 27 | SH32_Q7A | Num | 8 | Preoccupation with a mood, delusion or hallucination |
| 28 | SH32_Q7B | Num | 8 | Bizarre behavior |
| 29 | SH32_Q8 | Num | 8 | Not superimposed upon either schizophrenia, schizophreniform or paranoid disorder |
| 30 | SH32_Q9 | Num | 8 | Not due to any organic mental disorder or uncomplicated bereavement |
| 31 | SH32_Q10 | Num | 8 | In your opinion, does this participant have depression? |
| 32 | SH32_COMPLETER_CODE | Num | 8 | Code for completer of SH32 |
| 33 | SH32_RECORD_TYPE | Num | 8 | SH32 Record Type |
| 34 | SH32_DATE_RECEIVED | Num | 8 | SH32 Date Tape Received from Metpath Lab |
| 35 | SH32_UPDATE_NUMBER | Num | 8 | SH32 Update Number |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|--------------------------|
| 36 | SH32_DATE_LAST_PROCESSED | Num | 8 | SH32 Date Last Processed |
| 37 | SH32_PAPER_COPY | Num | 8 | SH32 Paper Copy |
| 38 | SH32_CROSS_FORM_EDITS | Num | 8 | SH32 Cross Form Edits |

Data Set Name: sh33.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|--|
| 1 | SH33_RECORD_LENGTH | Num | 8 | SH33 Record Length |
| 2 | SH33_KEYPUNCH_CODE | Num | 8 | SH33 Keypuncher Code |
| 3 | SH33_BATCHDATE | Num | 8 | SH33 Batch Date |
| 4 | SH33_VERIFYER_CODE | Num | 8 | SH33 Verifyer Code |
| 5 | SH33_DATE_LAST_MODIFIED | Num | 8 | SH33 Date record was last modified |
| 6 | SH33_TIME_LAST_MODIFIED | Num | 8 | SH33 Time record was last modified |
| 7 | SH33_EDIT_STATUS_CODE | Num | 8 | SH33 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH33_VERSNNUM | Num | 8 | SH33 Version number |
| 11 | SH33_DATE | Num | 8 | Date of completion (in days from randomization) |
| 12 | SH33_SEQUENCE | Num | 8 | SH33 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH33_VISIT_TYPE | Num | 8 | Visit type (Baseline/Annual) |
| 15 | SH33_ANNUAL_VISIT_YR | Num | 8 | If Annual visit, which annual visit? |
| 16 | SH33_WALK_SMROOM_HELP | Num | 8 | At present time, do you need help to walk across a small room? |
| 17 | SH33_WALK_SMROOM_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to walk across a small room? |
| 18 | SH33_WALK_SMROOM_DIFF_LVL | Num | 8 | On average, how much difficulty do you have walking across a small room? |
| 19 | SH33_BATHING_HELP | Num | 8 | At present time, do you need help bathing? |
| 20 | SH33_BATHING_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to bath? |
| 21 | SH33_BATHING_DIFF_LVL | Num | 8 | On average, how much difficulty do you have bathing? |
| 22 | SH33_GROOMING_HELP | Num | 8 | At present time, do you need help grooming? |
| 23 | SH33_GROOMING_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to groom? |
| 24 | SH33_GROOMING_DIFF_LVL | Num | 8 | On average, how much difficulty do you have grooming? |
| 25 | SH33_DRESSING_HELP | Num | 8 | At present time, do you need help dressing? |
| 26 | SH33_DRESSING_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to get dressed? |
| 27 | SH33_DRESSING_DIFF_LVL | Num | 8 | On average, how much difficulty do you have dressing? |
| 28 | SH33_EATING_HELP | Num | 8 | At present time, do you need help eating? |
| 29 | SH33_EATING_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to eat? |
| 30 | SH33_EATING_DIFF_LVL | Num | 8 | On average, how much difficulty do you have eating? |
| 31 | SH33_GETTING_UP_HELP | Num | 8 | At present time, do you need help getting out of bed to a chair? |
| 32 | SH33_GETTING_UP_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to get from bed to chair? |
| 33 | SH33_GETTING_UP_DIFF_LVL | Num | 8 | On average, how much difficulty do you have getting from bed to a chair? |
| 34 | SH33_TOILET_HELP | Num | 8 | At present time, do you need help using the toilet? |

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|---|
| 35 | SH33_TOILET_HELP_TYPE | Num | 8 | Do you need help from a person, special equipment or both to use the toilet? |
| 36 | SH33_TOILET_HELP_DIFF_LVL | Num | 8 | On average, how much difficulty do you have using the toilet? |
| 37 | SH33_HEAVY_WORK | Num | 8 | Are you ABLE to do heavy work around the house, like washing windows, walls, floors without help? |
| 38 | SH33_WALK_STAIRS | Num | 8 | Are you ABLE to walk up and down stairs to the second floor without help? |
| 39 | SH33_WALK_HALF_MILE | Num | 8 | Are you ABLE to walk half a mile (8 blocks) without help? |
| 40 | SH33_PULL_PUSH_LG_OBJS | Num | 8 | How much difficulty do you have pulling/pushing large objects (e.g. living room chair)? |
| 41 | SH33_KNEELING | Num | 8 | How much difficulty do you have stooping, crouching or kneeling? |
| 42 | SH33_CARRY_LT10LBS | Num | 8 | How much difficulty do you have lifting or carrying weights under 10 pounds? |
| 43 | SH33_EXTENDING_ARMS | Num | 8 | How much difficulty do you have reaching or extending your arms above shoulder level? |
| 44 | SH33_WRITING | Num | 8 | How much difficulty do you have writing or handling small objects? |
| 45 | SH33_ALL_ITEMS_READ | Num | 8 | Were all items in SH33 questionnaire read or was questionnaire not completed? |
| 46 | SH33_RESPONSES_FROM | Num | 8 | From who were responses obtained? |
| 47 | SH33_VALIDITY | Num | 8 | How would you rate the overall validity of the responses that were obtained? |
| 48 | SH33_FACTORS_NON_COMPLETION | Num | 8 | Did anything in particular contribute to non-completion or adversely effect quality of interview? |
| 49 | SH33_FACTORS_HEARING | Num | 8 | Did hearing problem effect completion? |
| 50 | SH33_FACTORS_LANGUAGE | Num | 8 | Did language difficulty effect completion? |
| 51 | SH33_FACTORS_CONFUSION | Num | 8 | Did mental confusion effect completion? |
| 52 | SH33_FACTORS_HOSTILE | Num | 8 | Did hostile attitude effect completion? |
| 53 | SH33_FACTORS_LACKINTEREST | Num | 8 | Did lack of interest effect completion? |
| 54 | SH33_FACTORS_FATIGUE | Num | 8 | Did fatigue effect completion? |
| 55 | SH33_FACTORS_PROXY | Num | 8 | Did pariticipant's proxy effect completion? |
| 56 | SH33_FACTORS_NOISE | Num | 8 | Did noise/interruptions effect completion? |
| 57 | SH33_FACTORS_TIME_PRESSURE | Num | 8 | Did time pressure effect completion? |
| 58 | SH33_FACTORS_OTHER | Num | 8 | Did other factors effect completion? |
| 59 | SH33_INTERVIEWER_CODE | Num | 8 | Code of person conducting SH33 interview |
| 60 | SH33_RECORD_TYPE | Num | 8 | SH33 Record Type |
| 61 | SH33_DATE_RECEIVED | Num | 8 | SH33 Date Tape Received from Metpath Lab |
| 62 | SH33_UPDATE_NUMBER | Num | 8 | SH33 Update Number |
| 63 | SH33_DATE_LAST_PROCESSED | Num | 8 | SH33 Date Last Processed |
| 64 | SH33_PAPER_COPY | Num | 8 | SH33 Paper Copy |
| 65 | SH33_CROSS_FORM_EDITS | Num | 8 | SH33 Cross Form Edits |

Data Set Name: sh34.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|---|
| 1 | SH34_RECORD_LENGTH | Num | 8 | SH34 Record Length |
| 2 | SH34_KEYPUNCH_CODE | Num | 8 | SH34 Keypuncher Code |
| 3 | SH34_BATCHDATE | Num | 8 | SH34 Batch Date |
| 4 | SH34_VERIFYER_CODE | Num | 8 | SH34 Verifyer Code |
| 5 | SH34_DATE_LAST_MODIFIED | Num | 8 | SH34 Date record was last modified |
| 6 | SH34_TIME_LAST_MODIFIED | Num | 8 | SH34 Time record was last modified |
| 7 | SH34_EDIT_STATUS_CODE | Num | 8 | SH34 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH34_VERSNNUM | Num | 8 | SH34 Version number |
| 11 | SH34_DATE | Num | 8 | Date Social Network Questionnaire was completed (in days from randomization) |
| 12 | SH34_SEQUENCE | Num | 8 | SH34 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH34_VISIT_TYPE | Num | 8 | Visit type |
| 15 | SH34_ANNUAL_VISIT_YR | Num | 8 | If Annual visit, what year annual visit? |
| 16 | SH34_MARITAL_STATUS | Num | 8 | Are you now married, widowed, divorced, separated or never married? |
| 17 | SH34_FAMILY_FINANCES | Num | 8 | Who is responsible for handling family finances? |
| 18 | SH34_CLEAN_HOUSE | Num | 8 | Who is responsible for cleaning the house? |
| 19 | SH34_TRACK_APPTS | Num | 8 | Who is responsible for keeping track of medical appointments? |
| 20 | SH34_HEALTH_MATTERS | Num | 8 | Who is responsible for taking care of health matters in the family? |
| 21 | SH34_CHILDREN_NUM | Num | 8 | How many living children do you have? |
| 22 | SH34_CHILDREN_WITHIN1HR | Num | 8 | How many of your children live within an hour of you? |
| 23 | SH34_CHILDREN_SEE_EACHWK | Num | 8 | How many of your children do you see at least once a week? |
| 24 | SH34_CHILDREN_PHONE_EACHWK | Num | 8 | How many of your children do you talk to on the phone at least once per week? |
| 25 | SH34_CHILDREN_CLOSE | Num | 8 | How many of your children do you feel very close to? |
| 26 | SH34_CHILDREN_SEE_MORE | Num | 8 | Would you like to see your children more often, about the same or less often than you do now? |
| 27 | SH34_PARENTS_GIVE_GIFTS | Num | 8 | Do you help your children by giving them gifts? |
| 28 | SH34_PARENTS_HELP_MONEY | Num | 8 | Do you help your children with money? |
| 29 | SH34_PARENTS_HELP_ILL | Num | 8 | Do you help your children when someone is ill? |
| 30 | SH34_PARENTS_HELP_HOUSE | Num | 8 | Do you help your children keep or fix things around the house? |
| 31 | SH34_PARENTS_HELP_GRANDKIDS | Num | 8 | Do you help your children by babysitting grandchildren? |
| 32 | SH34_CHILDREN_HELP_ILL | Num | 8 | Do your children help you when you (or your spouse) are ill? |
| 33 | SH34_CHILDREN_GIVE_GIFTS | Num | 8 | Do your children help you by giving you gifts? |
| 34 | SH34_CHILDREN_SHOP | Num | 8 | Do your children help by shopping or running errands for you? |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 35 | SH34_CHILDREN_KEEP_HOUSE | Num | 8 | Do your children help keep/fix things around the house for you? |
| 36 | SH34_CHILDREN_HELP_MONEY | Num | 8 | Do your children help you with money? |
| 37 | SH34_CHILDREN_PREP_MEALS | Num | 8 | Do your children prepare meals for you? |
| 38 | SH34_CHILDREN_DRIVE | Num | 8 | Do your children drive you places (doctor, shopping, church)? |
| 39 | SH34_RELATIVES_CLOSE | Num | 8 | In general, how many relatives do you have that you feel close to (excluding children)? |
| 40 | SH34_RELATIVES_WITH1HR | Num | 8 | Of these close relatives, how many live within an hour of you? |
| 41 | SH34_RELATIVES_SEE_EACHMO | Num | 8 | How many close relatives do you see at least once a month? |
| 42 | SH34_RELATIVES_PHONE | Num | 8 | How many close relatives do you correspond with (phone or letter) a few times a year? |
| 43 | SH34_FRIENDS_CLOSE | Num | 8 | In general, how many close friends do you have? |
| 44 | SH34_FRIENDS_WITH1HR | Num | 8 | Of these close friends, how many live within an hour of you? |
| 45 | SH34_FRIENDS_SEE_EACHMO | Num | 8 | How many close friends do you see at least once a month? |
| 46 | SH34_FRIENDS_PHONE | Num | 8 | How many close friends do you exchange letters or calls a few times a year? |
| 47 | SH34_FRIENDS_LENGTH | Num | 8 | How long have you known most of your close friends? |
| 48 | SH34_INTIMATE_PERSON | Num | 8 | Is there a special person you know that you feel very close and intimate with? |
| 49 | SH34_INTIMATE_PERSON_SEE | Num | 8 | How often do you get together with this intimate person? |
| 50 | SH34_INTIMATE_PERSON_PHONE | Num | 8 | How often do you talk on the phone with this intimate person? |
| 51 | SH34_PERSON_FOR_HELP | Num | 8 | When you need some extra help, can you count on anyone to help with daily tasks? |
| 52 | SH34_MOSTHELP_PASTYR_SPOUSE | Num | 8 | Over the past year, Spouse has been most helpful with daily tasks |
| 53 | SH34_MOSTHELP_PASTYR_DAUGHTER | Num | 8 | Over the past year, Daughter has been most helpful with daily tasks |
| 54 | SH34_MOSTHELP_PASTYR_SON | Num | 8 | Over the past year, Son has been most helpful with daily tasks |
| 55 | SH34_MOSTHELP_PASTYR_SIBLING | Num | 8 | Over the past year, Siblings have been most helpful with daily tasks |
| 56 | SH34_MOSTHELP_PASTYR_OTHERREL | Num | 8 | Over the past year, Other relatives have been most helpful with daily tasks |
| 57 | SH34_MOSTHELP_PASTYR_NEIGHBOR | Num | 8 | Over the past year, Neighbors have been most helpful with daily tasks |
| 58 | SH34_MOSTHELP_PASTYR_COWORKER | Num | 8 | Over the past year, Co-workers have been most helpful with daily tasks |
| 59 | SH34_MOSTHELP_PASTYR_CHURCHMEM | Num | 8 | Over the past year, Church members have been most helpful with daily tasks |
| 60 | SH34_MOSTHELP_PASTYR_CLUBMEM | Num | 8 | Over the past year, Club members have been most helpful with daily tasks |
| 61 | SH34_MOSTHELP_PASTYR_PROS | Num | 8 | Over the past year, Professionals have been most helpful with daily tasks |
| 62 | SH34_MOSTHELP_PASTYR_FRIENDS | Num | 8 | Over the past year, Friends (not included in other categories) have been most helpful with daily tasks |
| 63 | SH34_MOSTHELP_PASTYR_NO_ONE | Num | 8 | Over the past year, No one has been most helpful with daily tasks |
| 64 | SH34_USE_MORE_HELP | Num | 8 | Could you have used more help with daily tasks than you received? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 65 | SH34_EMOTIONAL_SUPPORT | Num | 8 | Can you count on anyone to provide you with emotional support? |
| 66 | SH34_EMOTIONAL_PASTYR_SPOUSE | Num | 8 | Over the past year, Spouse has been most helpful providing emotional support |
| 67 | SH34_EMOTIONAL_PASTYR_DAUGHTER | Num | 8 | Over the past year, Daughter has been most helpful providing emotional support |
| 68 | SH34_EMOTIONAL_PASTYR_SON | Num | 8 | Over the past year, Son has been most helpful providing emotional support |
| 69 | SH34_EMOTIONAL_PASTYR_SIBLING | Num | 8 | Over the past year, Siblings have been most helpful providing emotional support |
| 70 | SH34_EMOTIONAL_PASTYR_OTHERREL | Num | 8 | Over the past year, Other relatives have been most helpful providing emotional support |
| 71 | SH34_EMOTIONAL_PASTYR_NEIGHBORS | Num | 8 | Over the past year, Neighbors have been most helpful providing emotional support |
| 72 | SH34_EMOTIONAL_PASTYR_COWORKERS | Num | 8 | Over the past year, Co-workers have been most helpful providing emotional support |
| 73 | SH34_EMOTIONAL_PASTYR_CHURCHMEM | Num | 8 | Over the past year, Church members have been most helpful providing emotional support |
| 74 | SH34_EMOTIONAL_PASTYR_CLUBMEM | Num | 8 | Over the past year, Club members have been most helpful providing emotional support |
| 75 | SH34_EMOTIONAL_PASTYR_PROS | Num | 8 | Over the past year, Professionals have been most helpful providing emotional support |
| 76 | SH34_EMOTIONAL_PASTYR_FRIENDS | Num | 8 | Over the past year, Friends (not included in other categories) have been most helpful providing emotional support |
| 77 | SH34_EMOTIONAL_PASTYR_NO_ONE | Num | 8 | Over the past year, No one has been most helpful providing emotional support |
| 78 | SH34_USE_MORE_EMOTIONAL_SUPP | Num | 8 | Could you have used more emotional support than you received? |
| 79 | SH34_FINANCIAL_SUPPORT | Num | 8 | When you need some extra help financially, can you count on anyone to help? |
| 80 | SH34_FINANCIAL_PASTYR_SPOUSE | Num | 8 | Over the past year, Spouse has been most helpful in offering financial assistance |
| 81 | SH34_FINANCIAL_PASTYR_DAUGHTER | Num | 8 | Over the past year, Daughter has been most helpful in offering financial assistance |
| 82 | SH34_FINANCIAL_PASTYR_SON | Num | 8 | Over the past year, Son has been most helpful in offering financial assistance |
| 83 | SH34_FINANCIAL_PASTYR_SIBLING | Num | 8 | Over the past year, Siblings have been most helpful in offering financial assistance |
| 84 | SH34_FINANCIAL_PASTYR_OTHERREL | Num | 8 | Over the past year, Other relatives have been most helpful in offering financial assistance |
| 85 | SH34_FINANCIAL_PASTYR_NEIGHBORS | Num | 8 | Over the past year, Neighbors have been most helpful in offering financial assistance |
| 86 | SH34_FINANCIAL_PASTYR_COWORKERS | Num | 8 | Over the past year, Co-workers have been most helpful in offering financial assistance |
| 87 | SH34_FINANCIAL_PASTYR_CHURCHMEM | Num | 8 | Over the past year, Church members have been most helpful in offering financial assistance |
| 88 | SH34_FINANCIAL_PASTYR_CLUBMEM | Num | 8 | Over the past year, Club members have been most helpful in offering financial assistance |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 89 | SH34_FINANCIAL_PASTYR_PROS | Num | 8 | Over the past year, Professionals have been most helpful in offering financial assistance |
| 90 | SH34_FINANCIAL_PASTYR_FRIENDS | Num | 8 | Over the past year, Friends (not included in other categories) have been most helpful in offering financial assistance |
| 91 | SH34_FINANCIAL_PASTYR_NO_ONE | Num | 8 | Over the past year, No one has been most helpful in offering financial assistance |
| 92 | SH34_USE_MORE_FINANCIAL_HELP | Num | 8 | Could you have used more financial assistance than you received? |
| 93 | SH34_NEIGHBORS_FRIENDLY | Num | 8 | Do you consider your neighbors to be friendly? |
| 94 | SH34_NEIGHBORS_VISIT | Num | 8 | How many neighbors do you know well enough that you visit each other's homes or go out together? |
| 95 | SH34_NEIGHBORS_HELP_THEM | Num | 8 | How often do you help out any of your neighbors with small things (e.g. borrowing a cup of sugar)? |
| 96 | SH34_NEIGHBORS_HELP_YOU | Num | 8 | How often do your neighbors help you out with small things (e.g. borrowing a cup of sugar)? |
| 97 | SH34_GROUPS_PARTICIPATE | Num | 8 | Do you participate in any groups (senior center, church group, etc.)? |
| 98 | SH34_GROUPS_INVOLVEMENT | Num | 8 | Would you say you are very involved, moderately involved or only a little involved in these groups? |
| 99 | SH34_ALL_ITEMS_READ | Num | 8 | Were all items in Social Network Questionnaire (SH34) read or was questionnaire not completed? |
| 100 | SH34_RESPONSES_FROM | Num | 8 | From whom were responses obtained? |
| 101 | SH34_VALIDITY | Num | 8 | How would you rate the overall validity of the responses that were obtained? |
| 102 | SH34_FACTORS_NON_COMPLETION | Num | 8 | Did anything in particular contribute to non-completion or adversely effect overall quality of interview? |
| 103 | SH34_FACTORS_HEARING | Num | 8 | Did hearing problem effect completion? |
| 104 | SH34_FACTORS_LANGUAGE | Num | 8 | Did language difficulty effect completion? |
| 105 | SH34_FACTORS_CONFUSION | Num | 8 | Did mental confusion effect completion? |
| 106 | SH34_FACTORS_HOSTILE | Num | 8 | Did hostile attitude effect completion? |
| 107 | SH34_FACTORS_LACKINTEREST | Num | 8 | Did lack of interest effect completion? |
| 108 | SH34_FACTORS_FATIGUE | Num | 8 | Did fatigue effect completion? |
| 109 | SH34_FACTORS_PROXY | Num | 8 | Did pariticipant's proxy effect completion? |
| 110 | SH34_FACTORS_NOISE | Num | 8 | Did noise/interruptions effect completion? |
| 111 | SH34_FACTORS_TIME_PRESSURE | Num | 8 | Did time pressure effect completion? |
| 112 | SH34_FACTORS_OTHER | Num | 8 | Did other factors effect completion? |
| 113 | SH34_INTERVIEWER_CODE | Num | 8 | Code of person conducting SH34 interview |
| 114 | SH34_RECORD_TYPE | Num | 8 | SH34 Record Type |
| 115 | SH34_DATE_RECEIVED | Num | 8 | SH34 Date Tape Received from Metpath Lab |
| 116 | SH34_UPDATE_NUMBER | Num | 8 | SH34 Update Number |
| 117 | SH34_DATE_LAST_PROCESSED | Num | 8 | SH34 Date Last Processed |
| 118 | SH34_PAPER_COPY | Num | 8 | SH34 Paper Copy |
| 119 | SH34_CROSS_FORM_EDITS | Num | 8 | SH34 Cross Form Edits |

Data Set Name: sh35.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 1 | SH35_RECORD_LENGTH | Num | 8 | SH35 Record Length |
| 2 | SH35_KEYPUNCH_CODE | Num | 8 | SH35 Keypuncher Code |
| 3 | SH35_BATCHDATE | Num | 8 | SH35 Batch Date |
| 4 | SH35_VERIFYER_CODE | Num | 8 | SH35 Verifyer Code |
| 5 | SH35_DATE_LAST_MODIFIED | Num | 8 | SH35 Date record was last modified |
| 6 | SH35_TIME_LAST_MODIFIED | Num | 8 | SH35 Time record was last modified |
| 7 | SH35_EDIT_STATUS_CODE | Num | 8 | SH35 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH35_VERSNNUM | Num | 8 | SH35 Version number |
| 11 | SH35_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH35_SEQUENCE | Num | 8 | SH35 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH35_VISIT_TYPE | Num | 8 | Type of clinic visit |
| 15 | SH35_ANNUAL_VISIT_YR | Num | 8 | If Annual visit, what year annual visit? |
| 16 | SH35_EVAL_DATE | Num | 8 | Date of Evaluation (in days from randomization) |
| 17 | SH35_ANGER_EVAL | Num | 8 | Anger evaluation refused or not done |
| 18 | SH35_UNUSUAL_ANGER_OTHERS | Num | 8 | Subject has felt unusually angry with others in past month |
| 19 | SH35_UNUSUAL_IRRITABILITY | Num | 8 | Subject admits to being more irritable than usual lately |
| 20 | SH35_FREQUENT_HEATED_ARGUMENTS | Num | 8 | Subject indicates he/she frequently gets into heated arguments |
| 21 | SH35_ANGRY_SELF | Num | 8 | Subject gets angry with self |
| 22 | SH35_TRAILMAKING_TASK | Num | 8 | Trailmaking task refused or not done |
| 23 | SH35_TRAILMAKING_A_ACCURATE | Num | 8 | Trailmaking task sample A accurately performed? |
| 24 | SH35_TRAILMAKING_A_SECONDS | Num | 8 | Trailmaking task sample A, Number of seconds used (max 180) |
| 25 | SH35_TRAILMAKING_A_POINTS | Num | 8 | Trailmaking task sample A, Number of segments completed correctly |
| 26 | SH35_TRAILMAKING_A_ERRORS | Num | 8 | Trailmaking task sample A, Number of missing segments, up to highest number connected |
| 27 | SH35_TRAILMAKING_B_ACCURATE | Num | 8 | Trailmaking task sample B accurately performed? |
| 28 | SH35_TRAILMAKING_B_SECONDS | Num | 8 | Trailmaking task sample B, Number of seconds used (max 240) |
| 29 | SH35_TRAILMAKING_B_POINTS | Num | 8 | Trailmaking task sample B, Number of segments completed correctly |
| 30 | SH35_TRAILMAKING_B_ERRORS | Num | 8 | Trailmaking task sample B, Number of missing segments, up to highest number or letter connected |
| 31 | SH35_DIGIT_SYMBOL_SUB | Num | 8 | Digit-Symbol Substitution refused or not done |
| 32 | SH35_SYMBOLS_CORRECT | Num | 8 | Digit-Symbol Substitution, Number of symbols coded correctly |
| 33 | SH35_SYMBOLS_INCORRECT | Num | 8 | Digit-Symbol Substitution, Number of symbols coded incorrectly |
| 34 | SH35_ADDITION_TASK | Num | 8 | Addition task refused or not done |
| 35 | SH35_ADDITION_TOTAL_CORRECT | Num | 8 | Addition task, Total number correct (max 60) |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 36 | SH35_FIND_A_TASK | Num | 8 | Find A's task refused or not done |
| 37 | SH35_FIND_A_WORDS_CORRECT | Num | 8 | Find A's task, Number of words marked correctly (max 100) |
| 38 | SH35_BOSTON_NAMING | Num | 8 | Boston Naming Task refused or not done |
| 39 | SH35_BOSTON_TOTAL_CORRECT | Num | 8 | Boston Naming Task, Total correct |
| 40 | SH35_DELAYED_RECOG_SPAN | Num | 8 | Delayed Recognition Span Task refused or not done |
| 41 | SH35_DELAYED_TOTAL_BEFORE_ERR | Num | 8 | Delayed Recognition Span Task, Total correct before first error |
| 42 | SH35_DELAYED_TOTAL_OVERALL | Num | 8 | Delayed Recognition Span Task, Total correct overall |
| 43 | SH35_QUALITY_LIFE | Num | 8 | Quality of Life Evaluation refused or not completed |
| 44 | SH35_QUALITY_WHOLE | Num | 8 | Quality of Life, How do you feel about life as a whole? |
| 45 | SH35_QUALITY_THESE_DAYS | Num | 8 | Quality of Life, Taking all things together, how would you say things are these days? |
| 46 | SH35_QUALITY_OVERALL_HEALTH | Num | 8 | Quality of Life, for your age, would you say, in general, that your health is excellent, good, fair, poor or bad? |
| 47 | SH35_FIRST_RECALL | Num | 8 | First Recall task refused or not done |
| 48 | SH35_FIRST_WORDS_CORRECT | Num | 8 | First Recall task, Total words correctly recalled |
| 49 | SH35_ACTIVITIES | Num | 8 | Activities evaluation refused or not done |
| 50 | SH35_ACTIVITIES_SPORTS | Num | 8 | In the last month, how often have you participated in active sports or swimming? |
| 51 | SH35_ACTIVITIES_WALKS | Num | 8 | In the last month, how often have you taken walks? |
| 52 | SH35_ACTIVITIES_GARDEN | Num | 8 | In the last month, how often have you done work in the garden/yard? |
| 53 | SH35_ACTIVITIES_EXERCISE | Num | 8 | In the last month, how often have you done physical exercises? |
| 54 | SH35_ACTIVITIES_PREP_MEALS | Num | 8 | In the last month, how often have you prepared meals? |
| 55 | SH35_ACTIVITIES_HOBBIES | Num | 8 | In the last month, how often have you worked at a hobby? |
| 56 | SH35_ACTIVITIES_SHOPPING | Num | 8 | In the last month, how often have you gone out and done some shopping? |
| 57 | SH35_ACTIVITIES_MOVIES | Num | 8 | In the last month, how often have you gone to a movie, restaurant or sporting event? |
| 58 | SH35_ACTIVITIES_READ | Num | 8 | In the last month, how often have you read books, magazines or newspapers? |
| 59 | SH35_ACTIVITIES_TV | Num | 8 | In the last month, how often have you watched TV? |
| 60 | SH35_ACTIVITIES_DAYTRIPS | Num | 8 | In the last month, how often have you taken day trips or overnight trips? |
| 61 | SH35_ACTIVITIES_VOLUNTEER | Num | 8 | In the last month, how often have you done unpaid community/volunteer work? |
| 62 | SH35_ACTIVITIES_PAID_COMMUNITY | Num | 8 | In the last month, how often have you done paid community work? |
| 63 | SH35_ACTIVITIES_PLAY_CARDS | Num | 8 | In the last month, how often have you regularly played cards/games/bingo? |
| 64 | SH35_ACTIVITIES_OTHER | Num | 8 | In the last month, how often have you done other activities? |
| 65 | SH35_SECOND_RECALL | Num | 8 | Second Recall task refused or not done |
| 66 | SH35_SECOND_WORDS_CORRECT | Num | 8 | Second Recall task, Total words recalled correctly |
| 67 | SH35_LETTER_SETS | Num | 8 | Letter Sets task refused or not done |
| 68 | SH35_LETTER_CORRECT | Num | 8 | Letter Sets task, Number marked correctly |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|---|
| 69 | SH35_LETTER_INCORRECT | Num | 8 | Letter Sets task, Number marked incorrectly |
| 70 | SH35_LETTER_TOTAL_SCORE | Num | 8 | Letter Sets task, Total score (# correct - (1/4)(# incorrect)) |
| 71 | SH35_UNDERSTOOD_QUESTIONS | Num | 8 | How well do you think participant understood the questions in the tasks? |
| 72 | SH35_EFFORT_TASKS | Num | 8 | How great an effort do you think participant put into the tasks? |
| 73 | SH35_NERVOUS_TASKS | Num | 8 | How nervous do you think the participant was about the tasks? |
| 74 | SH35_APPROPRIATE_BEHAVIOR | Num | 8 | How often was the participant's behavior toward the interviewer and the interviewing situation appropriate? |
| 75 | SH35_VISION_IMPAIRED | Num | 8 | Was the participant's vision impaired to the degree that performance was affected |
| 76 | SH35_HEARING_IMPAIRED | Num | 8 | Was the participant's hearing impaired to the degree that performance was affected |
| 77 | SH35_INTERVIEWER_COMMENTS | Num | 8 | Interviewer's comment |
| 78 | SH35_INTERVIEWER_CODE | Num | 8 | Code of person conducting SH35 interview |
| 79 | SH35_RECORD_TYPE | Num | 8 | SH35 Record Type |
| 80 | SH35_DATE_RECEIVED | Num | 8 | SH35 Date Tape Received from Metpath Lab |
| 81 | SH35_UPDATE_NUMBER | Num | 8 | SH35 Update Number |
| 82 | SH35_DATE_LAST_PROCESSED | Num | 8 | SH35 Date Last Processed |
| 83 | SH35_PAPER_COPY | Num | 8 | SH35 Paper Copy |
| 84 | SH35_CROSS_FORM_EDITS | Num | 8 | SH35 Cross Form Edits |

Data Set Name: sh40.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 1 | SH40_RECORD_LENGTH | Num | 8 | SH40 Record Length |
| 2 | SH40_KEYPUNCH_CODE | Num | 8 | SH40 Keypuncher Code |
| 3 | SH40_BATCHDATE | Num | 8 | SH40 Batch Date |
| 4 | SH40_VERIFYER_CODE | Num | 8 | SH40 Verifyer Code |
| 5 | SH40_DATE_LAST_MODIFIED | Num | 8 | SH40 Date record was last modified |
| 6 | SH40_TIME_LAST_MODIFIED | Num | 8 | SH40 Time record was last modified |
| 7 | SH40_EDIT_STATUS_CODE | Num | 8 | SH40 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH40_VERSNNUM | Num | 8 | SH40 Version number |
| 11 | SH40_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH40_SEQUENCE | Num | 8 | SH40 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH40_VISIT_SEQNUM | Num | 8 | Clinic visit sequence number |
| 15 | SH40_MISSED_MEDS_PAST7DAYS | Num | 8 | Have you missed taking your SHEP medicines anytime in the past 7 days? |
| 16 | SH40_NUM_DAYS_MISSED_MEDS | Num | 8 | How many times have you missed taking your SHEP medicines in the past 7 days? |
| 17 | SH40_MISSED_REASON_UNWELL | Num | 8 | Dose(s) missed because participant was not feeling well |
| 18 | SH40_MISSED_REASON_MADE_ILL | Num | 8 | Dose(s) missed because the medicines made participant ill |
| 19 | SH40_MISSED_REASON_FORGOT | Num | 8 | Dose(s) missed because participant forgot |
| 20 | SH40_MISSED_REASON_AWAY | Num | 8 | Dose(s) missed because participant was away from home/did not have medicine |
| 21 | SH40_MISSED_REASON_RANOUT | Num | 8 | Dose(s) missed because participant ran out of medicine |
| 22 | SH40_MISSED_REASON_DIDNTWANT | Num | 8 | Dose(s) missed because participant did not want to take medicine |
| 23 | SH40_MISSED_REASON_DOCTOR | Num | 8 | Dose(s) missed because participant's usual doctor told participant to stop taking medicine |
| 24 | SH40_MISSED_REASON_OTHER | Num | 8 | Dose(s) missed for other reasons |
| 25 | SH40_MISSED_ACTION_DOUBLE | Num | 8 | When participant missed a dose, the participant doubled the next dose |
| 26 | SH40_MISSED_ACTION_USUAL | Num | 8 | When participant missed a dose, the participant took the next dose as usual |
| 27 | SH40_MISSED_ACTION_REPORT | Num | 8 | When participant missed a dose, the participant reported the missed dose(s) at next clinic visit |
| 28 | SH40_MISSED_ACTION_CALL | Num | 8 | When participant missed a dose, the participant called SHEP clinic |
| 29 | SH40_MISSED_ACTION_RECORD | Num | 8 | When participant missed a dose, the participant recorded the missed dose(s) |
| 30 | SH40_MISSED_ACTION_TOOK_LATER | Num | 8 | When participant missed a dose, the participant took the missed dose later |
| 31 | SH40_STEP1MEDS_TIMESPERDAY | Num | 8 | How many times a day to you take your C1/C2? |
| 32 | SH40_STEP1MEDS_NUMPILLS | Num | 8 | How many C1/C2 pills do you take each time? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|--|
| 33 | SH40_STEP1MEDS_TIMEOFDAY | Num | 8 | What time of day do you take the C1/C2? |
| 34 | SH40_STEP2MEDS_TIMESPERDAY | Num | 8 | How many times a day to you take your A1/A2/R? |
| 35 | SH40_STEP2MEDS_NUMPILLS | Num | 8 | How many A1/A2/R pills do you take each time? |
| 36 | SH40_STEP2MEDS_TIMEOFDAY | Num | 8 | What time of day do you take the A1/A2/R? |
| 37 | SH40_PILL_COUNT_COMPLETED | Num | 8 | Was a pill count done at this visit? |
| 38 | SH40_STEP1_PILL_COUNT | Num | 8 | Step 1 pill count result (%, XXX.X) |
| 39 | SH40_STEP2_PILL_COUNT | Num | 8 | Step 2 pill count result (%, XXX.X) |
| 40 | SH40_RECORD_TYPE | Num | 8 | SH40 Record Type |
| 41 | SH40_DATE_RECEIVED | Num | 8 | SH40 Date Tape Received from Metpath Lab |
| 42 | SH40_UPDATE_NUMBER | Num | 8 | SH40 Update Number |
| 43 | SH40_DATE_LAST_PROCESSED | Num | 8 | SH40 Date Last Processed |
| 44 | SH40_PAPER_COPY | Num | 8 | SH40 Paper Copy |
| 45 | SH40_CROSS_FORM_EDITS | Num | 8 | SH40 Cross Form Edits |
| 46 | SH40_MISSED_ACTION_OTHER | Num | 8 | When participant missed a dose, the participant handled it in another manner |

Data Set Name: sh41.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|---------------------------|------|-----|--|
| 1 | SH41_RECORD_LENGTH | Num | 8 | SH41 Record Length |
| 2 | SH41_KEYPUNCH_CODE | Num | 8 | SH41 Keypuncher Code |
| 3 | SH41_BATCHDATE | Num | 8 | SH41 Batch Date |
| 4 | SH41_VERIFYER_CODE | Num | 8 | SH41 Verifyer Code |
| 5 | SH41_DATE_LAST_MODIFIED | Num | 8 | SH41 Date record was last modified |
| 6 | SH41_TIME_LAST_MODIFIED | Num | 8 | SH41 Time record was last modified |
| 7 | SH41_EDIT_STATUS_CODE | Num | 8 | SH41 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH41_VERSNNUM | Num | 8 | SH41 Version number |
| 11 | SH41_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH41_SEQUENCE | Num | 8 | SH41 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH41_VISIT_SEQNUM | Num | 8 | Clinic visit sequence number |
| 15 | SH41_UNWELL_SLV | Num | 8 | Have you felt unwell in any way since your last clinic visit; has anything been bothering you? |
| 16 | SH41_DIFFERENT_PROBS_SLV | Num | 8 | Are any of these problems different from the way things were at your last clinic visit? |
| 17 | SH41_DOC_VISIT_SLV | Num | 8 | Since your last visit, have you seen a doctor for any reason? |
| 18 | SH41_HOSP_SLV | Num | 8 | Since your last visit, have you been in the hospital for any reason? |
| 19 | SH41_HOSP_NUMVISITS_SLV | Num | 8 | How many times have you been in the hospital since your last clinic visit? |
| 20 | SH41_HOSP_VISIT1_DATE_SLV | Num | 8 | Date of admission to hospital (visit #1) (in days from randomization) |
| 21 | SH41_HOSP_VISIT1_DAYS_SLV | Num | 8 | Number of days spent in hospital (visit #1) |
| 22 | SH41_HOSP_VISIT2_DATE_SLV | Num | 8 | Date of admission to hospital (visit #2) |
| 23 | SH41_HOSP_VISIT2_DAYS_SLV | Num | 8 | Number of days spent in hospital (visit #2) (in days from randomization) |
| 24 | SH41_HOSP_VISIT3_DATE_SLV | Num | 8 | Date of admission to hospital (visit #2) |
| 25 | SH41_HOSP_VISIT3_DAYS_SLV | Num | 8 | Number of days spent in hospital (visit #2) (in days from randomization) |
| 26 | SH41_NUMBNESS_SLV | Num | 8 | Since last visit, have you had any sudden feeling of numbers/tingling/loss of feeling in arm, hand, leg, foot or face? |
| 27 | SH41_NUMBNESS_NUM | Num | 8 | How many attacks of such numbness/tingling have you had? |
| 28 | SH41_NUMBNESS_LENGTH | Num | 8 | How long did each of the attacks of numbness/tingling usually last? |
| 29 | SH41_PARALYSIS_SLV | Num | 8 | Since last visit, have you had any sudden attacks of paralysis/loss of use in arm, hand, leg or foot? |
| 30 | SH41_PARALYSIS_NUM | Num | 8 | How many attacks of such paralysis have you had? |
| 31 | SH41_PARALYSIS_LENGTH | Num | 8 | How long did each of the attacks of paralysis usually last? |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 32 | SH41_LOSSVISION_SLV | Num | 8 | Since last visit, have you had any sudden loss of eyesight/blurring of vision for short period of time? |
| 33 | SH41_LOSSVISION_PART | Num | 8 | What part of your vision was affected? |
| 34 | SH41_LOSSVISION_NUM | Num | 8 | How many attacks of loss of eyesight/blurring of vision have you had? |
| 35 | SH41_LOSSVISION_LENGTH | Num | 8 | How long did each of the attacks of loss of eyesight usually last? |
| 36 | SH41_LOSSSPEECH_SLV | Num | 8 | Since last visit, have you had any sudden attacks of loss of speech? |
| 37 | SH41_LOSSSPEECH_NUM | Num | 8 | How many attacks of loss of speech have you had? |
| 38 | SH41_LOSSSPEECH_LENGTH | Num | 8 | How long did each of the attacks of loss of speech usually last? |
| 39 | SH41_SYMPT_DIZZINESS_SLV | Num | 8 | Since last visit, have you experienced dizziness? |
| 40 | SH41_SYMPT_VERTIGO_SLV | Num | 8 | Since last visit, have you experienced vertigo? |
| 41 | SH41_SYMPT_LOSSBALANCE_SLV | Num | 8 | Since last visit, have you experienced loss of balance? |
| 42 | SH41_SYMPT_DIFFICULTY_WALK_SLV | Num | 8 | Since last visit, have you experienced difficulty walking? |
| 43 | SH41_SYMPT_BLACKOUTS_SLV | Num | 8 | Since last visit, have you experienced blackouts or fainting? |
| 44 | SH41_SYMPT_FREQUENT_FALLS_SLV | Num | 8 | Since last visit, have you experienced frequent falls? |
| 45 | SH41_SYMPT_FREQ | Num | 8 | About how many total attacks of all of these conditions do you think you ever had? |
| 46 | SH41_SYMPT_LENGTH | Num | 8 | How long did these attack(s) usually last? |
| 47 | SH41_STROKE_SLV | Num | 8 | Since your last visit, have you been told by a doctor or learned that you may have had a stroke? |
| 48 | SH41_STOPPED_MEDS_SLV | Num | 8 | Since your last visit, Have you stopped taking any medications? |
| 49 | SH41_INC_DEC_MEDS_SLV | Num | 8 | Since your last visit, Have you increased or decreased any medications you were taking? |
| 50 | SH41_STARTED_MEDS_SLV | Num | 8 | Since your last visit, Have you started taking any new medications? |
| 51 | SH41_BRING_NON_SHEP_MEDS | Num | 8 | Did the participant bring all non-SHEP medications to the clinic at this visit? |
| 52 | SH41_SH42_REQUIRED | Num | 8 | Is an SH42 required at this visit? |
| 53 | SH41_POSITIVE_RESPONSES | Num | 8 | Are there any positive responses to Questions 5,7,8,9-14 or on the Side Effects form (SH42)? |
| 54 | SH41_Q19A_STROKE | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of a stroke? |
| 55 | SH41_Q19B_AMI | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of an acute myocardial infarction? |
| 56 | SH41_Q19C_LVF | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of left ventricular failure? |
| 57 | SH41_Q19D_TIA | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of a transient ischemic attack? |
| 58 | SH41_Q19E_AORTIC_DISSECTION | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of aortic dissection? |
| 59 | SH41_Q19F_CORONARY_BYPASS | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of coronary artery bypass surgery? |
| 60 | SH41_Q19G_AORTIC_ANEURYSM | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of an aortic aneurysm? |
| 61 | SH41_Q19H_FRACTURE | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of a fracture? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 62 | SH41_Q19I_NURSING_HOME | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of intermediate or skilled nursing home admission? |
| 63 | SH41_Q19J_OTHER_HOSPITALIZATION | Num | 8 | In the judgment of the SHEP clinician, are any of these postive/abnormal responses a result of hospitalization for another reason? |
| 64 | SH41_HOSPITALIZED_FOR_Q19 | Num | 8 | Was the participant hospitalized or seen by a physician for any event in question 19? |
| 65 | SH41_SHEP_MEDS_CAUSED | Num | 8 | Does the participant think that any of these conditions are due to the SHEP medications? |
| 66 | SH41_COMMENTS | Num | 8 | Comments |
| 67 | SH41_COMPLETER_CODE | Num | 8 | Code of person completing this form |
| 68 | SH41_RECORD_TYPE | Num | 8 | SH41 Record Type |
| 69 | SH41_DATE_RECEIVED | Num | 8 | SH41 Date Tape Received from Metpath Lab |
| 70 | SH41_UPDATE_NUMBER | Num | 8 | SH41 Update Number |
| 71 | SH41_DATE_LAST_PROCESSED | Num | 8 | SH41 Date Last Processed |
| 72 | SH41_PAPER_COPY | Num | 8 | SH41 Paper Copy |
| 73 | SH41_CROSS_FORM_EDITS | Num | 8 | SH41 Cross Form Edits |

Data Set Name: sh42.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 1 | SH42_RECORD_LENGTH | Num | 8 | SH42 Record Length |
| 2 | SH42_KEYPUNCH_CODE | Num | 8 | SH42 Keypuncher Code |
| 3 | SH42_BATCHDATE | Num | 8 | SH42 Batch Date |
| 4 | SH42_VERIFYER_CODE | Num | 8 | SH42 Verifyer Code |
| 5 | SH42_DATE_LAST_MODIFIED | Num | 8 | SH42 Date record was last modified |
| 6 | SH42_TIME_LAST_MODIFIED | Num | 8 | SH42 Time record was last modified |
| 7 | SH42_EDIT_STATUS_CODE | Num | 8 | SH42 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH42_VERSNNUM | Num | 8 | SH42 Version number |
| 11 | SH42_VISITDATE | Num | 8 | Date of clinic visit to which this form applies (in days from randomization) |
| 12 | SH42_SEQUENCE | Num | 8 | SH42 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH42_VISIT_SEQNUM | Num | 8 | Clinic visit sequence number |
| 15 | SH42_NUMBNESS_SLV | Num | 8 | Since last visit, have you had unusual coldness/numbness of hands or feet? |
| 16 | SH42_NUMBNESS_NEW | Num | 8 | Is this coldness/numbness of hands or feet new since last visit? |
| 17 | SH42_NUMBNESS_FREQ | Num | 8 | What is the frequency of this coldness/numbness of hands or feet? |
| 18 | SH42_NUMBNESS_SEVERITY | Num | 8 | What is the severity of this coldness/numbness of hands or feet? |
| 19 | SH42_NUMBNESS_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is coldness/numbness of hands or feet due to use of SHEP medications? |
| 20 | SH42_SKIN_RASH_SLV | Num | 8 | Since last visit, have you had unusual skin rash or bruising? |
| 21 | SH42_SKIN_RASH_NEW | Num | 8 | Is this skin rash or bruising new since last visit? |
| 22 | SH42_SKIN_RASH_FREQ | Num | 8 | What is the frequency of this skin rash or bruising? |
| 23 | SH42_SKIN_RASH_SEVERITY | Num | 8 | What is the severity of this skin rash or bruising? |
| 24 | SH42_SKIN_RASH_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is skin rash or bruising due to use of SHEP medications? |
| 25 | SH42_SKIN_RASH_PRESENT | Num | 8 | Is an acute skin rash present on physical exam? |
| 26 | SH42_IMBALANCE_SLV | Num | 8 | Since last visit, have you had feelings of unsteadiness or loss of balance? |
| 27 | SH42_IMBALANCE_NEW | Num | 8 | Is this unsteadness/loss of balance new since last visit? |
| 28 | SH42_IMBALANCE_FREQ | Num | 8 | What is the frequency of this unsteadness/loss of balance? |
| 29 | SH42_IMBALANCE_SEVERITY | Num | 8 | What is the severity of this unsteadness/loss of balance? |
| 30 | SH42_IMBALANCE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is unsteadness/loss of balance due to use of SHEP medications? |
| 31 | SH42_LIGHTHEADED_SLV | Num | 8 | Since last visit, have you had faintness or lightheadedness when stand up quickly? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 32 | SH42_LIGHTHEADED_NEW | Num | 8 | Is this faintness or lightheadedness new since last visit? |
| 33 | SH42_LIGHTHEADED_FREQ | Num | 8 | What is the frequency of this faintness or lightheadedness? |
| 34 | SH42_LIGHTHEADED_SEVERITY | Num | 8 | What is the severity of this faintness or lightheadedness? |
| 35 | SH42_LIGHTHEADED_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is faintness or lightheadedness due to use of SHEP medications? |
| 36 | SH42_PASSOUT_SLV | Num | 8 | Since last visit, have you had loss of consciousness or passing out? |
| 37 | SH42_PASSOUT_NEW | Num | 8 | Is this loss of consciousness/passing out new since last visit? |
| 38 | SH42_PASSOUT_FREQ | Num | 8 | What is the frequency of this loss of consciousness/passing out? |
| 39 | SH42_PASSOUT_SEVERITY | Num | 8 | What is the severity of this loss of consciousness/passing out? |
| 40 | SH42_PASSOUT_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is loss of consciousness/passing out due to use of SHEP medications? |
| 41 | SH42_DROP_IN_BP | Num | 8 | Is there an observable postural drop in blood pressure? |
| 42 | SH42_FALLS_SLV | Num | 8 | Since last visit, have you had any falls? |
| 43 | SH42_FALLS_NEW | Num | 8 | Are these falls new since last visit? |
| 44 | SH42_FALLS_FREQ | Num | 8 | What is the frequency of these falls? |
| 45 | SH42_FALLS_SEVERITY | Num | 8 | What is the severity of these falls? |
| 46 | SH42_FALLS_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these falls due to use of SHEP medications? |
| 47 | SH42_FRACTURES_SLV | Num | 8 | Since last visit, have you had any fractures? |
| 48 | SH42_FRACTURES_NEW | Num | 8 | Are this fractures new since last visit? |
| 49 | SH42_FRACTURES_FREQ | Num | 8 | What is the frequency of these fractures? |
| 50 | SH42_FRACTURES_SEVERITY | Num | 8 | What is the severity of these fractures? |
| 51 | SH42_FRACTURES_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are fractures due to use of SHEP medications? |
| 52 | SH42_FRACTURES_HIP | Num | 8 | Since last visit, have you had a hip fracture? |
| 53 | SH42_FRACTURES_SPINE | Num | 8 | Since last visit, have you had a spine fracture? |
| 54 | SH42_FRACTURES_FOREARM | Num | 8 | Since last visit, have you had a forearm fracture? |
| 55 | SH42_JOINTPAIN_SLV | Num | 8 | Since last visit, have you had unusual pain in any joints? |
| 56 | SH42_JOINTPAIN_NEW | Num | 8 | Is this unusual pain in joints new since last visit? |
| 57 | SH42_JOINTPAIN_FREQ | Num | 8 | What is the frequency of this unusual pain in joints? |
| 58 | SH42_JOINTPAIN_SEVERITY | Num | 8 | What is the severity of this unusual pain in joints? |
| 59 | SH42_JOINTPAIN_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual pain in joints due to use of SHEP medications? |
| 60 | SH42_JOINTPAIN_ARTHRITIS | Num | 8 | Are there physical signs of acute arthritis? |
| 61 | SH42_MUSCLEWEAK_SLV | Num | 8 | Since last visit, have you had any muscle weakness or cramping? |
| 62 | SH42_MUSCLEWEAK_NEW | Num | 8 | Is this muscle weakness/cramping new since last visit? |
| 63 | SH42_MUSCLEWEAK_FREQ | Num | 8 | What is the frequency of this muscle weakness/cramping? |
| 64 | SH42_MUSCLEWEAK_SEVERITY | Num | 8 | What is the severity of this muscle weakness/cramping? |
| 65 | SH42_MUSCLEWEAK_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this muscle weakness/cramping due to use of SHEP medications? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|--|
| 66 | SH42_EXCESSTHIRST_SLV | Num | 8 | Since last visit, have you had excessive thirst? |
| 67 | SH42_EXCESSTHIRST_NEW | Num | 8 | Is this excessive thirst new since last visit? |
| 68 | SH42_EXCESSTHIRST_FREQ | Num | 8 | What is the frequency of this excessive thirst? |
| 69 | SH42_EXCESSTHIRST_SEVERITY | Num | 8 | What is the severity of this excessive thirst? |
| 70 | SH42_EXCESSTHIRST_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this excessive thirst due to use of SHEP medications? |
| 71 | SH42_LOSSAPPETITE_SLV | Num | 8 | Since last visit, have you had loss of appetite? |
| 72 | SH42_LOSSAPPETITE_NEW | Num | 8 | Is this loss of appetite new since last visit? |
| 73 | SH42_LOSSAPPETITE_FREQ | Num | 8 | What is the frequency of this loss of appetite? |
| 74 | SH42_LOSSAPPETITE_SEVERITY | Num | 8 | What is the severity of this loss of appetite? |
| 75 | SH42_LOSSAPPETITE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this loss of appetite due to use of SHEP medications? |
| 76 | SH42_NAUSEA_SLV | Num | 8 | Since last visit, have you had nausea or vomitting? |
| 77 | SH42_NAUSEA_NEW | Num | 8 | Is this nausea or vomitting new since last visit? |
| 78 | SH42_NAUSEA_FREQ | Num | 8 | What is the frequency of this nausea or vomitting? |
| 79 | SH42_NAUSEA_SEVERITY | Num | 8 | What is the severity of this nausea or vomitting? |
| 80 | SH42_NAUSEA_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this nausea or vomitting due to use of SHEP medications? |
| 81 | SH42_INDIGESTION_SLV | Num | 8 | Since last visit, have you had unusual indigestion? |
| 82 | SH42_INDIGESTION_NEW | Num | 8 | Is this unusual indigestion new since last visit? |
| 83 | SH42_INDIGESTION_FREQ | Num | 8 | What is the frequency of this unusual indigestion? |
| 84 | SH42_INDIGESTION_SEVERITY | Num | 8 | What is the severity of this unusual indigestion? |
| 85 | SH42_INDIGESTION_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual indigestion due to use of SHEP medications? |
| 86 | SH42_BOWELCHANGE_SLV | Num | 8 | Since last visit, have you had a change in bowel habits? |
| 87 | SH42_BOWELCHANGE_NEW | Num | 8 | Is this change in bowel habits new since last visit? |
| 88 | SH42_BOWELCHANGE_FREQ | Num | 8 | What is the frequency of this change in bowel habits? |
| 89 | SH42_BOWELCHANGE_SEVERITY | Num | 8 | What is the severity of this change in bowel habits? |
| 90 | SH42_BOWELCHANGE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this change in bowel habits due to use of SHEP medications? |
| 91 | SH42_TARRYSTOOL_SLV | Num | 8 | Since last visit, have you had tarry black stool or red blood in stool? |
| 92 | SH42_TARRYSTOOL_NEW | Num | 8 | Is this tarry black stool or red blood in stool new since last visit? |
| 93 | SH42_TARRYSTOOL_FREQ | Num | 8 | What is the frequency of this tarry black stool or red blood in stool? |
| 94 | SH42_TARRYSTOOL_SEVERITY | Num | 8 | What is the severity of this tarry black stool or red blood in stool? |
| 95 | SH42_TARRYSTOOL_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this tarry black or red blood in stool due to use of SHEP medications? |
| 96 | SH42_FASTHB_SLV | Num | 8 | Since last visit, have you had unusually fast heart beat or skipping beats? |
| 97 | SH42_FASTHB_NEW | Num | 8 | Is this unusually fast heart beat or skipping beats new since last visit? |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 98 | SH42_FASTHB_FREQ | Num | 8 | What is the frequency of this unusually fast heart beat or skipping beats? |
| 99 | SH42_FASTHB_SEVERITY | Num | 8 | What is the severity of this unusually fast heart beat or skipping beats? |
| 100 | SH42_FASTHB_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusually fast heart beat or skipping beats due to use of SHEP medications? |
| 101 | SH42_SLOWHB_SLV | Num | 8 | Since last visit, have you had unusually slow heart beat? |
| 102 | SH42_SLOWHB_NEW | Num | 8 | Is this unusually slow heart beat new since last visit? |
| 103 | SH42_SLOWHB_FREQ | Num | 8 | What is the frequency of this unusually slow heart beat? |
| 104 | SH42_SLOWHB_SEVERITY | Num | 8 | What is the severity of this unusually slow heart beat? |
| 105 | SH42_SLOWHB_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusually slow heart beat due to use of SHEP medications? |
| 106 | SH42_CHESTPAIN_SLV | Num | 8 | Since last visit, have you had episodes of chest pain or heaviness in chest? |
| 107 | SH42_CHESTPAIN_NEW | Num | 8 | Are these episodes of chest pain/heaviness in chest new since last visit? |
| 108 | SH42_CHESTPAIN_FREQ | Num | 8 | What is the frequency of these episodes of chest pain/heaviness in chest? |
| 109 | SH42_CHESTPAIN_SEVERITY | Num | 8 | What is the severity of these episodes of chest pain/heaviness in chest? |
| 110 | SH42_CHESTPAIN_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these episodes of chest pain/heaviness in chest due to use of SHEP medications? |
| 111 | SH42_ARRHYTHMIA_PRESENT | Num | 8 | Is an arrhythmia present on physical exam? |
| 112 | SH42_HEADACHES_SLV | Num | 8 | Since last visit, have you had headaches so bad you had to stop what you were doing? |
| 113 | SH42_HEADACHES_NEW | Num | 8 | Are these headaches new since last visit? |
| 114 | SH42_HEADACHES_FREQ | Num | 8 | What is the frequency of these headaches? |
| 115 | SH42_HEADACHES_SEVERITY | Num | 8 | What is the severity of these headaches? |
| 116 | SH42_HEADACHES_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these headaches due to use of SHEP medications? |
| 117 | SH42_STUFFYNOSE_SLV | Num | 8 | Since last visit, have you had a stuffy nose? |
| 118 | SH42_STUFFYNOSE_NEW | Num | 8 | Is this stuffy nose new since last visit? |
| 119 | SH42_STUFFYNOSE_FREQ | Num | 8 | What is the frequency of this stuffy nose? |
| 120 | SH42_STUFFYNOSE_SEVERITY | Num | 8 | What is the severity of this stuffy nose? |
| 121 | SH42_STUFFYNOSE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this stuffy nose due to use of SHEP medications? |
| 122 | SH42_WHEEZING_SLV | Num | 8 | Since last visit, have you had a unusual shortness of breath/wheezing? |
| 123 | SH42_WHEEZING_NEW | Num | 8 | Is this unusual shortness of breath/wheezing new since last visit? |
| 124 | SH42_WHEEZING_FREQ | Num | 8 | What is the frequency of this unusual shortness of breath/wheezing? |
| 125 | SH42_WHEEZING_SEVERITY | Num | 8 | What is the severity of this unusual shortness of breath/wheezing? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 126 | SH42_WHEEZING_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual shortness of breath/wheezing due to use of SHEP medications? |
| 127 | SH42_WHEEZING_BRONCOSPASM | Num | 8 | Is there evidence for broncospasm on auscultation of the chest? |
| 128 | SH42_TIREDNESS_SLV | Num | 8 | Since last visit, have you had a unusual tiredness/loss of pep? |
| 129 | SH42_TIREDNESS_NEW | Num | 8 | Is this unusual tiredness/loss of pep new since last visit? |
| 130 | SH42_TIREDNESS_FREQ | Num | 8 | What is the frequency of this unusual tiredness/loss of pep? |
| 131 | SH42_TIREDNESS_SEVERITY | Num | 8 | What is the severity of this unusual tiredness/loss of pep? |
| 132 | SH42_TIREDNESS_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this unusual tiredness/loss of pep due to use of SHEP medications? |
| 133 | SH42_ANKLESSWELL_SLV | Num | 8 | Since last visit, have you had a swelling of ankles? |
| 134 | SH42_ANKLESSWELL_NEW | Num | 8 | Is this swelling of ankles new since last visit? |
| 135 | SH42_ANKLESSWELL_FREQ | Num | 8 | What is the frequency of this swelling of ankles? |
| 136 | SH42_ANKLESSWELL_SEVERITY | Num | 8 | What is the severity of this swelling of ankles? |
| 137 | SH42_ANKLESSWEEL_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this swelling of ankles due to use of SHEP medications? |
| 138 | SH42_CHF_PRESENT | Num | 8 | Is there evidence of CHF on physical exam? |
| 139 | SH42_DEPRESSION_SLV | Num | 8 | Since last visit, have you had a feeling so depressed that it interferes with work, recreation or sleep? |
| 140 | SH42_DEPRESSION_NEW | Num | 8 | Is this depression new since last visit? |
| 141 | SH42_DEPRESSION_FREQ | Num | 8 | What is the frequency of this depression? |
| 142 | SH42_DEPRESSION_SEVERITY | Num | 8 | What is the severity of this depression? |
| 143 | SH42_DEPRESSION_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this depression due to use of SHEP medications? |
| 144 | SH42_MEMORY_SLV | Num | 8 | Since last visit, have you had a trouble with memory or concentration? |
| 145 | SH42_MEMORY_NEW | Num | 8 | Is this trouble with memory or concentration new since last visit? |
| 146 | SH42_MEMORY_FREQ | Num | 8 | What is the frequency of this trouble with memory or concentration? |
| 147 | SH42_MEMORY_SEVERITY | Num | 8 | What is the severity of this trouble with memory or concentration? |
| 148 | SH42_MEMORY_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this trouble with memory or concentration due to use of SHEP medications? |
| 149 | SH42_NIGHTMARES_SLV | Num | 8 | Since last visit, have you had nightmares? |
| 150 | SH42_NIGHTMARES_NEW | Num | 8 | Are these nightmares new since last visit? |
| 151 | SH42_NIGHTMARES_FREQ | Num | 8 | What is the frequency of these nightmares? |
| 152 | SH42_NIGHTMARES_SEVERITY | Num | 8 | What is the severity of these nightmares? |
| 153 | SH42_NIGHTMARES_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are thes nightmares due to use of SHEP medications? |
| 154 | SH42_SEXACTIVITY_SLV | Num | 8 | Since last visit, have you had any changes in sexual activity? |
| 155 | SH42_SEXACTIVITY_NEW | Num | 8 | Are these changes in sexual activity new since last visit? |
| 156 | SH42_SEXACTIVITY_FREQ | Num | 8 | What is the frequency of these changes in sexual activity? |
| 157 | SH42_SEXACTIVITY_SEVERITY | Num | 8 | What is the severity of these changes in sexual activity? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 158 | SH42_SEXACTIVITY_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these changes in sexual activity due to use of SHEP medications? |
| 159 | SH42_SEXACTIVITY_LOI | Num | 8 | Is the change is sexual activity due to loss of interest? |
| 160 | SH42_SEXACTIVITY_FREQ_DECLINE | Num | 8 | Is the change is sexual activity due to decline in frequency? |
| 161 | SH42_SEXACTIVITY_LOE | Num | 8 | Is the change is sexual activity due to loss of enjoyment? |
| 162 | SH42_SEXACTIVITY_FUNC_IMPAIR | Num | 8 | Is the change is sexual activity due to functional impairment? |
| 163 | SH42_SLEEP_SLV | Num | 8 | Since your last visit, have you had trouble going to sleep/waking up early/getting back to sleep? |
| 164 | SH42_SLEEP_NEW | Num | 8 | Is this trouble going to sleep/waking up early/getting back to sleep new since last visit? |
| 165 | SH42_SLEEP_FREQ | Num | 8 | What is frequency of this trouble going to sleep/waking up early/getting back to sleep? |
| 166 | SH42_SLEEP_SEVERITY | Num | 8 | What is severity of this trouble going to sleep/waking up early/getting back to sleep? |
| 167 | SH42_SLEEP_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this trouble going to sleep/waking up early/getting back to sleep due to use of SHEP medications? |
| 168 | SH42_NIGHTURINATE_SLV | Num | 8 | Since your last visit, have you been waking up more frequently at night to urinate? |
| 169 | SH42_NIGHTURINATE_NEW | Num | 8 | Is this waking up more frequently at night to urinate new since last visit? |
| 170 | SH42_NIGHTURINATE_FREQ | Num | 8 | What is frequency of waking up more frequently at night to urinate? |
| 171 | SH42_NIGHTURINATE_SEVERITY | Num | 8 | What is severity of waking up more frequently at night to urinate? |
| 172 | SH42_NIGHTURINATE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this waking up more frequently at night to urinate due to use of SHEP medications? |
| 173 | SH42_ANXIETY_SLV | Num | 8 | Since your last visit, have you had more worry or anxiety than usual? |
| 174 | SH42_ANXIETY_NEW | Num | 8 | Is this increased worry or anxiety new since last visit? |
| 175 | SH42_ANXIETY_FREQ | Num | 8 | What is frequency of increased worry or anxiety? |
| 176 | SH42_ANXIETY_SEVERITY | Num | 8 | What is severity of increased worry or anxiety? |
| 177 | SH42_ANXIETY_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this increased worry or anxiety due to use of SHEP medications? |
| 178 | SH42_WEAK1SIDE_SLV | Num | 8 | Since your last visit, have you had weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 179 | SH42_WEAK1SIDE_NEW | Num | 8 | Is this weakness/numbness on one side or unexpected difficulties talking/thinking new since last visit? |
| 180 | SH42_WEAK1SIDE_FREQ | Num | 8 | What is frequency of weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 181 | SH42_WEAK1SIDE_SEVERITY | Num | 8 | What is severity of weakness/numbness on one side or unexpected difficulties talking/thinking? |
| 182 | SH42_WEAK1SIDE_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, is this weakness/numbness on one side or unexpected difficulties talking/thinking due to use of SHEP medications? |
| 183 | SH42_STROKE_EVIDENCE | Num | 8 | Is there evidence of a stroke on physical exam? |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 184 | SH42_OTHERSYMPTOM_SLV | Num | 8 | Since your last visit, have you had other relevant symptoms? |
| 185 | SH42_OTHERSYMPTOM_NEW | Num | 8 | Are these other relevant symptoms new since last visit? |
| 186 | SH42_OTHERSYMPTOM_FREQ | Num | 8 | What is frequency of other relevant symptoms? |
| 187 | SH42_OTHERSYMPTOM_SEVERITY | Num | 8 | What is severity of other relevant symptoms? |
| 188 | SH42_OTHERSYMPTOM_FROM_SHEP_MEDS | Num | 8 | In the opinion of SHEP clinician, are these other relevant symptoms due to use of SHEP medications? |
| 189 | SH42_OTHER_RELEVANT_SIGNS | Num | 8 | Are there other revelant signs on physical exam? |
| 190 | SH42_RECORD_TYPE | Num | 8 | SH42 Record Type |
| 191 | SH42_DATE_RECEIVED | Num | 8 | SH42 Date Tape Received from Metpath Lab |
| 192 | SH42_UPDATE_NUMBER | Num | 8 | SH42 Update Number |
| 193 | SH42_DATE_LAST_PROCESSED | Num | 8 | SH42 Date Last Processed |
| 194 | SH42_PAPER_COPY | Num | 8 | SH42 Paper Copy |
| 195 | SH42_CROSS_FORM_EDITS | Num | 8 | SH42 Cross Form Edits |

Data Set Name: sh43.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 1 | SH43_RECORD_LENGTH | Num | 8 | SH43 Record Length |
| 2 | SH43_KEYPUNCH_CODE | Num | 8 | SH43 Keypuncher Code |
| 3 | SH43_BATCHDATE | Num | 8 | SH43 Batch Date |
| 4 | SH43_VERIFYER_CODE | Num | 8 | SH43 Verifyer Code |
| 5 | SH43_DATE_LAST_MODIFIED | Num | 8 | SH43 Date record was last modified |
| 6 | SH43_TIME_LAST_MODIFIED | Num | 8 | SH43 Time record was last modified |
| 7 | SH43_EDIT_STATUS_CODE | Num | 8 | SH43 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH43_VERSNNUM | Num | 8 | SH43 Version number |
| 11 | SH43_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH43_SEQUENCE | Num | 8 | SH43 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH43_VISIT_SEQNUM | Num | 8 | Clinic visit sequence number |
| 15 | SH43_MEDS_TO_PROTOCOL | Num | 8 | At the last clinic visit, were SHEP medications prescribed in dosages specified in the protocol? |
| 16 | SH43_RESULT_DEVIATION_PROTOCOL | Num | 8 | What has happened with respect to the problem which caused this deviation from protocol? |
| 17 | SH43_OTH_SERIOUS_CONDITIONS_SLV | Num | 8 | Have any other potentially serious conditions arisen since the last visit which are probably a result of use of SHEP medications? |
| 18 | SH43_RESTORE_MEDS_TO_PROTOCOL_TV | Num | 8 | At this visit, do you plan to restore participant to SHEP drugs and doses specified in the protocol? |
| 19 | SH43_NOT_RESTORE_SIDE_EFFECTS | Num | 8 | Reason for not restoring medications to protocol, Side effects judged to be severe enough to deviate |
| 20 | SH43_NOT_RESTORE_ESCAPE_BP | Num | 8 | Reason for not restoring medications to protocol, Participant has reached escape blood pressure and requires deviation |
| 21 | SH43_NOT_RESTORE_OTHER | Num | 8 | Reason for not restoring medications to protocol, Other |
| 22 | SH43_DECISION_REPORTED | Num | 8 | Has this decision already been reported on a Deviation from Protocol form (SH48)? |
| 23 | SH43_ABNORMAL_FROM_SHEP_MEDS | Num | 8 | In the judgment of SHEP clinician, are any of the positive or abnormal results in General Well-Being or Side effects section related to current use of SHEP meds? |
| 24 | SH43_DEVIATION_REQUIRED | Num | 8 | In the judgment of SHEP clinician and physician, do any of these responses require deviation from protocol in prescribing SHEP meds? |
| 25 | SH43_CONDITIONS_HARMFUL | Num | 8 | Are any of these conditions possibly harmful to the participant? |
| 26 | SH43_DEVIATION_REASON_OTHER | Num | 8 | Are there reasons other than those in Q5-Q13 that require a deviation from protocol in prescribing SHEP meds (e.g. interference from other meds)? |
| 27 | SH43_Q15A | Num | 8 | Blood pressure review |

| Num | Variable | Туре | Len | Label |
|-----|-----------------------------|------|-----|--|
| 28 | SH43_Q15A1_B | Num | 8 | If answer to Q15A is 1, Is this at least the second consecutive visit at these levels on same dose and step? |
| 29 | SH43_Q15A2_B | Num | 8 | If answer to Q15A is 2, Is this at least the second consecutive visit at these levels on same step and dose? |
| 30 | SH43_Q15A4_B | Num | 8 | If answer to Q15A is 4, Are drugs being stepped down this visit? |
| 31 | SH43_Q15A5_B | Num | 8 | If answer to Q15A is 5, Has escape BP criteria been reached? |
| 32 | SH43_Q15C | Num | 8 | Schedule next visit at earliest interval according to answer in Q15A |
| 33 | SH43_STEP1MEDS_LV | Num | 8 | Type of step 1 medications prescribed at last visit |
| 34 | SH43_STEP1MEDS_BOTTLENUM_LV | Num | 8 | Bottle number of step 1 medications prescribed at last visit |
| 35 | SH43_STEP2MEDS_LV | Num | 8 | Type of step 2 medications prescribed at last visit |
| 36 | SH43_STEP2MEDS_BOTTLENUM_LV | Num | 8 | Bottle number of step 2 medications prescribed at last visit |
| 37 | SH43_OPEN_ANTIHYPER_MEDS_LV | Num | 8 | Were open-label antihypertensive drugs prescribed at last visit? |
| 38 | SH43_POTASSIUM_SUPP_LV | Num | 8 | Was potassium supplement prescribed at last visit? |
| 39 | SH43_POTASSIUM_SUPP_DOSE_LV | Num | 8 | What dose of potassium supplement was prescribed at last visit? (meq/day) |
| 40 | SH43_URICACID_LV | Num | 8 | Was uric acid agent prescribed at last visit? |
| 41 | SH43_NOCHANGE_MEDS_TV | Num | 8 | At this visit, No changes have been made do medicines prescribed |
| 42 | SH43_STEP1MEDS_TV | Num | 8 | Type of step 1 medications prescribed at this visit |
| 43 | SH43_STEP1MEDS_BOTTLENUM_TV | Num | 8 | Bottle number of step 1 medications prescribed at this visit |
| 44 | SH43_STEP2MEDS_TV | Num | 8 | Type of step 2 medications prescribed at this visit |
| 45 | SH43_STEP2MEDS_BOTTLENUM_TV | Num | 8 | Bottle number of step 2 medications prescribed at this visit |
| 46 | SH43_OPEN_ANTIHYPER_MEDS_TV | Num | 8 | Were open-label antihypertensive drugs prescribed at this visit? |
| 47 | SH43_POTASSIUM_SUPP_TV | Num | 8 | Was potassium supplement prescribed at this visit? |
| 48 | SH43_POTASSIUM_SUPP_DOSE_TV | Num | 8 | What dose of potassium supplement was prescribed at this visit? (meq/day) |
| 49 | SH43_URICACID_TV | Num | 8 | Was uric acid agent prescribed at this visit? |
| 50 | SH43_CLINICIAN_CODE | Num | 8 | SH43 Clinician Code |
| 51 | SH43_RECORD_TYPE | Num | 8 | SH43 Record Type |
| 52 | SH43_DATE_RECEIVED | Num | 8 | SH43 Date Tape Received from Metpath Lab |
| 53 | SH43_UPDATE_NUMBER | Num | 8 | SH43 Update Number |
| 54 | SH43_DATE_LAST_PROCESSED | Num | 8 | SH43 Date Last Processed |
| 55 | SH43_PAPER_COPY | Num | 8 | SH43 Paper Copy |
| 56 | SH43_CROSS_FORM_EDITS | Num | 8 | SH43 Cross Form Edits |

Data Set Name: sh44.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 1 | SH44_RECORD_LENGTH | Num | 8 | SH44 Record Length |
| 2 | SH44_KEYPUNCH_CODE | Num | 8 | SH44 Keypuncher Code |
| 3 | SH44_BATCHDATE | Num | 8 | SH44 Batch Date |
| 4 | SH44_VERIFYER_CODE | Num | 8 | SH44 Verifyer Code |
| 5 | SH44_DATE_LAST_MODIFIED | Num | 8 | SH44 Date record was last modified |
| 6 | SH44_TIME_LAST_MODIFIED | Num | 8 | SH44 Time record was last modified |
| 7 | SH44_EDIT_STATUS_CODE | Num | 8 | SH44 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH44_VERSNNUM | Num | 8 | SH44 Version number |
| 11 | SH44_NEXT_VISITDATE | Num | 8 | Date of next clinic visit (in days from randomization) |
| 12 | SH44_SEQUENCE | Num | 8 | SH44 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH44_NEXT_VISIT_TIME_HR | Num | 8 | Time of next clinic visit (hour) |
| 15 | SH44_NEXT_VISIT_TIME_MIN | Num | 8 | Time of next clinic visit (minutes) |
| 16 | SH44_NEXT_VISIT_TIME_PD | Num | 8 | Time period of next clinic visit (am/pm) |
| 17 | SH44_DOC_HIGHBP_PASTYR | Num | 8 | In the past year, has a doctor told you that you had high blood pressure severe enough to lead to hospitalization? |
| 18 | SH44_DOC_HEART_ATTACK_PASTYR | Num | 8 | In the past year, has a doctor told you that you had a heart attack (myocardial infarction, coronary occlusion or coronary thrombosis)? |
| 19 | SH44_DOC_ANGINA_PASTYR | Num | 8 | In the past year, has a doctor told you that you had angina? |
| 20 | SH44_DOC_OTH_HEART_PROBS_PASTYR | Num | 8 | In the past year, has a doctor told you that you had other heart problems? |
| 21 | SH44_DOC_STROKE_PASTYR | Num | 8 | In the past year, has a doctor told you that you had a stroke (cerebrovascular accident, CVA)? |
| 22 | SH44_DOC_MEMORY_PROBS_PASTYR | Num | 8 | In the past year, has a doctor told you that you had memory problems or other brain problems? |
| 23 | SH44_DOC_DIABETES_PASTYR | Num | 8 | In the past year, has a doctor told you that you had diabetes (high blood or urine sugar)? |
| 24 | SH44_DOC_GOUT_PASTYR | Num | 8 | In the past year, has a doctor told you that you had gout? |
| 25 | SH44_DOC_CANCER_PASTYR | Num | 8 | In the past year, has a doctor told you that you had cancer |
| 26 | SH44_DOC_OTHER_DISEASES_PASTYR | Num | 8 | In the past year, has a doctor told you that you had another major disease? |
| 27 | SH44_Q11A | Num | 8 | How many days in the past two weeks have you had to substantially reduce social activities outside of home (meetings, shopping) because you did not feel well? |
| 28 | SH44_Q11B | Num | 8 | How many days in the past two weeks have you had to substantially reduce major work at home (cleaning, laundry) because you did not feel well? |

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 29 | SH44_Q11C | Num | 8 | How many days in the past two weeks have you had to substantially reduce ordinary work at home (cooking, dressing) because you did not feel well? |
| 30 | SH44_Q11D | Num | 8 | How many days in the past two weeks did you spend most of the day in bed because you did not feel well? |
| 31 | SH44_CHEST_PAIN_PASTYR | Num | 8 | In the past year, have you had any pain or discomfort in your chest? |
| 32 | SH44_CHEST_PRESSURE_PASTYR | Num | 8 | In the past year, have you had any pressure or heaviness in your chest? |
| 33 | SH44_CHEST_PAIN_WALK_UPHILL | Num | 8 | Do you get his pain/discomfort/pressure/heaviness when you walk uphill or hurry? |
| 34 | SH44_CHEST_PAIN_WALK_LEVEL | Num | 8 | Do you get his pain/discomfort/pressure/heaviness when you walk at ordinary pace on level ground? |
| 35 | SH44_CHEST_PAIN_DO_ONSET | Num | 8 | What do you do when you get this pain/discomfort/pressure/heaviness when you are walking? |
| 36 | SH44_CHEST_PAIN_GO_AWAY | Num | 8 | Does this pain/discomfort/pressure/heaviness go away when you stand still? |
| 37 | SH44_CHEST_PAIN_HOW_SOON | Num | 8 | How long does it take this pain/discomfort/pressure/heaviness to go away when stand still? |
| 38 | SH44_CHEST_PAIN_LOCATION1 | Num | 8 | Do you get pain/discomfort/pressure/heaviness in Location 1? |
| 39 | SH44_CHEST_PAIN_LOCATION2 | Num | 8 | Do you get pain/discomfort/pressure/heaviness in Location 2? |
| 40 | SH44_CHEST_PAIN_LOCATION3 | Num | 8 | Do you get pain/discomfort/pressure/heaviness in Location 3? |
| 41 | SH44_Q13 | Num | 8 | In the past year, have you had a severe pain across the front of your chest lasting for half an hour or more? |
| 42 | SH44_HEART_ATTACK_PASTYR | Num | 8 | Have you had a heart attack (myocardial infarction, coronary thrombosis) in the past year? |
| 43 | SH44_HEART_ATTACK_HOSP | Num | 8 | Were you hospitalized for any heart attacks in the past year? |
| 44 | SH44_HEART_ATTACK_NUM | Num | 8 | How many such heart attacks have you had? |
| 45 | SH44_LEG_PAIN_WALK | Num | 8 | Do you get a pain in either leg on walking? |
| 46 | SH44_LEG_PAIN_STAND_SIT | Num | 8 | Do this leg pain ever being when you are standing still or sitting? |
| 47 | SH44_LEG_PAIN_CALF | Num | 8 | Do you get this leg pain in your calf (or calves)? |
| 48 | SH44_LEG_PAIN_WALK_UPHILL | Num | 8 | Do you get this leg pain when you walk uphill or hurry? |
| 49 | SH44_LEG_PAIN_WALK_LEVEL | Num | 8 | Do you get this leg pain when you walk at an ordinary pace on level ground? |
| 50 | SH44_LEG_PAIN_DISAPPEAR_WALK | Num | 8 | Does this leg pain ever disappear while you are still walking? |
| 51 | SH44_LEG_PAIN_DO_ONSET | Num | 8 | What do you do if you get this leg pain while you are walking? |
| 52 | SH44_LEG_PAIN_GO_AWAY | Num | 8 | Does this leg pain go away when you stand still? |
| 53 | SH44_LEG_PAIN_HOW_SOON | Num | 8 | How soon after you stand still does this leg pain go away? |
| 54 | SH44_COUGH_WINTER_MORN | Num | 8 | Do you usually cough first thing in the morning in the winter? |
| 55 | SH44_COUGH_WINTER | Num | 8 | Do you usually cough during the day or at night in winter? |
| 56 | SH44_COUGH_3MOS_PERYR | Num | 8 | Do you cough like this on most days for as much as 3 months each year? |
| 57 | SH44_COUGH_PHLEGM_WINTER_MORN | Num | 8 | Do you usually bring up any phlegm (mucus) from your chest first thing in the morning in winter? |

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|--|
| 58 | SH44_COUGH_PHLEGM_WINTER | Num | 8 | Do you usually bring up any phlegm from your chest during the day or at night in winter? |
| 59 | SH44_COUGH_PHLEGM_3MOS_PERYR | Num | 8 | Do you bring up phlegm like this on most days for as much as 3 months per year? |
| 60 | SH44_COUGH_GE3WKS_PASTYR | Num | 8 | In the past year, have you had a period of increased cough and phlegm lasting for 3 weeks or more? |
| 61 | SH44_SOB_WALK_UPHILL | Num | 8 | Are you troubled by shortness of breath when hurrying on level ground or walking up a slight hill? |
| 62 | SH44_SOB_WALK_LEVEL | Num | 8 | Do you get short of breat walking with other people your own age on level ground? |
| 63 | SH44_WAKE_GASPING | Num | 8 | Do you ever wake up at night gasping for breath? |
| 64 | SH44_SOB_2PILLOWS | Num | 8 | Do you get short of breath at night unless you sleep on two or more pillows? |
| 65 | SH44_ASTHMA_EVER | Num | 8 | Have you ever had asthma? |
| 66 | SH44_ASTHMA_ATTACKS_PASTYR | Num | 8 | Have you had any asthma attacks in the past year? |
| 67 | SH44_ASTHMA_MEDS | Num | 8 | Do you take medication to control or treat asthma? |
| 68 | SH44_NUMBNESS_PASTYR | Num | 8 | In the past year, have you had any sudden feeling of numbness, tingling or loss of feeling in either arm, hand, leg, foot or face? |
| 69 | SH44_NUMBNESS_NUM | Num | 8 | How many attacks of such numbness or tingling have you had in the past year? |
| 70 | SH44_NUMBNESS_LENGTH | Num | 8 | How long did the numbness/tingling attack(s) usually last? |
| 71 | SH44_NUMBNESS_DOCTOR | Num | 8 | Did you see the doctor for the numbness, tingling or loss of feeling? |
| 72 | SH44_PARALYSIS_PASTYR | Num | 8 | In the past year, have you had any sudden attacks of paralysis or loss of use of either arm, hand, leg or foot? |
| 73 | SH44_PARALYSIS_NUM | Num | 8 | How many attacks of such paralysis have you had in the past year? |
| 74 | SH44_PARALYSIS_LENGTH | Num | 8 | How long did the paralysis attack(s) usually last? |
| 75 | SH44_PARALYSIS_DOCTOR | Num | 8 | Did you see the doctor for this paralysis? |
| 76 | SH44_LOSSVISION_PASTYR | Num | 8 | In the past year, have you had any sudden loss of eyesight or blurring of vision for a short period of time? |
| 77 | SH44_LOSSVISION_PART | Num | 8 | What part of your vision was affected? |
| 78 | SH44_LOSSVISION_NUM | Num | 8 | How many attacks of loss of eyesight or blurring of vision have you had in the past year? |
| 79 | SH44_LOSSVISION_LENGTH | Num | 8 | How long did the loss of eyesight or blurring vision attack(s) usually last? |
| 80 | SH44_LOSSVISION_DOCTOR | Num | 8 | Did you see a doctor for this vision problem? |
| 81 | SH44_LOSSSPEECH_PASTYR | Num | 8 | In the past year, have you had any sudden attacks of changes in speech, loss of speech or inability to say words? |
| 82 | SH44_LOSSSPEECH_NUM | Num | 8 | How many attacks of loss of speech have you had in the past year? |
| 83 | SH44_LOSSSPEECH_LENGTH | Num | 8 | How long did the loss of speech attack(s) usually last? |
| 84 | SH44_LOSSSPEECH_DOCTOR | Num | 8 | Did you see a doctor for your speech problem? |
| 85 | SH44_Q22_DIZZINESS_PASTYR | Num | 8 | In the past year, have you experienced dizziness? |
| 86 | SH44_Q22_VERTIGO_PASTYR | Num | 8 | In the past year, have you experienced vertigo? |
| 87 | SH44_Q22_LOSSBALANCE_PASTYR | Num | 8 | In the past year, have you experienced loss of balance? |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 88 | SH44_Q22_DIFFICULTY_WALK_PASTYR | Num | 8 | In the past year, have you experienced difficulty walking? |
| 89 | SH44_Q22_BLACKOUTS_PASTYR | Num | 8 | In the past year, have you experienced blackouts or fainting? |
| 90 | SH44_Q22_FREQUENT_FALLS_PASTYR | Num | 8 | In the past year, have you experienced frequent falls? |
| 91 | SH44_ANSWER_YES_Q22 | Num | 8 | Did you answer 'yes' to any of the problems in question 22? |
| 92 | SH44_NUM_ATTACKS_Q22 | Num | 8 | About how many total attacks of all conditions checked do you think you had in the past year? |
| 93 | SH44_LENGTH_ATTACKS_Q22 | Num | 8 | How long did these attack(s) of the conditions in q22 usually last? |
| 94 | SH44_DOCTOR_Q22 | Num | 8 | Did you see the doctor about any of these conditions (from q22)? |
| 95 | SH44_SURGERY_BLOODFLOW_PASTYR | Num | 8 | In the past year, have you had surgery to improve the blood flow in your arteries or veing (endarterectomy, by-pass)? |
| 96 | SH44_SURGERY_NECK_VESSELS | Num | 8 | Did you have surgery on your neck vessels (carotid artery)? |
| 97 | SH44_SURGERY_HEART | Num | 8 | Did you have surgery on your heart (coronary by-pass)? |
| 98 | SH44_SURGERY_AORTA_LEG | Num | 8 | Did you have surgery on aorta or leg arteries? |
| 99 | SH44_HOSPITALIZED_PASTYR | Num | 8 | Have you been hospitalized for any reason within the past year? |
| 100 | SH44_FRACTURE_HIP_PASTYR | Num | 8 | In the past year, have you had a hip fracture? |
| 101 | SH44_FRACTURE_SPINE_PASTYR | Num | 8 | In the past year, have you had a spine fracture? |
| 102 | SH44_FRACTURE_FOREARM_PASTYR | Num | 8 | In the past year, have you had a forearm fracture? |
| 103 | SH44_FALLS_PAST3MOS | Num | 8 | About how many times would you say that you have fallen to the floor/ground for no obvious reason in the past 3 months? |
| 104 | SH44_FALLS_DOCTOR_ATTN | Num | 8 | Did you have any injury from these falls that required a doctor's attention? |
| 105 | SH44_ALLERGIC_REACT_MEDS_PASTYR | Num | 8 | Has any medicine you may be taking, or have taken in past year, ever caused you to have a skin rash or allergic reaction? |
| 106 | SH44_EMPLOYMENT | Num | 8 | What is your current employment status? |
| 107 | SH44_EMPLOYMENT_RETIRE_DATE | Num | 8 | If retired, when was your last paid employment (20 hours/week or more)? (in months from randomization) |
| 108 | SH44_MARITAL | Num | 8 | What is your current marital status? |
| 109 | SH44_SMOKE_CURRENT | Num | 8 | Do you currently smoke cigarettes? |
| 110 | SH44_SMOKE_CIGSPERDAY | Num | 8 | How many cigarettes do you currently smoke per day? |
| 111 | SH44_ALCOHOL_FREQ | Num | 8 | How often do you drink currently? |
| 112 | SH44_ALCOHOL_NUM | Num | 8 | When you drink alcoholic beverages, how many do you usually drink in a day? |
| 113 | SH44_PRESCRIPTION_MEDS | Num | 8 | Are you taking any medicines that require a prescription from a doctor? |
| 114 | SH44_NUM_PRESCRIPTION_MEDS | Num | 8 | Total number of prescription drugs being taken? |
| 115 | SH44_PRESMEDS_STOPPED_PAST2WKS | Num | 8 | Have you stopped taking any prescription medications in the past two weeks? |
| 116 | SH44_PRESMED1_STOPPED_DOCTOR | Num | 8 | Stopped taking prescription medication #1 because the doctor advised you to stop |
| 117 | SH44_PRESMED1_STOPPED_RANOUT | Num | 8 | Stopped taking prescription medication #1 because the prescription ran out |
| 118 | SH44_PRESMED1_STOPPED_BETTER | Num | 8 | Stopped taking prescription medication #1 because I was felt better |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 119 | SH44_PRESMED1_STOPPED_REMEMBER | Num | 8 | Stopped taking prescription medication #1 because I could not remember to take them |
| 120 | SH44_PRESMED1_STOPPED_BOTHERED | Num | 8 | Stopped taking prescription medication #1 because I could not be bothered taking them |
| 121 | SH44_PRESMED1_STOPPED_FEELSICK | Num | 8 | Stopped taking prescription medication #1 because they made me feel sick |
| 122 | SH44_PRESMED1_STOPPED_NOTWORKING | Num | 8 | Stopped taking prescription medication #1 because I did not think they were working |
| 123 | SH44_PRESMED1_STOPPED_FRIEND | Num | 8 | Stopped taking prescription medication #1 because a friend told me to stop |
| 124 | SH44_PRESMED1_STOPPED_DONTKNOW | Num | 8 | Do not know why I stopped taking prescription medication #1 |
| 125 | SH44_PRESMED1_STOPPED_OTHER | Num | 8 | Stopped taking prescription medication #1 for other reasons |
| 126 | SH44_PRESMED2_STOPPED_DOCTOR | Num | 8 | Stopped taking prescription medication #2 because the doctor advised you to stop |
| 127 | SH44_PRESMED2_STOPPED_RANOUT | Num | 8 | Stopped taking prescription medication #2 because the prescription ran out |
| 128 | SH44_PRESMED2_STOPPED_BETTER | Num | 8 | Stopped taking prescription medication #2 because I was felt better |
| 129 | SH44_PRESMED2_STOPPED_REMEMBER | Num | 8 | Stopped taking prescription medication #2 because I could not remember to take them |
| 130 | SH44_PRESMED2_STOPPED_BOTHERED | Num | 8 | Stopped taking prescription medication #2 because I could not be bothered taking them |
| 131 | SH44_PRESMED2_STOPPED_FEELSICK | Num | 8 | Stopped taking prescription medication #2 because they made me feel sick |
| 132 | SH44_PRESMED2_STOPPED_NOTWORKING | Num | 8 | Stopped taking prescription medication #2 because I did not think they were working |
| 133 | SH44_PRESMED2_STOPPED_FRIEND | Num | 8 | Stopped taking prescription medication #2 because a friend told me to stop |
| 134 | SH44_PRESMED2_STOPPED_DONTKNOW | Num | 8 | Do not know why I stopped taking prescription medication #2 |
| 135 | SH44_PRESMED2_STOPPED_OTHER | Num | 8 | Stopped taking prescription medication #2 for other reasons |
| 136 | SH44_PRESMED3_STOPPED_DOCTOR | Num | 8 | Stopped taking prescription medication #3 because the doctor advised you to stop |
| 137 | SH44_PRESMED3_STOPPED_RANOUT | Num | 8 | Stopped taking prescription medication #3 because the prescription ran out |
| 138 | SH44_PRESMED3_STOPPED_BETTER | Num | 8 | Stopped taking prescription medication #3 because I was felt better |
| 139 | SH44_PRESMED3_STOPPED_REMEMBER | Num | 8 | Stopped taking prescription medication #3 because I could not remember to take them |
| 140 | SH44_PRESMED3_STOPPED_BOTHERED | Num | 8 | Stopped taking prescription medication #3 because I could not be bothered taking them |
| 141 | SH44_PRESMED3_STOPPED_FEELSICK | Num | 8 | Stopped taking prescription medication #3 because they made me feel sick |
| 142 | SH44_PRESMED3_STOPPED_NOTWORKING | Num | 8 | Stopped taking prescription medication #3 because I did not think they were working |
| 143 | SH44_PRESMED3_STOPPED_FRIEND | Num | 8 | Stopped taking prescription medication #3 because a friend told me to stop |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 144 | SH44_PRESMED3_STOPPED_DONTKNOW | Num | 8 | Do not know why I stopped taking prescription medication #3 |
| 145 | SH44_PRESMED3_STOPPED_OTHER | Num | 8 | Stopped taking prescription medication #3 for other reasons |
| 146 | SH44_OTC_MEDS | Num | 8 | Are you presently taking any medicines or diet supplements that you buy without a prescription? |
| 147 | SH44_NUM_OTC_MEDS | Num | 8 | Total number of non-prescription medicines being taken |
| 148 | SH44_CHANGED_MED_CARE_PASTYR | Num | 8 | In the past year, have you changed where you go for medical care? |
| 149 | SH44_OBJECT_BP_TO_USUALCARE | Num | 8 | Would you object to us sending your blood pressure results to person or clinic that usual supplies your health care? |
| 150 | SH44_RECORD_TYPE | Num | 8 | SH44 Record Type |
| 151 | SH44_DATE_RECEIVED | Num | 8 | SH44 Date Tape Received from Metpath Lab |
| 152 | SH44_UPDATE_NUMBER | Num | 8 | SH44 Update Number |
| 153 | SH44_DATE_LAST_PROCESSED | Num | 8 | SH44 Date Last Processed |
| 154 | SH44_PAPER_COPY | Num | 8 | SH44 Paper Copy |
| 155 | SH44_CROSS_FORM_EDITS | Num | 8 | SH44 Cross Form Edits |
| 156 | SH44_LIVE_ALONE | Num | 8 | Participant currently lives alone |
| 157 | SH44_LIVE_SPOUSE | Num | 8 | Participant currently lives with spouse |
| 158 | SH44_LIVE_OTHER_RELATIVES | Num | 8 | Participant currently lives with other related individuals |
| 159 | SH44_LIVE_FRIENDS | Num | 8 | Participant currently lives with non-related friends |
| 160 | SH44_LIVE_PAID_HELP | Num | 8 | Participant currently lives with non-related paid help |

Data Set Name: sh48.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------|------|-----|---|
| 1 | SH48_RECORD_LENGTH | Num | 8 | SH48 Record Length |
| 2 | SH48_KEYPUNCH_CODE | Num | 8 | SH48 Keypuncher Code |
| 3 | SH48_BATCHDATE | Num | 8 | SH48 Batch Date |
| 4 | SH48_VERIFYER_CODE | Num | 8 | SH48 Verifyer Code |
| 5 | SH48_DATE_LAST_MODIFIED | Num | 8 | SH48 Date record was last modified |
| 6 | SH48_TIME_LAST_MODIFIED | Num | 8 | SH48 Time record was last modified |
| 7 | SH48_EDIT_STATUS_CODE | Num | 8 | SH48 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH48_VERSNNUM | Num | 8 | SH48 Version number |
| 11 | SH48_VISITDATE | Num | 8 | Date of clinic visit (in days from randomization) |
| 12 | SH48_SEQUENCE | Num | 8 | SH48 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH48_VISIT_SEQNUM | Num | 8 | Sequence number of clinic visit |
| 15 | SH48_MEDICATION_STATUS | Num | 8 | Status of study medications |
| 16 | SH48_OPEN_LABEL_MEDS_TV | Num | 8 | Initiation of open-label therapy at this visit? |
| 17 | SH48_REASON | Num | 8 | Reason |
| 18 | SH48_REMAIN_IN_SHEP | Num | 8 | For drug discontinuations only, is the participant still willing to be followed in SHEP clinic? |
| 19 | SH48_VISIT1_DATE | Num | 8 | Date of clinic visit #1 (in days from randomization) |
| 20 | SH48_VISIT1_SYSTBP | Num | 8 | Systolic blood pressure at clinic visit #1 |
| 21 | SH48_VISIT1_DIASTBP | Num | 8 | Diastolic blood pressure at clinic visit #1 |
| 22 | SH48_VISIT2_DATE | Num | 8 | Date of clinic visit #2 (in days from randomization) |
| 23 | SH48_VISIT2_SYSTBP | Num | 8 | Systolic blood pressure at clinic visit #2 |
| 24 | SH48_VISIT2_DIASTBP | Num | 8 | Diastolic blood pressure at clinic visit #2 |
| 25 | SH48_VISIT3_DATE | Num | 8 | Date of clinic visit #3 (in days from randomization) |
| 26 | SH48_VISIT3_SYSTBP | Num | 8 | Systolic blood pressure at clinic visit #3 |
| 27 | SH48_VISIT3_DIASTBP | Num | 8 | Diastolic blood pressure at clinic visit #3 |
| 28 | SH48_COMMENTS | Num | 8 | SH48 Comments |
| 29 | SH48_COMPLETER_CODE | Num | 8 | Code of person completing SH48 form |
| 30 | SH48_PHYSICIAN_CODE | Num | 8 | Physician code |
| 31 | SH48_RECORD_TYPE | Num | 8 | SH48 Record Type |
| 32 | SH48_DATE_RECEIVED | Num | 8 | SH48 Date Tape Received from Metpath Lab |
| 33 | SH48_UPDATE_NUMBER | Num | 8 | SH48 Update Number |
| 34 | SH48_DATE_LAST_PROCESSED | Num | 8 | SH48 Date Last Processed |
| 35 | SH48_PAPER_COPY | Num | 8 | SH48 Paper Copy |
| 36 | SH48_CROSS_FORM_EDITS | Num | 8 | SH48 Cross Form Edits |

Data Set Name: sh49.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 1 | SH49_RECORD_LENGTH | Num | 8 | SH49 Record Length |
| 2 | SH49_KEYPUNCH_CODE | Num | 8 | SH49 Keypuncher Code |
| 3 | SH49_BATCHDATE | Num | 8 | SH49 Batch Date |
| 4 | SH49_VERIFYER_CODE | Num | 8 | SH49 Verifyer Code |
| 5 | SH49_DATE_LAST_MODIFIED | Num | 8 | SH49 Date record was last modified |
| 6 | SH49_TIME_LAST_MODIFIED | Num | 8 | SH49 Time record was last modified |
| 7 | SH49_EDIT_STATUS_CODE | Num | 8 | SH49 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH49_VERSNNUM | Num | 8 | SH49 Version number |
| 11 | SH49_DISCLOSURE_DATE | Num | 8 | Date of Disclosure (in days from randomization) |
| 12 | SH49_SEQUENCE | Num | 8 | SH49 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH49_DATE_COMPLETED | Num | 8 | Date SH49 form completed (in days from randomization) |
| 15 | SH49_REASON_ADVERSE_REACTION | Num | 8 | Reason for disclosure was suspect adverse reaction to SHEP medications |
| 16 | SH49_REASON_SURGERY | Num | 8 | Reason for disclosure was diagnostic test and/or surgery where there was not enough time to taper patient off mediactions with unblinding |
| 17 | SH49_REASON_OTHER_MEDICAL | Num | 8 | Other medical reasons were reason for disclosure |
| 18 | SH49_REASON_PRIVATE_PHYSICIAN | Num | 8 | Reason for disclosure was request from private physician (no reason given) |
| 19 | SH49_REASON_CURIOSITY | Num | 8 | Reason for disclosure was participant's curiosity |
| 20 | SH49_REASON_OTHER | Num | 8 | Other reasons were reason for disclosure |
| 21 | SH49_PARTICIPANT_KNOWS | Num | 8 | Participant knows which SHEP medication they are taking |
| 22 | SH49_SHEP_KNOWS | Num | 8 | SHEP personnel knows which SHEP medication the participant is taking |
| 23 | SH49_PHARMACY_KNOWS | Num | 8 | Pharmacy knows which SHEP medication the participant is taking |
| 24 | SH49_PRIVATE_PHYSICIAN_KNOWS | Num | 8 | Participant's private physician knows which SHEP medications the participant is taking |
| 25 | SH49_OTHER_KNOWS | Num | 8 | Other people know which SHEP medications the participant is taking |
| 26 | SH49_CHAIRMAN_CONSULTED | Num | 8 | Was chairman of the Steering Committee or Coordinating Center consulted prior to unblinding? |
| 27 | SH49_COMMENTS | Num | 8 | SH49 Comments |
| 28 | SH49_COMPLETER_CODE | Num | 8 | Code of person completing SH49 form |
| 29 | SH49_RECORD_TYPE | Num | 8 | SH49 Record Type |
| 30 | SH49_DATE_RECEIVED | Num | 8 | SH49 Date Tape Received from Metpath Lab |
| 31 | SH49_UPDATE_NUMBER | Num | 8 | SH49 Update Number |
| 32 | SH49_DATE_LAST_PROCESSED | Num | 8 | SH49 Date Last Processed |
| 33 | SH49_PAPER_COPY | Num | 8 | SH49 Paper Copy |
| 34 | SH49_CROSS_FORM_EDITS | Num | 8 | SH49 Cross Form Edits |

Data Set Name: sh50.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|------------------------------|------|-----|---|
| 1 | SH50_RECORD_LENGTH | Num | 8 | SH50 Record Length |
| 2 | SH50_KEYPUNCH_CODE | Num | 8 | SH50 Keypuncher Code |
| 3 | SH50_BATCHDATE | Num | 8 | SH50 Batch Date |
| 4 | SH50_VERIFYER_CODE | Num | 8 | SH50 Verifyer Code |
| 5 | SH50_DATE_LAST_MODIFIED | Num | 8 | SH50 Date record was last modified |
| 6 | SH50_TIME_LAST_MODIFIED | Num | 8 | SH50 Time record was last modified |
| 7 | SH50_EDIT_STATUS_CODE | Num | 8 | SH50 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH50_VERSNNUM | Num | 8 | SH50 Version number |
| 11 | SH50_DATE_COMPLETED | Num | 8 | Date of completion of SH50 (in days from randomization) |
| 12 | SH50_SEQUENCE | Num | 8 | SH50 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH50_REFUSAL_LOST_TO_FUP | Num | 8 | Does this form document refusal or lost to follow-up? |
| 15 | SH50_LTF_MOVED | Num | 8 | Has the participant moved? |
| 16 | SH50_LTF_CONTACT_ATTEMTS_SLV | Num | 8 | Have attempts been made to contact the participant since last clinic visit? |
| 17 | SH50_REFUSAL_REASON | Num | 8 | Primary reason for refusal? |
| 18 | SH50_PARTICIPANT_CONTACTED | Num | 8 | Has the participant been contacted? |
| 19 | SH50_TELEPHONE_QUARTERLY | Num | 8 | Is the participant willing to be contacted by telephone at quarterly visits for a short assessment of general well-being? |
| 20 | SH50_COMMENTS | Num | 8 | SH50 Comments |
| 21 | SH50_COMPLETER_CODE | Num | 8 | Code of person completing SH50 form |
| 22 | SH50_RECORD_TYPE | Num | 8 | SH50 Record Type |
| 23 | SH50_DATE_RECEIVED | Num | 8 | SH50 Date Tape Received from Metpath Lab |
| 24 | SH50_UPDATE_NUMBER | Num | 8 | SH50 Update Number |
| 25 | SH50_DATE_LAST_PROCESSED | Num | 8 | SH50 Date Last Processed |
| 26 | SH50_PAPER_COPY | Num | 8 | SH50 Paper Copy |
| 27 | SH50_CROSS_FORM_EDITS | Num | 8 | SH50 Cross Form Edits |

Data Set Name: sh51.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 1 | SH51_RECORD_LENGTH | Num | 8 | SH51 Record Length |
| 2 | SH51_KEYPUNCH_CODE | Num | 8 | SH51 Keypuncher Code |
| 3 | SH51_BATCHDATE | Num | 8 | SH51 Batch Date |
| 4 | SH51_VERIFYER_CODE | Num | 8 | SH51 Verifyer Code |
| 5 | SH51_DATE_LAST_MODIFIED | Num | 8 | SH51 Date record was last modified |
| 6 | SH51_TIME_LAST_MODIFIED | Num | 8 | SH51 Time record was last modified |
| 7 | SH51_EDIT_STATUS_CODE | Num | 8 | SH51 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH51_VERSNNUM | Num | 8 | SH51 Version number |
| 11 | SH51_DATE_COMPLETED | Num | 8 | Date SH51 form was completed (in days from randomization) |
| 12 | SH51_SEQUENCE | Num | 8 | SH51 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH51_VISIT_TYPE_MISSED | Num | 8 | Type of visit missed |
| 15 | SH51_EARLIEST_WINDOW_MISSED | Num | 8 | Earliest window date of missed visit (from randomization verification report) (in days from randomization) |
| 16 | SH51_MISSED_VISIT_REASON | Num | 8 | Reason for missed visit |
| 17 | SH51_DATE_LAST_ATTEMPT_CONTACT | Num | 8 | Date of last attempt to contact participant (in days from randomization) |
| 18 | SH51_DATE_LAST_KNOWN_ALIVE | Num | 8 | Date participant was last known alive (in days from randomization) |
| 19 | SH51_SHEP_MEDS | Num | 8 | Is participant on SHEP medications? |
| 20 | SH51_OPEN_LABEL_THERAPY | Num | 8 | Is participant on open-label therapy? |
| 21 | SH51_STROKE | Num | 8 | Has participant had a new stroke? |
| 22 | SH51_TIA | Num | 8 | Has participant had a new TIA? |
| 23 | SH51_MI | Num | 8 | Has participant had a new MI? |
| 24 | SH51_LVF | Num | 8 | Has participant had a new LVF? |
| 25 | SH51_OTHER_HOSPITALIZATION | Num | 8 | Has participant had a new other hospitalization? |
| 26 | SH51_NURSING_HOME | Num | 8 | Has participant had a new nursing home admission? |
| 27 | SH51_INFO_SOURCE | Num | 8 | Who is the primary source of information? |
| 28 | SH51_COMPLETER_CODE | Num | 8 | Code for person completing SH51 form |
| 29 | SH51_RECORD_TYPE | Num | 8 | SH51 Record Type |
| 30 | SH51_DATE_RECEIVED | Num | 8 | SH51 Date Tape Received from Metpath Lab |
| 31 | SH51_UPDATE_NUMBER | Num | 8 | SH51 Update Number |
| 32 | SH51_DATE_LAST_PROCESSED | Num | 8 | SH51 Date Last Processed |
| 33 | SH51_PAPER_COPY | Num | 8 | SH51 Paper Copy |
| 34 | SH51_CROSS_FORM_EDITS | Num | 8 | SH51 Cross Form Edits |

Data Set Name: sh70.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|--|
| 1 | SH70_RECORD_LENGTH | Num | 8 | SH70 Record Length |
| 2 | SH70_KEYPUNCH_CODE | Num | 8 | SH70 Keypuncher Code |
| 3 | SH70_BATCHDATE | Num | 8 | SH70 Batch Date |
| 4 | SH70_VERIFYER_CODE | Num | 8 | SH70 Verifyer Code |
| 5 | SH70_DATE_LAST_MODIFIED | Num | 8 | SH70 Date record was last modified |
| 6 | SH70_TIME_LAST_MODIFIED | Num | 8 | SH70 Time record was last modified |
| 7 | SH70_EDIT_STATUS_CODE | Num | 8 | SH70 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH70_VERSNNUM | Num | 8 | SH70 Version number |
| 11 | SH70_DATE_COMPLETED | Num | 8 | Date SH70 form was completed (in days from randomization) |
| 12 | SH70_SEQUENCE | Num | 8 | SH70 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH70_VOLUNTEER_AGAIN | Num | 8 | On the basis of your experience, would you volunteer for SHEP if you had it to do over again? |
| 15 | SH70_RECOMMEND_FRIEND | Num | 8 | Would you recommend the SHEP program or a similar program to a good friend if he/she was eligible? |
| 16 | SH70_FEWER_COLDS | Num | 8 | Do you think you have fewer colds from of taking part in SHEP? |
| 17 | SH70_BETTER_VISION | Num | 8 | Do you think you have better vision from taking part in SHEP? |
| 18 | SH70_LONGER_LIFE | Num | 8 | Do you think you have a longer life from taking part in SHEP? |
| 19 | SH70_LOWER_RISK_CANCER | Num | 8 | Do you think you have a lower risk of getting cancer from taking part in SHEP? |
| 20 | SH70_LOWER_RISK_HEART_DISEASE | Num | 8 | Do you think you have a lower risk of getting heart disease from taking part in SHEP? |
| 21 | SH70_LOWER_RISK_STROKE | Num | 8 | Do you think you have a lower risk of having a stroke from taking part in SHEP? |
| 22 | SH70_LESS_DEPRESSED | Num | 8 | Do you think you are less depressed/discouraged from taking part in SHEP? |
| 23 | SH70_OTHER_IMPROVEMENTS | Num | 8 | Are there other improvements that have results from taking part in SHEP? |
| 24 | SH70_PROVIDED_GOOD_CARE | Num | 8 | Do you agree that SHEP staff provided good care? |
| 25 | SH70_FRIENDLY | Num | 8 | Do you agree that SHEP staff were friendly and pleasant? |
| 26 | SH70_TRANSPORTATION_PROBLEM | Num | 8 | Do you agree that Transportation to SHEP clinic was a serious problem? |
| 27 | SH70_IMPORTANT_INFO_TO_MEDSCI | Num | 8 | Do you agree that SHEP will provide important information to medical science? |
| 28 | SH70_NOT_MIND_BP_MEDS | Num | 8 | Do you agree that you did not mind taking SHEP medicine for blood pressure? |
| 29 | SH70_TOO_MANY_VISITS | Num | 8 | Do you agree that there were too many SHEP visits? |
| 30 | SH70_CLINIC_LOCATION | Num | 8 | How satisfied are you with clinic location? |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|--|
| 31 | SH70_CLINIC_FACILITIES | Num | 8 | How satisfied are you with clinic facilities? |
| 32 | SH70_CLINIC_WAIT_TIME | Num | 8 | How satisfied are you with waiting time at clinic? |
| 33 | SH70_CLINIC_STAFF | Num | 8 | How satisfied are you with clinic staff? |
| 34 | SH70_INFO_FROM_STAFF | Num | 8 | How satisfied are you with information from clinic staff? |
| 35 | SH70_TRANSPORTATION | Num | 8 | How satisfied are you with transportation? |
| 36 | SH70_PARKING | Num | 8 | How satisfied are you with parking? |
| 37 | SH70_SATISFIED_OTHER | Num | 8 | How satisfied are you with other aspects of SHEP? |
| 38 | SH70_REASON_IMPROVE_HEALTHCARE | Num | 8 | Importance of improving your health care in decision to join SHEP? |
| 39 | SH70_REASON_FREE_MEDICALCARE | Num | 8 | Importance of free medical care in decision to join SHEP? |
| 40 | SH70_REASON_CONTRIBUTE_SCIENCE | Num | 8 | Importance of contribution to science in decision to join SHEP? |
| 41 | SH70_REASON_IMPROVE_OTHERS | Num | 8 | Importance of improving health of others in decision to join SHEP? |
| 42 | SH70_REASON_SOMEPLACE_TOGO | Num | 8 | Importance of its some place to go in decision to join SHEP? |
| 43 | SH70_REASON_SOMEONE_TALK | Num | 8 | Importance of its someone to talk with in decision to join SHEP? |
| 44 | SH70_REASON_OTHER | Num | 8 | Importance of other reason(s) in decision to join SHEP? |
| 45 | SH70_COMMENTS | Num | 8 | SH70 Comments |

Data Set Name: sh71.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|--|
| 1 | SH71_RECORD_LENGTH | Num | 8 | SH71 Record Length |
| 2 | SH71_KEYPUNCH_CODE | Num | 8 | SH71 Keypuncher Code |
| 3 | SH71_BATCHDATE | Num | 8 | SH71 Batch Date |
| 4 | SH71_VERIFYER_CODE | Num | 8 | SH71 Verifyer Code |
| 5 | SH71_DATE_LAST_MODIFIED | Num | 8 | SH71 Date record was last modified |
| 6 | SH71_TIME_LAST_MODIFIED | Num | 8 | SH71 Time record was last modified |
| 7 | SH71_EDIT_STATUS_CODE | Num | 8 | SH71 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH71_VERSNNUM | Num | 8 | SH71 Version number |
| 11 | SH71_VISITDATE | Num | 8 | Date of visit (in days from randomization) |
| 12 | SH71_SEQUENCE | Num | 8 | SH71 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH71_VISIT_PLACE | Num | 8 | Place of visit |
| 15 | SH71_INTERVIEWER_CODE | Num | 8 | Code of person conducting interview |
| 16 | SH71_ASSESSOR_CODE | Num | 8 | Assessor's ID code |
| 17 | SH71_ASSESSOR_GUESS | Num | 8 | Without scrutiny of the medical records, which type of medicine would you guess the participant was assigned to? |
| 18 | SH71_ASSESS_REASON_STROKE | Num | 8 | Assessor's guess based on stroke? |
| 19 | SH71_ASSESS_REASON_MORBID_EVENT | Num | 8 | Assessor's guess based on other morbid event? |
| 20 | SH71_ASSESS_REASON_POTASSIUM | Num | 8 | Assessor's guess based on serum potassium? |
| 21 | SH71_ASSESS_REASON_URIC_ACID | Num | 8 | Assessor's guess based on serum uric acid? |
| 22 | SH71_ASSESS_REASON_GLUCOSE | Num | 8 | Assessor's guess based on blood glucose? |
| 23 | SH71_ASSESS_REASON_OTHER_LAB | Num | 8 | Assessor's guess based on other laboratory findings? |
| 24 | SH71_ASSESS_REASON_SIDE_EFFECTS | Num | 8 | Assessor's guess based on side effects (or lack of them)? |
| 25 | SH71_ASSESS_REASON_BP | Num | 8 | Assessor's guess based on blood pressure readings? |
| 26 | SH71_ASSESS_REASON_HEART_RATE | Num | 8 | Assessor's guess based on heart rate? |
| 27 | SH71_ASSESS_REASON_DIABETES | Num | 8 | Assessor's guess based on diabetes? |
| 28 | SH71_ASSESS_REASON_GOUT | Num | 8 | Assessor's guess based on gout? |
| 29 | SH71_ASSESS_REASON_ASTHMA | Num | 8 | Assessor's guess based on asthma? |
| 30 | SH71_ASSESS_REASON_VASC_DISEASE | Num | 8 | Assessor's guess based on peripheral vascular disease? |
| 31 | SH71_ASSESS_REASON_MENTALSTATUS | Num | 8 | Assessor's guess based on mental status? |
| 32 | SH71_ASSESS_REASON_OTHER | Num | 8 | Assessor's guess based on other reasons? |
| 33 | SH71_ASSESS_REASON_NONE | Num | 8 | Assessor has no reason for guess |
| 34 | SH71_REASONS_NOT_TAKE_MEDS | Num | 8 | Were there any reasons that kept you from taking your SHEP medications as directed? |

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 35 | SH71_MEDS_REASON_SIZE_PILLS | Num | 8 | Size of pills kept participant from taking SHEP medications as directed |
| 36 | SH71_MEDS_REASON_TASTE | Num | 8 | Taste of pills kept participant from taking SHEP medications as directed |
| 37 | SH71_MEDS_REASON_FORGET | Num | 8 | Forgetting to take medications kept participant from taking SHEP medications as directed |
| 38 | SH71_MEDS_REASON_NOT_NECESSARY | Num | 8 | Thinking medicine is necessary kept participant from taking SHEP medications as directed |
| 39 | SH71_MEDS_REASON_TRAVEL | Num | 8 | Travel/away from home too much kept participant from taking SHEP medications as directed |
| 40 | SH71_MEDS_REASON_INSTRUCTIONS | Num | 8 | Intructions too difficult to understand kept participant from taking SHEP medications as directed |
| 41 | SH71_MEDS_REASON_FEEL_BAD | Num | 8 | Medicine made participant feel bad so SHEP medications were not taken as directed |
| 42 | SH71_MEDS_REASON_FAMILY | Num | 8 | Family member objection kept participant from taking SHEP medications as directed |
| 43 | SH71_MEDS_REASON_DOCTOR | Num | 8 | Doctor told participant to stop taking SHEP medications |
| 44 | SH71_MEDS_REASON_OTHER | Num | 8 | Other reasons kept participant from taking SHEP medications as directed |
| 45 | SH71_MEDS_REASON_NOT_GIVEN | Num | 8 | No reason was given as to why participant did not take SHEP medications as directed |
| 46 | SH71_PARTICIPANT_GUESS | Num | 8 | What type of SHEP medicine would you guess you have been taking? |
| 47 | SH71_PART_REASON_FELT_BETTER | Num | 8 | Participant's guess based on fact that participant felt better |
| 48 | SH71_PART_REASON_FELT_WORSE | Num | 8 | Participant's guess based on fact that participant felt worse |
| 49 | SH71_PART_REASON_BP | Num | 8 | Participant's guess based on blood pressure readings |
| 50 | SH71_PART_REASON_STAFF_TREAT | Num | 8 | Participant's guess based on the way the SHEP staff treated them |
| 51 | SH71_PART_REASON_DONT_KNOW | Num | 8 | No reason for participant's guess |
| 52 | SH71_PART_REASON_OTHER | Num | 8 | Other reasons lead to participant's guess |
| 53 | SH71_ACTUAL_DRUG_ASSIGNMENT | Num | 8 | Actual drug assignment |
| 54 | SH71_RECORD_TYPE | Num | 8 | SH71 Record Type |
| 55 | SH71_DATE_RECEIVED | Num | 8 | SH71 Date Tape Received from Metpath Lab |
| 56 | SH71_UPDATE_NUMBER | Num | 8 | SH71 Update Number |
| 57 | SH71_DATE_LAST_PROCESSED | Num | 8 | SH71 Date Last Processed |
| 58 | SH71_PAPER_COPY | Num | 8 | SH71 Paper Copy |

Data Set Name: sh72.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|----------------------------|------|-----|---|
| 1 | SH72_RECORD_LENGTH | Num | 8 | SH72 Record Length |
| 2 | SH72_KEYPUNCH_CODE | Num | 8 | SH72 Keypuncher Code |
| 3 | SH72_BATCHDATE | Num | 8 | SH72 Batch Date |
| 4 | SH72_VERIFYER_CODE | Num | 8 | SH72 Verifyer Code |
| 5 | SH72_DATE_LAST_MODIFIED | Num | 8 | SH72 Date record was last modified |
| 6 | SH72_TIME_LAST_MODIFIED | Num | 8 | SH72 Time record was last modified |
| 7 | SH72_EDIT_STATUS_CODE | Num | 8 | SH72 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH72_VERSNNUM | Num | 8 | SH72 Version number |
| 11 | SH72_DATE_COMPLETED | Num | 8 | Date SH72 was completed (in days from randomization) |
| 12 | SH72_SEQUENCE | Num | 8 | SH72 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH72_PERSON_CONTACTED | Num | 8 | Person contacted |
| 15 | SH72_LAST_KNOWN_ALIVE_DATE | Num | 8 | Date participant last known alive (in days from randomization) |
| 16 | SH72_STROKE | Num | 8 | Has participant had a new stroke on or before 1/18/1991? |
| 17 | SH72_STROKE_DATE | Num | 8 | Date of stroke (in days from randomization) |
| 18 | SH72_MI | Num | 8 | Has participant had a new myocardial infarction on or before 1/18/1991? |
| 19 | SH72_MI_DATE | Num | 8 | Date of myocardial infarction (in days from randomization) |
| 20 | SH72_DEATH | Num | 8 | Has participant died on or before 1/18/1991? |
| 21 | SH72_DEATH_DATE | Num | 8 | Date of death (in days from randomization) |
| 22 | SH72_COMPLETER_CODE | Num | 8 | Code of person completing SH72 |
| 23 | SH72_RECORD_TYPE | Num | 8 | SH72 Record Type |
| 24 | SH72_DATE_RECEIVED | Num | 8 | SH72 Date Tape Received from Metpath Lab |
| 25 | SH72_UPDATE_NUMBER | Num | 8 | SH72 Update Number |
| 26 | SH72_DATE_LAST_PROCESSED | Num | 8 | SH72 Date Last Processed |
| 27 | SH72_PAPER_COPY | Num | 8 | SH72 Paper Copy |

Data Set Name: sh90.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|-------------------------------|------|-----|---|
| 1 | SH90_RECORD_LENGTH | Num | 8 | SH90 Record Length |
| 2 | SH90_KEYPUNCH_CODE | Num | 8 | SH90 Keypuncher Code |
| 3 | SH90_BATCHDATE | Num | 8 | SH90 Batch Date |
| 4 | SH90_VERIFYER_CODE | Num | 8 | SH90 Verifyer Code |
| 5 | SH90_DATE_LAST_MODIFIED | Num | 8 | SH90 Date record was last modified |
| 6 | SH90_TIME_LAST_MODIFIED | Num | 8 | SH90 Time record was last modified |
| 7 | SH90_EDIT_STATUS_CODE | Num | 8 | SH90 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH90_VERSNNUM | Num | 8 | SH90 Version number |
| 11 | SH90_DATE_RCVD | Num | 8 | Date SH90 received (in days from randomization) |
| 12 | SH90_SEQUENCE | Num | 8 | SH90 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH90_INITIAL_REPORT_DATE | Num | 8 | Date of Initial Report (in days from randomization) |
| 15 | SH90_ONSET_DATE | Num | 8 | Date of Onset (in days from randomization) |
| 16 | SH90_EVENT_TYPE_STROKE | Num | 8 | Type of event, Stroke |
| 17 | SH90_EVENT_TYPE_TIA | Num | 8 | Type of event, TIA |
| 18 | SH90_EVENT_TYPE_MI | Num | 8 | Type of event, Myocardial Infarction |
| 19 | SH90_EVENT_TYPE_LVF | Num | 8 | Type of event, Left ventricular failure |
| 20 | SH90_EVENT_TYPE_OTHER | Num | 8 | Type of event, Other |
| 21 | SH90_FINAL_REPORT_DATE | Num | 8 | Date of Final Report (in days from randomization) |
| 22 | SH90_HOSPITAL_RECORDS | Num | 8 | Hospital records received? |
| 23 | SH90_CT_SCAN | Num | 8 | CT Scan received? |
| 24 | SH90_SH24 | Num | 8 | SH24 received? |
| 25 | SH90_SH27 | Num | 8 | SH27 received? |
| 26 | SH90_SH28 | Num | 8 | SH28 received? |
| 27 | SH90_DOCUMENTATION_DATE | Num | 8 | Date documentation was completed (in days from randomization) |
| 28 | SH90_CT_SCAN_CODED | Num | 8 | CT scan to be coded? |
| 29 | SH90_DATE_CT_SCAN_CODING_RCVD | Num | 8 | Date all CT coding received (in days from randomization) |
| 30 | SH90_CT_SCAN_CODING_FINAL | Num | 8 | CT coding final? |
| 31 | SH90_CT_SCAN_ADJUDICATED | Num | 8 | CT to be adjudicated? |
| 32 | SH90_DATE_CT_SCAN_ADJUDICATED | Num | 8 | Date CT adjudication completed (in days from randomization) |
| 33 | SH90_DATE_EVENT_SENT_CODERS | Num | 8 | Date event sent to coders (in days from randomization) |
| 34 | SH90_CODER_NUMBER1 | Char | 2 | Coder #1 |
| 35 | SH90_CODER_NUMBER2 | Char | 2 | Coder #2 |
| 36 | SH90_CODER_NUMBER3 | Char | 2 | Coder #3 |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 37 | SH90_DATE_RECEIVED_FROM_CODERS | Num | 8 | Date all received from coders (in days from randomization) |
| 38 | SH90_CODING_FINAL | Num | 8 | Coding final? |
| 39 | SH90_EVENT_ADJUDICATED | Num | 8 | Event to be adjudicated? |
| 40 | SH90_DATE_EVENT_ADJUDICATED | Num | 8 | Date adjudicated (in days from randomization |
| 41 | SH90_STROKE | Num | 8 | Coding Results, Stroke |
| 42 | SH90_TIA | Num | 8 | Coding Results, TIA |
| 43 | SH90_AMI | Num | 8 | Coding Results, Acute myocardial infarction |
| 44 | SH90_LVF | Num | 8 | Coding Results, Left ventricular failure |
| 45 | SH90_INDETERMINATE | Num | 8 | Coding Results, Indeterminate |
| 46 | SH90_DATE_STROKE_SUBTYPE_SENT | Num | 8 | Date stroke subtyping was sent (in days from randomization) |
| 47 | SH90_DATE_STROKE_SUBTYPE_RCVD | Num | 8 | Date stroke subtyping was received (in days from randomization) |
| 48 | SH90_STROKE_SUBTYPE_FINAL | Num | 8 | Stroke subtyping final? |
| 49 | SH90_STROKE_SUBTYPE_ADJUDICATED | Num | 8 | Stroke subtyping adjudicated? |
| 50 | SH90_DATE_SUBTYPE_ADJUDICATED | Num | 8 | Date stroke subtying was adjudicated (in days from randomization) |
| 51 | SH90_STROKE_SUBARACHNOID | Num | 8 | Stroke subtype, Subarachnoid hemorrhage |
| 52 | SH90_STROKE_INTRAPARENCHYMAL | Num | 8 | Stroke subtype, Intra parenchymal hemorrhage |
| 53 | SH90_STROKE_LACUNAR | Num | 8 | Stroke subtype, Lacunar |
| 54 | SH90_STROKE_EMBOLIC | Num | 8 | Stroke subtype, Embolic |
| 55 | SH90_STROKE_ATHEROSCLEROTIC | Num | 8 | Stroke subtype, Atherosclerotic |
| 56 | SH90_STROKE_ISCHEMIC | Num | 8 | Stroke subtype, Unknown/Ischemic |
| 57 | SH90_STROKE_TYPE_UNKNOWN | Num | 8 | Stroke subtype, Unknown type |
| 58 | SH90_EVENT_TYPE_NURSING_HOME | Num | 8 | Type of event, Admission to nursing home |
| 59 | SH90_CORONARY_BYPASS | Num | 8 | Coding Results, Coronary artery bypass surgery |
| 60 | SH90_CAROTID_ENDARTERECTOMY | Num | 8 | Coding Results, Carotid endarterectomy or carotid bypass |
| 61 | SH90_OTHER_CORONARY_PROCEDURE | Num | 8 | Coding Results, Other coronary artery procedure (including angioplasty) |
| 62 | SH90_OTHER_VASCULAR_SURGERY | Num | 8 | Coding Results, Other vascular surgery |
| 63 | SH90_ANGINA_PECTORIS | Num | 8 | Coding Results, Angina pectoris |
| 64 | SH90_VENTRICULAR_ARRHYTHMIA | Num | 8 | Coding Results, Ventricular arrhythmia |
| 65 | SH90_AORTIC_ANEURYSM | Num | 8 | Coding Results, Aortic aneurysm |
| 66 | SH90_PULMONARY_EMBOLISM | Num | 8 | Coding Results, Pulmonary embolism |
| 67 | SH90_ATRIAL_FIBRILLATION | Num | 8 | Coding Results, Atrial fibrillation |
| 68 | SH90_VALVULAR_HEART_DISEASE | Num | 8 | Coding Results, Valvular heart disease |
| 69 | SH90_CARDIOMYOPATHY | Num | 8 | Coding Results, Cardiomyopathy |
| 70 | SH90_LT_VENT_HYPERTROPHY | Num | 8 | Coding Results, Left ventricular hypertrophy |
| 71 | SH90_OTHER_CARDIOVASCULAR | Num | 8 | Coding Results, Other cardiovascular |
| 72 | SH90_RENAL_DISEASE | Num | 8 | Coding Results, Renal disease |
| 73 | SH90_DIABETES_MELLITUS | Num | 8 | Coding Results, Diabetes mellitus |
| | | | | Coding Results, Neoplastic disease |

| Num | Variable | Туре | Len | Label |
|-----|---------------------------------|------|-----|---|
| 75 | SH90_GASTROINTESTINAL_DISEASE | Num | 8 | Coding Results, Gastrointestinal disease |
| 76 | SH90_RESPIRATORY_DISEASE | Num | 8 | Coding Results, Respiratory disease |
| 77 | SH90_INFECTIOUS_DISEASE | Num | 8 | Coding Results, Infectious disease |
| 78 | SH90_ACCIDENT | Num | 8 | Coding Results, Accident/injury |
| 79 | SH90_OTHER_NON_CARDIOVASCULAR | Num | 8 | Coding Results, Other non-cardiovascular |
| 80 | SH90_IND_CORONARY_BYPASS | Num | 8 | If indeterminate, Coronary artery bypass surgery |
| 81 | SH90_IND_CAROTID_ENDARTERECTOMY | Num | 8 | If indeterminate, Carotid endarterectomy or carotid bypass |
| 82 | SH90_IND_OTHER_CORONARY_PROC | Num | 8 | If indeterminate, Other coronary artery procedure (including angioplasty) |
| 83 | SH90_IND_OTHER_VASCULAR_SURGERY | Num | 8 | If indeterminate, Other vascular surgery |
| 84 | SH90_IND_ANGINA_PECTORIS | Num | 8 | If indeterminate, Angina pectoris |
| 85 | SH90_IND_VENTRICULAR_ARRHYTHMIA | Num | 8 | If indeterminate, Ventricular arrhythmia |
| 86 | SH90_IND_AORTIC_ANEURYSM | Num | 8 | If indeterminate, Aortic aneurysm |
| 87 | SH90_IND_PULMONARY_EMBOLISM | Num | 8 | If indeterminate, Pulmonary embolism |
| 88 | SH90_IND_ATRIAL_FIBRILLATION | Num | 8 | If indeterminate, Atrial fibrillation |
| 89 | SH90_IND_VALVULAR_HEART_DISEASE | Num | 8 | If indeterminate, Valvular heart disease |
| 90 | SH90_IND_CARDIOMYOPATHY | Num | 8 | If indeterminate, Cardiomyopathy |
| 91 | SH90_IND_LT_VENT_HYPERTROPHY | Num | 8 | If indeterminate, Left ventricular hypertrophy |
| 92 | SH90_IND_OTHER_CARDIOVASCULAR | Num | 8 | If indeterminate, Other cardiovascular |
| 93 | SH90_IND_RENAL_DISEASE | Num | 8 | If indeterminate, Renal disease |
| 94 | SH90_IND_DIABETES_MELLITUS | Num | 8 | If indeterminate, Diabetes mellitus |
| 95 | SH90_IND_NEOPLASTIC_DISEASE | Num | 8 | If indeterminate, Neoplastic disease |
| 96 | SH90_IND_GASTROINTESTINAL_DIS | Num | 8 | If indeterminate, Gastrointestinal disease |
| 97 | SH90_IND_RESPIRATORY_DISEASE | Num | 8 | If indeterminate, Respiratory disease |
| 98 | SH90_IND_INFECTIOUS_DISEASE | Num | 8 | If indeterminate, Infectious disease |
| 99 | SH90_IND_ACCIDENT | Num | 8 | If indeterminate, Accident/injury |
| 100 | SH90_IND_OTHER_NON_CARDIOVASC | Num | 8 | If indeterminate, Other non-cardiovascular |
| 101 | SH90_IND_INDETERMINATE | Num | 8 | If indeterminate, Indeterminate |
| 102 | SH90_ANGIOPLASTY | Num | 8 | Other coronary artery procedure, Angioplasty |
| 103 | SH90_CATHETERIZATION | Num | 8 | Other coronary artery procedure, Catheterization |
| 104 | SH90_OTHER_CORONARY_PROC | Num | 8 | Other coronary artery procedure, Other |
| 105 | SH90_CANCER_SITE1 | Num | 8 | Neoplastic disease, Cancer primary site #1 |
| 106 | SH90_CANCER_SITE2 | Num | 8 | Neoplastic disease, Cancer primary site #2 |
| 107 | SH90_CANCER_SITE3 | Num | 8 | Neoplastic disease, Cancer primary site #3 |

Data Set Name: sh91.sas7bdat

| Num | Variable | Туре | Len | Label |
|-----|--------------------------------|------|-----|---|
| 1 | SH91_RECORD_LENGTH | Num | 8 | SH91 Record Length |
| 2 | SH91_KEYPUNCH_CODE | Num | 8 | SH91 Keypuncher Code |
| 3 | SH91_BATCHDATE | Num | 8 | SH91 Batch Date |
| 4 | SH91_VERIFYER_CODE | Num | 8 | SH91 Verifyer Code |
| 5 | SH91_DATE_LAST_MODIFIED | Num | 8 | SH91 Date record was last modified |
| 6 | SH91_TIME_LAST_MODIFIED | Num | 8 | SH91 Time record was last modified |
| 7 | SH91_EDIT_STATUS_CODE | Num | 8 | SH91 Edit status code |
| 8 | SHEPID | Num | 8 | SHEP ID |
| 9 | FORMNUM | Num | 8 | Form number |
| 10 | SH91_VERSNNUM | Num | 8 | SH91 Version number |
| 11 | SH91_FORM_DATE | Num | 8 | Date SH91 form was completed (in days from randomization) |
| 12 | SH91_SEQUENCE | Num | 8 | SH91 sequence number |
| 13 | ACROSTIC | Num | 8 | Acrostic |
| 14 | SH91_INITIAL_REPORT_DATE | Num | 8 | Date of Initial Report (SH22) (in days from randomization) |
| 15 | SH91_DEATH_DATE | Num | 8 | Date of death (in days from randomization) |
| 16 | SH91_FINAL_REPORT_DATE | Num | 8 | Date of Final Report (SH23) (in days from randomization) |
| 17 | SH91_DEATH_CERTIFICATE | Num | 8 | Death certificate received? |
| 18 | SH91_AUTOPSY_REPORT | Num | 8 | Autopsy report received? |
| 19 | SH91_HOSPITAL_RECORDS | Num | 8 | Hospital records received? |
| 20 | SH91_CT_SCAN | Num | 8 | CT scan received? |
| 21 | SH91_SH25 | Num | 8 | SH25 received? |
| 22 | SH91_SH26 | Num | 8 | SH26 received? |
| 23 | SH91_DOCUMENTATION_DATE | Num | 8 | Date documentation was completed (in days from randomization) |
| 24 | SH91_CT_SCAN_CODED | Num | 8 | CT scan to be coded? |
| 25 | SH91_DATE_CT_SCAN_CODING_RCVD | Num | 8 | Date all CT coding received (in days from randomization) |
| 26 | SH91_CT_SCAN_CODING_FINAL | Num | 8 | CT coding final? |
| 27 | SH91_CT_SCAN_ADJUDICATED | Num | 8 | CT to be adjudicated? |
| 28 | SH91_DATE_CT_SCAN_ADJUDICATED | Num | 8 | Date CT adjudication completed (in days from randomization) |
| 29 | SH91_DATE_EVENT_SENT_CODERS | Num | 8 | Date event sent to coders (in days from randomization) |
| 30 | SH91_CODER_NUMBER1 | Char | 2 | Coder #1 |
| 31 | SH91_CODER_NUMBER2 | Char | 2 | Coder #2 |
| 32 | SH91_CODER_NUMBER3 | Char | 2 | Coder #3 |
| 33 | SH91_DATE_RECEIVED_FROM_CODERS | Num | 8 | Date all received from coders (in days from randomization) |
| 34 | SH91_CODING_FINAL | Num | 8 | Coding final? |
| 35 | SH91_CAUSE_ADJUDICATED | Num | 8 | Cause to be adjudicated? |
| 36 | SH91_DATE_CAUSE_ADJUDICATED | Num | 8 | Date death cause was adjudicated (in days from randomization) |

| Num | Variable | Туре | Len | Label |
|-----|----------------------------------|------|-----|---|
| 37 | SH91_DEATH_CAUSE_STROKE | Num | 8 | Cause of death, Stroke |
| 38 | SH91_DEATH_CAUSE_SUDDEN_DEATH | Num | 8 | Cause of death, Sudden death (<1 hr) |
| 39 | SH91_DEATH_CAUSE_RAPID_DEATH | Num | 8 | Cause of death, Rapid death (1-24 hrs) |
| 40 | SH91_DEATH_CAUSE_MI | Num | 8 | Cause of death, Myocardial infarction |
| 41 | SH91_DEATH_CAUSE_LVF | Num | 8 | Cause of death, Left ventricular failure |
| 42 | SH91_DEATH_CAUSE_INDETERMINATE | Num | 8 | Cause of death, Indeterminate |
| 43 | SH91_DATE_STROKE_SUBTYPE_SENT | Num | 8 | Date stroke subtyping was sent (in days from randomization) |
| 44 | SH91_DATE_STROKE_SUBTYPE_RCVD | Num | 8 | Date stroke subtyping was received (in days from randomization) |
| 45 | SH91_STROKE_SUBTYPE_FINAL | Num | 8 | Stroke subtyping final? |
| 46 | SH91_STROKE_SUBTYPE_ADJUDICATED | Num | 8 | Stroke subtyping adjudicated? |
| 47 | SH91_DATE_SUBTYPE_ADJUDICATED | Num | 8 | Date stroke subtying was adjudicated (in days from randomization) |
| 48 | SH91_STROKE_SUBARACHNOID | Num | 8 | Stroke subtype, Subarachnoid hemorrhage |
| 49 | SH91_STROKE_INTRAPARENCHYMAL | Num | 8 | Stroke subtype, Intra parenchymal hemorrhage |
| 50 | SH91_STROKE_LACUNAR | Num | 8 | Stroke subtype, Lacunar |
| 51 | SH91_STROKE_EMBOLIC | Num | 8 | Stroke subtype, Embolic |
| 52 | SH91_STROKE_ATHEROSCLEROTIC | Num | 8 | Stroke subtype, Atherosclerotic |
| 53 | SH91_STROKE_ISCHEMIC | Num | 8 | Stroke subtype, Unknown/Ischemic |
| 54 | SH91_STROKE_TYPE_UNKNOWN | Num | 8 | Stroke subtype, Unknown type |
| 55 | SH91_DEATH_CAUSE_OTHER_CARDIO | Num | 8 | Cause of death, Other cardiovascular |
| 56 | SH91_DEATH_CAUSE_RENAL | Num | 8 | Cause of death, Renal disease |
| 57 | SH91_DEATH_CAUSE_DIABETES | Num | 8 | Cause of death, Diabetes mellitus |
| 58 | SH91_DEATH_CAUSE_NEOPLASTIC | Num | 8 | Cause of death, Neoplastic disease |
| 59 | SH91_DEATH_CAUSE_GASTROINTEST | Num | 8 | Cause of death, Gastrointestinal disease |
| 60 | SH91_DEATH_CAUSE_RESPIRATORY | Num | 8 | Cause of death, Respiratory disease |
| 61 | SH91_DEATH_CAUSE_INFECTIOUS | Num | 8 | Cause of death, Infectious disease |
| 62 | SH91_DEATH_CAUSE_ACCIDENT | Num | 8 | Cause of death, Accident, suicide, or homicide |
| 63 | SH91_DEATH_CAUSE_OTHER_NONCARDIO | Num | 8 | Cause of death, Other non-cardiovascular |
| 64 | SH91_ICDA_CODE | Num | 8 | Cause of death, ICDA code |
| 65 | SH91_CANCER_SITE1 | Num | 8 | Neoplastic disease, Cancer primary site #1 |
| 66 | SH91_CANCER_SITE2 | Num | 8 | Neoplastic disease, Cancer primary site #2 |
| 67 | SH91_CANCER_SITE3 | Num | 8 | Neoplastic disease, Cancer primary site #3 |