


**Reported Primary and Secondary (P&S) Syphilis  
New York City 1940-2010\***



\*Reported cases include males, females, and cases with unknown sex; 2010 rate based on preliminary 2010 data which have been annualized.

**Table of Contents: 2<sup>nd</sup> quarter 2010**

Overall quarterly information.....	2
<i>Chlamydia trachomatis</i> case rates by age and sex.....	3
<i>Neisseria gonorrhoeae</i> case rates by age and sex.....	4
<i>Chlamydia trachomatis</i> by neighborhood.....	5 - 6
<i>Neisseria gonorrhoeae</i> by neighborhood.....	7 - 8
Adolescent & young adult <i>Chlamydia trachomatis</i> trends.....	9
Adolescent & young adult <i>Neisseria gonorrhoeae</i> trends.....	9
Adolescent <i>Chlamydia trachomatis</i> by STD clinic.....	10
Young adult <i>Chlamydia trachomatis</i> by STD clinic.....	11
Adolescent <i>Neisseria gonorrhoeae</i> by STD clinic.....	12
Young adult <i>Neisseria gonorrhoeae</i> by STD clinic.....	13
HIV testing in NYC STD clinics.....	14
Neonatal herpes cases by sex, and by HSV type.....	15
Clinic visit information.....	15
Primary & Secondary and congenital syphilis trends.....	16
Fluoroquinolone-resistant <i>Neisseria gonorrhoeae</i> .....	17
Syphilis seroreactivity among persons attending STD clinics.....	17
<i>Chlamydia trachomatis</i> cases by sex, and provider type.....	18
<i>Neisseria gonorrhoeae</i> cases by sex, and provider type.....	19
Primary & Secondary syphilis by neighborhood (map).....	20
<i>Chlamydia trachomatis</i> by neighborhood (map).....	21
<i>Neisseria gonorrhoeae</i> by neighborhood (map).....	22
List of STD clinics/ Citation information.....	23

Article 11 of the New York City Health Code requires that physicians and laboratories report the following diseases to the Bureau of STD Control:

- **Chlamydia** (*Chlamydia trachomatis*)
- **Gonorrhea** (*Neisseria gonorrhoeae*)
- **Syphilis** (*Treponema pallidum*)
- **Chancroid** (*Haemophilus ducreyi*)
- **Granuloma inguinal** (*Klebsiella granulomatis*)
- **Lymphogranuloma venereum/LGV** (*Chlamydia trachomatis* L1, L2, L3)
- **Neonatal herpes** (*herpes simplex virus*)

**Table 1. Cumulative cases of sexually transmitted diseases reported to the New York City Department of Health and Mental Hygiene (NYC DOHMH) Bureau of STD Control (BSTDC) through 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010) and 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009), and number and case rate per 100,000 population for full year 2009.**

	2010 through 2 <sup>nd</sup> Quarter	2009 through 2 <sup>nd</sup> Quarter	2009 Full Year	
	N	N	N	Case Rate/100,000
<b>Chlamydia<sup>1</sup></b>	<b>31307</b>	<b>28877</b>	<b>58353</b>	<b>697.69</b>
Female	21160	19711	39888	913.08
Male	10030	9158	18449	461.78
<b>Gonorrhea<sup>1</sup></b>	<b>5825</b>	<b>5273</b>	<b>10898</b>	<b>130.30</b>
Female	2554	2292	4691	107.38
Male	3257	2978	6202	155.24
<b>P&amp;S Syphilis<sup>1</sup></b>	<b>461</b>	<b>540</b>	<b>1056</b>	<b>12.63</b>
Female	14	26	48	1.10
Male	447	514	1008	25.23
<b>Early Latent Syphilis<sup>1</sup></b>	<b>603</b>	<b>557</b>	<b>1134</b>	<b>13.56</b>
Female	67	66	110	2.52
Male	536	491	1024	25.63
<b>Late latent Syphilis<sup>1,2</sup></b>	<b>948</b>	<b>904</b>	<b>1740</b>	<b>20.80</b>
Female	227	242	409	9.36
Male	721	662	1331	33.31
<b>Neurosyphilis<sup>1,3</sup></b>	<b>16</b>	<b>15</b>	<b>26</b>	<b>0.31</b>
Female	1	2	2	0.05
Male	15	13	24	0.60
<b>Tertiary Syphilis<sup>1</sup></b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>
Female	0	0	0	0.00
Male	0	0	0	0.00
<b>Congenital Syphilis<sup>1,4</sup></b>	<b>4</b>	<b>8</b>	<b>11</b>	<b>9.41</b>
<b>Chancroid</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>
Female	0	0	0	0.00
Male	0	0	0	0.00
<b>Granuloma Inguinale</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0.00</b>
Female	0	0	0	0.00
Male	0	0	0	0.00
<b>Lymphogranuloma Venereum</b>	<b>36</b>	<b>42</b>	<b>73</b>	<b>0.87</b>
Female	0	0	0	0.00
Male	36	42	73	1.83
<b>Neonatal Herpes<sup>4</sup></b>	<b>9</b>	<b>8</b>	<b>14</b>	<b>11.97</b>
Female	4	3	6	10.56
Male	5	5	8	13.31

<sup>1</sup> Total case numbers and case rates include cases with unknown sex in addition to males and females


<sup>2</sup> Includes 'Latent syphilis of unknown duration'; N=168 (through 2<sup>nd</sup> quarter 2010); 159 (through 2<sup>nd</sup> quarter 2009); 293 (full year 2009).

NOTE: Beginning in 2005, NYC adopted the Centers for Disease Control and Prevention surveillance case definitions. A category of late latent syphilis previously defined as a syphilis treponemal titer  $\geq 1:32$  among persons aged 13-45 was redefined as a syphilis treponemal titer  $\geq 1:32$  among persons ages 13-35.

<sup>3</sup> In 2005, CDC changed the requirements for how neurosyphilis should be reported from local and state health departments. Prior to 2005, a diagnosis of neurosyphilis could not be given in conjunction with another syphilis diagnosis (ie. neurosyphilis was a 'stand-alone' diagnosis). Beginning in 2005, syphilis of all stages is classified with respect to the presence or absence of neurologic involvement. Neurosyphilis cases reported in 2005 and thereafter, are, therefore, among syphilis cases of all stages.

<sup>4</sup> Case rates calculated using previous year's live births as denominator.


**Figure 1a. Chlamydia reported to the NYC DOHMH. Case rates (per 100,000 population) by age and sex\*, full year 2009.**



\*Excludes persons reported without information on sex or age.

Note: Because the majority of Chlamydia trachomatis infections are asymptomatic, sex-specific differences in reported chlamydia case numbers and case rates may be largely explained by the fact that females are more commonly screened than males.

**Figure 1b. Gonorrhea reported to the NYC DOHMH. Case rates (per 100,000 population) by age and sex\*, full year 2009.**



\*Excludes persons reported without information on sex or age.

Note: Gonorrhea infection detected at more than one anatomic site from the same person at the same time is counted as a single case of gonorrhea.

**Table 2.1. *Chlamydia trachomatis* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old female persons, full year 2009, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group<sup>1</sup>, and neighborhood<sup>2</sup>.**

	Citywide <i>Chlamydia trachomatis</i> , Female														
	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>
<b>BRONX</b>	<b>12056</b>	<b>1624</b>		<b>5029</b>	<b>8723</b>		<b>3626</b>	<b>6632</b>		<b>1620</b>	<b>3010</b>		<b>705</b>	<b>1368</b>	
Crotona	2648	2336	1	1103	11359	1	819	8926	1	345	3843	1	134	1641	2
Fordham	1957	1428	10	748	6747	12	626	5451	11	284	2561	13	128	1248	11
Kingsbridge	291	619	21	100	3458	22	92	3219	20	51	1730	20	15	509	23
Morrisania	2069	1863	3	879	9230	6	624	7274	4	265	3171	8	124	1592	4
Mott Haven	1391	1930	2	626	9675	3	378	6643	7	176	3493	2	73	1530	6
Northeast Bronx	1632	1572	7	671	9616	4	496	7832	2	224	3461	3	98	1512	7
Pelham	1724	1090	14	728	6625	14	502	4756	17	248	2268	17	108	972	15
Unknown Neighborhood	344			174			89			27			25		
<b>BROOKLYN</b>	<b>13186</b>	<b>978</b>		<b>4566</b>	<b>5100</b>		<b>4265</b>	<b>4488</b>		<b>2025</b>	<b>2131</b>		<b>886</b>	<b>952</b>	
Bensonhurst	254	234	38	43	839	39	79	1365	35	44	607	39	33	402	28
Borough Park	448	256	36	114	946	38	139	1240	37	73	671	38	47	438	26
Canarsie	1174	1085	15	429	6057	16	354	5209	13	176	2700	11	82	1180	14
Coney Island	613	384	30	189	2079	31	190	2174	27	100	1168	27	37	407	27
Crown Heights	2944	1689	6	1111	8699	7	932	6646	6	433	3358	4	190	1616	3
Downtown Heights	666	569	25	249	4416	19	215	2433	24	98	803	33	36	290	36
East Flatbush	2556	1495	9	880	7153	10	859	6485	8	384	3219	7	161	1553	5
East New York	1693	1759	4	643	8179	8	576	7595	3	222	3354	5	110	1669	1
Greenpoint	259	380	31	49	983	37	90	1603	34	70	1246	26	24	482	24
Sunset Park	487	772	18	115	2745	25	150	3275	19	113	2278	16	38	795	19
Williamsburg	1467	1369	11	546	6485	15	476	5530	10	226	2973	9	93	1295	10
Unknown Neighborhood	625			198			205			86			35		
<b>MANHATTAN</b>	<b>6584</b>	<b>776</b>		<b>2291</b>	<b>5919</b>		<b>2045</b>	<b>3626</b>		<b>1120</b>	<b>1687</b>		<b>450</b>	<b>526</b>	
Central Harlem	1333	1744	5	528	9842	2	416	6804	5	191	3226	6	74	1297	9
Chelsea	447	668	20	180	7993	9	121	2692	22	71	1120	29	25	301	35
East Harlem	853	1528	8	361	9616	4	260	6154	9	109	2940	10	42	1191	12
Gramercy Park	198	270	35	41	2268	30	54	990	39	51	727	35	29	317	32
Greenwich Village	193	418	28	25	1838	32	74	2313	26	55	1383	24	15	270	37
Lower Manhattan	109	594	23	21	2270	29	37	2382	25	26	1847	19	19	905	17
Union Square	659	591	24	232	3627	21	173	2160	28	116	1399	23	49	457	25
Upper East Side	178	132	41	25	761	41	63	1041	38	54	504	40	18	111	40
Upper West Side	384	297	33	140	2893	24	117	1688	32	64	683	37	24	167	39
Washington Heights	1608	1190	12	601	6890	11	521	5028	15	247	2563	12	88	892	18
Unknown Neighborhood	622			137			209			136			67		
<b>QUEENS</b>	<b>7205</b>	<b>611</b>		<b>2266</b>	<b>3262</b>		<b>2379</b>	<b>3117</b>		<b>1146</b>	<b>1577</b>		<b>550</b>	<b>655</b>	
Astoria	459	416	29	135	2334	28	142	1621	33	102	1126	28	37	376	29
Bayside	76	163	39	20	800	40	18	886	41	15	727	35	10	329	31
Flushing	352	246	37	70	992	36	96	1314	36	63	802	34	31	302	34
Forest Hills	353	285	34	81	1278	34	129	1874	31	65	878	32	29	313	33
Fresh Meadows	151	306	32	36	1296	33	56	2018	30	26	972	31	8	241	38
Jamaica	1774	1152	13	700	6730	13	597	5293	12	220	2410	15	110	1183	13
Rockaway	574	983	16	229	5951	17	197	5079	14	65	2076	18	46	1367	8
Southeast Queens	922	868	17	317	4574	18	327	4830	16	140	2429	14	58	918	16
Southwest Queens	766	547	26	247	2668	26	248	2630	23	122	1428	22	53	519	22
West Queens	1509	609	22	366	2512	27	491	2854	21	289	1697	21	145	759	21
Unknown Neighborhood	269			65			78			39			23		
<b>STATEN ISLAND</b>	<b>857</b>	<b>343</b>		<b>353</b>	<b>2048</b>		<b>253</b>	<b>1554</b>		<b>120</b>	<b>765</b>		<b>47</b>	<b>289</b>	
Port Richmond	283	745	19	123	4105	20	91	3332	18	34	1317	25	20	782	20
South Beach	94	96	42	23	358	42	26	435	42	27	486	41	2	32	42
Stapleton	350	518	27	146	3040	23	100	2096	29	47	1000	30	17	372	30
Willowbrook	72	154	40	30	996	35	26	929	40	8	281	42	2	69	41
Unknown Neighborhood	58			31			10			4			6		
<b>TOTAL NYC</b>	<b>39888</b>	<b>913</b>		<b>14505</b>	<b>5321</b>		<b>12568</b>	<b>4208</b>		<b>6031</b>	<b>1987</b>		<b>2638</b>	<b>799</b>	

<sup>1</sup> Does not include cases with unknown sex or age;

<sup>2</sup> Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).

<sup>3</sup> Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

**Table 2.2. *Chlamydia trachomatis* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old male persons, full year 2009, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group<sup>1</sup>, and neighborhood<sup>2</sup>.**

Citywide *Chlamydia trachomatis*, Male

	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>
<b>BRONX</b>	<b>5118</b>	<b>795</b>		<b>1506</b>	<b>2598</b>		<b>1796</b>	<b>3681</b>		<b>883</b>	<b>1794</b>		<b>401</b>	<b>896</b>	
Crotona	863	872	4	286	2966	3	278	3565	7	130	1703	8	71	1017	6
Fordham	793	648	14	242	2222	13	243	2365	17	126	1182	19	73	798	13
Kingsbridge	100	255	25	25	870	22	34	1323	22	17	606	27	7	250	31
Morrisania	828	872	4	262	2768	6	309	4214	2	119	1652	9	52	821	11
Mott Haven	550	856	6	231	3472	2	155	2985	11	78	1595	13	25	610	18
Northeast Bronx	591	698	11	154	2227	12	204	3632	6	112	2008	6	51	967	7
Pelham	1279	917	3	258	2238	11	532	5317	1	290	2774	2	115	1139	5
Unknown Neighborhood	114			48			41			11			7		
<b>BROOKLYN</b>	<b>5507</b>	<b>456</b>		<b>1302</b>	<b>1403</b>		<b>1787</b>	<b>1964</b>		<b>1103</b>	<b>1199</b>		<b>535</b>	<b>615</b>	
Bensonhurst	90	89	37	12	213	38	22	361	40	19	274	40	14	169	37
Borough Park	140	82	39	23	169	39	32	261	42	35	319	37	16	145	38
Canarsie	532	585	16	140	1943	16	199	3099	9	85	1430	17	38	680	15
Coney Island	235	161	32	44	433	35	81	890	28	52	634	26	23	262	30
Crown Heights	1365	978	2	366	2926	5	425	3700	5	259	2268	4	125	1358	1
Downtown Heights	339	312	23	56	969	21	105	1224	26	75	653	25	35	293	28
East Flatbush	1046	749	9	207	1710	18	358	3065	10	235	2097	5	103	1189	3
East New York	666	803	7	183	2419	10	226	3531	8	118	1931	7	63	1143	4
Greenpoint	167	246	26	26	475	33	39	657	34	49	818	23	34	638	16
Sunset Park	100	154	33	21	458	34	31	612	36	19	324	36	11	191	35
Williamsburg	637	667	13	173	2121	14	213	2667	15	127	1624	11	58	849	10
Unknown Neighborhood	190			51			56			30			15		
<b>MANHATTAN</b>	<b>3931</b>	<b>505</b>		<b>652</b>	<b>1801</b>		<b>1080</b>	<b>2269</b>		<b>835</b>	<b>1387</b>		<b>474</b>	<b>600</b>	
Central Harlem	695	1045	1	167	2952	4	211	4011	4	145	2721	3	66	1274	2
Chelsea	499	675	12	60	3548	1	55	1597	19	88	1462	16	84	882	9
East Harlem	376	738	10	107	2596	8	131	2969	12	64	1535	14	23	595	19
Gramercy Park	162	256	24	7	575	28	29	820	30	43	762	24	25	329	27
Greenwich Village	361	750	8	35	2752	7	111	4156	3	105	2787	1	53	947	8
Lower Manhattan	73	388	20	4	544	30	18	1102	27	25	1597	12	11	486	21
Union Square	337	320	22	39	673	25	91	1293	24	73	913	21	52	486	21
Upper East Side	118	106	36	14	496	32	25	613	35	28	360	33	22	184	36
Upper West Side	250	216	30	33	816	23	72	1393	21	40	515	30	24	197	34
Washington Heights	727	583	17	150	1695	19	245	2366	16	149	1469	15	71	696	14
Unknown Neighborhood	333			36			92			75			43		
<b>QUEENS</b>	<b>3549</b>	<b>315</b>		<b>987</b>	<b>1352</b>		<b>1138</b>	<b>1461</b>		<b>621</b>	<b>796</b>		<b>350</b>	<b>408</b>	
Astoria	253	225	29	33	538	31	60	666	33	56	562	29	44	394	23
Bayside	35	81	40	6	226	37	11	528	37	8	404	32	3	113	39
Flushing	113	85	38	12	162	40	37	513	38	12	158	42	10	106	40
Forest Hills	143	126	34	22	335	36	45	679	31	25	350	34	20	229	33
Fresh Meadows	57	126	34	17	564	29	18	678	32	7	291	38	8	281	29
Jamaica	798	591	15	204	1998	15	285	2847	13	145	1639	10	69	804	12
Rockaway	177	345	21	53	1344	20	60	1771	18	27	944	20	18	626	17
Southeast Queens	453	485	18	126	1914	17	171	2720	14	77	1382	18	30	549	20
Southwest Queens	266	197	31	55	581	27	79	861	29	43	493	31	38	379	25
West Queens	1137	431	19	436	2564	9	337	1571	20	193	841	22	91	378	26
Unknown Neighborhood	117			23			35			28			19		
<b>STATEN ISLAND</b>	<b>344</b>	<b>145</b>		<b>77</b>	<b>414</b>		<b>131</b>	<b>786</b>		<b>50</b>	<b>342</b>		<b>33</b>	<b>202</b>	
Port Richmond	85	237	28	21	661	26	35	1306	23	15	587	28	6	246	32
South Beach	56	59	42	8	110	42	21	332	41	10	196	41	6	95	41
Stapleton	153	240	27	35	698	24	59	1254	25	15	330	35	18	382	24
Willowbrook	31	71	41	4	127	41	13	440	39	7	287	39	2	69	42
Unknown Neighborhood	19			9			3			3			1		
<b>TOTAL NYC</b>	<b>18449</b>	<b>462</b>		<b>4524</b>	<b>1624</b>		<b>5932</b>	<b>2104</b>		<b>3492</b>	<b>1187</b>		<b>1793</b>	<b>573</b>	

<sup>1</sup> Does not include cases with unknown sex or age;

<sup>2</sup> Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).

<sup>3</sup> Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

**Table 3.1. *Neisseria gonorrhoeae* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old female persons, full year 2009, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group<sup>1</sup>, and neighborhood<sup>2</sup>.**

	Citywide <i>Neisseria gonorrhoeae</i> , Female														
	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>
<b>BRONX</b>	<b>1525</b>	<b>205</b>		<b>598</b>	<b>1037</b>		<b>460</b>	<b>841</b>		<b>194</b>	<b>360</b>		<b>88</b>	<b>171</b>	
Crotona	350	309	1	133	1370	3	106	1155	1	52	579	1	24	294	1
Fordham	194	142	12	61	550	19	65	566	15	25	225	16	13	127	15
Kingsbridge	31	66	21	10	346	24	8	280	21	6	204	18	2	68	19
Morrisania	260	234	6	104	1092	10	78	909	7	25	299	10	15	193	8
Mott Haven	213	295	2	86	1329	5	59	1037	4	26	516	2	10	210	5
Northeast Bronx	233	224	7	103	1476	2	69	1090	3	26	402	6	11	170	10
Pelham	192	121	14	77	701	13	61	578	14	29	265	14	10	90	18
Unknown Neighborhood	52			24			14			5			3		
<b>BROOKLYN</b>	<b>1596</b>	<b>118</b>		<b>593</b>	<b>662</b>		<b>521</b>	<b>548</b>		<b>212</b>	<b>223</b>		<b>112</b>	<b>120</b>	
Bensonhurst	8	7	41	0	0	41	4	69	38	0	0	41	3	37	27
Borough Park	27	15	38	6	50	38	11	98	34	5	46	33	2	19	33
Canarsie	129	119	15	43	607	15	41	603	13	18	276	13	13	187	9
Coney Island	47	29	31	14	154	31	12	137	30	14	164	20	5	55	22
Crown Heights	469	269	3	189	1480	1	159	1134	2	54	419	5	23	196	6
Downtown Heights	94	80	19	32	567	18	31	351	19	14	115	25	7	56	21
East Flatbush	280	164	10	97	788	12	99	747	10	29	243	15	22	212	4
East New York	240	249	4	101	1285	6	72	949	6	34	514	3	16	243	2
Greenpoint	20	29	31	8	161	29	2	36	39	6	107	26	2	40	26
Sunset Park	13	21	33	2	48	39	4	87	35	2	40	35	1	21	31
Williamsburg	170	159	11	67	796	11	55	639	12	23	303	9	10	139	14
Unknown Neighborhood	99			34			31			13			8		
<b>MANHATTAN</b>	<b>737</b>	<b>87</b>		<b>271</b>	<b>700</b>		<b>223</b>	<b>395</b>		<b>100</b>	<b>151</b>		<b>42</b>	<b>49</b>	
Central Harlem	190	249	4	72	1342	4	60	981	5	23	388	8	8	140	13
Chelsea	60	90	18	27	1199	8	20	445	16	3	47	32	2	24	30
East Harlem	120	215	8	44	1172	9	38	899	8	19	513	4	6	170	10
Gramercy Park	27	37	27	7	387	23	13	238	23	2	29	38	1	11	35
Greenwich Village	17	37	27	4	294	26	1	31	41	7	176	19	1	18	34
Lower Manhattan	10	54	23	3	324	25	5	322	20	1	71	29	1	48	24
Union Square	80	72	20	38	594	16	15	187	26	12	145	22	7	65	20
Upper East Side	19	14	39	2	61	37	7	116	31	2	19	40	0	0	38
Upper West Side	51	39	26	21	434	21	15	216	25	4	43	34	1	7	37
Washington Heights	125	93	17	41	470	20	37	357	18	21	218	17	12	122	16
Unknown Neighborhood	38			12			12			6			3		
<b>QUEENS</b>	<b>752</b>	<b>64</b>		<b>272</b>	<b>392</b>		<b>225</b>	<b>295</b>		<b>105</b>	<b>145</b>		<b>58</b>	<b>69</b>	
Astoria	38	34	30	9	156	30	16	183	27	2	22	39	5	51	23
Bayside	0	0	42	0	0	41	0	0	42	0	0	41	0	0	38
Flushing	27	19	34	6	85	35	6	82	37	5	64	30	3	29	29
Forest Hills	23	19	34	7	110	34	7	102	33	4	54	31	1	11	35
Fresh Meadows	9	18	36	2	72	36	5	180	28	1	37	36	0	0	38
Jamaica	283	184	9	128	1231	7	77	683	11	36	394	7	18	194	7
Rockaway	76	130	13	22	572	17	30	773	9	9	287	11	8	238	3
Southeast Queens	107	101	16	45	649	14	28	414	17	16	278	12	9	142	12
Southwest Queens	68	49	24	18	194	27	26	276	22	9	105	27	2	20	32
West Queens	86	35	29	20	137	32	20	116	31	20	117	23	9	47	25
Unknown Neighborhood	35			15			10			3			3		
<b>STATEN ISLAND</b>	<b>81</b>	<b>32</b>		<b>34</b>	<b>197</b>		<b>23</b>	<b>141</b>		<b>16</b>	<b>102</b>		<b>5</b>	<b>31</b>	
Port Richmond	23	61	22	13	434	21	4	146	29	3	116	24	3	117	17
South Beach	13	13	40	3	47	40	5	84	36	5	90	28	0	0	38
Stapleton	29	43	25	9	187	28	11	231	24	7	149	21	0	0	38
Willowbrook	8	17	37	4	133	33	1	36	39	1	35	37	1	35	28
Unknown Neighborhood	8			5			2			0			1		
<b>TOTAL NYC</b>	<b>4691</b>	<b>107</b>		<b>1768</b>	<b>649</b>		<b>1452</b>	<b>486</b>		<b>627</b>	<b>207</b>		<b>305</b>	<b>92</b>	

<sup>1</sup> Does not include cases with unknown sex or age;

<sup>2</sup> Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).

<sup>3</sup> Neighborhoods ranked from highest case rate (1) to lowest case rate (42).

NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.

**Table 3.2. *Neisseria gonorrhoeae* infections among all-ages, 15-19, 20-24, 25-29 and 30-34 years old male persons, full year 2009, reported to the NYC DOHMH. Case numbers and case rates (per 100,000 population) by sex, age group<sup>1</sup>, and neighborhood<sup>2</sup>.**

	Citywide <i>Neisseria gonorrhoeae</i> , Male														
	All-ages			15-19 years old			20-24 years old			25-29 years old			30-34 years old		
	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>	N	Rate	Rank <sup>3</sup>
<b>BRONX</b>	<b>1503</b>	<b>233</b>		<b>306</b>	<b>528</b>		<b>497</b>	<b>1019</b>		<b>288</b>	<b>585</b>		<b>141</b>	<b>315</b>	
Crotona	311	314	4	71	736	5	106	1359	2	55	721	6	33	473	4
Fordham	254	208	14	47	432	15	74	720	17	43	403	19	31	339	10
Kingsbridge	31	79	29	3	104	29	10	389	24	5	178	30	1	36	38
Morrisania	243	256	7	45	475	13	93	1268	5	48	666	8	19	300	13
Mott Haven	162	252	8	42	631	7	42	809	14	36	736	5	10	244	15
Northeast Bronx	201	237	10	44	636	6	68	1211	7	35	628	10	22	417	8
Pelham	270	194	15	43	373	16	97	970	11	58	555	15	24	238	16
Unknown Neighborhood	31			11			7			8			1		
<b>BROOKLYN</b>	<b>1918</b>	<b>159</b>		<b>324</b>	<b>349</b>		<b>566</b>	<b>622</b>		<b>433</b>	<b>471</b>		<b>230</b>	<b>264</b>	
Bensonhurst	20	20	38	1	18	40	3	49	41	7	101	36	4	48	37
Borough Park	45	26	37	4	29	37	18	147	36	6	55	39	3	27	40
Canarsie	140	154	18	24	333	18	48	747	16	35	589	13	12	215	20
Coney Island	64	44	33	13	128	27	18	198	34	10	122	33	8	91	31
Crown Heights	565	405	3	97	776	3	148	1289	3	129	1130	3	73	793	1
Downtown Heights	144	133	21	17	294	19	35	408	23	34	296	25	16	134	26
East Flatbush	332	238	9	44	363	17	104	890	12	78	696	7	41	473	4
East New York	243	293	5	62	820	2	81	1265	6	51	835	4	19	345	9
Greenpoint	60	88	27	4	73	33	12	202	33	22	367	22	9	169	24
Sunset Park	19	29	36	1	22	39	4	79	39	6	102	35	5	87	33
Williamsburg	214	224	12	39	478	12	69	864	13	39	499	16	35	513	3
Unknown Neighborhood	72			18			26			16			5		
<b>MANHATTAN</b>	<b>1617</b>	<b>208</b>		<b>140</b>	<b>387</b>		<b>365</b>	<b>767</b>		<b>345</b>	<b>573</b>		<b>229</b>	<b>290</b>	
Central Harlem	306	460	1	43	760	4	77	1464	1	72	1351	1	39	753	2
Chelsea	307	415	2	15	887	1	44	1278	4	70	1163	2	40	420	7
East Harlem	140	275	6	20	485	10	48	1088	9	25	600	12	13	337	11
Gramercy Park	64	101	26	1	82	31	12	339	29	13	230	27	9	119	28
Greenwich Village	111	231	11	6	472	14	20	749	15	23	611	11	13	232	18
Lower Manhattan	26	138	19	2	272	21	6	367	26	9	575	14	5	221	19
Union Square	145	138	19	11	190	25	31	441	22	31	388	20	28	262	14
Upper East Side	58	52	32	1	35	36	15	368	25	10	128	32	12	101	30
Upper West Side	125	108	23	9	222	23	26	503	20	28	360	23	11	90	32
Washington Heights	217	174	16	21	237	22	59	570	18	42	414	18	48	471	6
Unknown Neighborhood	118			11			27			22			11		
<b>QUEENS</b>	<b>1055</b>	<b>94</b>		<b>186</b>	<b>255</b>		<b>344</b>	<b>442</b>		<b>205</b>	<b>263</b>		<b>120</b>	<b>140</b>	
Astoria	121	108	23	5	81	32	31	344	27	37	371	21	19	170	23
Bayside	6	14	42	0	0	41	1	48	42	0	0	42	0	0	42
Flushing	25	19	39	2	27	38	6	83	38	4	53	40	2	21	41
Forest Hills	45	40	34	3	46	34	15	226	31	8	112	34	7	80	34
Fresh Meadows	15	33	35	3	99	30	6	226	31	2	83	38	2	70	36
Jamaica	300	222	13	52	509	9	112	1119	8	57	644	9	26	303	12
Rockaway	63	123	22	19	482	11	17	502	21	14	490	17	5	174	22
Southeast Queens	152	163	17	39	592	8	64	1018	10	16	287	26	13	238	16
Southwest Queens	87	64	31	10	106	28	16	174	35	16	183	28	20	199	21
West Queens	214	81	28	47	276	20	68	317	30	41	179	29	25	104	29
Unknown Neighborhood	27			6			8			10			1		
<b>STATEN ISLAND</b>	<b>109</b>	<b>46</b>		<b>19</b>	<b>102</b>		<b>40</b>	<b>240</b>		<b>19</b>	<b>130</b>		<b>17</b>	<b>104</b>	
Port Richmond	38	106	25	6	189	26	15	560	19	9	352	24	4	164	25
South Beach	16	17	41	3	41	35	5	79	39	2	39	41	5	79	35
Stapleton	44	69	30	10	200	24	16	340	28	4	88	37	6	127	27
Willowbrook	8	18	40	0	0	41	3	102	37	4	164	31	1	35	39
Unknown Neighborhood	3			0			1			0			1		
<b>TOTAL NYC</b>	<b>6202</b>	<b>155</b>		<b>975</b>	<b>350</b>		<b>1812</b>	<b>643</b>		<b>1290</b>	<b>439</b>		<b>737</b>	<b>235</b>	

<sup>1</sup> Does not include cases with unknown sex or age;


<sup>2</sup> Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).

<sup>3</sup> Neighborhoods ranked from highest case rate (1) to lowest case rate (42).


NOTE: Neighborhood of residence is assigned to each case using patient zip code of residence; in the event that patient zip code is unknown, the zip code of the provider who ordered the laboratory test is used. This practice has little impact on case rates by neighborhood unless a provider or health care facility performing a high volume of STD testing fails to report patient zip code, with the result that numerous cases of STD are attributed to the neighborhood of the provider rather than to that of the patient.



**Figure 2a. Chlamydia among persons aged 15-24 years reported to the NYC DOHMH. Case rates (per 100,000 population) by sex, 1999 through 2010\*.**



**Figure 2b. Gonorrhea among persons aged 15-24 years reported to the NYC DOHMH. Case rates (per 100,000 population) by sex, 1999 through 2010\*.**



\* 2010 rate based on preliminary data which have been annualized.

**Table 4.1. Chlamydia positivity for 15-19 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates<sup>1</sup> by clinic site and sex, for 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

	Chlamydia cases, 15-19 years old, BSTDC Clinics								
	2010 through 2 <sup>nd</sup> Quarter			2009 through 2 <sup>nd</sup> Quarter			2009 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem<sup>3</sup></b>	<b>297</b>	<b>66</b>	<b>(22)</b>	<b>476</b>	<b>89</b>	<b>(19)</b>	<b>608</b>	<b>111</b>	<b>(18)</b>
Female	185	39	(21)	300	49	(16)	385	63	(16)
Male	111	27	(24)	176	40	(23)	223	48	(22)
<b>Chelsea</b>	<b>649</b>	<b>91</b>	<b>(14)</b>	<b>603</b>	<b>86</b>	<b>(14)</b>	<b>1206</b>	<b>173</b>	<b>(14)</b>
Female	392	62	(16)	374	52	(14)	722	95	(13)
Male	257	29	(11)	226	34	(15)	480	78	(16)
<b>Corona</b>	<b>159</b>	<b>22</b>	<b>(14)</b>	<b>236</b>	<b>29</b>	<b>(12)</b>	<b>392</b>	<b>46</b>	<b>(12)</b>
Female	85	13	(15)	142	21	(15)	229	34	(15)
Male	74	9	(12)	93	8	(9)	161	12	(7)
<b>Crown Heights<sup>2</sup></b>	<b>619</b>	<b>147</b>	<b>(24)</b>	<b>607</b>	<b>128</b>	<b>(21)</b>	<b>1205</b>	<b>257</b>	<b>(21)</b>
Female	410	89	(22)	385	67	(17)	793	154	(19)
Male	208	58	(28)	222	61	(27)	412	103	(25)
<b>East Harlem<sup>3</sup></b>	<b>0</b>	<b>0</b>	<b>(0)</b>	<b>82</b>	<b>20</b>	<b>(24)</b>	<b>82</b>	<b>20</b>	<b>(24)</b>
Female	0	0	(0)	44	8	(18)	44	8	(18)
Male	0	0	(0)	38	12	(32)	38	12	(32)
<b>Fort Greene</b>	<b>1302</b>	<b>261</b>	<b>(20)</b>	<b>1296</b>	<b>271</b>	<b>(21)</b>	<b>2482</b>	<b>511</b>	<b>(21)</b>
Female	842	152	(18)	844	168	(20)	1662	332	(20)
Male	460	109	(24)	452	103	(23)	820	179	(22)
<b>Jamaica</b>	<b>1698</b>	<b>306</b>	<b>(18)</b>	<b>1810</b>	<b>303</b>	<b>(17)</b>	<b>3384</b>	<b>586</b>	<b>(17)</b>
Female	1232	208	(17)	1298	195	(15)	2448	374	(15)
Male	466	98	(21)	512	108	(21)	936	212	(23)
<b>Manhattanville<sup>4</sup></b>	<b>355</b>	<b>68</b>	<b>(19)</b>	<b>439</b>	<b>83</b>	<b>(19)</b>	<b>900</b>	<b>178</b>	<b>(20)</b>
Female	228	45	(20)	280	50	(18)	576	109	(19)
Male	127	23	(18)	159	33	(21)	324	69	(21)
<b>Morrisania</b>	<b>1268</b>	<b>250</b>	<b>(20)</b>	<b>1237</b>	<b>242</b>	<b>(20)</b>	<b>2459</b>	<b>494</b>	<b>(20)</b>
Female	832	148	(18)	827	159	(19)	1632	312	(19)
Male	436	102	(23)	410	83	(20)	827	182	(22)
<b>Richmond</b>	<b>64</b>	<b>16</b>	<b>(25)</b>	<b>62</b>	<b>13</b>	<b>(21)</b>	<b>107</b>	<b>19</b>	<b>(18)</b>
Female	31	9	(29)	31	3	(10)	61	6	(10)
Male	33	7	(21)	31	10	(32)	46	13	(28)
<b>Overall</b>	<b>6411</b>	<b>1227</b>	<b>(19)</b>	<b>6848</b>	<b>1264</b>	<b>(18)</b>	<b>12825</b>	<b>2395</b>	<b>(19)</b>
Female	4237	765	(18)	4525	772	(17)	8552	1487	(17)
Male	2172	462	(21)	2319	492	(21)	4267	908	(21)

<sup>1</sup> Chlamydia tests performed by nucleic acid amplification tests (NAAT) on male urine, urethral, or anorectal specimens, and female endocervical, urine, or anorectal specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator.

<sup>2</sup> From March 2005 - March 2009, the Crown Heights clinic operated out of a facility in Bushwick, New York.

<sup>3</sup> The East Harlem clinic closed on 5/1/2009. From 8/20/2009 to 1/27/2010 the Central Harlem clinic closed for renovation.

<sup>4</sup> From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

**Table 4.2. Chlamydia positivity for 20-24 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates<sup>1</sup> by clinic site and sex, for 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

Chlamydia cases, 20-24 years old, BSTDC Clinics

	2010 through 2 <sup>nd</sup> Quarter			2009 through 2 <sup>nd</sup> Quarter			2009 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem<sup>3</sup></b>	<b>945</b>	<b>135</b>	<b>(14)</b>	<b>1170</b>	<b>168</b>	<b>(14)</b>	<b>1503</b>	<b>197</b>	<b>(13)</b>
Female	459	52	(11)	593	55	(9)	753	67	(9)
Male	485	83	(17)	577	113	(20)	750	130	(17)
<b>Chelsea</b>	<b>2875</b>	<b>264</b>	<b>(9)</b>	<b>2590</b>	<b>211</b>	<b>(8)</b>	<b>5264</b>	<b>457</b>	<b>(9)</b>
Female	1171	101	(9)	1059	83	(8)	2136	167	(8)
Male	1699	162	(10)	1529	127	(8)	3124	289	(9)
<b>Corona</b>	<b>442</b>	<b>57</b>	<b>(13)</b>	<b>537</b>	<b>81</b>	<b>(15)</b>	<b>973</b>	<b>133</b>	<b>(14)</b>
Female	191	9	(5)	241	29	(12)	426	45	(11)
Male	251	48	(19)	293	52	(18)	544	88	(16)
<b>Crown Heights<sup>2</sup></b>	<b>1111</b>	<b>173</b>	<b>(16)</b>	<b>986</b>	<b>166</b>	<b>(17)</b>	<b>2032</b>	<b>337</b>	<b>(17)</b>
Female	549	64	(12)	443	56	(13)	931	119	(13)
Male	561	108	(19)	543	110	(20)	1101	218	(20)
<b>East Harlem<sup>3</sup></b>	<b>0</b>	<b>0</b>	<b>(0)</b>	<b>255</b>	<b>34</b>	<b>(13)</b>	<b>255</b>	<b>34</b>	<b>(13)</b>
Female	0	0	(0)	111	11	(10)	111	11	(10)
Male	0	0	(0)	144	23	(16)	144	23	(16)
<b>Fort Greene</b>	<b>2432</b>	<b>329</b>	<b>(14)</b>	<b>2290</b>	<b>350</b>	<b>(15)</b>	<b>4646</b>	<b>722</b>	<b>(16)</b>
Female	1142	109	(10)	1104	148	(13)	2299	298	(13)
Male	1287	220	(17)	1184	202	(17)	2343	424	(18)
<b>Jamaica</b>	<b>2843</b>	<b>413</b>	<b>(15)</b>	<b>2667</b>	<b>385</b>	<b>(14)</b>	<b>5403</b>	<b>769</b>	<b>(14)</b>
Female	1543	188	(12)	1358	159	(12)	2807	327	(12)
Male	1300	225	(17)	1304	226	(17)	2591	442	(17)
<b>Manhattanville<sup>4</sup></b>	<b>1002</b>	<b>112</b>	<b>(11)</b>	<b>1136</b>	<b>115</b>	<b>(10)</b>	<b>2678</b>	<b>315</b>	<b>(12)</b>
Female	471	41	(9)	546	43	(8)	1329	124	(9)
Male	531	71	(13)	590	72	(12)	1348	191	(14)
<b>Morrisania</b>	<b>2146</b>	<b>313</b>	<b>(15)</b>	<b>2051</b>	<b>299</b>	<b>(15)</b>	<b>4283</b>	<b>604</b>	<b>(14)</b>
Female	1043	115	(11)	995	96	(10)	2136	192	(9)
Male	1103	198	(18)	1056	203	(19)	2147	412	(19)
<b>Richmond</b>	<b>141</b>	<b>11</b>	<b>(8)</b>	<b>125</b>	<b>16</b>	<b>(13)</b>	<b>262</b>	<b>39</b>	<b>(15)</b>
Female	62	2	(3)	36	5	(14)	86	11	(13)
Male	79	9	(11)	89	11	(12)	176	28	(16)
<b>Overall</b>	<b>13937</b>	<b>1807</b>	<b>(13)</b>	<b>13807</b>	<b>1825</b>	<b>(13)</b>	<b>27299</b>	<b>3607</b>	<b>(13)</b>
Female	6631	681	(10)	6486	685	(11)	13014	1361	(10)
Male	7296	1124	(15)	7309	1139	(16)	14268	2245	(16)

<sup>1</sup> Chlamydia tests performed by nucleic acid amplification tests (NAAT) on male urine, urethral, or anorectal specimens, and female endocervical, urine, or anorectal specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator.

<sup>2</sup> From March 2005 - March 2009, the Crown Heights clinic operated out of a facility in Bushwick, New York.

<sup>3</sup> The East Harlem clinic closed on 5/1/2009. From 8/20/2009 to 1/27/2010 the Central Harlem clinic closed for renovation.

<sup>4</sup> From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

**Table 5.1. Gonorrhea positivity for 15-19 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates<sup>1</sup> by clinic site and sex, for 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

**Gonorrhea cases, 15-19 years old, BSTDC Clinics**

	2010 through 2 <sup>nd</sup> Quarter			2009 through 2 <sup>nd</sup> Quarter			2009 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem<sup>3</sup></b>	<b>297</b>	<b>15</b>	<b>(5)</b>	<b>476</b>	<b>28</b>	<b>(6)</b>	<b>608</b>	<b>32</b>	<b>(5)</b>
Female	185	7	(4)	300	15	(5)	385	17	(4)
Male	111	8	(7)	176	13	(7)	223	15	(7)
<b>Chelsea</b>	<b>637</b>	<b>14</b>	<b>(2)</b>	<b>599</b>	<b>9</b>	<b>(2)</b>	<b>1199</b>	<b>28</b>	<b>(2)</b>
Female	390	4	(1)	374	5	(1)	720	9	(1)
Male	247	10	(4)	223	4	(2)	476	19	(4)
<b>Corona</b>	<b>158</b>	<b>1</b>	<b>(1)</b>	<b>235</b>	<b>2</b>	<b>(1)</b>	<b>391</b>	<b>4</b>	<b>(1)</b>
Female	85	0	(0)	142	1	(1)	229	2	(1)
Male	73	1	(1)	92	1	(1)	160	2	(1)
<b>Crown Heights<sup>2</sup></b>	<b>617</b>	<b>41</b>	<b>(7)</b>	<b>604</b>	<b>34</b>	<b>(6)</b>	<b>1202</b>	<b>67</b>	<b>(6)</b>
Female	408	24	(6)	384	18	(5)	792	38	(5)
Male	208	17	(8)	220	16	(7)	410	29	(7)
<b>East Harlem<sup>3</sup></b>	<b>0</b>	<b>0</b>	<b>(0)</b>	<b>81</b>	<b>6</b>	<b>(7)</b>	<b>81</b>	<b>6</b>	<b>(7)</b>
Female	0	0	(0)	44	2	(5)	44	2	(5)
Male	0	0	(0)	37	4	(11)	37	4	(11)
<b>Fort Greene</b>	<b>1301</b>	<b>80</b>	<b>(6)</b>	<b>1294</b>	<b>70</b>	<b>(5)</b>	<b>2480</b>	<b>136</b>	<b>(5)</b>
Female	841	41	(5)	844	28	(3)	1662	65	(4)
Male	460	39	(8)	450	42	(9)	818	71	(9)
<b>Jamaica</b>	<b>1694</b>	<b>54</b>	<b>(3)</b>	<b>1810</b>	<b>67</b>	<b>(4)</b>	<b>3381</b>	<b>123</b>	<b>(4)</b>
Female	1231	32	(3)	1298	41	(3)	2446	75	(3)
Male	463	22	(5)	512	26	(5)	935	48	(5)
<b>Manhattanville<sup>4</sup></b>	<b>354</b>	<b>13</b>	<b>(4)</b>	<b>435</b>	<b>14</b>	<b>(3)</b>	<b>895</b>	<b>28</b>	<b>(3)</b>
Female	228	7	(3)	278	6	(2)	574	13	(2)
Male	126	6	(5)	157	8	(5)	321	15	(5)
<b>Morrisania</b>	<b>1268</b>	<b>49</b>	<b>(4)</b>	<b>1234</b>	<b>42</b>	<b>(3)</b>	<b>2454</b>	<b>82</b>	<b>(3)</b>
Female	832	28	(3)	826	18	(2)	1630	37	(2)
Male	436	21	(5)	408	24	(6)	824	45	(5)
<b>Richmond</b>	<b>64</b>	<b>2</b>	<b>(3)</b>	<b>61</b>	<b>2</b>	<b>(3)</b>	<b>106</b>	<b>3</b>	<b>(3)</b>
Female	31	1	(3)	31	0	(0)	61	1	(2)
Male	33	1	(3)	30	2	(7)	45	2	(4)
<b>Overall</b>	<b>6390</b>	<b>269</b>	<b>(4)</b>	<b>6829</b>	<b>274</b>	<b>(4)</b>	<b>12797</b>	<b>509</b>	<b>(4)</b>
Female	4231	144	(3)	4521	134	(3)	8543	259	(3)
Male	2157	125	(6)	2305	140	(6)	4249	250	(6)

<sup>1</sup> Gonorrhea tests performed by nucleic acid amplification tests (NAAT) on male urine or urethral specimens, and female endocervical or urine specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator. Gonorrhea culture data are not included in this table.

<sup>2</sup> From March 2005 - March 2009, the Crown Heights clinic operated out of a facility in Bushwick, New York.

<sup>3</sup> The East Harlem clinic closed on 5/1/2009. From 8/20/2009 to 1/27/2010 the Central Harlem clinic closed for renovation.

<sup>4</sup> From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

**Table 5.2. Gonorrhea positivity for 20-24 year old persons attending NYC DOHMH BSTDC clinics. Positivity rates<sup>1</sup> by clinic site and sex, for 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

Gonorrhea cases, 20-24 years old, BSTDC Clinics

	2010 through 2 <sup>nd</sup> Quarter			2009 through 2 <sup>nd</sup> Quarter			2009 Full Year		
	Tests	Positive tests		Tests	Positive tests		Tests	Positive tests	
	N	N	(%)	N	N	(%)	N	N	(%)
<b>Central Harlem<sup>3</sup></b>	<b>942</b>	<b>34</b>	<b>(4)</b>	<b>1166</b>	<b>48</b>	<b>(4)</b>	<b>1499</b>	<b>64</b>	<b>(4)</b>
Female	459	8	(2)	592	20	(3)	752	22	(3)
Male	482	26	(5)	574	28	(5)	747	42	(6)
<b>Chelsea</b>	<b>2848</b>	<b>71</b>	<b>(2)</b>	<b>2577</b>	<b>76</b>	<b>(3)</b>	<b>5234</b>	<b>159</b>	<b>(3)</b>
Female	1166	9	(1)	1059	13	(1)	2133	23	(1)
Male	1678	62	(4)	1516	63	(4)	3097	136	(4)
<b>Corona</b>	<b>440</b>	<b>7</b>	<b>(2)</b>	<b>534</b>	<b>7</b>	<b>(1)</b>	<b>970</b>	<b>10</b>	<b>(1)</b>
Female	191	2	(1)	241	1	(0)	426	1	(0)
Male	249	5	(2)	290	6	(2)	541	9	(2)
<b>Crown Heights<sup>2</sup></b>	<b>1110</b>	<b>47</b>	<b>(4)</b>	<b>984</b>	<b>42</b>	<b>(4)</b>	<b>2026</b>	<b>92</b>	<b>(5)</b>
Female	548	14	(3)	442	13	(3)	929	28	(3)
Male	561	33	(6)	542	29	(5)	1097	64	(6)
<b>East Harlem<sup>3</sup></b>	<b>0</b>	<b>0</b>	<b>(0)</b>	<b>254</b>	<b>14</b>	<b>(6)</b>	<b>254</b>	<b>14</b>	<b>(6)</b>
Female	0	0	(0)	111	5	(5)	111	5	(5)
Male	0	0	(0)	143	9	(6)	143	9	(6)
<b>Fort Greene</b>	<b>2422</b>	<b>106</b>	<b>(4)</b>	<b>2280</b>	<b>94</b>	<b>(4)</b>	<b>4628</b>	<b>201</b>	<b>(4)</b>
Female	1139	24	(2)	1103	27	(2)	2294	58	(3)
Male	1280	82	(6)	1175	67	(6)	2330	143	(6)
<b>Jamaica</b>	<b>2839</b>	<b>82</b>	<b>(3)</b>	<b>2664</b>	<b>94</b>	<b>(4)</b>	<b>5397</b>	<b>189</b>	<b>(4)</b>
Female	1542	31	(2)	1358	24	(2)	2805	49	(2)
Male	1297	51	(4)	1302	70	(5)	2588	140	(5)
<b>Manhattanville<sup>4</sup></b>	<b>993</b>	<b>30</b>	<b>(3)</b>	<b>1133</b>	<b>17</b>	<b>(2)</b>	<b>2663</b>	<b>64</b>	<b>(2)</b>
Female	469	15	(3)	545	5	(1)	1324	19	(1)
Male	524	15	(3)	588	12	(2)	1339	45	(3)
<b>Morrisania</b>	<b>2128</b>	<b>73</b>	<b>(3)</b>	<b>2049</b>	<b>82</b>	<b>(4)</b>	<b>4274</b>	<b>152</b>	<b>(4)</b>
Female	1038	25	(2)	994	27	(3)	2132	44	(2)
Male	1090	48	(4)	1055	55	(5)	2142	108	(5)
<b>Richmond</b>	<b>141</b>	<b>3</b>	<b>(2)</b>	<b>125</b>	<b>4</b>	<b>(3)</b>	<b>261</b>	<b>7</b>	<b>(3)</b>
Female	62	1	(2)	36	1	(3)	85	1	(1)
Male	79	2	(3)	89	3	(3)	176	6	(3)
<b>Overall</b>	<b>13863</b>	<b>453</b>	<b>(3)</b>	<b>13766</b>	<b>478</b>	<b>(3)</b>	<b>27206</b>	<b>952</b>	<b>(3)</b>
Female	6614	129	(2)	6481	136	(2)	12991	250	(2)
Male	7240	324	(4)	7274	342	(5)	14200	702	(5)

<sup>1</sup> Gonorrhea tests performed by nucleic acid amplification tests (NAAT) on male urine or urethral specimens, and female endocervical or urine specimens. Positivity calculated using number of positive NAAT tests as the numerator and number of NAAT tests performed as the denominator. Gonorrhea culture data are not included in this table.

<sup>2</sup> From March 2005 - March 2009, the Crown Heights clinic operated out of a facility in Bushwick, New York.

<sup>3</sup> The East Harlem clinic closed on 5/1/2009. From 8/20/2009 to 1/27/2010 the Central Harlem clinic closed for renovation.

<sup>4</sup> From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

**Table 6. Anonymous and confidential<sup>1</sup> HIV antibody testing performed at the NYC DOHMH BSTDC clinics. HIV positivity rates for 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

**HIV rapid and conventional tests at BSTDC clinics**

	2010 through 2 <sup>nd</sup> Quarter		2009 through 2 <sup>nd</sup> Quarter		2009 Full Year							
	Rapid Tests		Conventional Tests <sup>3</sup>		Rapid Tests		Conventional Tests <sup>3</sup>					
	N	(%)	N	(% <sup>2</sup> )	N	(%)	N	(% <sup>2</sup> )				
<b>Confidential</b>												
Total Tests	37677		1173		37474		737		74490		1690	
Receiving / Returning for Test Result	35239	(93.5)	160	(13.6)	35240	(94.0)	229	(31.1)	69742	(93.6)	373	(22.1)
<b>Positive Results</b>												
Total Tests	277	(0.7)	11	(0.9)	290	(0.8)	13	(1.8)	591	(0.8)	24	(1.4)
Receiving / Returning for Test Result	268	(96.8)	8	(72.7)	283	(97.6)	8	(61.5)	576	(97.5)	17	(70.8)
<b>Anonymous</b>												
Total Tests	1855		2		2713		1		4505		1	
Receiving / Returning for Test Result	1815	(97.8)	0	(0.0)	2654	(97.8)	0	(0.0)	4423	(98.2)	0	(0.0)
<b>Positive Results</b>												
Total Tests	19	(1.0)	0	(0.0)	42	(1.5)	0	(0.0)	65	(1.4)	0	(0.0)
Receiving / Returning for Test Result	17	(89.5)	0	(0.0)	41	(97.6)	0	(0.0)	63	(96.9)	0	(0.0)
<b>Confidential &amp; Anonymous</b>												
Total Tests	39532		1175		40187		738		78995		1691	
Receiving / Returning for Test Result	37054	(93.7)	160	(13.6)	37894	(94.3)	229	(31.0)	74165	(93.9)	373	(22.1)
<b>Positive Results</b>												
Total Tests	296	(0.7)	11	(0.9)	332	(0.8)	13	(1.8)	656	(0.8)	24	(1.4)
Receiving / Returning for Test Result	285	(96.3)	8	(72.7)	324	(97.6)	8	(61.5)	639	(97.4)	17	(70.8)

<sup>1</sup> Anonymous testing uses codes for identification; confidential testing uses patient names.

<sup>2</sup> The percentage of persons returning for HIV test results with a conventional test may increase with time since testing.

<sup>3</sup> Tested by conventional test only (no rapid test done).

**Table 7. Neonatal herpes cases reported to the NYC DOHMH. 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

	2010 through 2 <sup>nd</sup> Quarter		2009 through 2 <sup>nd</sup> Quarter		2009 Full Year	
	N	(%)	N	(%)	N	(%)
<b>Female</b>	<b>4</b>	<b>(44)</b>	<b>3</b>	<b>(38)</b>	<b>6</b>	<b>(43)</b>
<b>HSV Type</b>						
HSV-1	3	(75)	1	(33)	2	(33)
HSV-2	1	(25)	1	(33)	2	(33)
Untyped	0	(0)	1	(33)	2	(33)
Unknown <sup>1</sup>	0	(0)	0	(0)	0	(0)
<b>Male</b>	<b>5</b>	<b>(56)</b>	<b>5</b>	<b>(63)</b>	<b>8</b>	<b>(57)</b>
<b>HSV Type</b>						
HSV-1	2	(40)	1	(20)	3	(38)
HSV-2	2	(40)	2	(40)	2	(25)
Untyped	1	(20)	1	(20)	1	(13)
Unknown <sup>1</sup>	0	(0)	1	(20)	2	(25)
<b>Total Cases</b>	<b>9</b>	<b>(100)</b>	<b>8</b>	<b>(100)</b>	<b>14</b>	<b>(100)</b>
<b>Total Deaths</b>	<b>1</b>	<b>(11)</b>	<b>3</b>	<b>(38)</b>	<b>4</b>	<b>(29)</b>

<sup>1</sup> Provider reported cases which lack laboratory confirmation.

**Table 8. Number of visits, to NYC DOHMH BSTDC clinics, inclusive of all reasons for visit, 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**


Clinic	2010 through 2 <sup>nd</sup> Quarter		2009 through 2 <sup>nd</sup> Quarter		2009 Full Year	
	N	(%)	N	(%)	N	(%)
Central Harlem <sup>2</sup>	4389	(7.2)	5400	(8.5)	7012	(5.7)
Chelsea	13762	(22.4)	12734	(20.1)	25910	(21.0)
Corona	3288	(5.4)	3983	(6.3)	7274	(5.9)
Crown Heights <sup>1</sup>	4641	(7.6)	4364	(6.9)	8867	(7.2)
East Harlem <sup>2</sup>	0	(0.0)	1571	(2.5)	1572	(1.3)
Fort Greene	10588	(17.3)	10468	(16.5)	20687	(16.8)
Jamaica	10240	(16.7)	9899	(15.6)	19728	(16.0)
Manhattanville <sup>3</sup>	4526	(7.4)	5286	(8.3)	12305	(10.0)
Morrisania	9272	(15.1)	9120	(14.4)	18799	(15.2)
Richmond	602	(1.0)	594	(0.9)	1208	(1.0)
<b>All Clinics</b>	<b>61308</b>	<b>(100.0)</b>	<b>63419</b>	<b>(100.0)</b>	<b>123362</b>	<b>(100.0)</b>

<sup>1</sup> From March 2005 - March 2009, the Crown Heights clinic operated out of a facility in Bushwick, New York.

<sup>2</sup> The East Harlem clinic closed on 5/1/2009. From 8/20/2009 to 1/27/2010 the Central Harlem clinic closed for renovation.

<sup>3</sup> From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

**Figure 3. Primary and secondary (P&S) syphilis and congenital syphilis cases reported to the NYC DOHMH. P&S syphilis case rate (per 100,000 population) by sex, and congenital syphilis cases rate (per 100,000 live births\*), 1997 through 2010\*\*.**



\* For 2009 and 2010 congenital rate, live birth denominator based on 2009 preliminary live birth data (Bureau of Vital Statistics, NYC DOHMH)

\*\* 2010 syphilis rates annualized based on preliminary data.

**Table 9. Male primary and secondary (P&S) syphilis cases: interview status, report of male sex partner(s) and HIV status, 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

	Male P&S Cases								
	2010 through 2 <sup>nd</sup> Quarter <sup>1</sup>			2009 through 2 <sup>nd</sup> Quarter			2009 Full Year		
	N	(%)	Years	N	(%)	Years	N	(%)	Years
<b>Male cases</b>	<b>447</b>			<b>514</b>			<b>1008</b>		
<b>Median age of men</b>			<b>34</b>			<b>36</b>			<b>34</b>
<b>Male cases interviewed</b>	358	(80)		413	(80)		826	(82)	
<b>Interviewed male cases reporting sex with men (MSM)</b>	314	(88)		369	(89)		733	(89)	
<b>Interviewed MSM with HIV</b>	167	(57) <sup>2</sup>		202	(62) <sup>2</sup>		403	(61) <sup>2</sup>	
<b>Median age of MSM</b>			<b>33</b>			<b>35</b>			<b>34</b>

<sup>1</sup> Percent of men interviewed underestimated due to reporting time lag and delay in data entry of interviews into the surveillance system.

<sup>2</sup> Of number MSM with known HIV status.



**Table 10. *Neisseria gonorrhoea* culture done, number (percentage) positive, and number (percentage) fluoroquinolone-resistant reported by BSTDC clinics, 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**

	2010 through 2 <sup>nd</sup> Quarter					2009 through 2 <sup>nd</sup> Quarter					2009 Full Year				
	Gc Culture Done <sup>1</sup>		Gc Culture Positive		Ofloxin/Ciprofloxin Resistant	Gc Culture Done <sup>1</sup>		Gc Culture Positive		Ofloxin/Ciprofloxin Resistant	Gc Culture Done <sup>1</sup>		Gc Culture Positive		Ofloxin/Ciprofloxin Resistant
	N	N (%)	N (%)	N (%)	N (%)	N	N (%)	N (%)	N (%)	N (%)	N	N (%)	N (%)	N (%)	N (%)
<b>Female</b>	<b>2818</b>	<b>41</b>	<b>(1)</b>	<b>6</b>	<b>(15)</b>	<b>1863</b>	<b>29</b>	<b>(2)</b>	<b>4</b>	<b>(14)</b>	<b>4336</b>	<b>67</b>	<b>(2)</b>	<b>12</b>	<b>(18)</b>
<b>Anatomic Site</b>															
<b>Anal</b>	<b>901</b>	<b>8</b>	<b>(1)</b>	<b>1</b>	<b>(13)</b>	<b>533</b>	<b>5</b>	<b>(1)</b>	<b>1</b>	<b>(20)</b>	<b>1375</b>	<b>13</b>	<b>(1)</b>	<b>2</b>	<b>(15)</b>
<b>Oral</b>	<b>283</b>	<b>7</b>	<b>(2)</b>	<b>1</b>	<b>(14)</b>	<b>181</b>	<b>3</b>	<b>(2)</b>	<b>0</b>	<b>(0)</b>	<b>411</b>	<b>6</b>	<b>(1)</b>	<b>0</b>	<b>(0)</b>
<b>Cervical</b>	<b>1634</b>	<b>26</b>	<b>(2)</b>	<b>4</b>	<b>(15)</b>	<b>1149</b>	<b>21</b>	<b>(2)</b>	<b>3</b>	<b>(14)</b>	<b>2550</b>	<b>48</b>	<b>(2)</b>	<b>10</b>	<b>(21)</b>
<b>Male</b>	<b>4714</b>	<b>329</b>	<b>(7)</b>	<b>51</b>	<b>(16)</b>	<b>4197</b>	<b>223</b>	<b>(5)</b>	<b>30</b>	<b>(13)</b>	<b>8556</b>	<b>498</b>	<b>(6)</b>	<b>74</b>	<b>(15)</b>
<b>Anatomic Site</b>															
<b>Anal</b>	<b>1787</b>	<b>107</b>	<b>(6)</b>	<b>19</b>	<b>(18)</b>	<b>1562</b>	<b>63</b>	<b>(4)</b>	<b>11</b>	<b>(17)</b>	<b>3219</b>	<b>148</b>	<b>(5)</b>	<b>21</b>	<b>(14)</b>
<b>Oral</b>	<b>2581</b>	<b>67</b>	<b>(3)</b>	<b>11</b>	<b>(16)</b>	<b>2347</b>	<b>25</b>	<b>(1)</b>	<b>3</b>	<b>(12)</b>	<b>4768</b>	<b>73</b>	<b>(2)</b>	<b>11</b>	<b>(15)</b>
<b>Urethral</b>	<b>346</b>	<b>155</b>	<b>(45)</b>	<b>21</b>	<b>(14)</b>	<b>288</b>	<b>135</b>	<b>(47)</b>	<b>16</b>	<b>(12)</b>	<b>569</b>	<b>277</b>	<b>(49)</b>	<b>42</b>	<b>(15)</b>
<b>Total</b>	<b>7532</b>	<b>370</b>	<b>(5)</b>	<b>57</b>	<b>(15)</b>	<b>6060</b>	<b>252</b>	<b>(4)</b>	<b>34</b>	<b>(13)</b>	<b>12892</b>	<b>565</b>	<b>(4)</b>	<b>86</b>	<b>(15)</b>

Azithromycin resistant isolates N=2 (through 2<sup>nd</sup> quarter 2010); 3 (through 2<sup>nd</sup> quarter 2009); 7 (full year 2009).

No cephalosporin resistant isolates were identified.

<sup>1</sup> An Individual person may contribute more than one test during the interval.

**Table 11. Seroreactive syphilis test results for persons<sup>1</sup> attending BSTDC clinics, by sex and sex of partner. Seroreactive syphilis test rates for 2<sup>nd</sup> quarter 2010 (January 01 - June 30, 2010), compared to 2<sup>nd</sup> quarter 2009 (January 01 - June 30, 2009) and full year 2009 (January 01 - December 31, 2009).**


	2010 through 2 <sup>nd</sup> Quarter			2009 through 2 <sup>nd</sup> Quarter			2009 Full Year		
	RPRs done	Reactive RPRs <sup>2</sup>		RPRs done	Reactive RPRs <sup>2</sup>		RPRs done	Reactive RPRs <sup>2</sup>	
	N	N (%)	(%)	N	N (%)	(%)	N	N (%)	(%)
<b>Female</b>	<b>14432</b>	<b>126</b>	<b>(1)</b>	<b>14833</b>	<b>147</b>	<b>(1)</b>	<b>29446</b>	<b>271</b>	<b>(1)</b>
<b>Male</b>	<b>20469</b>	<b>542</b>	<b>(3)</b>	<b>20723</b>	<b>590</b>	<b>(3)</b>	<b>40307</b>	<b>1163</b>	<b>(3)</b>
<b>MSM</b>	<b>1748</b>	<b>237</b>	<b>(14)</b>	<b>1673</b>	<b>259</b>	<b>(15)</b>	<b>3378</b>	<b>521</b>	<b>(15)</b>
<b>MSW<sup>3</sup></b>	<b>6908</b>	<b>130</b>	<b>(2)</b>	<b>7344</b>	<b>147</b>	<b>(2)</b>	<b>14093</b>	<b>301</b>	<b>(2)</b>
<b>Total</b>	<b>34901</b>	<b>668</b>	<b>(2)</b>	<b>35556</b>	<b>737</b>	<b>(2)</b>	<b>69753</b>	<b>1434</b>	<b>(2)</b>

<sup>1</sup> Includes RPR testing from each person's first clinic visit during the interval.


<sup>2</sup> Reactive tests are those reactive RPR confirmed by reactive FTA.

<sup>3</sup> Men reported sex with women only.

**Figure 4a. Female *Chlamydia trachomatis* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2010\*.**




**Figure 4b. Male *Chlamydia trachomatis* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2010\*.**




\* 2010 cases based on preliminary data which have been annualized.

\*\* Includes BSTD high school screening program and BSTD outreach screenings.

**Figure 5a. Female *Neisseria gonorrhoeae* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2010\*.**



**Figure 5b. Male *Neisseria gonorrhoeae* cases reported to the NYC DOHMH. Cases by provider type, 1999 through 2010\*.**



\* 2010 cases based on preliminary data which have been annualized.


\*\* Includes BSTD high school screening program and BSTD outreach screenings.

**Figure 6. New York City neighborhoods\*.**

**United Hospital Fund (UHF) Neighborhoods  
New York City**

**NYC Boroughs**

- Bronx
- Brooklyn
- Manhattan
- Queens
- Richmond



\* Neighborhoods defined by United Hospital Fund (UHF) definitions of NYC neighborhoods, which are specified by zip codes. For a complete listing of UHF neighborhoods and their zip codes, go to [nyc.gov/health](http://nyc.gov/health).

**Figure 7. Male primary and secondary syphilis reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2009.**

**P&S Syphilis Among Men in NYC  
Reported 01/01/2009 - 12/31/2009**

**Rate / per 100,000**

- 0 - 27
- 28 - 75
- 76 - 172




Figure 8a. **Female *Chlamydia trachomatis*** reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2009.

### Chlamydia Among Women in NYC Reported 01/01/2009 - 12/31/2009

Rate / per 100,000

- 96 - 569
- 570 - 1190
- 1191 - 2336





Figure 8b. **Male *Chlamydia trachomatis*** reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2009.

### Chlamydia Among Men in NYC Reported 01/01/2009 - 12/31/2009

Rate / per 100,000

- 59 - 197
- 198 - 485
- 486 - 1045




**Figure 9a. Female *Neisseria gonorrhoeae* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2009.**

**Gonorrhea Among Women in NYC  
Reported 01/01/2009 - 12/31/2009**

Rate / per 100,000

- 0 - 80
- 81 - 184
- 185 - 309




**Figure 9b. Male *Neisseria gonorrhoeae* reported to the NYC DOHMH. Case rate per 100,000 population in New York City neighborhoods, full year 2009.**

**Gonorrhea Among Men in NYC  
Reported 01/01/2009 - 12/31/2009**

Rate / per 100,000

- 14 - 88
- 89 - 208
- 209 - 460



The Bureau of STD Control operates **STD clinics and HIV Testing & Counseling sites** throughout the city. BSTDC clinics offer confidential testing and treatment for a spectrum of sexually transmitted diseases. All clinics provide confidential and anonymous HIV testing and counseling. All services are free. These clinics are located in:

Clinics	Address
Central Harlem	2238 5 <sup>th</sup> Avenue, 3 <sup>rd</sup> Floor, New York, NY 10037
Chelsea	303 9 <sup>th</sup> Avenue, 2 <sup>nd</sup> Floor, New York, NY 10001
Corona	34-33 Junction Blvd, Jackson Heights, NY 11372
Crown Heights <sup>1</sup>	1218 Prospect Place (at Troy Avenue), 2 <sup>nd</sup> Floor, Brooklyn, NY 11213
Fort Greene	295 Flatbush Avenue Ext, 2 <sup>nd</sup> Floor, Brooklyn, NY 11201
Jamaica	90-37 Parsons Blvd, 1 <sup>st</sup> Floor, Jamaica, NY 11432
Manhattanville <sup>2</sup>	21 Old Broadway, New York, NY 10027
Morrisania	1309 Fulton Avenue, 2 <sup>nd</sup> Floor, Bronx, NY 10456
Richmond	51 Stuyvesant Place, 1 <sup>st</sup> Floor, Staten Island, NY 10301

<sup>1</sup> From March 2005 - March 2009, the Crown Heights clinic operated out of a facility in Bushwick, New York.

<sup>2</sup> From May 2010, the Riverside clinic closed for renovations and resumes services in its temporary location at Manhattanville clinic.

- Please call 311 to locate the nearest clinic or check our website at [www.nyc.gov/health/std](http://www.nyc.gov/health/std).
- Our staff can also assist in partner location and notification for HIV and other STD. Call the Contact Notification Assistance Program (CNAP) at (212) 693-1419.
- For provider reporting of STD:  
The Universal Reporting Form (URF) can be obtained by calling 1-866-NYC-DOH1 (1-866-692-3641) or accessing it online at: <http://www.nyc.gov/html/doh/html/hcp/hcp-urf.shtml>
- For provider reporting of HIV/AIDS:  
For assistance in reporting a case of HIV/AIDS or to receive Provider Report Forms, please call (212) 442-3388.

#### Acknowledgements:

Thanks to all the staff of the Surveillance Team for collecting and collating the data presented in the quarterly report, and to Mary Shao for the preparation of this report.

#### For questions regarding this report, please contact:

Ellen Klingler ([eklingl@health.nyc.gov](mailto:eklingl@health.nyc.gov))

or

Preeti Pathela ([ppathela@health.nyc.gov](mailto:ppathela@health.nyc.gov))

or

Mary Shao ([yshao1@health.nyc.gov](mailto:yshao1@health.nyc.gov))

#### Published by:

The Bureau of Sexually Transmitted Disease Control  
New York City Department of  
Health & Mental Hygiene

42-09 28<sup>th</sup> Street, 20<sup>th</sup> Floor  
Queens, NY 11101-4132

Tel: (347) 396-7200 or (212) 788-4423

Fax: (212) 788-4431

#### Suggested citation for use:

The New York City  
Department of Health and Mental Hygiene  
Bureau of Sexually Transmitted Disease Control  
*Quarterly Report Vol. 8, No. 2* June 2010.