PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES

(CDM-NM) - Version <mark>03</mark>



DRAFT

UNFCCC

CDM – Executive Board

	roposed New Methodology nmendation to the Executive Board	
To be comp	eleted by UNFCCC Secretariat	
Date of Meth Panel meeting:		
Related F-CDM-NM document ID number (electronically available to EB members)	F-CDM-NM0 :	
Related F-CDM-NMex document ID number(s) (electronically available to EB members)	F-CDM-NMex0 :	
Related F-CDM-NMpu document ID number(s) (electronically available to EB members)	F-CDM-NMpu0 :	
Signature of Meth Panel Chair		
Signature of Meth Panel Vice-Chair Date:		
Information to be completed by the secretariat		
F-CDM-NMmp doc id number	NM	
Date when the form was received at UNFCCC secretariat		
Date of transmission to the EB		
Date of posting in the UNFCCC CDM web site		



DRAFT



CDM – Executive Board

NM0xxx Version ## (to be completed by UNFCCC)

CLEAN DEVELOPMENT MECHANISM PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES (CDM-NM) (Version 03)

CONTENTS

Section A. Recommendation by the Methodological Panel (to be completed by the Meth Panel)

Section B. Summary and applicability of the baseline and monitoring methodology

Section C. Proposed new baseline and monitoring methodology

Section D. Explanations / justifications to the proposed new baseline and monitoring methodology

Instructions for using this form

In using this form, please follow the guidance established in the following documents:

- Guidelines for completing the project design document (CDM-PDD) and proposed new baseline and monitoring methodologies (CDM-NM);
- Technical guidelines for the development of new baseline and monitoring methodologies (contained in part III of the above);
- Relevant methodological guidance by the Executive Board.

This guidance can be found at <https://cdm.unfccc.int/Reference/Guidclarif/index.html>

Formatting Instructions:

- The form provides the formatted headings which should be used throughout the document;
- Please use word equation editor to write equations;
- Please format figures, tables and footnotes to update automatically;
- Please note the footnotes have a separate format $(Times New Roman size 10)^1$

Please complete sections B to E. In section C, the text shaded in grey shall not be changed, whereas other text is used as an example and may be changed or deleted.

¹ Format for footnotes.

PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES

(CDM-NM) - Version <mark>03</mark>



DRAFT



CDM – Executive Board

Section A. Recommendation by the Methodological Panel (to be completed by the Meth Panel)

Recommendation (preliminary or final / approval or rejection / consolidation)

>>

2. Major changes required

>>

3. Minor changes required

>>

(CDM-NM) - Version <mark>03</mark>



CDM – Executive Board

DRAFT



Section B. Summary and applicability of the baseline and monitoring methodology

1. Methodology title (for baseline and monitoring), submission date and version number

2. If this methodology is based on a previous submission or an approved methodology, please state the reference numbers (NMXXXX/AMXXXX/ACMXXXX) here. Explain briefly the main differences and their rationale.

>>

3. Summary description of the methodology, including major baseline and monitoring methodological steps

>>



PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES (CDM-NM) - Version 03

DRAFT

CDM – Executive Board

UNFCCC

Page 1

1	Section C. Proposed new baseline and monitoring methodology		
2			
3	Draft baseline and monitoring methodology AMXXXX		
4	"Methodology title"		
5	I. SOURCE, DEFINITIONS AND APPLICABILITY		
6	Sources		
7 8	This consolidated baseline and monitoring methodology is based on [elements from] the following [approved baseline and monitoring methodologies and] proposed new methodologies:		
9	• NM0XXX "Title of the methodology" prepared by ###;		
10 11	This methodology also refers to the latest approved versions of the following tools (please delete those not applicable):		
12	• Tool to calculate project or leakage CO ₂ emissions from fossil fuel combustion;		
13	• Tool to calculate project emissions from electricity consumption;		
14	• Tool for the demonstration and assessment of additionality;		
15	• Tool to determine methane emissions avoided from dumping waste at a solid waste disposal site;		
16	• Combined tool to identify the baseline scenario and demonstrate additionality;		
17	• Tool to determine project emissions from flaring gases containing methane.		
18 19	For more information regarding the proposed new methodologies and the tools as well as their consideration by the Executive Board please refer to <u>http://cdm.unfccc.int/goto/MPappmeth</u> .		
20	1. Selected approach from paragraph 48 of the CDM modalities and procedures		
21	"Existing actual or historical emissions, as applicable"		
22 23	"Emissions from a technology that represents an economically attractive course of action, taking into account barriers to investment"		
24 25 26	"The average emissions of similar project activities undertaken in the previous five years, in similar social, economic, environmental and technological circumstances, and whose performance is among the top 20 per cent of their category"		

PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES

(CDM-NM) - Version <mark>03</mark>

DRAFT

Page 2

1 2	2. Definitions: Please provide definitions of key terms that are used in this proposed new methodology
3	For the purpose of this methodology, the following definitions apply:
4 5 6 7 8	• Biomass. Biomass is non-fossilized and biodegradable organic material originating from plants animals and microorganisms. This shall also include products, by-products, residues and waste from agriculture, forestry and related industries as well as the non-fossilized and biodegradable organic fractions of industrial and municipal wastes. Biomass also includes gases and liquids recovered from the decomposition of non-fossilized and biodegradable organic material.
9	
10	3. Applicability conditions
11	This methodology applies to project activities that (describe what is the project activity)
12	The methodology is applicable under the following conditions:
13	Condition;
14	Condition;
15	Condition.
16	In addition, the applicability conditions included in the tools referred to above apply.
17 18	Finally, this methodology is only applicable if the application of the procedure to identify the baseline scenario results in that #### is the most plausible baseline scenario.
19	II. BASELINE METHODOLOGY PROCEDURE
20	4. Project boundary
21	The spatial extent of the project boundary encompasses
22	
23 24	The greenhouse gases included in or excluded from the project boundary are shown in Table 1.



CDM – Executive Board



This template shall not be altered. It shall be completed without modifying/adding headings or logo, format or font.

DRAFT

Source		Gas	Included?	Justification / Explanation
		CO ₂	Yes	
e	Source 1	CH ₄	No	
lin		N ₂ O	No	
Baseline		CO_2	Yes	
B	Source 2	CH_4	No	
		N ₂ O	No	
ty		CO ₂	Yes	
ivi	Source 1	CH_4	No	
Project activity		N ₂ O	No	
	Source 2	CO ₂	Yes	
		CH_4	No	
Ч		N ₂ O	No	

1 Table 1: Emissions sources included in or excluded from the project boundary

2 5. Identification of the baseline scenario

3 Project participants shall apply the following steps to identify the baseline scenario:

4 Step 1: Identify plausible alternative scenarios

- 5
- 6
- 7 Step 2:

>>

8 >>

9	6. Additionality: Please describe the procedure for demonstrating additionality
10	>>
11	
12	7. Baseline emissions
13	>>
14	

15 8. Project emissions

16 Project emissions include...




CDM – Executive Board

UNFCCC

PROPOSED NE	EW BASELINE	E AND	MONITO	METHODOL	OGIES

	(CDM-NM) - Version 03	UNFCCC
	DRAFT DRAFT	Page 4
1	Please define the steps to estimate for project emissions, as per the examples below	
2	"Project emissions are calculated as follows:	
3	$PE_{y} = PE_{FC,y} + PE_{EC,y}$	(1)
4	Where: PE_y = Project emissions in year y (t CO2/yr) $PE_{FC,y}$ = Project emissions from fossil fuel combustion in year y (t CO2/yr) $PE_{EC,y}$ = Project emissions from electricity consumption in year y (t CO2yr)	
5 6	Equations are numbered automatically. Just copy the equation with nomenclature above to equations. Present equations as in the example above	produce other
7		
8	Project emissions are calculated in the following steps:	
9	Step 1: Determination of project emissions from fossil fuel combustion	
10	Step 2: Determination of project emissions from electricity consumption	
11		
12	Step 1: Determination of project emissions from fossil fuel combustion	
13		
14		
15	Step 2: Determination of project emissions from electricity consumption"	
16		
17		
18 19	Determination of the electricity consumption by the project activity (Use this type of headin heading)	<u>g as a sub-</u>
20		
21	The process to calculate Lambda is defined in Figure 1.	




UNFCCC

CDM – Executive Board

Page 5

1 Figure 1: Illustration of Lambda Calculation for Simple Adjusted OM Method



2

3 Project Participants, please note that if further enumerations are required, use the following format:

6 9. Leakage

>>

7

8

9 **10. Emission reductions**

10 Emission reductions are calculated as follows:

11 $ER_y = BE_y - PE_y - LE_y$

This template shall not be altered. It shall be completed without modifying/adding headings or logo, format or font.

(2)

^{4 (}a) First issue

^{5 (}b) Second issue

CDM – Executive Board

PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES

(CDM-NM) - Version 03



Page 6

1	Where:	
	ER_{v}	

BE_y PE_y

LE_v

- = Emission reductions in year y (t CO₂e/yr)
 - = Baseline emissions in year y (t CO₂e/yr)
- = Project emissions in year y (t CO₂/yr)
- = Leakage emissions in year y (t CO₂/yr)
- 2

3	11. Changes required for methodology implementation in 2 nd and 3 rd crediting periods
4	>>
5	
6	

7 **12a. Data and parameters not monitored**

8 In addition to the parameters listed in the tables below, the provisions on data and parameters not

- 9 monitored in the tools referred to in this methodology apply.
- 10

Data / parameter:	
Data unit:	
Description:	
Source of data:	
Measurement	
procedures (if any):	
Any comment:	

11 III. MONITORING METHODOLOGY

12 All data collected as part of monitoring should be archived electronically and be kept at least for 2 years

13 after the end of the last crediting period. 100% of the data should be monitored if not indicated otherwise

14 in the tables below. All measurements should be conducted with calibrated measurement equipment

15 according to relevant industry standards.

¹⁶ In addition, the monitoring provisions in the tools referred to in this methodology apply.

(CDM-NM) - Version 03

DRAFT

Page 7

UNFCCC

CDM – Executive Board

12b. Data and parameters monitored

Data / parameter:	
Data unit:	
Description:	
Source of data:	
Measurement	
procedures (if any):	
Monitoring	
frequency:	
QA/QC procedures:	
Any comment:	

2 IV. REFERENCES AND ANY OTHER INFORMATION

3

1

4



PROPOSED NEW BASELINE AND MONITORING METHODOLOGIES	3
(CDM-NM) - Version <mark>03</mark>	

DRAFT

CDM – Executive Board

1	
2	Section D. Explanations / justifications to the proposed new baseline and monitoring methodology
3	
4	1. Selected approach from paragraph 48 of the CDM modalities and procedures
5	
6	
7 8	2. Definitions
9	
10	
11	
12	3. Applicability conditions
13	
14	
15	
16	4. Project boundary
17	
18	
19	
20	5. Identification of the baseline scenario
21	
22	
23	
24	6. Additionality
25	
26 27	
28	7. Baseline emissions
29	7. Daschie emissions
30	
31	
32	8. Project emissions
33	
34	
35	
36	9. Leakage
37	
38	
39	_
40	10. Emission reductions
41	
42	
43	



Page i



This template shall not be altered. It shall be completed without modifying/adding headings or logo, format or font.

(CDM-NM) - Version <mark>03</mark>

DRAFT

Page ii

UNFCCC

1	11. Changes required for methodology implementation in 2 nd and 3 rd crediting periods
2	
3	
4	
5	12. Monitoring methodology, including data and parameters not monitored
6	
7	
8	
9	
10	
11	
12	

13

History of the document

Version	Date	Nature of revision(s)
03	EB 38, Annex #	
	14 March 2008	
02	EB 32, Annex 17	
	22 June 2007	
01	EB 08, Annex 02	Initial adoption
	29 September 2006	

14 15

16



CDM – Executive Board