

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY AND CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight Registered																																																																																																																																																																																																	
Trailer <input type="checkbox"/> Converter <input type="checkbox"/>																																																																																																																																																																																																											
Vehicle Information																																																																																																																																																																																																											
VIN																																																																																																																																																																																																											
Unit Number		Year		Make						Model				Odometer																																																																																																																																																																																													
Registered Owner's Name										Signature																																																																																																																																																																																																	
Address												Postal Code				Phone Number																																																																																																																																																																																											
<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;"></th> <th style="width: 15%; text-align: center;"><u>LEFT</u></th> <th style="width: 15%;"></th> <th style="width: 15%; text-align: center;"><u>FRONT</u></th> <th style="width: 15%;"></th> <th style="width: 15%; text-align: center;"><u>RIGHT</u></th> <th style="width: 15%;"></th> <th style="width: 15%;"></th> </tr> </thead> <tbody> <tr> <td></td> <td style="text-align: center;">_____ psi</td> <td>_____</td> <td style="text-align: center;">Drums</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ psi</td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">_____ mm</td> <td>_____</td> <td style="text-align: center;">Linings</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Push Rod Travel</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Cam Rotation</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">_____ psi</td> <td>_____</td> <td style="text-align: center;">Drums</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ psi</td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">_____ mm</td> <td>_____</td> <td style="text-align: center;">Linings</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ mm</td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Push Rod Travel</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Cam Rotation</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">_____ psi</td> <td style="text-align: center;">_____ psi</td> <td>_____</td> <td style="text-align: center;">Drums</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ psi</td> <td style="text-align: center;">_____ psi</td> </tr> <tr> <td style="text-align: center;">_____ mm</td> <td style="text-align: center;">_____ mm</td> <td>_____</td> <td style="text-align: center;">Linings</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ mm</td> <td style="text-align: center;">_____ mm</td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Push Rod Travel</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Cam Rotation</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">_____ psi</td> <td style="text-align: center;">_____ psi</td> <td>_____</td> <td style="text-align: center;">Drums</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ psi</td> <td style="text-align: center;">_____ psi</td> </tr> <tr> <td style="text-align: center;">_____ mm</td> <td style="text-align: center;">_____ mm</td> <td>_____</td> <td style="text-align: center;">Linings</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ mm</td> <td style="text-align: center;">_____ mm</td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Push Rod Travel</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Cam Rotation</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td style="text-align: center;">_____ psi</td> <td style="text-align: center;">_____ psi</td> <td>_____</td> <td style="text-align: center;">Drums</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ psi</td> <td style="text-align: center;">_____ psi</td> </tr> <tr> <td style="text-align: center;">_____ mm</td> <td style="text-align: center;">_____ mm</td> <td>_____</td> <td style="text-align: center;">Linings</td> <td>_____</td> <td></td> <td style="text-align: center;">_____ mm</td> <td style="text-align: center;">_____ mm</td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Push Rod Travel</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td>_____</td> <td style="text-align: center;">Cam Rotation</td> <td>_____</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="2"></td> <td colspan="2">Park Brake Lining</td> <td>Left _____ mm</td> <td>Right _____ mm</td> <td colspan="2">Trans _____ mm</td> </tr> <tr> <td colspan="2"></td> <td colspan="2">Wheel Torque Checked <input type="checkbox"/></td> <td colspan="2">Inner _____ ft lbs</td> <td colspan="2">Outer _____ ft lbs</td> </tr> </tbody> </table>																					<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>				_____ psi	_____	Drums	_____		_____ psi			_____ mm	_____	Linings	_____		_____ mm				_____	Push Rod Travel	_____						_____	Cam Rotation	_____					_____ psi	_____	Drums	_____		_____ psi			_____ mm	_____	Linings	_____		_____ mm				_____	Push Rod Travel	_____						_____	Cam Rotation	_____				_____ psi	_____ psi	_____	Drums	_____		_____ psi	_____ psi	_____ mm	_____ mm	_____	Linings	_____		_____ mm	_____ mm			_____	Push Rod Travel	_____						_____	Cam Rotation	_____				_____ psi	_____ psi	_____	Drums	_____		_____ psi	_____ psi	_____ mm	_____ mm	_____	Linings	_____		_____ mm	_____ mm			_____	Push Rod Travel	_____						_____	Cam Rotation	_____				_____ psi	_____ psi	_____	Drums	_____		_____ psi	_____ psi	_____ mm	_____ mm	_____	Linings	_____		_____ mm	_____ mm			_____	Push Rod Travel	_____						_____	Cam Rotation	_____						Park Brake Lining		Left _____ mm	Right _____ mm	Trans _____ mm				Wheel Torque Checked <input type="checkbox"/>		Inner _____ ft lbs		Outer _____ ft lbs	
	<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>																																																																																																																																																																																																						
	_____ psi	_____	Drums	_____		_____ psi																																																																																																																																																																																																					
	_____ mm	_____	Linings	_____		_____ mm																																																																																																																																																																																																					
		_____	Push Rod Travel	_____																																																																																																																																																																																																							
		_____	Cam Rotation	_____																																																																																																																																																																																																							
	_____ psi	_____	Drums	_____		_____ psi																																																																																																																																																																																																					
	_____ mm	_____	Linings	_____		_____ mm																																																																																																																																																																																																					
		_____	Push Rod Travel	_____																																																																																																																																																																																																							
		_____	Cam Rotation	_____																																																																																																																																																																																																							
_____ psi	_____ psi	_____	Drums	_____		_____ psi	_____ psi																																																																																																																																																																																																				
_____ mm	_____ mm	_____	Linings	_____		_____ mm	_____ mm																																																																																																																																																																																																				
		_____	Push Rod Travel	_____																																																																																																																																																																																																							
		_____	Cam Rotation	_____																																																																																																																																																																																																							
_____ psi	_____ psi	_____	Drums	_____		_____ psi	_____ psi																																																																																																																																																																																																				
_____ mm	_____ mm	_____	Linings	_____		_____ mm	_____ mm																																																																																																																																																																																																				
		_____	Push Rod Travel	_____																																																																																																																																																																																																							
		_____	Cam Rotation	_____																																																																																																																																																																																																							
_____ psi	_____ psi	_____	Drums	_____		_____ psi	_____ psi																																																																																																																																																																																																				
_____ mm	_____ mm	_____	Linings	_____		_____ mm	_____ mm																																																																																																																																																																																																				
		_____	Push Rod Travel	_____																																																																																																																																																																																																							
		_____	Cam Rotation	_____																																																																																																																																																																																																							
		Park Brake Lining		Left _____ mm	Right _____ mm	Trans _____ mm																																																																																																																																																																																																					
		Wheel Torque Checked <input type="checkbox"/>		Inner _____ ft lbs		Outer _____ ft lbs																																																																																																																																																																																																					

Section 2. Suspension											
Component			P	F	NA	Component			P	F	NA
2.1 Suspension Attachments						2.5 Air Suspended Axle					
2.2 Leaf Springs and Attachments						2.6 Self-Steering Axles					
2.3 Rubber Load Cushion						2.7 Shock Absorbers					
2.4 Air Suspension											
<b>NOTES:</b>											
Section 3. Hydraulic Brake System											
Component			P	F	NA	Component			P	F	NA
3.1 Hydraulic System						3.4 Drum Brakes					
3.2 Vacuum System						3.5 Disc Brakes					
3.3 Vacuum Reserve						3.6 Electric Brakes					
<b>NOTES:</b>											
Section 3.A-Air Brakes											
Component			P	F	NA	Component			P	F	NA
3A.1 Air Brake Components						3A.8 Mechanical Components					
3A.2 Air System Leakage						3A.9 Drum Brakes					
3A.3 Quick Release/Relay Valves						3A.10 Brake Drums					
3A.4 Air Parking and Emergency Brake Application						3A.11 Brake Adjustment					
3A.5 Spring Brake Control Valve						3A.12 Disc Brakes					
3A.6 Brake Camshafts						3A.13 Anti-Lock Brake System					
3A.7 Camshaft Rotation											
<b>NOTES:</b>											
Section 4. Steering											
Component			P	F	NA	Component			P	F	NA
4.1 Travel						4.3 Gauges and Operating Instructions					
4.2 Steering Linkage						4.4 Kingpin Play					
<b>NOTES:</b>											
Section 5. Instruments and Auxiliary Equipment											
Component			P	F	NA	Component			P	F	NA
5.1 Manufacturer's Label						5.3 Heater/Refrigeration Unit					
5.2 Permanently Attached Equipment											
<b>NOTES:</b>											
Section 6 - Lamps											
Component			P	F	NA	Component			P	F	NA
6.1 Lamps						6.3 Retroreflective Markings					
6.2 Reflex Reflector											
<b>NOTES:</b>											
Section 7 - Electrical System											
Component			P	F	NA	Component			P	F	NA
7.1 Wiring											
<b>NOTES:</b>											
Section 8 - Body											
Component			P	F	NA	Component			P	F	NA
8.1 Body						8.5 Load Securement Points					
8.2 Fenders/Mud Flaps						8.6 Rear Impact Guards					
8.3 Landing Gear						8.7 Corrosion					
8.4 Frame and Cross members											
<b>NOTES:</b>											

Section 9 – Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1 Tread Depth				9.7 Wheel/Rim		
9.2 Tread Section of Tire				9.8 Multi-Piece Wheel/Rim		
9.3 Sidewalls				9.9 Spoke Wheel/Demountable Rim System		
9.4 Tire Pressure				9.10 Disc Wheel System		
9.5 Hubs				9.11 Wheel Fasteners		
9.6 Wheel Bearings						

Section 10 – Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1 Upper Fifth Wheel				10.4 Secondary Attachments		
10.2 Trailer Hitch				10.5 Fifth Wheel Coupler & Converter Dolly		
10.3 No Slack Hitch				10.6 Oscillating Fifth Wheel		

**Certification**

The vehicle for which this Record of Inspection is issued has PASSED  (Certificate # \_\_\_\_\_) FAILED  the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, *Alberta Regulation 211/2006* and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

**Customer Acknowledgment**

I understand that any failed item(s) must be repaired and re-inspected within 10 days from the date of inspection. I also understand that, if the vehicle is presented to any Alberta Vehicle Inspection Facility within 10 days of the date of inspection, only the failed items identified on this Record of Inspection need to be re-inspected. Additionally, if my vehicle is not presented within 10 days from the date of inspection, I understand the whole vehicle must be re-inspected.

Date (Year/Month/Day)

Customer Signature