Sacramento County Animal Care and Regulation Adoption Application

The following questionnaire	ou. Date:		
Name	Address	City/State/Zip	
Home Phone	E-mail address	Work Phone	Cell Phone
Are you 18 years of age or older?	Drivers License or ID		
	You and Your	Household Check all t	hat apply
# of pets in your home:	Do you ?	Home Lifestyle:	Dog/Cat Experience:
Dogs	O Own	O Very Active	O First Time Pet Owner
Cats	O Live w/ Parents (pet	O Some Activity	O Have Had One or Two
Other	O Rent verification)	O Rather Quiet	O Have Had Many
Outside I Have:	Children and Your Home:	Reason for Adopting:	(Describe experience on reverse) Hours the Pet Would Be
O Fenced Yard	O I have children	O Family Companion	Alone?
		O For My Children	O 8-9 hours
Feet High Material	Ages O I do not have children	O Gift for Someone	O More than 9 hours
O Unfenced Yard		O Guard/Protection	O 5-8 hours
O No Outside Yard	O Children visit my home Ages	O Companion for Pets	O Rarely
O NO Outside Taid	O No children visit my	O Hunter/Mouser	O Occasionally
	home	O munter/iviouser	Occasionally
	Hopes and Expec	tations Check all tha	ut apply
Breed:	Age:		Desired Characteristics:
O Purebred	O ² to 4 Months (like a baby/toddler)		
O Mixed Breed	O 4 to 12 Months (like a young child/teenager)		O Very Active
O No Preference	O 1 to 3 Years (like an energy		O Active
	O 3 Years or Older (like a sensible adult)		O Calm
	O No Preference		O Outgoing
Size of Cat:	Training Level of Dog:		O Confident
O Small	O I plan to train myself/doesn't matter		O Reserved
O Medium	O Prefer a dog with some training		O Sensitive
O Large	O Prefer a dog that is fully obedience trained		O Friendly
O X-Large	O Prefer a dog that is already housetrained		O Playful
Size of Dog:	Ideally My Dog/or Cat will live:		O Submissive
O 5 to 20 lbs.	O Outside only O Inside only		O Gentle
O 20 to 50 lbs.	O Outside and garage only, garage at night		O Well-mannered
O 50 to 100 lbs.	O Outside during day, inside nights/when home		O Affectionate
O $100 + lbs.$	O Indoors most of the time		O Independent
Coat:	Sex:	Is anyone in your	O Dependent
O Short	O Male	household allergic to:	O Declawed Cat
O Medium	O Female	O Cats	O Other
O Long	O No Preference	O Dogs	
O No Preference			

Animals Living With You NOW and in the PAST				
Pet #1 Name: Species: Sex: Age: Type/Breed: Sex: How Long Owned: Is/was animal spayed/neutered? Sex: Most of the time this pet is/was kept: Most of the time this pet is/was kept: Both Does this pet still live with you? If no-please check appropriate box: Deceased Gave Away Lost Other: Image: Content in the image: Con	Pet #2 Name: Species: Sex: Age: Type/Breed: How Long Owned:			
Pet #3 Name: Species: Sex:	Pet #4 Name: Species: Sex: Age: Type/Breed: Sex: How Long Owned: Is/was animal spayed/neutered? Is/was animal spayed/neutered? Most of the time this pet is/was kept: Indoors Outdoors Both Does this pet still live with you? If no-please check appropriate box: Deceased Gave Away Lost ? Other:			

The Sacramento County Animal Care and Regulation is committed to reducing the overpopulation of domestic pets. Therefore, all animals are spayed/neutered prior to going home.

How did you hear about this animal or our shelter?				

I certify to the best of my knowledge, that all the above information is true.

Signature _____

The section below is to be completed by an Adoption Counselor, and/or an Officer.

Fees are totaled at time of payment.

DOG	CAT	Other Animals
Date In	Date In	Date In
Animal #	Animal #	Animal #
Breed	Breed	Breed
Color	Color	Color
Markings	Markings	Markings
Sex Altered? Yes No	Sex Altered? Yes No	Sex Altered? Yes No
Age Weight	Age Weight	Age Weight
Vet	Vet	Adoption Fee
Adoption Fee $$13.00$	Adoption Fee $$13.00$	Vaccination Fee
Vaccination Fee 8.00	Vaccination Fee 4.00	Surgical Fee
Rabies Fee \$10.00 (4 months or older only)	Rabies Fee \$10.00 (4 months or older only)	Rabbit Surgery Fee $\underline{\$25.00}$
Surgical Fee	Surgical Fee	Small animals: Rabbits, birds,
Microchip Fee $$20.00$	Microchip Fee \$20.00	and rodents \$ 5.00
License Fee $$15.00$	License Fee \$15.00	Exotics: ¹ / ₂ Market Value Livestock – not auctioned
License Fee** \$10.00 **(Citrus Heights, Folsom, Galt & Isleton)	License Fee** \$10.00 **(Citrus Heights, Folsom, Galt & Isleton)	\$25.00 Microchip (Optional) \$20.00
Other	Other	

Adoption Counselor Signature

Approved Officer Signature

Your cat or dog will be micro chipped with Microchip #_____

The microchips are on file only with Sacramento County. Information to register, as owner, with the manufacturer will be provided to you.

PARVO VIRUS CLIENT INFORMATION

- 1. Parvo is a viral disease of dogs. It is highly infectious and causes diarrhea (sometimes bloody), vomiting, lethargy, weakness, and fever. The virus also attacks white blood cells, leaving the infected dog much more susceptible to other bacterial infections. Parvo is especially common in dogs under six months of age.
- 2. Diarrhea can be mild or fatal. Diarrhea in an otherwise bright, alert, eating, drinking dog is more likely due to stress, parasites, or diet change. A veterinarian can diagnose Parvo with a simple test performed on feces.
- 3. The virus is very contagious and is spread by exposure to feces or anything that has been in contact with infected feces (such as shoes, clothing, hands, etc.). Because so many unvaccinated dogs come in to shelters, dogs in this environment are at increased risk for exposure to Parvo.
 - The best prevention is quarantine and vaccination. The incubation period is up to 14 days, so it is important to keep puppies and other vulnerable dogs away from your new pet (and its feces) for two weeks.
 - Keep puppies that may be ill with Parvo in an area that is easily cleaned with bleach. Once a yard or dirt area is exposed to Parvo, it can remain contaminated for months, especially if it is moist and dark.
 - All dogs that come in to Sacramento County Animal Care and Regulation receive a vaccination for Parvo. This will need to be boostered by you vet.
 - Older dogs (over one year) that have had at least two vaccines, with the last one at least two weeks ago, are generally well pretected.
- 4. Dogs with Parvo can be treated with supportive care such as intravenous fluids and antibotics. The sooner treatment is begun, the more likely it is to be successful, so a veterinarian should be contacted as soon as possible.
- 5. If you suspect your dog or newly adopted dog has Parvo, you may take the animal to your veterinarian to be treated. Unfortunately, Sacramento County is not able to reimburse for fees incurred for treatment. You also have the option of returning the dog to Sacramento County Animal Care and Regulation for a full refund of your adoption fees if within thirty days of the adoption date.

PANLEUKOPENIA CLIENT INFORMATION

Panleukopenia is a highly infectious viral disease in cats. Signs include diarrhea (sometimes bloody) vomiting, lethargy and fever, and death. It can range from mild diarrhea to fatal disease.

Diarrhea in an otherwise bright, alert, eating, drinking kitten is more likely due to diet change, stress, parasites, or dietary indiscretion.

Because it is so contagious, cats that were potentially exposed to Panleukopenia should be isolated in an easily cleaned area for 14 days to make sure they are not going to come down with it. Panleukopenia is part of the vaccine series recommended for all cats and provides excellent protection. Adult cats that are current on their vaccinations are at minimal risk for this illness.

Municipal Services Agency

Department of Animal Care and Regulation Pat Claerbout, Director



Terry Schutten, County Executive Paul Hahn, Agency Administrator

County of Sacramento

Health Waiver: Possible Parvo/Panleukopenia Exposure

Sacramento County Animal Care and Regulation has experienced Parvo/Panleukopenia cases recently. The dog/cat you are adopting may have been exposed to this disease. Please see the attached Parvo/Panleukopenia information sheet for further information.

Parvo/Panleukopenia can cause severe or fatal disease in dogs/cats. Treatment can be costly and is not always successful. Parvo/Panleukopenia is highly infectious, and once an environment is contaminated with Parvo/Panleukopenia, it can be very difficult to eliminate the virus.

Sacramento County Animal Care and Regulation will not be responsible for costs associated with treatment of this disease. If an adopted dog/cat contracts Parvo/Panleukopenia, you may treat it at your own expense or return it for a refund of your adoption fees within thirty days of adopting.

In signing this, you acknowledge that you have read and understand the above information.

Date: _____

Signature:

Witness:

Animal Number: _____

Thank you for taking a chance on the very special dog/cat!



4290 Bradshaw Road • Sacramento, California 95827 • phone (916) 368-7387 • fax (916) 875-5519 • <u>www.saccountyshelter.net</u>

KENNEL COUGH

Your newly adopted puppy or dog is first welcomed to the shelter with injectable and nasal vaccinations. Your pet then resides in a kennel that is cleaned and disinfected daily. The exercise and love our Sacramento County Animal Care and Regulations Staff and Volunteers give to the animals while they are in our shelter helps boost their morale and their immune system. Unfortunately, all of these precautions cannot prevent this infection.

Kennel Cough is a common in a shelter environment. (Humane Society, Board Kennels, Pet Stores, Etc.) Due to the number and proximity of dogs and their varied health backgrounds, a general Health Check Voucher is provided with each adoption from the Sacramento County Animal Shelter.

What are the symptoms?

Although dogs with Kennel Cough are usually active and healthy looking, one or more of the following conditions will be present:

- Nasal Discharge * Ocular (Eye Discharge) * Dry hacking cough
- Bouts of deep, harsh coughing followed by a gagging motion
- Failure to eat or drink regularly

What can I do if my dog has Kennel Cough?

- Seek necessary veterinary assistance * Provide your dog with a warm and comfortable environment
- Keep your pet away from other dogs to prevent others from exposure to Kennel Cough

FELINE UPPER RESPIRATORY INFECTION

What is URI?

Feline Upper Respiratory Infection (URI) is similar to a common cold in humans. It is especially common in cats that have been exposed to a lot of other cats, such as at an animal shelter. URI is very rarely fatal, and usually resolves within one to three weeks. Treatment generally consists of supportive care. In addition, antibiotics are sometimes given to treat possible bacterial infections. However, although secondary bacterial infections can make the problem worse, the underlying cause is often a viral infection. Viral infections are not cured by antibiotics - as with the common cold, there is no completely effective treatment besides time and allowing the cat's own immune system to do its job.

In rare cases, URI can cause serious disease such as pneumonia. Also, sick cats may not eat or drink adequate amounts and may become severely dehydrated. In such cases, hospitalization and fluid supplementation may be needed.

Can my other pets get URI?

URI is contagious to other cats. Most cats are vaccinated against it (its part of the standard yearly vaccination program recommended by most vets). However, the vaccine is not 100% protective, so it's a good idea to isolate cats that are showing signs of the disease, and wash hands after handling sick cats. (In general we recommend isolating all new arrivals in your household for 8-10 days after adoption, to give them a chance to settle in and make sure they are not coming down with anything.) URI is not contagious to people or other animals.

What are the signs of URI? * Sneezing

*

Runnv nose Fever

*

- Decrease energy
- Lack of appetite

Red and/or runny eyes * Sores on the tongue, lips, nose or roof of mouth

What should I do if my new cat has URI?

Mild cases of URI can often be treated at home with supportive care.

- Provide the cat with a guiet, warm place to rest •
- Make sure the cat is eating. When cats get stuffy noses, they can't smell their food very well and may not want to eat. Offer smelly, wet food such as fish flavored canned food. Warming it up often helps.
- Gently clean the cat's nose and eyes with a soft cloth moistened with warm water. •
- If the cat is very congested, use a humidifier or put the cat in the bathroom and run hot water in the shower for a few minutes a couple times a day. Moderate to severe congestion is often a sign of a secondary bacterial infection so contact your veterinarian to discuss treatment.
- If any medicine has been prescribed, be sure and give the full course as directed, even if the symptoms seem to have gone away.
- If you have any questions, contact your veterinarian or the animal shelter from which you obtained your cat.

Municipal Services Agency

Department of Animal Care and Regulation Pat Claerbout, Director



Terry Schutten, County Executive Paul Hahn, Agency Administrator

County of Sacramento

Health Waiver: Possible Kennel Cough/Feline Upper Respiratory Infection Exposure

All dogs/cats entering Sacramento County Animal Care and Regulation are vaccinated for Kennel Cough/URI on intake. Although the dog/cat you are adopting may not have Kennel Cough/URI when you adopt it, it still may contract it. The dog/cat you are adopting may have been exposed to this disease. Please see the attached Kennel Cough/URI information sheet for further information.

Sacramento County Animal Care and Regulation will not be responsible for costs associated with treatment of this disease. If an adopted dog/cat contracts Kennel Cough/URI, you may treat it at your own expense or return it for a refund of your adoption fees within thirty days of adopting.

In signing this, you acknowledge that you have read and understand the above information and agree to use the provided Health Check Voucher.

Date: _____

Signature:

Witness: _____

Animal Number: _____

Thank you for taking a chance on the very special dog/cat!



4290 Bradshaw Road • Sacramento, California 95827 • phone (916) 368-7387 • fax (916) 875-5519 • <u>www.saccountyshelter.net</u>