Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

IDENTITY (As Used on Label and List)

Electrolyte 6744

U.S. Department of Labor

Occupational Safety and Health

Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

| Manufacturer's Name | Emergency Telephone Number | | |
|---|-------------------------------------|--|--|
| Ostling Markiersysteme GmbH | 011-49-212-2696-0 US 1-877-318-9562 | | |
| Address (Number, Street, City, State, and ZIP | Telephone Number for Information | | |
| Code) | 011-49-212-2696-0 US 1-877-318-9562 | | |
| Brosshauser Strabe 27 | | | |
| D-42697 | | | |
| Solingen, Germany | | | |
| US Distributor - O-T Marking Systems | Date Prepared 08/30/01 | | |
| 931 East Water Street | | | |
| Chillicothe, Ohio 45601 | | | |
| 1-877-318-9562 | | | |
| | | | |

Section II - Hazard Ingredients/Identity Information

| Hazardous Components (Specific Chemical | OSHA | ACGIH | Other Limits |
|---|------|-------|-------------------------|
| Identity; Common Name(s)) | PEL | TLV | Recommended %(optional) |

preparation of anorganic and organic substances with oxidizing effect based on mineral water matrix

chemical characterization: CAS No. Designation: 7632-00-Orisk-phase R 25

Hazard designation X unhealthy

Section III - Physical/Chemical Characteristics

| Boiling Point | Not | Specific Gravity (H ₂ O = 1) | | | |
|---|------------|---|-----|--|--|
| | determined | | N/A | | |
| Vapor Pressure (mm Hg.) | N/A | Melting Point | | | |
| | IN/A | | N/A | | |
| Vapor Density (AIR = 1) | NT/A | Evaporation Rate | | | |
| | N/A | (Butyl Acetate = 1) | N/A | | |
| Solubility in Water 100% | | | | | |
| Appearance and Odor –transparent color and odorless | | | | | |

Section IV - Fire and Explosion Hazard Data

| Flash Point (Method Used) | Flammable Limits | LEL | UEL | | | |
|---|------------------|-----|-----|--|--|--|
| Non-combustible | N/A | N/A | N/A | | | |
| Extinguishing Media | | | | | | |
| Do not use extinguishing powder with ammonium salts | | | | | | |
| Special Fire Fighting Procedures | | | | | | |
| None | | | | | | |
| Unusual Fire and Explosion Hazards | | | | | | |
| None | | | | | | |

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

| Stability | Unstable NO | Conditions to Avoid - > 380 degrees celcius |
|-----------|----------------|---|
| | Stable YES | |

| Incompatibility (Materials to Avoid)- acids ammonium salts, amines | | | | |
|--|--|--|--|--|
| Hazardous Deco | Hazardous Decomposition or Byproducts - none | | | |
| Hazardous | May Occur | | Conditions to Avoid - with acids reaction to nitrous fumes | |
| Polymerization | no | | | |
| | Will Not | | | |
| | Occur- | | | |
| | yes | | | |
| | | | | |

Section VI - Health Hazard Data

Route(s) of Entry

| unknown | effects known | effects known | swallowed |
|--|--|-------------------------|--------------------|
| Health Hazards (Acute of | and Chronic) Void | 1 | |
| Carcinogenicity: Unknown | NTP? N/A | IARC Monographs? N/A | OSHA Regulated? No |
| Signs and Symptoms of | Exposure - no sensitizir | ng effect | |
| Medical Conditions-unl Generally Aggravated b | | | |
| | r, after eye contact rinse er, after swallowing rinse | 1 | * |

Inhalation? No irritante Skin? No irritant

Ingestion? Poisonous if

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled – absorb with liquid-binding material (saw-dust, paper, etc.)

Waste Disposal Method –the ordinances applicable to disposal in your area are to be strictly adhered to

Waste disposal key number-52720

Packaging should be emptied and thoroughly cleaned before reuse

Precautions to Be taken in Handling and Storing-general protective and hygienic measures-room must be

well ventilated and stored away from acidic agents. Keep container tightly sealed.

Other Precautions-do not allow product to reach ground water, water bodies, or sewage system without

pretreatment; complication of decomposition activity of adapted activated sludge are not expected

Section VIII - Control Measures

| Respiratory Proctection (Specify Type) room must be well ventilated | | | | |
|---|--|--|-----------------------|--|
| Ventilation well ventilated | Local Exhaust N/A | | Special N/A | |
| | Mechanical (General) keep cont tightly sealed, non-combustible away from acidic agents | | Other N/A | |
| Protective Gloves –not necessary Eye Pro | | | tection-not necessary | |
| Other Protective Clothing or Equipment – not necessary | | | | |
| Work/Hygienic Practices N/A | | | | |

* U.S.G.P.O.: 1986 - 491 - 529/45775