Carrier Information

Name:

Address:

Phone No. ()

)

Fax No. (

State of Maryland Uniform Treatment Plan Form

(For Purposes of Treatment Authorization)

□ Initial Plan Beginning date for current authorization request

month/date/year

| Patient First Name | Membership Number | Group Number | | Patient Date of B MO DAY | irth YR | Relationship to insured |
|-------------------------------|--------------------------------|--------------|---------------|-----------------------------|------------|-------------------------|
| Clinician/Provider Name (Plea | ase Print) Credentials (Lic/Ce | rt#) | Supervisor (I | f applicable) | Phone | |
| Address | Phone | | Address | | | |
| I.D. (If applicable) | Fax | | | | | |
| i.D. (ii uppilouoio) | i ux | Fax | | nature | | Date |

PART 1 - PREVIOUS TREATMENT PAST TWO YEARS (Complete for initial plan only)

| | Yes | No | Unknown | Psychiatric Medications (List if known, include name and dose): |
|--------------------------------|-----|----|---------|---|
| Outpatient | | | | |
| Partial Hospital | 브 | | | |
| Residential Tx Center | | | | Compliance: Yes 🗆 No 🗆 Side Effects: Yes 🗆 No 🗆 |
| Sub Abuse Intensive Outpatient | | | | Comments: |
| Other: | | | | |
| Medical Hx: | | | | |
| | | | | Allergies: |
| | | | | |
| | | | | |

PART 2 - CURRENT DIAGNOSIS/ASSESSMENT

| DSM-IV DIAGNOSIS | FUNCTIONAL ASSESSMENT | | | | |
|---|-----------------------|------|------------|-------------|--------|
| Axis I: | Category | Ill | ness-relat | ed Impairme | ent |
| Axis II: . | | None | Mild | Moderate | Severe |
| | Family Relations | | | | |
| Axis III | Job/School | | | | |
| Axis IV | Financial | | | | |
| Axis V: Current Highest in last year | Physical Health | | | | |
| | Legal | | | | |
| (Document specific GAF score - not range) | Friends/Social | | | | |

RISK ASSESSMENT: <u>Suicidality</u>: Ideation Plan Prior attempts (if known) <u>Other Risk Behavior</u> (e.g., dangerousness to others, self mutilation, etc.) Comments:

OTHER ASSESSMENT INFO (e.g. psychological testing, type and amount of drug(s) of abuse, specific weight gain/loss)

RISK OF RELAPSE INTO CHRONIC/ACUTE SYMPTOMS: □ High □ Moderate □ Low Comments:____

PART 3 - THERAPEUTIC INTERVENTIONS

| A. PROPOSED TREATMENT (Check all services for which authorization is requested) | | | B. PSYCHIATRIC MEDICATION Has patient been evaluated for medication? ☐ Yes ☐ No Does patient follow medication regimen? ☐ Yes ☐ No | | |
|---|---|--------------------------|---|--|--|
| Modality Individual Group Family Medication Conjoint Other (Specify Code): | Frequency (e.g. 2/wk, 1/mo) | CPT Code | Does partent follow medication regiment Dires Dires Dires Medication Dose/Frequency Start Date | | |
| Date first seen for curre Estimated discharge dat Expected number of vis | | | | | |
| SUPPORT SERVICES NA/AA, group therapy | RIC, MEDICAL OR CON CLIENT RECEIVES: (S , supportive housing, treat | pecify e.g., ment for | D. EXPECTED TREATMENT OUTCOMES (check all that apply) Reduction in symptoms and discharge from active treatment Return to highest GAF and discharge from active treatment Transfer to self help/other supports and discharge from active treatment Ongoing supportive counseling to maintain stabilization of symptoms Ongoing medication management to maintain stabilization of symptoms | | |

PART 4 - PRESENTING SYMPTOMS TARGETED SYMPTOMS

Mark <u>only</u> those symptoms that apply based on the past 2 weeks or most recent visit. Indicate if the symptom is a target of treatment. Also check target if symptom is currently controlled by medication.

SOCIAL FUNCTIONING/BEHAVIOR Mild Mod Severe Target

MOOD/AFFECT DISTURBANCE

| Milla | | | Target | ~ | Mild | Mod | Severe | Target | |
|-------|-------|--------|--------|---|------|------|--------|--------|----------------------------------|
| | | | | Socially isolated | | | | | Suicidal ideation |
| | | | | Unstable/intense relationships Perfectionistic/controlling/rigid | | | | | Homicidal ideation |
| | | | | | | | | | Depressed mood |
| | | | | Noncomforming to laws/norms | | | | | Elated mood |
| | | | | Nonconnorming to laws/norms Threatening | | | | | Labile Mood |
| | | | | Assaultive | | | | | Low esteem/excessive guilt |
| | | | | Tantrums | | | | | Hopelessness/helplessness |
| | | | | Self mutilating | | | | | Irritability/inappropriate anger |
| | | | | Impulsive | | | | | Loss of interest/anhedonia |
| | | | | Oppositional/defiant | | | | | Other |
| | | | | Work/school inhibition | SOM | ATIC | DISTU | RBANCE | |
| | | | | Agitation | Mild | Mod | Severe | Target | |
| | | | | Motor retardation | | | | ٦ | Hypersommia |
| | | | | Hyperactive | | | | | Insomnia |
| | | | | Disorganized | | | | | Vomiting/laxative/diuretic abuse |
| | | | | Other | | | | | Body weight change |
| | | | | | | | | | Pain |
| COG | NITIO | ON/MEN | AORY/A | TTENTION | | | | | Other |
| Mild | | Severe | | | | | | | |
| | | | | Impaired attention/concentration | ANX | IETY | | | |
| | | | | Memory impairment | Mild | Mod | Severe | Target | |
| | | | | Concrete thinking | | | | Ŭ | Avoidant behavior |
| | | | | Disorientation to : | | | | | Phobia |
| | | | - | time/place/person | | | | | Obsessions/compulsions |
| | | | | Impaired judgment | | | | | Panic attacks |
| | | | | Lack of insight | | | | | Somatization |
| | | | | Circumstantiality/tangentiality | | | | | Generalized anxiety |
| | | | | Flight of ideas/racing thoughts | | | | | Separation anxiety |
| | | | | Distorted idiosyncratic thinking | | | | | Other |
| | | | | Other | | | | | |

PERCEPTUAL DISTURBANCE

| Mild Mod Severe Target | |
|------------------------|------|
| | Hal |
| | Del |
| | Idea |
| | Flas |
| | Dep |
| | Oth |

| Hallucinations |
|--------------------------------|
| Delusions |
| Ideas of reference |
| Flashbacks |
| Depersonalization/dissociation |
| Other |

| SUBS | STAN | CE USE | | |
|------|------|--------|--------|--|
| Mild | Mod | Severe | Target | |
| | | | | Cont. use in spite of knowledge of effects |
| | | | | Inability to control/decrease use |
| | | | | Persistent desire for substance |
| | | | | Tolerance |
| | | | | Withdrawal |
| | | | | Other |
| | | | | |

Last date of substance use: ___/__/

PART 5 ADDITIONAL INFORMATION

For first reviews, briefly state additional information which may help clarify the need for this outpatient treatment, including frequency of targeted behaviors and, where applicable, onset of specific symptoms. For subsequent reviews, briefly state what progress has been made. If no progress, indicate reasons and whether treatment plan is being revised to address targeted symptoms.

| |
|------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

| Treatment plan discussed with patient, guardian or other | legal representative (if applicable), or par | ent of a minor \Box Yes | 🗆 No |
|--|--|----------------------------------|------|
| Treatment coordinated with primary care physician DY | es 🗆 No 🗖 Not applicable | | |
| Are additional health services required? Yes No | Referred to: | Date: | |