

## Molina Healthcare Prenatal Risk Assessment Form

The earliest possible completion of this form allows the Managed Care Plans to use their resources to help you and your patient achieve a healthy pregnancy outcome.

(Please print or type)

| Pat   | Patient/Member Name:  |   | Provider Name:           |  |  | Expected Date of Delivery (EDD): (mo/day/yr) # of fetuse: |            |  |
|---|---|---|--------------------------|--|--|---|------------|--|
| Me  | mber ID #: Patient DOB:   |   | Provider Telephone:      |  |  | Date of First Prenatal Visit:                             | ·s         |  |
|   |   |   | Provider Fax Number:     |  |  | Gravida : Para:   |            |  |
| Patient Address:  |   |   | Provider Billing Number: |  |  | Has a social service or community outreach re             | eferral    |  |
| Email Address: NPI (National Prov                                     |   |   | NPI (National Provider   | or Idantifiar).  |  | (such as WIC) been made by your office?                   |            |  |
| Email Address.  |   |   |                          | i identifici).   |  | Date: Agency:   |            |  |
| Patient Telephone: Please complete a                                  |   |   |                          | nd fax to Molina Healthcare @ 1 866 504 7256   |  |   |            |  |
| Cel   | ll Phone:   |   |                          |  |  |   |            |  |
| Other Insurance:  |   |   |                          |  |  |   |            |  |
| Factors I (One or more place patient at risk):                        |   |   |                          |  |  |   |            |  |
| His   | History of:   |   |                          |  | erm delivery   |   |            |  |
|   |   |   |                          | Preterm labor (contractions with cervical change)  |  |   |            |  |
|   | _   |   |                          | Preterm premature rupture of membranes (PPROM)  Second or third trimester loss                         |  |   |            |  |
|   |   |   |                          |  | Two or more spontaneous or elective first trimester losses   |   |            |  |
|   |   |   |                          |  |  |   |            |  |
|   | Placental abruption   |   |                          |  |  |   |            |  |
| Current pregnancy:  |   |   |                          |  |  | O or other incompatibility)                               |            |  |
|   |   | Abdominal surgery after 18 wks (follow for six wks after surgery) |                          |  | Morbid obesity (pre-pregnancy BMI 40 or above)   |   |            |  |
|   | Abnormal karyotype (Trisomy 13, 18, 21, etc.)   |   |                          |  |  |   |            |  |
|   |   |   |                          |  |  |   |            |  |
| ╽╏  |   |   |                          |  | Placenta previa  |   |            |  |
|   | Autoimmune disorders (e.g., APS, ITP, SLE)  Bleeding after 20 wks gestation  Cardiac disease or condition                             |   |                          |  | <ul> <li>□ Pre-eclampsia (High BP with proteinuria, edema or both)</li> <li>□ Preterm labor (contractions with cervical change) or positive fetal fibronectin</li> <li>□ PPROM with anticipated discharge to home</li> </ul> |   |            |  |
|   |   |   |                          |  |  |   |            |  |
| 믐   |   |   |                          |  |  |   |            |  |
|   | Diabetes: IDDM or GDM on or   |   |                          |  | Pyelonephritis   | i fileds of in therapy)                                   |            |  |
| ╽置  | <ul><li>Domestic violence</li><li>Drug or alcohol use during pregnancy</li><li>Eating disorder (anorexia, bulimia or other)</li></ul> |   |                          | Recurrent UTIs, two or more since pregnancy began Seizure disorder (on medication) Sickle cell disease |  |   |            |  |
|   |   |   |                          |  |  |   |            |  |
|   |   |   |                          |  |  |   |            |  |
|   | Fetal anomaly   | etal anomaly<br>etal growth restriction (FGR or IUGR)             |                          |  | ☐ Thrombophilia (inherited or acquired) ☐ Tobacco use during pregnancy   |   |            |  |
| ╽ᡖ  | HIV/AIDS Hyperemesis with hospitalization or homecare services Hypertension, chronic  |   |                          | Trauma threatening pregnancy   |  |   |            |  |
|   |   |   |                          | ☐ Underweight (pre-preg BMI less than 20 or pre-preg weight 100lbs or less)                            |  |   |            |  |
|   |   |   |                          |  |  |   |            |  |
|   |   |   |                          |  | ☐ Venous thromboembolism (VTE) (deep vein thrombosis/pulmonary embolism)   |   |            |  |
| Н   | ☐ Hypo/hyperthyroid (unstable lab values)  Factors II (Two or more place patient at risk):  |   |                          |  |  |   |            |  |
|   | Age extreme (<18 years or >35 years)  Late prenatal care (after 20 wks gestation)   |   |                          |  |  |   |            |  |
| ╽╏  |   |   |                          |  |  |   |            |  |
|   | Asthma, not using daily medication  |   |                          |  | Psychological disorder (no   | logical disorder (not on meds or in therapy)              |            |  |
|   |   |   |                          |  | Recent delivery (less than one year between delivery and conception of   |   |            |  |
| 믐   |   |   |                          |  | Next pregnancy) Weight loss (continuing af   | ter 14 wks asstation)                                     |            |  |
| $\  \ $   |   | Typo / hyperthyroid (stable lab values)                           |                          |  | _ Weight 1000 (continuing after 14 wis gestation)  |   |            |  |
| At Risk of Poor Pregnancy Outcome                                     |   |   |                          |  |  |   |            |  |
| Obstetrical History: Infant death- stillborn, neonatal, post-neonatal |   |   |                          |  |  |   |            |  |
| ☐ Congenital anomaly, major   |   |   |                          |  |  |   |            |  |
| Current Pregnancy   |   |   |                          |  |  |   |            |  |
|   | Anesthesia-related allergies  |   |                          |  |  |   |            |  |
|   |   |   |                          |  | Illiteracy - Health Illiter  | racy  |            |  |
| 믐   |   |   |                          |  |  |   |            |  |
| $\parallel$   |   |   |                          | R  | Sexually transmitted dis   | sease   |            |  |
|   | = *   |   |                          |  | Other (please specify)   |   |            |  |
| Form Completed By: Date:  |   |   |                          |  |  |   |            |  |
| Dhysician's Signatures  |   |   |                          |  |  |   |            |  |
| rny   | ysician's Signature:  |   | Date:                    |  |  | _   | 8111OH0511 |  |