### **AURELIUS TOWNSHIP 1939 S. AURELIUS ROAD, MASON MI 48854**

#### PROCEDURES TO BE FOLLOWED TO SECURE A POLE BARN/GARAGE PERMIT:

- Step 1. Apply for and secure a culvert permit (for driveway, if not already established) from the Ingham County Road Commission, 301 Bush Street, Mason, MI 48854. Phone: 676-9722.
- Step 2. For site approval, stake out the building on the lot and <u>furnish copy of site plan</u> to the Aurelius Township Office, 1939 S. Aurelius Road, Mason, MI, Phone 628-2093. Zoning Administrator will provide site approval to the township.
- Step 3. Apply for and secure a Soil Erosion Permit from the Ingham County Drain Commission, 707 Buhl Avenue, Mason, MI 48854. Phone: 676-8395

### **BUILDING REQUIREMENTS:**

All Pole Barns and Garages that are not attached shall be located even with or behind the house.

All buildings must be 83' from the center of the road.

Principle Garage: Side yard must be 20' from lot line, and 35' from rear yard line.

No accessory building which is not attached, and made structurally a part of the principal building shall be closer than (10) feet to any other structure on the lot.

Accessory Building: Building must be at least 10' from side lot line, and 10' from rear yard line. All accessory buildings must be in line with or behind the front line of the main dwelling unit.

A drawing of the building must be submitted with the application, showing foundation lay out (pole or frame) and a drawing showing size of material used and door and window location.

If housing animals, feed or manure, building must be 50' from side yard line, and 50' from rear yard.

AGRICULTURAL: Buildings for Agricultural use are required to have a site inspection and plans submitted only. Electrical, Mechanical, and Plumbing permits are required as needed.

- Step 4. Present to the Township Office:
  - 1. A completed Building Permit Application Packet.
  - 2. A Culvert Permit and receipt for payment from ICRC (if applicable).
  - 3. A copy of the builder's license.
  - 4. A copy of the legal description of the lot and proof of purchase of land.
- Step 5. When all the above have been satisfactorily completed, a building permit may be secured at the Aurelius Township Hall, 1939 S. Aurelius Road, Mason, between 10:00 a.m. and 3:00 p.m., Tuesday through Friday. Charges will be made as follows:

Sunroom, Minimum \$100.00 Garage, either attached or otherwise - \$150.00 Barn---any size - \$150.00

Step 6. A permit, which is also your receipt, should be prominently displayed at the site for the use of the Building Inspector. All inspections will be strictly enforced.

Plan and Building Inspection: Contact Township Office (517) 628-2093

AN ADDITIONAL \$50 FEE WILL BE CHARGED FOR REQUESTED INSPECTIONS THAT CANNOT BE COMPLETED.

## BUILDING PERMIT LOT AND DWELLING STANDARDS

- 1. MINIMUM LOT AREA: No building or structure shall be established on any parcel less than two (2) acres in area.
- 2. MINIMUM LOT WIDTH: The minimum lot width shall be one hundred and sixty five (165) feet having principal frontage on a street.
- 3. MAXIMUM LOT COVERAGE: The maximum lot coverage shall not exceed twenty-five (25) percent.
- 4. YARD AND SETBACK REQUIREMENTS:
  - i. Front Yard: Eighty-three (83) feet from the centerline of a public street or roadway.
  - ii. Side Yard: Twenty (20) feet except in the case of a corner lot where the side yard on a public street side shall not be less than the setback required for the front yard.
  - iii. Rear Yard: Thirty-five (35) feet.
  - iv. In any case, no structure housing livestock, or for storage of feed or manure shall be located any closer than 50 feet to a lot line.

DWELLING STANDARDS: Any building, mobile home, pre-manufactured unit or single titled unit which is designed and used exclusively for residential purposes and placed on private property must meet the following standards:

### 1. MAXIMUM HEIGHT REQUIREMENTS:

- a. For dwelling and non-farm structures, height shall not exceed thirty-five (35) feet
- b. For general and specialized farm buildings and structures, height shall not exceed ninety-five (95) feet.
- 2. MINIMUM BUILDING FLOOR AREA:
  - a. No residential dwelling unit shall have less than one thousand (1000) square feet of floor area, exclusive of garages or basements.
- 3. ROOF PITCH AND OVERHANG:
  - a. Minimum roof pitch of 4/12.
  - b. Minimum overhang of twelve (12) inches.
- 4. REMOVAL DEVICES:
  - a. Wheels, blocks, skids, jacks, undercarriages, or towing mechanism must be removed or otherwise concealed from view by skirting.
- 5. FOUNDATIONS:
  - a. All structures shall be placed and secured on a permanent forty-two (42) inch frost free foundation. All anchorage devices shall cover an area not less than the perimeter of the structure and be constructed in accordance with applicable building code regulations.
- 6. MINIMUM BUILDING FLOOR AREA: No residential dwelling unit shall have less than one thousand (1000) square feet of floor area, exclusive of garages or basements. (ord. no 11 rev. eff. July 20, 1980: amend. By ord. No. 19 eff. August 19, 1981 further amend. May, 1984: amend. eff. March 2, 1994).

### Sec. 16-243. Supplementary use regulations.

Authorized accessory buildings may be erected as a part of the principal building or may be connected to it by a roofed over porch, patio, breeze way, or similar structure, or may be completely detached. If attached to the principal building, an accessory building shall be made structurally a part of it, and shall comply in all respects with the requirements applicable to the principal building. An accessory building not attached and not made a part of the principal building shall not be nearer than ten feet from any other structure on the same lot.

- (1) Accessory uses; garages. The structural space which is permissible in residential districts for motor vehicle storage and for incidental space as accessory to an authorized use, shall not exceed the following:
  - a. Space in a garage accessory to a multiple family unit or a motel shall not be rented out except to occupants of the principal dwelling.
  - b. An accessory building shall not occupy more than 30 percent of the area of any required rear yard.
- (2) Accessory buildings. Setbacks from lot lines:
  - a. Front yard setback. No accessory building shall project into any front yard.
  - b. Side and rear yard setback In a rear yard or side yard, no accessory building, including detached garages, shall be closer than ten feet to the side or rear lot line.
  - c. *Corner lot*. On a corner lot, no accessory building shall be closer to the side street front lot line than the side yard setback of the principal building on the lot. Where the rear line of a corner lot coincides with the side line of an adjoining lot in a residential district, an accessory building shall not be closer than five feet to the common lot line.

(Ord. No. 39, art. 5, § 5.3, 2-12-2002)

### AURELIUS TOWNSHIP 517-628-2093

### APPLICATION FOR PLAN EXAMINATION AND BUILDING PERMIT

All permit applications must be accompanied by detailed construction and site plans. Multi-Family and all Commercial plans must be signed and sealed by a State of Michigan, Registered Architect, or Engineer.

### APPLICANT TO COMPLETE PAGES 1 THROUGH 3

I. LOCATION OF BUILDING									
STREET ADDRESS OF CONSTRUCTION:									
CITY	ZIP	)	AURELIUS TOWNSHIP INGHAM COUNTY						
II. IDENTIFICATION									
A. OWNER OR LESSEE									
NAME			ADDRESS						
CITY	STA	ATE	ZIP	ZIP PHONE					
B. ARCHITECT OR ENGINEER									
NAME			ADDRESS						
CITY	STA	ATE	ZIP		PHONE				
LICENSE NUMBER			EXPIRATION DAT	EXPIRATION DATE					
C. CONTRACTOR									
NAME			ADDRESS						
CITY	ZIP		PHONE						
LICENSE NUMBER			EXPIRATION DAT	ΤΕ					
FEDERAL EMPLOYER ID NO OR REASON FOR EXEMPTION									
WORKERS COMP INS	WORKERS COMP INSURANCE CARRIER OR REASON FOR EXEMPTION								
MESC EMPLOYER NO OR REASON FOR EXEMPTION									
III. TYPE OF IMPROVEMENT									
A. DESCRIBE IMPROVEMENT									
☐ New building	☐ Addition		l Alteration	□ Rep	air	☐ Wrecking			
☐ Mobile Home	☐ Foundation	n only	l Pre-manufacture	□ Relo	ocation	☐ Fence			
□ Pool	☐ Shed		□ Deck □ Other						

		IV. PF	ROPOSED L	JSE OF BUII	LDING				
			A. RESI	DENTIAL					
☐ One Family ☐ Two or More Family No. Of units  Other Use						☐ Attached Ga☐ Detached G			
			B. NON-RE	SIDENTIAL					
□ Amusement □ Church, Religious □ Parking Garage □ Service Station □ Office, Bank, Professional □ Public Utility □ Store, Mercantile □ Tanks, Towers			ıs		☐ Industrial ☐ Hospital, Institutional ☐ School, Library, Educational ☐ Other				
at hospital, elementary	NONRESIDENTIAL - Describe in detail proposed use of building, e.g., food processing plant, machine shop, laundry building at hospital, elementary school, secondary school, college, parochial school, parking garage for department store, rental office building, office building at industriaal plant. If use of existing is being changed, enter proposed use.								
		V. SE	LECTED CH	IARACTERI	STICS				
		A. P	RINCIPAL T	YPE OF FR	AME				
☐ Masonry, Wall Bearing ☐ Wood Frame ☐ Structured Steel						□ Other Type			
	E	B. PRIN	CIPAL TYPE	OF HEATIN	NG FUE	L			
□Gas	□ Oil		□ Electrici	ty	☐ Coal ☐ Other Type				
C. TYPE OF SEWAGE DISPOSAL									
SEWER CONTRACTO	)R			□ Public o	r Private	rate Company			
		T'	YPE OF WA	TER SUPPL	.Y				
WATER CONTRACTO	)R			□ Public or Private Company □ Private Well					
			E. MECI	HANICAL					
MECHANICAL CONTR	RACTOR								
☐ AIR CONDITIONING	3			□ ELEVAT	OR				
F. ELECTRICAL CONTRACTOR									
G. PLUMBING CONTRACTOR									
H. DIMENSIONS									
Total Floor Area (square feet) Floor Area: 1 <sup>st</sup> & 2 <sup>hd</sup> floor 3 <sup>rd</sup> - 10 <sup>th</sup> floor 11 <sup>th</sup> - above floor			Number of	Stories					
I. NUMBER OF OFF-STREET PARKING SPACES									
Total Spaces Enclosed Total Spaces Per Resid		Total Spa	aces O	utdoors arking					

# AURELIUS TOWNSHIP BUILDING INFORMATION AND ASSESSING WORKSHEET

NAME			DATE			PERMIT NUMBER								
ADE	RESS													
PAF	RCEL NUMBE	R			PHONE NUM	ЛВЕI	₹							
TYPE 3. ROOF						10.	10. FLOOR SUPPORT							
	Single Family	/			Gable	uble Gambrel Hip Joists "X " "O.c					" O.c			
	Other				Mansard		Flat			Unsupported Length Ft				
	Wood Frame				Eavestrough		,			Sill Plate Yes No				
Yea	r Built	Rem	odeled		Asphalt Shin	Asphalt Shingles Steel Roof Center Support								
	Number of Ro	ooms			Insulation			11.	11. HEATING AND AIR CONDITIONING					
	Basement				Chimney type	е				Gas Oil			Electric	
	1st Floor				Overhang	Froi	nt/Other	Size	Size Wood Steam			Steam	Other	
	2nd Floor			4. I	NTERIOR						Forced Air		Forced Warm	Water
	Baths				Drywall		Plaster		Paneled		Heat Pump		Air	Water
	Total Bedroo	ms		Trim	and Decorati	on	,			Cen	tral Air Conditi	oning	)	
1. E	XTERIOR				Ex-ordinary		Ordinary		Minimum	12.	Electric			
	Wood, Shing	le		Doo	rs		Solid		Hardcore	re Amps Service				
	Aluminum, V	inyl		5. F	5. FLOORS (Indicate Type of Floor)				13.	13. Plumbing				
	Brick			Kitc	Kitchen Floor Other Floors					Number baths				
	Block			6. C	6. CEILINGS				Cera	Ceramic Tile Floor Wainscot				
	Stone		Drywall Plaster Tile		Tile		tub alcove		exhaust fan	extra lav				
	Insulation				Suspended		Other			extra stool separate shower		er		
2. V	VINDOWS			7. E	XCAVATION					fiberglass bath unit jacuz:		jacuzzi		
	Many		Large	Bas	ement sf		Crawl Space	sf		wate	er softener		owned	leased
	Average		Average	Slab	sf		Height to jois	sts ft		wate	water heater			
	Few		Small	8. E	BASEMENT						gallons		electric	gas
	Wood Sash				Block		Poured		Wood	14.	WATER AND	SEV	/ER	
	Metal Sash			9. E	BASEMENT F	INIS	н				well		septic	
	Vinyl Sash			Wal	l Finish					mound system gallons				gallons
	Double Hung			Floo	or Finish					15. BUILT-IN ITEMS				
	Horizontal Sli	ding		Ceil	Ceiling Finish					oven		range	microwave	
	Casement			Wal	Walkout					intercom		disposal	dishwashe	
	Double Glass	3		Insu	ılation						cen vacuum		wood stove	compactor
	Storms and S	Scree	าร							hoo	d/fan vented		yes	no
	Patio Doors									Chimney			1 sty.	inside
										ĺ			2 sty.	outside
										Fire	place		Foundation	Pre-Fab
EST	IMATED COS	T:		•									Free Stand	Hearth

# AURELIUS TOWNSHIP BUILDING INFORMATION AND ASSESSING WORKSHEET

				PE	RMIT#					
NAME:	DA									
ADDRESS	PH	PHONE								
CITY							ZIP			
PARCEL NUMB	FR						-			
POLE BARNS		SHEDS		EXTERIOR						
Size:	_by	<del>!                                      </del>	ze: by	,						
Concrete A			ood Frame							
Finished	- p - c - c - c - c - c - c - c - c - c		etal Prefab							
Insulated			her							
ROOF						•	Wood Aluminum Vinyl Other  The FLAT  ARAGE/CARPORT Size by Year Built Attached or Separate Doors Automatic Doors Common Wall Wall Finish			
GABLE	HIP		GAMBREL MANS		SARD FLAT					
		l\A/I	NDOWC	1017	<del></del>	ICAI	2401	T/CARRORT		
[Faves atmaxed]	<u> </u>	VV	INDOWS	SIZ	T	GAI	_			
Eavestrough			Many		<u> </u>					
Asphalt Shi	ngies		Average	+	Average	<u> </u>				
Other			Few	<u> </u>	Small	<u> </u>				
Insulation				Wood Sash						
Overhang	WC.		Metal Sas							
PORCHES/DECKS				Vinyl Sash						
Width				Double Hung						
Depth			_	Casement Storms and Screens			Ceiling			
Type					reens			crete Approach		
Covered?		D.C		Patio Doors			Size	eby		
PORCHES/DECKS			Width	RCHES/DECKS			SIZE	=		
Width						┨	SIZE	=		
Depth				Depth				COST		
Type			Type			1	LSI	0001		

### AURELIUS TOWNSHIP SITE OR PLOT PLAN

	OKTEOTTEAK
	N
W	E
	S
	ANT INFORMATION fees and charges applicable to this application and mu
NAME	TELEPHONE NUMBER
ADDRESS	
CITY	STATE ZIP
FEDERAL I.D. NO. / SOCIAL SECURITY N	0.
authorized by the owner to make this applicati laws of the State of Michigan. All information knowledge.	uthorized by the owner of record and that I have been on as his authorized agent, and to conform to all applicabe submitted on this application is accurate to the best of many
125.1523a of the Michigan Compiled Laws, pr	of 1972, Act no. 230 of the Public Acts of 1972, being Section oblits a person from conspiring to circumvent the licensing the are to perform work on a residential building or a residential to civil fines.
TOTAL COST OF IMPROVEMENT \$	
SIGNATURE OF APPLICANT	DATE

### **FOOTING REQUIREMENTS**


- ➤ HOLES HAVE TO BE AT LEAST 42" DEEP.
- THE BOTTOM OF THE COOKIE HAS TO BE AT LEAST 42".
- > PUT A BAG OF CEMENT INTO THE HOLE THEN FILL UP WITH DIRT.
- ➤ 4 X 4 POST HAS TO BE A MINIMUM OF 12" DIAMETER HOLE.
- ➤ 4 X 6 HAS TO BE A MINIMUM OF 16" DIAMETER HOLE.

### AURELIUS TOWNSHIP 1939 S. AURELIUS ROAD MASON, MI 48854 (517) 628-2093

## **Property Line Verification**

I certify that the location of the property line is true and correct as identified to the Zoning Administrator.							
If the location of the property line is incorrect, I am responsible for identifying the property line and moving the building if necessary.							
Signature of property owner							
Print name of property owner							
Address	City	State	ZIP				
Date							
	P	ermit #					

### **RESIDENTIAL STORAGE POLE BUILDING**




#### SECTION R 309 GARAGES AND CARPORT

**R309.1 OPENING PROTECTION.** Openings from a private garage directly into a room used for sleeping purposes shall not be permitted. Other openings between the garage and residence shall be equipped with solid wood doors not less than 1 3/8 inches (35mm) in thickness, solid or honeycomb core steel doors not less than 1 3/8 inches (35mm) thick, or 20 minutes fire-rated doors.

**R309.1.1 DUCT PENETRATION.** Ducts in the garage and ducts penetrating the walls or ceilings separating the dwelling from the garage shall be constructed of a minimum No. 26 gage (0.48mm) sheet steel or other approved material and shall have no openings into the garage.

R309.2 SEPARATION REQUIRED. The garage shall be separated from the residence and its attic area by not less than ½ inch (12.7mm) gypsum board applied to the garage side. Garages beneath habitable rooms shall be separated from all habitable rooms above by not less than 5.8 inch (15.9mm) Type x gypsum board or equivalent. Where the separation is a floor-ceiling assembly, the structure supporting the separation shall also be protected by not less than ½ inch (12.7mm) gypsum board or equivalent.



### **INGHAM COUNTY ROAD COMMISSION**

#### Resolution #079-04

"3.5(3). All non-commercial driveways on public roads outside of a Plat shall have a minimum of 165 feet of road frontage on the parcel served by the driveway. Access to land for agricultural purposes requires only a minimum road frontage of 66 feet, and the permit issued shall specify FOR AGRICULTURAL PURPOSES ONLY, provided, however, that if the parcel is developed in the future, the access road shall be built to county standards."

IT IS FURTHER RESOLVED that subparagraph 3.14 is hereby amended to read, in its entirety, as follows:

### "3.14 Residential Driveways.

- (1) The number of residential driveways that may be permitted shall be determined as follows:
  - (a) All lots or parcels of land not in plats that are created after March 31, 1997, (the effective date of amendment to Public Act 288, or 1967, i.e., the Land Division Act) must have a minimum of 165 feet of road frontage for the issuance of a driveway permit. Access to land for agricultural purposes requires only a minimum of 66 feet of road frontage, PROVIDED, HOWEVER, that if the parcel is developed in the future, the access road shall be built to county standards.
  - (b) One residential driveway shall be permitted for each platted lot or for unplatted residential property with less than 100 feet of frontage and that was existing as of March 31, 1997.
  - (c) Additional residential driveways may be permitted for residential property with more than 165 feet of frontage, PROVIDED that the sum of the driveway widths of these additional driveways does not exceed 15 percent of the frontage in excess of the first 100 feet.
  - (d) Two residential driveways may be permitted on the same property, in lieu of the above, to serve a circle driveway if the frontage of the property is 165 feet or more.
  - (e) Residential driveways on the same property shall be at least 45 feet apart, center to center.

## AURELIUS TOWNSHIP INGHAM COUNTY, MICHIGAN

### **ORDINANCE NO. 39.04**

### **PREAMBLE**

AN ORDINANCE TO REGULATE AND PRESCRIBE STANDARDS FOR PERMITTING AND CONSTRUCTION OF PRIVATE DRIVEWAYS; TO ESTABLISH MINIMUM CONSTRUCTION STANDARDS; AND TO PROVIDE AN EFFECTIVCE DATE HEREOF.

The Township of Aurelius, Ingham County, Michigan, ordains:

- **Section 1. Title.** This Ordinance shall be know and cited at the Aurelius Township Private Driveway Ordinance.
- **Section 2. Purpose and Intent.** It is the intent and purpose of this Ordinance to provide uniform minimum standards for permitting, location and construction of private driveways within the Township to protect the health, safety and welfare of persons utilizing said driveways and persons occupying public roadways, and to protect persons served by such driveways, by requiring unobstructed and continuous access to such premises and to public roadway by providing a means of reasonable access by emergency vehicles of various types.
- **Section 3. Permits for Construction of Driveway.** All persons constructing or contracting for the construction of a driveway within Aurelius Township shall obtain a driveway permit from the Ingham County Board of Road Commissioners (Ingham County Road Commission) prior to commencement of construction. The term "driveway," as used in this Ordinance, shall mean that portion of the property utilized to provide a means of ingress and egress to a lot or parcel within the Township to and from a public roadway for use by motor vehicles. "Driveway" shall not include private roadways which provide a means of ingress and egress to more than one lot or parcel or more than residential structure.
- **Section 4. Construction Standards.** Driveways shall meet or exceed the following construction standards and such other requirements as may be imposed by the Ingham County Road Commission.
  - 1. Minimum width to be twelve (12) feet.
  - 2. Minimum overhead clearance to be fourteen (14) feet above the driveway grad at all points.

- 3. Driveway location shall avoid wetlands and unstable soils where possible. Construction within such areas shall mitigate or compensate for such conditions and shall meet all requirements imposed by agencies having jurisdiction.
- 4. Adequate drainage structures and materials shall be utilized to meet or exceed requirements of agencies having jurisdiction.
- 5. Driveway surface and subsurface shall require removal of topsoil to a depth of ten (10) inches, backfilled with six (6) inches of sand or bank run gravel; driveway surface shall be topped off with at least six (6) inches of processed road gravel, crushed stone, asphalt, or a combination thereof.

**Section 5. Financial Guarantees: Zoning/Occupancy Permits.** Property owners constructing driveways over one hundred twenty-five (125) feet in length from a County road or highway will present a signed bid for construction, and a bond in the form of bank check or a money order made payable to the driveway contractor and deposit such with a designated Township representative. For property owners desiring to construct such driveways themselves, no zoning or occupancy permit will be issued until completion of the driveway in accordance with the standards of this Ordinance.

**Section 6. Effective Date.** This Ordinance shall become effective immediately unit its adoption and publication as required by law.

### **AURELIUS TOWNSHIP**

Ву:	Larry Silsby, Supervisor
Ву:	Donna Lawson, Clerk
	ship of Aurelius, hereby certify that the day of October, 2003 and published or
	Donna Lawson, Clerk