(Fractures)

	Lab File No.:
	Examiner:
Administrative	
	Reskaging
Lab File No.	Packaging
Examiner	Condition
Item No.	Type of Seal
Received From	Condition
Date	Markings
Received By	Released To
Date	Date
Trace Evidence	1
Trace Exams Requested	
Trace Examiner(s)	
Trace Evidence Observed	
(Insert or attach a digital image	/ photograph of trace material in place.)
	Initials:

13.3ws_fracture.pdf Page 1 of 5

(Fractures)

			ab File No.:
Latent Fingerpri	nt Examination	Yes	No
Marking of Evid	ence		
Marked			
Location			
Previous Marks			
Location			
Other Marks			
Location			

Page 2 of 5 13.3ws_fracture.pdf

(Fractures)

	Lab File No.:
General Examination	
Description of fractured items	
Consistency of class characteristics	
Manufacturing marks of the same type present on both items	
(Insert or attach digital image/photograph of c supplement with sketches to illustrate signific comparisons)	corresponding parts here; if necessary, cant areas used in later microscopic

Page 3 of 5 13.3ws_fracture.pdf

Initials: _____

Sample Forensic Examination Worksheet

Toolmark Identification (Fractures)

	Lab File No.:	
	Examiner:	
Evaluation of Potential for Microscopic Comparisons		
	Sufficient microscopic details present for comparison purposes	
Character of microscopic detail present	Microscopic details present but insufficient for comparison purposes	
	No microscopic details present	

DO NOT PROCEED UNLESS:

Sufficient Microscopic Details Are Present For Comparison Purposes

Initial	lo.
Initial	IS:

13.3ws_fracture.pdf Page 4 of 5

(Fractures)

	Lab File No.:			
	Examiner:			
Microscopic Comparisons				
Items to be compared (e.g., Item #1 versus Item #2)				
Continuity of manufacturing marks from one item to the other				
Orientation of parts possible?	Yes No			
Orientation mark, color, and location				
Conclusion based on reverse lighting technique				
Photograph / digital image of comparisons of the: • Faces of the fractured ends of the two items using reverse lighting • Alignment of continuous manufacturing marks from item to item, if present • Edge alignment of the flat surface of both items, if appropriate (e.g., knife blade)				
Quality assurance / verification initials/signature				
Return to Users Guide.pdf Link to Sample Report.pdf	Initials:			

Page 5 of 5 13.3ws_fracture.pdf