

Vendor Name:	Bert's Truck Equipment, Inc
Contact Person:	Jim McLaughlin
Street Address:	3804 Highway 75 North
P.O. Box:	336
City, State, Zip	Moorhead, MN 56561-0336
Phone #:	218-233-8681
Toll Free #:	800-232-3787
Fax #:	218-233-9548
Email Address:	jimmc@bertsonline.com
Website:	www.bertsonline.com

Furnish separate price quote for: **BODY COMPONENTS AND ATTACHMENTS FOR 6,000 TO 19,500 GVWR PICKUPS/CAB &**

1.0 UTILITY /SERVICE BODY

	MAKE	Astoria Fiberglass Service Bodies
Warranty		Five Years
Date & I.D. of Price List		May 2,2011
Discount to be applied to Price List		None
Installation of Utility/Service Body - complete install cost		See Price Schedule
Price of FMVSS 108 lighting package		Included
Price of ICC bumper under ride protection		See Price Schedule
Installation of ICC bumper under the protection - complete install cost		See Price Schedule

2.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

See Special Terms and Conditions DEDUCT cost per Used Hour from the original Contract Price.		N/A
---	--	------------

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES

(See Special Terms and Conditions)		None
------------------------------------	--	-------------

4.0 DELIVERY STARTING POINT -

CITY, STATE, ZIP CODE	Moorhead, MN 56560
PRICE PER LOADED MILE:	1.75

**State of Minnesota
Berts Truck Equipment
5/2/2011**

Astoria Fiberglass Utility Body

Page 1 of 11

1.0	—	<u>Standard body for Single Rear Wheel 56" CA application</u> Chassis CA Dimension – 56" Body Length – 96" Body Width – 79" Body Height – 39" Compartment Depth – 15" Make & Model – Astoria 96" STD Single	Price \$	5,702.00
1.1	—	<u>Standard body for Dual Rear Wheel 56" CA application</u> Chassis CA Dimension – 56" Body Length – 96" Body Width – 94" Body Height – 39" Compartment Depth – 20" Make & Model – Astoria 96" STD Dual	Price \$	5,879.00
1.2	—	<u>Tall body for Single Rear Wheel 56" CA application</u> Chassis CA Dimension – 56" Body Length – 96" Body Width – 79" Body Height – 48" Compartment Depth – 15" Make & Model – Astoria 96" VT Single	Price \$	6,660.00
1.3	—	<u>Tall body for Dual Rear Wheel 56" CA application</u> Chassis CA Dimension – 56" Body Length – 96" Body Width – 94" Body Height – 48" Compartment Depth – 20" Make & Model – Astoria 96" VT Dual	Price \$	6,869.00
1.4	—	<u>Short Body for Single Rear Wheel 56" CA application</u> Chassis CA Dimension – 56" Body Length – 96" Body Width – 79" Body Height – 24" Compartment Depth – 15" Make & Model – Astoria 96" Store N Tow Single	Price \$	4,654.00

1.5	<u>Short Body for Dual Rear Wheel 56" CA application</u> Chassis CA Dimension – 56" Body Length – 96" Body Width – 94" Body Height – 24" Compartment Depth – 20" Make & Model – Astoria 96" Store N Tow Dual Price	\$ 4,955.00
1.6	<u>Standard body for Dual Rear Wheel 60" CA application</u> Chassis CA Dimension – 60" Body Length – 108" Body Width – 94" Body Height – 39" Compartment Depth – 20" Make & Model – Astoria 108" STD Dual Price	\$ 6,235.00
1.7	<u>Standard body for Single Rear Wheel 60" CA application</u> Chassis CA Dimension – 60" Body Length – 108" Body Width – 79" Body Height – 39" Compartment Depth – 15" Make & Model – Astoria 108" STD Single Price	\$ 6,096.00
1.8	<u>Tall body for Dual Rear Wheel 60" CA application</u> Chassis CA Dimension – 60" Body Length – 108" Body Width – 94" Body Height – 48" Compartment Depth – 20" Make & Model – Astoria 108 VT Dual Price	\$ 8,297.00
1.9	<u>Tall body for Single Rear Wheel 60" CA application</u> Chassis CA Dimension – 60" Body Length – 108" Body Width – 79" Body Height – 48" Compartment Depth – 15" Make & Model – Astoria 108 VT Single Price	\$ 8,158.00

1.10 — **Standard body for Dual Rear Wheel 84" CA application**
 Chassis CA Dimension – 84"
 Body Length – 132"
 Body Width – 94"
 Body Height – 39"
 Compartment Depth – 20"
 Make & Model – Astoria 132 LP Dual
 Price \$ 7,404.00

1.11 — **Tall body for Dual Rear Wheel 84" CA application**
 Chassis CA Dimension – 84"
 Body Length – 132"
 Body Width – 94"
 Body Height – 48"
 Compartment Depth – 18"
 Make & Model – Astoria 132 VT Dual
 Price \$ 9,743.00

** All body side pack depth can be increased in depth from 15" deep up to 24" deep at "No Charge"

** Long horizontal compartments layout available on all body models at "No Charge"

** RECYCLED FIBERGLASS CORE BODY

** EXTERIOR STEEL PARTS FINISHED WITH BLACK GATORHYDE FINISH

STANDARD BODY EQUIPMENT INCLUDES:

- **Five year warranty (limited)**
- **Recycled fiberglass core body**
- **Molded fiberglass side compartments**
- **Gelcoat exterior finish (stock white)**
- **Fiberglass reinforced double laminated doors**
- **Heavy duty stainless steel hinges**
- **Heavy duty strikers**
- **Automotive bulb door gasket seal**
- **12 ga steel smooth floor, primed and with black gatorhyde finish**
- **Steel structural body frame**
- **Flush mounted tail and back-up lights**
- **FMVSS 108 lighting package**
- **Corrosion resistant fasteners**
- **All self-locking nuts**
- **Compartment drains**
- **Stainless steel rotary paddle latches**
- **License plate bracket with light**
- **Loomed wiring harness**
- **Extruded aluminum drip rail**
- **Full height fiberglass bulkheads between compartments**

- **Non skid finish on module tops**
- **Fuel filler cone**
- **Louvered vents in each modules**

- **Door cable stops all door**
- **Aluminum rock guards on front corners**
- **Aluminum trim on inside edged of module**
- **Rubber Fenders**

BODY OPTIONS:

2.0	___ Standard shelving package for 96 Store N Tow: adjustable fiberglass shelves with removable dividers in each front (1) vertical compartment: (1) adjustable fiberglass shelves in each rear vertical compartment:	\$ 425.00
2.1	___ Standard shelving package for all bodies up to 108" length: (2) adjustable fiberglass shelves in each front vertical compartment: fixed fiberglass shelf with removable dividers in streetside horizontal (1) compartment (1) adjustable fiberglass shelf each rear compartment	\$ 735.00
2.2	___ Standard shelving package for all 132" length bodies: (2) adjustable shelves in each front vertical compartments (2) adjustable shelves in 2nd vertical compartment (1) Fixed shelf with removable dividers in streetside horizontal compartment (1) adjustable fiberglass shelf each rear compartment	\$ 1,108.00

BODY OPTIONS:

Vertical Compartment Shelving:

2.1	___ 1 adjustable fiberglass shelf with removable dividers	\$ 122.00
2.2	___ 2 adjustable fiberglass shelves with removable dividers	\$ 218.00
2.3	___ 3 adjustable fiberglass shelves with removable dividers	\$ 267.00
2.4	___ 4 adjustable fiberglass shelves with removable dividers	\$ 340.00
2.5	___ Aluminum pull-out drawer on slides: 2" deep with dividers on 4" centers, sliders rated at 100# at full extension (price per drawer) * Price must include the cost of a fixed shelf or required mounting Hardware necessary to support drawers.	\$ 170.00

HORIZONTAL COMPARTMENT SHELVING:

2.8	___	1 fixed fiberglass shelf with removable dividers	\$	140.00
2.9	___	1 divider tray on bottom of compartment	\$	101.00

Page 5 of 11

ADDITIONAL COMPARTMENT SHELVING:

2.10	___	8 drawer metal cabinet installed	\$	241.00
2.11	___	9 drawer metal cabinet installed	\$	253.00
2.12	___	6 drawer metal cabinet installed (1 row of 6)	\$	155.00
2.13	___	18 drawer metal cabinet installed	\$	326.00
2.14	___	Hotstick door only	\$	124.00
2.15	___	Hotstick door with thru shelf	\$	307.00
2.16	___	Full-length fiberglass shelf	\$	183.00
2.17	___	Pull-out tool box tray (250# capacity)	\$	462.00

SHELVING ACCESSORIES:

2.18	___	Rubber matting (per shelf price)	\$	38.00
2.19	___	Material rail with (4) hooks	\$	91.00

COMPARTMENT ACCESSORIES:

2.20	___	Overcenter door stops (per compartment) for vertical doors	\$	24.00
2.21	___	Locking swivel hook (per hook)	\$	21.00
2.22	___	Cargo area light/flush-mount 4" diameter	\$	95.00
2.23	___	Compartment divider vertical compartment	\$	60.00
2.24	___	Compartment to be vented high and low out back wall	\$	56.00
2.26	___	Flexible tubular lighting (per compartment) three sides of the Compartment opening	\$	67.00

BODY COMPONENTS:

2.27	___	1/8" aluminum treadplate floor in lieu of steel (STD and Store N Tow)		
		96" body	\$	416.00
		108" body	\$	514.00
		132" body	\$	571.00

2.28	___ 1/8" aluminum treadplate floor in lieu of steel (VT)		
	96" body	\$	678.00
	108" body	\$	763.00
		132" body \$	931.00

INSTALLATION KITS

2.29	___ FMVSS four point rigid mounting system plus mid support tube	\$	140.00
2.30	___ FMVSS using a four point <u>spring</u> mounting system plus mid support tube	\$	349.00
2.31	___ Astoria quick plug wiring adapter	\$	113.00

GELCOAT/PAINT:

2.32	___ Matching non stock white gelcoat		
	96" body	\$	320.00
	108" body	\$	320.00
	132" body	\$	478.00
2.33	___ Colored gelcoat charge other than white		
	* Astoria does not guarantee color matches		
		96" body \$	591.00
		108" body \$	885.00
		132" body \$	885.00
2.34	___ Paint all metal parts to match color of body		
	(in lieu of standard black Gatorhyde finish)		
	* Call for price		

EXTERIOR BODY ACCESSORIES:

2.35	___ Spare tire mount	\$	58.00
2.36	___ Rubbermaid water cask holder	\$	95.00
2.37	___ Double overlapping door (132" bodies only)	\$	293.00
2.38	___ Aluminum cone holder (vertical storage)	\$	79.00
2.39	___ Pipe vice table and rest	\$	109.00
2.40	___ Material rail and (6) hooks	\$	124.00
2.41	___ Crane reinforcement for 25,000 ft. lb. Installed in rear vertical compartment	\$	1,100.00

2.42	___	Fiberglass roll top with double rear doors.	\$	1,284.00
2.43	___	Fiberglass roll top with bi-fold flip-up rear door and tailgate.	\$	1,158.00
2.44	___	Expanded metal aluminum shovel basket up to 132" long and 8" high	\$	545.00
				Page 7 of 11
2.45	___	Punched aluminum shovel basket up to 132" long and 8" high	\$	821.00
2.46	___	Aluminum Cast Extra recessed fuel tank filler (required for dual tanks)	\$	56.00
2.48	___	Furnish and install tie down loops (each)	\$	41.00
2.49	___	Furnish and install Oxygen/acetylene tank holder (each)	\$	105.00
2.55	___	Furnish and install aluminum riser post for strobe (above cab level)	\$	84.00
2.56	___	Aluminum expanded metal cab guard (headache rack), tube frame with expanded metal screen	\$	413.00

TAILGATES:

2.56	___	8" steel tailgate (Black Gatorhyde finish)	\$	187.00
2.57	___	10" aluminum tailgate	\$	240.00
2.58	___	12" aluminum tailgate	\$	264.00
2.59	___	10" steel tailgate (Black Gatorhyde finish)	\$	200.00

BUMPERS:

2.63	___	Steel treadplate bumper, non-recessed, non towing step bumper (Black Gatorhyde finish)	\$	335.00
2.64	___	Steel treadplate towing bumper with safety D-ring and recess	\$	438.00
2.65	___	Aluminum gripstrut, non-recessed, non towing step	\$	478.00
2.66	___	Aluminum treadplate bumper, non-recessed, non towing step bumper (Black Gatorhyde finish)	\$	446.00

LOADBED AND COMPARTMENT TOPS:

2.72	___	1/8" aluminum treadplate on loaded walls (96" Body) STD	\$	331.00
			VT \$	371.00
2.73	___	1/8" aluminum treadplate on loaded walls (108" Body) STD	\$	357.00
			VT \$	399.00

2.74	___	1/8" aluminum treadplate on loaded walls (132" Body)		
		STD	\$	404.00
			VT \$	457.00
2.77	___	1/8" aluminum treadplate on compartment tops (both sides)		
			96" body \$	282.00
			108" body \$	357.00
			132" body \$	404.00

ALUMINUM TREADPLATE FLIP-TOP COMPARTMENT*:

2.78	___	Flip-top for 96" body (per side)	\$	579.00
2.79	___	Flip-top for 108" body (per side)	\$	59,214.00
2.80	___	Flip-top for 132: body (per side)	\$	1,045.00
		* To include bubble gasket seal and (2) gas shocks and 2.5" deep Aluminum trays with removable dividers		

HINGES/HANDLES:

2.81	___	Stainless steel 3-point D-ring latch (price per door)	\$	87.00
2.82	___	Rod-lock system (per side)		
			96" body \$	407.00
			108" body \$	407.00
			132" body \$	499.00

2.83	___	<u>Electric door locks (each door) operated with key FOB</u>		
		Locks the side compartments at the touch of a button		
		Operates within 25 ft radius of body		
		No rods, no handles, or protrusions of any kind		
		Two high quality key chain transmitters		
		All electronic actuators are hidden within the door panels, that doesn't intrude into cargo space		
		Individual compartment doors can still be locked or unlocked with the standard service body locks		
			96" body \$	833.00
			108" body \$	833.00
			132" body \$	1,214.00

TRANSVERSE COMPARTMENT AND OPTIONS:

2.84	___	Steel treadplate transverse	\$	446.00
2.85	___	Aluminum treadplate transverse	\$	462.00
2.86	___	Transverse open to both sides (steel and aluminum only)	\$	113.00
2.87	___	Cage and one drawer – pull one side (bed width)	\$	499.00

2.88	___	Cage and two drawers – pull one side (bed width)	\$	839.00
2.89	___	Cage and three drawers – pull one side (bed width)	\$	1,146.00
2.90	___	Divider for one way drawer (1 full length) (bed width)	\$	30.00
2.91	___	Cage and one drawer – pull both sides (bed width)	\$	542.00
				Page 9 of 11
2.92	___	Cage and two drawers – pull both sides (bed width)	\$	960.00
2.93	___	Cage and three drawers – pull both sides (bed width)	\$	1,341.00
2.94	___	Cage and one drawer – pull one side (full width)	\$	506.00
2.95	___	Cage and two drawers – pull one side (full width)	\$	846.00
2.96	___	Cage and three drawers – pull one side (full width)	\$	1,153.00
2.97	___	Divider for one way drawer (1 full length) (full width)	\$	37.00
2.98	___	Cage and one drawer – pull both sides (full width)	\$	549.00
2.99	___	Cage and two drawers – pull both sides (full width)	\$	967.00
2.100	___	Cage and three drawers – pull both sides (full width)	\$	1,348.00
2.101	___	Fixed transverse shelf – bed width only	\$	147.00
2.102	___	Fixed transverse shelf – full width	\$	169.00
		<u>CANOPY AND OPTIONS:</u>		
2.103	___	96" Square Front Superstructure (96" long x 40" high x 77" wide) (canopy height is from top of module to top of roof)	\$	3,151.00
2.104	___	108" Square Front Superstructure (108" long x 40" high x 77" wide) (canopy height is from top of module to top of roof)	\$	3,226.00
2.105	___	132" Square Front Superstructure (132" long x 45" high x 92" wide) (canopy height is from top of module to top of roof)	\$	3,864.00
2.106	___	96" Sloped Front Superstructure (96" long x 33" high x 74" wide) (canopy height is from top of module to top of roof)	\$	2,518.00
2.107	___	108" Sloped Front Superstructure (108" long x 33" high x 74" wide) (canopy height is from top of module to top of roof)	\$	2,641.00
2.108	___	132" Sloped Front Superstructure (132" long x 33" high x 74" wide) (canopy height is from top of module to top of roof)	\$	3,326.00

2.109	___	Matching non stock white gelcoat	96" Canopy \$	159.00
			108" Canopy \$	159.00
			132" Canopy \$	159.00
2.110	___	Colored gelcoat charge other than white	96" Canopy \$	294.00
			108" Canopy \$	294.00
			132" Canopy \$	294.00

* Astoria does not guarantee metallic color matches

Page 10 of 11

2.111	___	Furnish and install dome light	\$	51.00
2.112	___	Full-length fiberglass shelf (each)	\$	164.00
2.113	___	Full-length fiberglass shelf with fiberglass dividers (each)	\$	257.00
2.114	___	Seamless translucent skylights 24" wide x length of canopy	\$	229.00
2.115	___	Furnish and install switch at rear of superstructure – additional	\$	37.00
2.116	___	Furnish and install windows (each)	\$	109.00
2.118	___	18" deep shelf at front 6" above packs	\$	179.00
2.120	___	Furnish and install side mount canopy ladder rack	\$	183.00

LADDER AND PIPE RACK:

2.121	___	Furnish and install bow ladder rack (steel)	\$	283.00
2.122	___	Furnish and install bow ladder rack (aluminum)	\$	347.00
2.123	___	Furnish and install side mount ladder rack (steel)	\$	242.00
2.124	___	Furnish and install side mount ladder rack (aluminum)	\$	275.00
2.125	___	Furnish and install horizontal ladder rack with roller (steel)	\$	264.00
2.126	___	Furnish and install horizontal ladder rack with roller (aluminum)	\$	297.00
2.127	___	Furnish and install steel pipe rack	\$	242.00
2.128	___	Furnish and install aluminum pipe rack	\$	275.00
2.129	___	Furnish and install ladder rack over center lock	\$	95.00
2.130	___	Furnish and install 6" PVC tube with aluminum end caps	\$	209.00

STEPS AND GRAB HANDLES:

2.131	___	Furnish and install grab handle (each)	\$	26.00
2.132	___	Furnish and install cable stirrup step (each)	\$	147.00

Page 11 of 11
\$ 635.00

Basic Installation of Astoria Fiberglass Bodies

(Includes installing bumper and wiring lights)

Cost per mile for pick-up or Delivery to or from Moorhead, MN \$ 1.75
(Maximum charge per unit for pick-up/delivery one way \$ 350.00)

Buyer's Guide for pricing Service Body: Chassis CA_____” SW_____ DW_____
Make and Model of Chassis: _____

Base Body	\$
Shelving Package	\$
Bumper	\$
	\$
Installation	\$
BASIC PACKAGE TOTAL	\$
Additional Options:	\$
	\$
	\$
	\$
	\$
Delivery (max \$ 350.00 one way)	\$
Total Package	\$

Body and Equipment By:
Bert's Truck Equipment Inc.
Jim McLaughlin, Commercial Fleet Sales
3804 Hwy 75 North
Moorhead, MN 56560
800-232-3787, 218-233-8681
Fax 218-233-9548
[Email: jimmc@bertsonline.com](mailto:jimmc@bertsonline.com)

Web Site: www.bertsonline.com

STATE OF MINNESOTA

5/2/2011

Bert's Truck Equipment

Page 1 of 4

Knapheide "Crane Bodies" For Crane Applications #4000lb and Greater

Standard Features:

Body Shell

14 GA two-sided A40 galvanized steel compartment wall panels, fenderskirts and drip rails with 12GA two-sided A40 galvanized steel backs, bottoms and bulkhead. 12 GA treadplate top and backs full length welded to the compartment structure and floor.

Floor

1/8" thick treadplate floor with 1 3/8" return flange on each side. Side compartment back panel overlapping and interlocking with floor flange, providing support for weight of side compartment. Full length welded.

Understructure

Torsion box design with internal longitudinal supports and full width tubular cross sills. Shear plates and mounting incorporated into rear understructure.

Crane Pedestal

1/4" wall box construction with 3/4" steel mounting plate predrilled for crane mounting bolts. Crane pedestal isolated from side compartments. Rated for a maximum of 30,000, 38,000 for 60,000 ft. lbs. thru 360 degrees rotation depending on model selected.

Tailgate

14 gauge two-sided A40 galvanized steel double panel construction 12" high slammable style installed on body.

Doors

14GA two-sided A40 galvanized steel outer door panel with 20GA two-sided A40 galvanized steel liner and hat section reinforcement. Overlap style doors on front vertical and horizontal compartments.

Compartments

Seam welded inside and outside of compartments.

Hinges

Corrosion resistant all stainless steel continuous hinges to provide full length support for the doors and pry-proof security with a built-in weather shield. Hinges are spot welded to the door frame supported with a five year warranty.

Latches

Stainless steel three point twist latches riveted to door with non-corrosive stainless steel rivets

Door Seals

Automotive "bulb type" neoprene door seals installed by the manufacturer of the body on all door frames.

Door Retainer

Double spring over center door retainers on all vertical doors, retains doors in positive open or closed position.

Shelving (optional)

18 gauge bright spangled galvanized shelves with hemmed dividers on 4" centers. Minimum 250 lbs. capacity rated. Shelves can be positioned vertically on 2" centers.

Exterior Prime Paint

Body is completely immersed in electrodeposition gray epoxy prime paint featuring a zinc phosphate precoat and seal for additional corrosion protection. Prime paint is oven cured to provide a hard durable finish.

Interior Paint

Interior paint is mid-gloss, mar resistant, light gray finish.

Undercoating

Body is completely undercoated by the manufacturer of the body .

Installation

Body is supplied a recommended installation process along with detailed installation instructions that conforms to all applicable Federal Motor Vehicle Safety Standards. Further, manufacturer of the body to supply owner manual describing proper care and maintenance of the body for user.

Warranty

The following items to be covered by minimum six (6) years limited warranty to first owner/user of record.

No Rust-Thru Guarantee

Continuous Door Hinge – Guaranteed not to fail to operate or come off product.

Latches and Lock Cylinders – Guarantee against failure.

Shelves – Guaranteed not to fail in bending under maximum 250lb. rated load.

Lighting

Lighting to meet all applicable FMVSS standards. Light harness are encased in plastic loom, and all wires colored for ease in troubleshooting. Wire harness have connectors compatible with applicable Ford, GM and Dodge chassis without splicing. Stop, tail, turn, backup and side maker lights recessed in aluminum light boxes at rear of body. Body end panels prepunched for wires and box mounting.

All exterior S/T/T lights **are included in base price**

Lighting Wire Retention

Wires must be retained by mechanical fastening system.

Base Price includes

Standard Body as provided by Knapheide. Shelving packages are not included. All prices are FOB Moorhead and are Load Out, Prime painted

108" Bodies to fit 60" CA Chassis

1.0-1	Knapheide, 6108DL-38J, Standard Crane Body (94" x108" Long, 44" compartment height)	\$	8,885.00
1.0-2	Knapheide, 6108DLR-38L, Standard Crane Body (94" x108" Long, 44" compartment height, 60" Raised Front Vertical)	\$	9,445.00

132" Bodies to fit 84" CA Chassis

1.0-3	Knapheide, 6132DL-30L, Standard Crane Body (94" 132" Long, 44" compartment Hieght)	\$	7,495.00
1.0-4	Knapheide, 6132DLR-30L, Standard Crane Body	\$	7,995.00
1.0-5	Knapheide, 6132DL-38L, Standard Crane Body (94" 132" Long, 44" compartment Hieght)	\$	10,095.00

1.0-6	Knapheide, 6132DLR-38L, Standard Crane Body (94" x 132" Long, 44" compartment height, 60" Raised Front Vertical)	\$	10,795.00
1.0-7	Knapheide, 6132DLHR-60J, Standard Crane Body (94" x 132" Long, 44" compartment height, 60" Raised Front Vertical)	\$	14,895.00

Light kits are shipped loose and included in base body price

Mounting Kit Bumpers and Other Commons Standard Options

1.20	Mounting kit for F350/450/555 and GM 3500-5500 38J Series Body	\$	269.00
1.21	Mounting kit for F350/450/555 and GM 3500-5500 30J Series Body	\$	122.00
1.22	DL Series Rear Crane Body Bumper Installed at factory (w/outtrigger tubes, vice mount, receiver hitch & through compartment)	\$	1,695.00
1.23	DLH Series Rear Crane Body Bumper Installed at factory (w/outtrigger tubes, vice mount, receiver hitch & through compartment)	\$	2,002.00
1.24	DLH Series Rear Crane Body Bumper Installed at factory (body with Master Lock System) (w/outtrigger tubes, vice mount, receiver hitch & through compartment)	\$	2,324.00
1.25	Aluminum Fuel Fill Cup and pre punched hole	\$	75.00
1.26	GM Fuel Fill Kit for GM Chassis 60-84" CA C45/5500 (40 gal R/T)	\$	125.00

Paint options for Knapheide Standard Service Bodies

1.27	Paint One Standard Color 6108DL Crane Bodies	\$	1,175.00
1.28	Paint One Standard Color 6132DL Crane Bodies	\$	1,300.00
1.29	Adder for Red - Yellow	\$	250.00
1.30	Adder for BC/CC	\$	575.00

Basic Installation of all Knapheide Crane Bodies:

1.31	(Includes installation of body, light kit, bumper and fuel fill)	\$	975.00
------	---	----	--------

Cost per mile for pick-up or Delivery to or from Moorhead, MN

\$ 1.95

(Maximum charge per unit for pick-up/delivery one way \$ 350.00)

Shelving and other Options

Knapheide Standard Package "A"

1.32	Installed in 6108DL-38J	\$	871.00
1.33	Installed in 6108DLR-38J	\$	1,083.00
1.34	Installed in 6132DL-38J	\$	1,061.00
1.35	Installed in 6132DLR-38J Or 6132LHR-60J	\$	1,270.00

Knapheide Standard Package "B"

1.36	Installed in 6108DL-38J	\$	958.00
1.37	Installed in 6108DLR-38J	\$	1,165.00
1.38	Installed in 6132DL-38J	\$	1,147.00
1.39	Installed in 6132DLR-38J Or 6132LHR-60J	\$	1,356.00

Knapheide Standard Package "C"

1.4	Installed in 6108DL-38J	\$	2,057.00
1.41	Installed in 6108DLR-38J	\$	2,266.00
1.42	Installed in 6132DL-38J	\$	2,244.00

- 1.43 Installed in 6132DLR-38J Or 6132LHR-60J \$ 2,454.00
- 1.44 Crane Body A/E Drawer Stack(1-7", 3-5" & 3-3" Drawers) \$ 1,495.00

All Other Knapheide Standard "Option Fit" Options sold at Knapheide Manufacture to Distributor Net published price from price list Dated March 14, 2011

Buyer's Guide for pricing Crane Body: Chassis CA_____
Make and Model of Chassis: _____

Base Body	\$
Bumper	\$
Painting	\$
Installation	\$
BASIC PACKAGE TOTAL	\$
Shelving & Options:	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
	\$
Delivery (max \$ 350.00 one way)	\$
Total Package	\$

Body and Equipment By:
Bert's Truck Equipment Inc.
Jim McLaughlin, Commercial Fleet Sales
3804 Hwy 75 North
Moorhead, MN 56560
800-232-3787, 218-233-8681
Fax 218-233-9548
[Email: jimmc@bertsonline.com](mailto:jimmc@bertsonline.com)

Web Site: www.bertsonline.com

STATE OF MINNESOTA
5/2/2011
Bert's Truck Equipment

Page 1 of 7

**1.0 Knapheide Cab Chassis KUV Utility/Service Bodies to fit 56", 60", 84"
& 108" CA Chassis's**

Standard Features:

Body Shell

14 gauge two-sided A40 galvanized steel. Compartment top and back are one piece seamless design. All doors, door openings, drip rails, and other exposed steel edges to be hemmed for strength, safety and resistance to corrosion.

Floor

12 gauge treadplate with 1 3/8" return flange on each side. Side compartment back panel overlaps and interlocks with floor flange, providing support for weight of side compartment.

Understructure 50,000 yield 11 gauge high strength steel cross sills.

Doors

20 gauge two-sided A40 galvanized steel double panel doors with hat section reinforcements.

Hinges

Corrosion resistant all stainless steel continuous hinges provide full length support for the doors and pry-proof security with a built-in weather shield. Hinge to be spot welded to the door frame supported with a five year warranty.

Rotary Latches

Zinc plated corrosion resistant rotary latches riveted to door with non-corrosive aluminum rivets incorporation stainless mandrels. Rotary latch is slam-latchable. Latching cam to be elongated to allow the latch to move vertically relative to the lockstrike to prevent torsional damage.

Door Strikers

Adjustable striker affixed to door frame with screws. (

Door Seals

Automotive "bulb type" neoprene door seals to be installed by the manufacturer of the body on all door frames.

Door Retainer

Double spring over center door retainers on all vertical doors, retains doors in positive open or closed position.

Shelving

18 gauge bright spangled galvanized shelves with hemmed dividers on 4" centers. Minimum 250 lbs. capacity rated.

Exterior Prime Paint

Body is completely immersed in electrodeposition gray epoxy prime paint featuring a zinc phosphate pre-coat and seal for additional corrosion protection. Prime paint is oven cured to provide a hard durable finish.

Interior Paint

Interior painted mid-gloss, mar resistant, light gray finish.

Undercoating

Body is completely undercoated by the manufacturer of the body using minimum five (5) mils of water base acrylic.

Warranty

The following items to be covered by minimum six (6) year limited warranty to first owner/user of record.

No Rust-Thru Guarantee

Continuous Door Hinge – Guaranteed not to fail to operate or come off product.

Latches and Lock Cylinders – Guarantee against failure.

Shelves – **Guaranteed not to fail in bending under maximum 250lb. rated load.**

Other Standard Features

- KnapTight Double panel rear doors with rear window guards
- Two Conduit Chutes to transport copper pipe, PVC, and conduit
- Masterlock system, standard (Knaplock keyless entry optional)
- Spacious cargo area for transporting large tools and oversized items
- Two interior Dome Lights with light switch inside cargo area
- Grab handle at rear
- Many other standard Features

Base Price includes, Standard Body as provided by Knapheide with Standard Shelving Package. All prices are FOB Moorhead and are Load Out, Prime painted

	<u>96" Bodies to fit Single Wheel 56" CA Chassis</u>	
1.0-1	Knapheide KC96U1478J KUV Service Body (78" wide, 97 1/4" long, 62" high, 49" cargo area, 45.1" Interior Hieght)	Contract Price \$ 5,295.00
1.0-2	Knapheide KC96L1478J KUV Service Body (78" wide, 97 1/4" long, 68" high, 49" cargo area, 51.1" Interior Hieght)	\$ 5,496.00
1.0-3	Knapheide KC96M1478J KUV Service Body (78" wide, 97 1/4" long, 78" high, 49" cargo area, 61.1" Interior Hieght)	\$ 5,738.00
	<u>96" Bodies to fit Dual Wheel 56" CA Chassis</u>	
1.0-4	Knapheide KC96U2094J KUV Service Body (94" wide, 97 1/4" long, 62" high, 54" cargo area, 45.1" Interior Hieght)	\$ 5,745.00
1.0-5	Knapheide KC96L2094J KUV Service Body (94" wide, 97 1/4" long, 68" high, 54" cargo area, 51.1" Interior Hieght)	\$ 5,979.00
1.0-6	Knapheide KC96M2094J KUV Service Body (94" wide, 97 1/4" long, 78" high, 54" cargo area, 61.1" Interior Hieght)	\$ 6,201.00
1.0-7	Knapheide KC96H2094J KUV Service Body (94" wide, 97 1/4" long, 90" high, 54" cargo area, 73.1" Interior Hieght)	\$ 6,433.00

108" Bodies to fit 60" CA Single Wheel Chassis

1.0-8	Knapheide KC108U1478J KUV Service Body (78" wide, 107 ¼" long, 62" high, 49" cargo area, 45.1" Interior Hieght)	\$	5,720.00
1.0-9	Knapheide KC108L1478J KUV Service Body (78" wide, 107¼" long, 68" high, 49" cargo area, 51.1" Interior Hieght)	\$	6,003.00
1.0-10	Knapheide KC108M1478J KUV Service Body (78" wide, 107¼" long, 78" high, 49" cargo area, 61.1" Interior Hieght)	\$	6,281.00

108" Bodies to fit 60" CA Dual Wheel Chassis

1.0-11	Knapheide KC108L2094J KUV Service Body (94" wide, 107 ¼" long, 68" high, 54" cargo area, 51.1" Interior Hieght)	\$	6,370.00
1.0-12	Knapheide KC108M2094J KUV Service Body (94" wide, 107¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght)	\$	6,645.00
1.0-13	Knapheide KC108H2094J KUV Service Body (94" wide, 107¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght)	\$	6,939.00
1.0-14	89" wide Body ILO 94" wide Body Deduct	\$	(50.00)

132" Bodies to fit 84" CA Dual Wheel Chassis

1.0-15	Knapheide KC132L2094J KUV Service Body (94" wide, 133 ¼" long, 68" high, 54" cargo area, 51.1" Interior Hieght)	\$	6,720.00
1.0-16	Knapheide KC132M2094J KUV Service Body (94" wide, 133¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght)	\$	7,150.00
1.0-17	Knapheide KC132H2094J KUV Service Body (94" wide, 133¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght)	\$	7,487.00
1.0-18	89" wide Body ILO 94" wide Body Deduct (94" wide, 158 ¼" long, 40" high, 54" cargo area)	\$	(50.00)

132" Bodies to fit 84" CA Dual Wheel Chassis (GM4500/5500)

1.0-19	Knapheide KC132M2094CJ KUV Service Body (94" wide, 133¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght)	\$	7,341.00
1.0-20	Knapheide KC132H2094CJ KUV Service Body (94" wide, 133¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght)	\$	7,592.00

157" Bodies to fit 108" CA Dual Wheel Chassis

1.0-21	Knapheide KC157M2094J KUV Service Body (94" wide, 157¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght)	\$	9,207.00
1.0-22	Knapheide KC157H2094J KUV Service Body		

(94" wide, 157¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght) \$ 9,513.00

157" Bodies to fit 108" CA Dual Wheel Chassis (GM4500/5500)

Page 4 of 7

1.0-23 **Knapheide KC157M2094CJ KUV Service Body**
(94" wide, 157¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght) \$ 9,207.00

1.0-24 **Knapheide KC157H2094CJ KUV Service Body**
(94" wide, 157¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght) \$ 9,384.00

169" Bodies to fit 120" CA Dual Wheel Chassis

1.0-25 **Knapheide KC169M2094J KUV Service Body**
(94" wide, 169¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght) \$ 9,384.00

1.0-26 **Knapheide KC169H2094J KUV Service Body**
(94" wide, 169¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght) \$ 9,701.00

169" Bodies to fit 120" CA Dual Wheel Chassis (GM4500/5500)

1.0-27 **Knapheide KC169M2094CJ KUV Service Body**
(94" wide, 169¼" long, 78" high, 54" cargo area, 61.1" Interior Hieght) \$ 9,384.00

1.0-28 **Knapheide KC169H2094CJ KUV Service Body**
(94" wide, 169¼" long, 90" high, 54" cargo area, 73.1" Interior Hieght) \$ 9,562.00

Light Kits (including pre-punched light holes), Fuel Fill, and Bumper Options

- 1.20 LED Flush Mount S/T/T light kit for 78" (SW) wide Bodies (Ford Plug) \$ 172.00
- 1.21 LED Flush Mount S/T/T light kit for 94" (DW) wide Bodies (Ford Plug) \$ 238.00
- 1.22 Light harness adaptors other than Ford and LED Flashers refer to Knapheide Option fit Prices
- 1.23 GM 3 light system (LED) \$ 232.00
- 1.24 Aluminum Fuel Fill Cup and pre punched hole \$ 67.00
- 1.25 GM Fuel Fill Kit required for GM Chassis 56" CA with box removal \$ 375.00
- 1.26 GM Fuel Fill Kit required for GM Chassis 60-84" CA \$ 75.00
- 1.27 Ford Fuel Fill Kit 40/56" CA DRW Chassis \$ 50.00
- 1.28 TFI Ford Fuel Fill Kit for Ford 56" CA Chassis \$ 265.00
- 1.29 78" Standard Treadplate or Galvi-grip Step Bumper \$ 251.00
- 1.30 78" Standard Treadplate or Galvi-grip with PHR \$ 266.00
- 1.31 78" Standard Treadplate or Galvi-grip with BMR \$ 334.00
- 1.32 94" Standard Treadplate or Galvi-grip Step Bumper \$ 315.00
- 1.33 94" Standard Treadplate or Galvi-grip with PHR \$ 330.00
- 1.34 94" Standard Treadplate or Galvi-grip with BMR \$ 400.00
- 1.35 94" Standard Grip Strut Bumper with PHR \$ 634.00

Paint options for Knapheide Standard Service Bodies

- 1.36 Knapheide "blended" White OEM Paint KC-Series 96" Bodies \$ 1,200.00
- 1.37 Knapheide "blended" White OEM Paint KC-Series 108" Bodies \$ 1,330.00
- 1.38 Knapheide "blended" White OEM Paint KC-Series 132" Bodies \$ 1,495.00
- 1.39 Knapheide "blended" White OEM Paint KC-Series 157" Bodies \$ 1,775.00
- 1.40 Knap Liner or paint Bumper add \$ 85.00

Berts Paint Options

1.41	Paint One Standard Color White X96J service bodies	\$	1,395.00
1.42	Paint One Standard Color White X108J Service Bodies	\$	1,495.00
1.43	Paint One Standard Color White X132D54J Service Bodies	\$	1,695.00
1.44	Paint One Standard color White 6157D54 Service Bodies	\$	1,945.00
1.45	Adder for color other than white	\$	325.00
1.46	Adder for BC/CC	\$	550.00
1.47	Finish paint inside of Cargo Area/canopy ILO of light gray finish	\$	845.00
	Line-x cargo Liner (includes bumper) in Cargo Area		
1.48	96" Bodies	\$	625.00
1.49	108" Bodies	\$	650.00
1.50	132" Bodies	\$	725.00
1.51	157" Bodies	\$	775.00
1.52	Basic Installation of all Knapheide Service Bodies: (Includes installation of body, light kit, bumper and fuel fill)	\$	675.00
1.53	Installation of Knapheide Option fit items shipped loose from factory	\$ 75.00 P/Hr	

American Eagle Drawers

1.74	3" Drawer up to 30" wide for standard service body	\$	250.00
1.75	5" Drawer up to 30" wide for standard service body	\$	250.00
1.76	7" Drawer up to 30" wide for standard service body	\$	250.00
1.77	Top Tray up to 30" wide	Included	
1.78	Riser up to 30" wide	Included	
1.79	3" Drawer up to 30-50" wide for standard service body	\$	280.00
1.80	5" Drawer up to 30-50" wide for standard service body	\$	280.00
1.81	7" Drawer up to 30-50" wide for standard service body	\$	280.00
1.82	Top Tray up to 30" wide	Included	
1.83	Riser up to 30" wide	Included	

Other Knapheide Standard "Option Fit" Options Not Listed

All Other Knapheide Standard "Option Fit" Options sold at Knapheide Manufacture to Distributor Net published price from price list Dated March 14, 2011

Common Options For Knapheide utility bodies (some options may be required)

1.95	Full Height Aluminum Rock Guards on front of body	\$	140.00
1.96	Corner mounted Crane reinforcement up to #4000 cap crane	\$	920.00
1.97	Torsion Box Floor 96" & 108" Bodies (includes Mounting Kit)	\$	751.00
1.98	Torsion Box Floor 132" Bodies (Includes Mounting Kit)	\$	1,037.00
1.99	Torsion Box Floor 157" Bodies (Includes Mounting Kit)	\$	1,267.00
1.100	Double Overlapped Front Vertical Doors ILO standard	\$	114.00
1.101	Double Overlapped Door on Horizontal ILO Standard	\$	93.00

1.102	Tread Bright Aluminum Trim Package (Compartment Tops) 96" Series Bodies	\$	434.00
1.103	Tread Bright Aluminum Trim Package (Compartment Tops) 108" Series Bodies	\$	586.00
1.104	Tread Bright Aluminum Trim Package (Compartment Tops) 132" Series Bodies	\$	677.00
1.105	Tread Bright Aluminum Trim Package (Compartment Tops) 157" Series Bodies	\$	775.00
1.106	Standard Bottle gas retainer, installed	\$	326.00
1.107	Drop well bottle gas retainer, installed	\$	337.00

Page 6 of 7

1.108	Interior lights per compartment with guard	\$	90.00
1.109	Transverse Compartment open to Curbside Front Vertical Compartment	\$	725.00
1.110	Transverse Compartment open to Both Front Verticals Compartments	\$	775.00
1.111	Interior Rope lights per compartment	\$	110.00
1.112	LED Gromet mounted Strobe Lights in Rear of Body	\$	210.00
1.113	Mechanics Vice Bracket (standard)	\$	80.00
1.114	Removable Mechanics Vice Bracket	\$	170.00
1.115	97 db back/up alarm installed	\$	65.00
1.116	Variable db Back up Alarm, installed	\$	105.00
1.117	White Noise back up alarm, installed	\$	140.00
1.118	Star 240CFD Double Flash Strobe on Stand	\$	175.00
1.119	Tripp-Lite PV-2000FC Power inverter	\$	640.00
1.120	400 amp fuse, cabling and installation of Inverter	\$	450.00
1.121	New Take off Pick-up box trade allowance	\$	(600.00)

Other Knapheide Standard "Option Fit" Options Not Listed

All Other Knapheide Standard "Option Fit" Options sold at Knapheide Manufacture to Distributor Net published price from price list Dated March 14, 2011

Hitch Options

1.122	Class IV Receiver Hitch	\$	225.00
1.123	Knapheide Class IV Receiver Hitch, 12000lb	\$	295.00
1.124	Buyers Class IV Reciever Hitch Rated at 12000LB 2 " Reciver Tube	\$	225.00
1.125	Buyers Class V Reciever Hitch Rated at 16000LB 2 1/2" Reciver Tube	\$	295.00
1.126	Reese Titan Class 5 14000 LB 2 1/2" Reciever Hitch	\$	525.00
1.127	Reese Class V Ball Mount with Pin	\$	110.00
1.128	Reese Class V Pintle Mount with pull pin	\$	125.00
1.129	Combination Pintle/Ball (specify ball size)	\$	215.00
1.130	PH20 Pintle hook	\$	60.00
1.131	Deluxe TEK Prodigy Electric brake Control, Installed	\$	220.00
1.132	6-way or 7-way trailer plug, installed	\$	48.00
1.133	Swift Hitch Wireless Cameras Model SHO1 (qty 1-9) each	\$	218.00
1.134	Swift Hitch Wireless Cameras Model SHO1 (qty 10-20) each	\$	208.00
1.135	Swift Hitch Wireless Cameras Model SHO1 (qty 21+) each	\$	198.00
1.136	Swift Hitch Wireless Cameras Model SHO2 (qty 1-9) each	\$	259.00
1.137	Swift Hitch Wireless Cameras Model SHO2 (qty 10-19) each	\$	249.00
1.138	Swift Hitch Wireless Cameras Model SHO2 (qty 20+) each	\$	240.00
1.139	Ag Cam Wired backup camera with one camera,	\$	335.00
1.140	Installation of Ag cam camera	\$	165.00

Cost per mile for pick-up or Delivery to or from Moorhead, MN

\$1.75

(Maximum charge per unit for pick-up/delivery one way \$ 350.00)

Buyer's Guide for pricing Service Body: Chassis CA _____" SW _____ DW _____
 Make and Model of Chassis: _____

Base Body	\$
Light kit	\$
Bumper	\$
Painting	\$
Installation	\$
<u>BASIC PACKAGE TOTAL</u>	\$
Additional Options:	\$
	\$
	\$
	\$
Delivery (max \$ 350.00 one way)	\$
Total Package	\$

Body and Equipment By:
Bert's Truck Equipment Inc.
Jim McLaughlin, Commercial Fleet Sales
 3804 Hwy 75 North
 Moorhead, MN 56560
 800-232-3787, 218-233-8681
 Fax 218-233-9548
[Email: jimmc@bertsonline.com](mailto:jimmc@bertsonline.com)

Web Site: www.bertsonline.com

Vendor Name:	Bert's Truck Equipment, Inc
Contact Person:	Jim McLaughlin
Street Address:	3804 Highway 75 North
P.O. Box:	336
City, State, Zip	Moorhead, MN 56561*0336
Phone #:	218-233-8681
Toll Free #:	800-232-3787
Fax #:	218-233-9548
Email Address:	jimmc@bertsonline.com
Website:	www.bertsonline.com

Furnish separate price quote for: **BODY COMPONENTS AND ATTACHMENTS FOR 6,000 TO 19,500 GVWR PICKUPS/CAB &**

1.0 UTILITY /SERVICE BODY

	MAKE	
		Knapheide Service Bodies
Warranty		6 years
Date & I.D. of Price List		2-May-11
Discount to be applied to Price List		None
Installation of Utility/Service Body - complete install cost		See Price List
Price of FMVSS 108 lighting package		See Price List
Price of ICC bumper under ride protection		See Price List
Installation of ICC bumper under the protection - complete install cost		See Price List

2.0 VENDOR OWNED RENTAL RETURN OR DEMO EQUIPMENT PROGRAM

See Special Terms and Conditions		
DEDUCT cost per Used Hour from the original Contract Price.		N/A

3.0 DISCOUNT OFF LIST PRICE FOR RELATED PARTS & ACCESSORIES

(See Special Terms and Conditions)		N/A
------------------------------------	--	-----

4.0 DELIVERY STARTING POINT -

CITY, STATE, ZIP CODE	Moorhead, MN 56560
PRICE PER LOADED MILE: \$	1.75

**STATE OF MINNESOTA
PRICING 5-2-2011**

Page 1 of 5

- 1.0 **Knapheide Utility/Service Bodies to fit 56", 60", 84" & 108" CA Chassis's**
Standard Features:
- Body Shell**
14 gauge two-sided A40 galvalume steel. Compartment top and back are one piece seamless design. All doors, door openings, drip rails, and other exposed steel edges to be hemmed for strength, safety and resistance to corrosion.
- Floor**
12 gauge treadplate with 1 3/8" return flange on each side. Side compartment back panel overlaps and interlocks with floor flange, providing support for weight of side compartment.
- Understructure**
50,000 yield 11 gauge high strength steel cross sills
- Tailgate**
14 gauge two-sided A40 galvalume steel double panel construction. Slam lockable style
- Doors**
20 gauge two-sided A40 galvalume steel double panel doors with hat section reinforcements.
- Hinges**
Corrosion resistant all stainless steel continuous hinges provide full length support for the doors and pry-proof security with a built-in weather shield. Hinge to be spot welded to the door frame supported with a six year warranty.
- Rotary Latches**
Stainless Steel rotary latches rivet-less design
Rotary latch is slam-latchable
Latching cam to be elongated to allow the latch to move vertically relative to the lockstrike to prevent torsional damage.
- Door Strikers**
Adjustable striker affixed to door frame with screws. (
- Door Seals**
Automotive "bulb type" neoprene door seals to be installed by the manufacturer of the body on all door frames.
- Door Retainer**
Double spring over center door retainers on all vertical doors, retains doors in positive open or closed position.
- Shelving**
18 gauge bright spangled galvanized shelves with hemmed dividers on 4" centers. Minimum 250 lbs. capacity rated.
- Exterior Prime**
- Paint**
Body is completely immersed in electrodeposition gray epoxy prime paint featuring a zinc phosphate pre-coat and seal for additional corrosion protection. Prime paint is oven cured to provide a hard durable finish.
- Interior Paint** Interior painted mid-gloss, mar resistant, light gray finish.
Interior painted mid-gloss, mar resistant, light gray finish.
- Undercoating**
Body is completely undercoated by the manufacturer of the body using minimum five (5) mils of water base acrylic.

Warranty

The following items to be covered by minimum six (6) year limited warranty to first owner/user of record.

No Rust-Thru Gu: No Rust-Thru Guarantee

Continuous Door Hinge – Guaranteed not to fail to operate or come off product.

Latches and Lock Cylinders – Guarantee against failure.

Shelves – Guaranteed not to fail in bending under maximum 250lb. rated load.

Base Price includes, Standard Body as provided by Knapheide with Standard Shelving Package. All prices are FOB Moorhead and are Load Out, Prime painted

	<u>96" Bodies to fit Single Wheel 56" CA Chassis</u>	
1.0-1	Knapheide, 596J, 696J, 796J, Standard Models (78" wide, 97 1/4" long, 40" high, 49" cargo area)	\$ 2,945.00
1.0-2	Low profile model (LPJ) 37.5"	\$ 2,910.00
1.0-3	<u>Knapheide 596FJ, 696FJ, 796FJ (Flip top models)</u> (78" wide, 97 1/4" long, 37.5" high, 49" cargo area)	\$ 3,585.00
1.0-4	Full Height model (F40J)	\$ 3,702.00
	<u>108" Bodies to fit 60" CA Single Wheel Chassis</u>	
1.0-5	Knapheide, 5108J, 6108J, 7108J, Standard Models (78" wide, 109 1/4" long, 40" high, 49" cargo area)	\$ 3,296.00
1.0-6	Low profile model (LPJ) 37.5"	\$ 3,285.00
1.0-7	Knapheide 5108FJ, 6108FJ, 7108FJ (Flip top models) (78" wide, 109 1/4" long, 37.5" high, 49" cargo area)	\$ 4,035.00
	<u>108" Bodies to fit 60" CA Dual Wheel Chassis</u>	
1.0-8	Knapheide, 5108DJ, 6108DJ, 7108DJ, Standard Models (89" wide, 109 1/4" long, 40" high, 54" cargo area)	\$ 3,687.00
1.0-9	Knapheide, 5108D54J, 6108D54J, 7108D54J, Standard Models (94" wide, 109 1/4" long, 40" high, 54" cargo area)	\$ 3,760.00
1.0-10	Low profile model (LPJ) 37.5"	\$ 3,760.00
1.0-11	Knapheide 5108D54FJ, 6108D54FJ, 7108D54FJ (Flip top models) (94" wide, 109 1/4" long, 37.5" high, 54" cargo area)	\$ 4,319.00
	<u>132" Bodies to fit 84" CA Dual Wheel Chassis</u>	
1.0-12	Knapheide, 5132D54J, 6132D54J, 7132D54J, Standard Models (94" wide, 133 1/4" long, 40" high, 54" cargo area) Low profile model (LPJ) 37.5"	\$ 4,627.00
1.0-13	Knapheide 5132D54FJ, 6132D54FJ, 7132D54FJ (Flip top models) (94" wide, 133 1/4" long, 37.5" high, 54" cargo area)	\$ 5,994.00
1.0-14	<u>157" Bodies to fit 108" CA Dual Wheel Chassis</u> Knapheide, 6157D54J, Standard Models	\$ 7,354.00

(94" wide, 158 ¼" long, 40" high, 54" cargo area)

Page 3 of 5

Light Kits (including pre-punched light holes), Fuel Fill, and Bumper Options

1.20	LED Flush Mount S/T/T light kit for 78" (SW) wide Bodies (Ford Plug)	\$	172.00
1.21	LED Flush Mount S/T/T light kit for 94" (DW) wide Bodies (Ford Plug)	\$	238.00
1.22	Light harness adaptors other than Ford and LED Flashers refer to Knapheide Option fit Prices		
1.23	GM 3 light system (LED)	\$	232.00
1.24	Aluminum Fuel Fill Cup and pre punched hole	\$	67.00
1.25	GM Fuel Fill Kit required for GM Chassis 56" CA with box removal	\$	375.00
1.26	GM Fuel Fill Kit required for GM Chassis 60-84" CA	\$	75.00
1.27	Ford Fuel Fill Kit 40/56" CA DRW Chassis	\$	50.00
1.28	TFI Ford Fuel Fill Kit for Ford 56" CA Chassis	\$	265.00
1.29	78" Standard Treadplate or Galvi-grip Step Bumper	\$	251.00
1.30	78" Standard Treadplate or Galvi-grip with PHR	\$	266.00
1.31	78" Standard Treadplate or Galvi-grip with BMR	\$	334.00
1.32	94" Standard Treadplate or Galvi-grip Step Bumper	\$	315.00
1.33	94" Standard Treadplate or Galvi-grip with PHR	\$	330.00
1.34	94" Standard Treadplate or Galvi-grip with BMR	\$	400.00
1.35	94" Standard Grip Strut Bumper with PHR	\$	634.00

Paint options for Knapheide Standard Service Bodies

1.36	Knapheide "blended" White OEM Paint J-Series 96" Bodies	\$	593.00
1.37	Knapheide "blended" White OEM Paint FJ-Series 96" Bodies	\$	662.00
1.38	Knapheide "blended" White OEM Paint J-Series 108" Bodies	\$	636.00
1.39	Knapheide "blended" White OEM Paint FJ-Series 108" Bodies	\$	708.00
1.40	Knapheide "blended" White OEM Paint J-Series 132" Bodies	\$	783.00
1.41	Knapheide "blended" White OEM Paint FJ-Series 132" Bodies	\$	872.00
1.42	Knapheide "blended" White OEM Paint J-Series 157" Bodies	\$	942.00
1.43	Knap Liner or paint Bumper add	\$	85.00

Berts

1.44	Paint One Standard Color White X96J service bodies	\$	875.00
1.45	Paint One Standard Color White X108J Service Bodies	\$	900.00
1.46	Paint One Standard Color White X132D54J Service Bodies	\$	925.00
1.47	Paint One Standard color White 6157D54 Service Bodies	\$	1,040.00
1.48	Adder for color other than white	\$	225.00
1.49	Adder for BC/CC	\$	550.00
1.50	Paint Cargo Area Black	\$	225.00

Line-x cargo Liner (includes bumper) in Cargo Area

1.51	96" Bodies	\$	620.00
1.52	108" Bodies	\$	640.00
1.53	132" Bodies	\$	725.00
1.54	157" Bodies	\$	775.00

Basic Installation of all Knapheide Service Bodies:

(Includes installation of body, light kit, bumper and fuel fill) \$ 675.00

1.55 **Installation of Knapheide Option fit items shipped loose from factory \$ 75.00 P/hr**

Common Options For Knapheide utility bodies (some options may be required)

1.56	Full Height Aluminum Rock Guards on front of body	\$	140.00
1.57	Corner mounted Crane reinforcement up to #4000 cap crane	\$	920.00
1.58	Torsion Box Floor 96" & 108" Bodies (includes Mounting Kit)	\$	751.00
1.59	Torsion Box Floor 132" Bodies (Includes Mounting Kit)	\$	1,037.00
1.60	Torsion Box Floor 157" Bodies (Includes Mounting Kit)	\$	1,267.00
1.61	Double Overlapped Front Vertical Doors ILO standard	\$	114.00
1.62	Double Overlapped Door on Horizontal ILO Standard	\$	93.00
1.63	Tread Bright Aluminum Trim Package (Compartment Tops) 96" Series Bodies	\$	434.00
1.64	Tread Bright Aluminum Trim Package (Compartment Tops) 108" Series Bodies	\$	586.00
1.65	Tread Bright Aluminum Trim Package (Compartment Tops) 132" Series Bodies	\$	677.00
1.66	Tread Bright Aluminum Trim Package (Compartment Tops) 157" Series Bodies	\$	775.00
1.67	Standard Bottle gas retainer, installed	\$	326.00
1.68	Drop well bottle gas retainer, installed	\$	337.00
1.69	Interior lights per compartment with guard	\$	90.00
1.70	Transverse Compartment open to Curbside Front Vertical Compartment	\$	725.00
1.71	Transverse Compartment open to Both Front Verticals Compartments	\$	775.00
1.72	Interior Rope lights per compartment	\$	110.00
1.73	LED Gromet mounted Strobe Lights in Rear of Body	\$	210.00
1.74	Mechanics Vice Bracket (standard)	\$	80.00
1.75	Removable Mechanics Vice Bracket	\$	170.00
1.76	97 db back/up alarm installed	\$	65.00
1.77	Variable db Back up Alarm, installed	\$	105.00
1.78	White Noise back up alarm, installed	\$	140.00
1.79	Star 240CFD Double Flash Strobe on Stand	\$	175.00
1.80	Tripp-Lite PV-2000FC Power inverter	\$	640.00
1.81	400 amp fuse, cabling and installation of Inverter	\$	450.00
1.82	New Take off Pick-up box trade allowance	\$	(600.00)

Other Knapheide Standard "Option Fit" Options Not Listed

All Other Knapheide Standard "Option Fit" Options sold at Knapheide Manufacture to Distributor Net published price from price list Dated March 14, 2011

Hitch Options

1.83	Class IV Receiver Hitch	\$	225.00
1.84	Knapheide Class IV Receiver Hitch, 12000lb	\$	295.00
1.85	Buyers Class IV Receiver Hitch Rated at 12000LB 2 " Receiver Tube	\$	225.00
1.86	Buyers Class V Receiver Hitch Rated at 16000LB 2 1/2" Receiver Tube	\$	295.00
1.87	Reese Titan Class 5 14000 LB 2 1/2" Receiver Hitch	\$	525.00
1.88	Reese Class V Ball Mount with Pin	\$	110.00
1.89	Reese Class V Pintle Mount with pull pin	\$	125.00
1.90	Combination Pintle/Ball (specify ball size)	\$	215.00
1.91	PH20 Pintle hook	\$	60.00
1.92	Deluxe TEK Prodigy Electric brake Control, Installed	\$	220.00
1.93	6-way or 7-way trailer plug, installed	\$	48.00
1.94	Swift Hitch Wireless Cameras Model SHO1 (qty 1-9) each	\$	218.00
1.95	Swift Hitch Wireless Cameras Model SHO1 (qty 10-20) each	\$	208.00
1.96	Swift Hitch Wireless Cameras Model SHO1 (qty 21+) each	\$	198.00

1.97	Swift Hitch Wireless Cameras Model SHO2 (qty 1-9) each	\$	259.00
1.98	Swift Hitch Wireless Cameras Model SHO2 (qty 10-19) each	\$	249.00
1.99	Swift Hitch Wireless Cameras Model SHO2 (qty 20+) each	\$	240.00

**Canopy Roofs (tapered or straight) For 108" & 132" Service Bodies,
ALSO SEE Knapheide CC-KUV Bodies Section**

1.101	55" Standard Canopy Roof for SRW 56" CA Body	\$	2,625.00
1.102	55" Standard Canopy Roof for DRW 56" CA Body	\$	2,995.00
1.103	65" Standard Canopy Roof for DRW 56" CA Body	\$	3,595.00
1.104	73" Standard Canopy Roof for 108" Body installed at Factory	\$	3,490.00
1.105	72" Standard Canopy Roof for 132" Body installed at Factory	\$	4,315.00
1.106	Additional paint charge for Canopy Roofs	\$	625.00
1.107	Finish paint inside of Cargo Area/canopy ILO of light gray finish	\$	850.00

Telescopic Sliding Roofs

1.108	TSR to fit 96" SW Body	\$	1,085.00
1.109	TSR to fit 96" DW Body	\$	1,195.00
1.110	TSR to fit 108" SW Body	\$	1,130.00
1.111	TSR to fit 108" DW Body	\$	1,295.00
1.112	TSR to fit 132" DW Body	\$	1,975.00
1.113	Painting Adder for TSR 96" & 108	\$	265.00
1.114	Painting Adder for TSR132"	\$	325.00

Cost per mile for pick-up or Delivery to or from Moorhead, MN **\$ 1.75**
 (Maximum charge per unit for pick-up/delivery one way \$ 355.00)

Buyer's Guide for pricing Service Body: Chassis CA _____" SW _____ DW _____
Make and Model of Chassis: _____

	Base Body		\$
	Light kit		\$
	Bumper		\$
	Painting		\$
	Installation		\$
	BASIC PACKAGE	BASIC PACKAGE TOTAL	\$
	Additional Options:		\$
			\$
			\$
			\$
			\$
	Delivery (max \$ 350.00 one way)		\$
	Total Package		\$

Body and Equipment By:
Bert's Truck Equipment Inc.
Jim McLaughlin, Commercial Fleet Sales
3804 Hwy 75 North
Moorhead, MN 56560
800-232-3787, 218-233-8681
Fax 218-233-9548
[Email: jimmc@bertsonline.com](mailto:jimmc@bertsonline.com)

Web Site: www.bertsonline.com

STATE OF MINNESOTA
PRICING 5-2-2011
Bert's Truck Equipment

Page 1 of 4

1.0 Knapheide "KSS" (Knapheide Style Side) Utility/Service Bodies to fit 56", 60" & 84"

CA Chassis's

Standard Features:

Body Shell

14 gauge two-sided A40 galvalume steel. All doors, door openings, drip rails, and other exposed steel edges are hemmed for strength, safety and resistance to corrosion.

Floor

1/8" treadplate. Side compartment back panel overlaps and interlocks with floor flange, providing support for weight of side compartment.

Understructure

Tailgate

Automotive style quick removable tailgate. 20 Ga. outer panel. 16 Ga. inner panel. Plastic coated stainless steel cables installed. Heavy Duty Rotary Slam latches and center mounted Automotive style handle.

Doors

20 gauge two-sided A40 galvalume steel outer panel with 16 Ga. steel door frame and hat reinforcement.

Hinges

Automotive style Hidden Hinges, Hinges are bolted to the door frame ease of replacement and supported with a five year warranty.

Rotary Latches

Automotive style Zinc plated corrosion resistant rotary latches with center mounted automotive style handle. Rotary latch is slam-latchable. Latching cam to be elongated to allow the latch to move vertically relative to the lockstrike to prevent torsional damage.

Door Strikers

Adjustable striker affixed to doorframe with screws.

Door Seals

Automotive foam triple contact one piece continuous door seals are retained by door inner panel and foam tape to door.

Door Retainer

Vertical Door have hinges with roller cam detents to hold door in open position and double torsion springs to aid in door closing. Horizontal doors have plastic coated stainless steel cables for retention.

Shelving

18 gauge bright spangled galvanized shelves with hemmed dividers on 4" centers. Minimum 250 lbs. capacity rated.

Exterior Prime Paint

Body is completely immersed in electrodeposition gray epoxy prime paint featuring a zinc phosphate pre-coat and seal for additional corrosion protection. Prime paint is oven cured to provide a hard durable finish.

Interior Paint

Interior painted mid-gloss, mar resistant, light gray finish.

Undercoating

Body is completely undercoated by the manufacturer of the body using minimum five (5) mils of water base acrylic.

Warranty

The following items to be covered by minimum six (6) year limited warranty to first owner/user of record.

No Rust-Thru Guarantee

Door Hinge – Guaranteed not to fail to operate or come off product.

Latches and Lock Cylinders – Guarantee against failure.

Shelves – Guaranteed not to fail in bending under maximum 250lb. rated load.

FMVSS Lighting:

Body comes standard with OEM style S/T/T lights and wiring harness Encased in plastic loom. Marker lights (if applicable) are recessed into Body

Base Price includes,

Standard Body as provided by Knapheide with Standard Shelving Package.

All prices are FOB Moorhead and are Load Out, Prime painted

1.0-1	96" Bodies to fit Single Wheel 56" CA Chassis Knapheide, K56S-X, Standard Models (79.2" wide, 105 1/4" long, 40" high, 49" cargo area)	\$ 4,870.00
1.0-2	Knapheide, K56SF-X(Flip top models) (79.2" wide, 105 1/4" long, 40" high, 49" cargo area)	\$ 5,398.00
1.0-3	108" Bodies to fit 60" CA Single Wheel Chassis Knapheide, K60S-X, Standard Models (79.2" wide, 114.5 long, 40" high, 49" cargo area)	\$ 4,975.00
1.0-4	Knapheide K60SF-X (Flip top models) (79.2" wide, 114.5 long, 40" high, 49" cargo area)	\$ 5,546.00
1.0-5	108" Bodies to fit 60" CA Dual Wheel Chassis Knapheide, K60D-X, Standard Models (95.2" wide, 114.5 long, 40" high, 54" cargo area)	\$ 5,405.00
1.0-6	Knapheide K60DF-X(Flip top models) (95.2" wide, 114.5 long, 40" high, 54" cargo area)	\$ 6,010.00
1.0-7	132" Bodies to fit 84" CA Dual Wheel Chassis Knapheide, K84D-X Standard Models (95.2" wide, 138.25" long, 40" high, 54" cargo area)	\$ 6,381.00
1.0-8	Knapheide K84DF-X (Flip top models) (94" wide, 133 1/4" long, 37.5" high, 54" cargo area)	\$ 7,475.00

Light kits are factory installed and included in base body price

Bumper and Fuel Fill Options

1.20	GM Fuel Fill Kit required for GM Chassis 56" CA with box removal	\$	472.00
1.21	GM Fuel Fill Kit required for GM Chassis 60-84" CA	\$	75.00
1.22	78" Standard Galvi-grip with PHR	\$	319.00
1.23	78" Standard Galvi-grip with BMR	\$	396.00
1.24	94" Standard Galvi-grip with PHR	\$	395.00
1.25	94" Standard Galvi-grip with BMR	\$	499.00

Paint options for Knapheide Standard Service Bodies

1.26	Paint One Standard Color White K56S service bodies	\$	1,295.00
1.27	Paint One Standard Color white K60X Service Bodies	\$	1,315.00
1.28	Paint One Standard Color white K84D Service Bodies	\$	1,350.00
1.29	Adder for color other than white	\$	245.00
1.30	Adder for BC/CC	\$	550.00

Basic Installation of all Knapheide Service Bodies:

1.31	(Includes installation of body, light kit, bumper and fuel fill)	\$	675.00
------	--	----	--------

Installation of Knapheide Option fit items shipped loose from factory **\$ 75.00 P/Hr**

Common Options For Knapheide "KSS" utility bodies (some options may be required)

1.32	Aluminum Rock Guards	\$	171.00
1.33	Standard Bottle gas retainer, (cargo Area) installed	\$	192.00
1.34	Interior Rope lights 96" Body	\$	654.00
1.35	Interior Rope lights 108" Body	\$	707.00
1.36	Interior Rope lights 132" Body	\$	798.00
1.37	Electric Door Locks K56 & K60 Bodies	\$	1,425.00
1.38	Electric Door Locks K84 Bodies	\$	1,900.00
1.39	Removable Mechanics Vice Bracket	\$	170.00
1.40	97 db back/up alarm installed	\$	65.00
1.41	Variable db Back up Alarm, installed	\$	105.00
1.42	Reese Class IV Hitch	\$	230.00
1.43	Electric Brake Control, installed	\$	225.00
1.44	6-way or 7-way trailer plug, installed	\$	48.00
1.45	Transverse Compartment Open to CS/FV	\$	745.00
1.46	Transverse Compartment Open to both front verticals	\$	845.00

Telescopic Roofs

1.47	K56X models	\$	1,079.00
1.48	K60X models	\$	1,065.00
1.49	K84X models	\$	1,325.00

Other Knapheide Standard "Option Fit" Options Not Listed

All Other Knapheide Standard "**Option Fit**" Options sold at Knapheide Manufacture to Distributor Net published price from price list Dated December 7th, 2009

Cost per mile for pick-up or Delivery to or from Moorhead, MN **\$ 1.75**

(Maximum charge per unit for pick-up/delivery one way \$ 350.00)

Buyer's Guide for pricing KSS Service Body: Chassis CA _____" SW ____ DW ____

Make and Model of Chassis: _____

Base Body

		\$
	Base Body	\$
	Bumper	\$
	Painting	\$
	Installation	\$
	Additional Options:	
		\$
		\$
		\$
		\$
		\$
	Delivery	\$
	Total	\$

Body and Equipment By:

Bert's Truck Equipment Inc.

Jim McLaughlin, Commercial Fleet Sales

3804 Hwy 75 North

Moorhead, MN 56560

800-232-3787, 218-233-8681

Fax 218-233-9548

Email: jimmc@bertsonline.com

Web Site: www.bertsonline.com