

# Inventory Control Form

## DHS/DCS & DHS/DCS One-Step Insertion



Patient Information:

Synthes (USA)  
To Order: (800) 523-0322

Synthes (Canada) Ltd.  
To Order: (800) 668-1119

Date: \_\_\_\_\_


Hospital: \_\_\_\_\_

Surgeon: \_\_\_\_\_

Procedure: \_\_\_\_\_

### Implants

#### 3.5 mm Locking Screws<sup>†</sup>



	LENGTH		LENGTH
<input type="checkbox"/>	212.104	<input type="checkbox"/>	212.108
<input type="checkbox"/>	212.106	<input type="checkbox"/>	212.110

#### 4.5 mm Cortex Screws



	LENGTH		LENGTH
<input type="checkbox"/>	214.014	<input type="checkbox"/>	214.060
<input type="checkbox"/>	214.016	<input type="checkbox"/>	214.062
<input type="checkbox"/>	214.018	<input type="checkbox"/>	214.064
<input type="checkbox"/>	214.020	<input type="checkbox"/>	214.066
<input type="checkbox"/>	214.022	<input type="checkbox"/>	214.068
<input type="checkbox"/>	214.024	<input type="checkbox"/>	214.070
<input type="checkbox"/>	214.026	<input type="checkbox"/>	214.072
<input type="checkbox"/>	214.028	<input type="checkbox"/>	214.076
<input type="checkbox"/>	214.030	<input type="checkbox"/>	214.080
<input type="checkbox"/>	214.032	<input type="checkbox"/>	214.085
<input type="checkbox"/>	214.034	<input type="checkbox"/>	214.090
<input type="checkbox"/>	214.036	<input type="checkbox"/>	214.095
<input type="checkbox"/>	214.038	<input type="checkbox"/>	214.100
<input type="checkbox"/>	214.040	<input type="checkbox"/>	214.105
<input type="checkbox"/>	214.042	<input type="checkbox"/>	214.110
<input type="checkbox"/>	214.044	<input type="checkbox"/>	214.115
<input type="checkbox"/>	214.046	<input type="checkbox"/>	214.120
<input type="checkbox"/>	214.048	<input type="checkbox"/>	214.125
<input type="checkbox"/>	214.050	<input type="checkbox"/>	214.130
<input type="checkbox"/>	214.052	<input type="checkbox"/>	214.135
<input type="checkbox"/>	214.054	<input type="checkbox"/>	214.140
<input type="checkbox"/>	214.056	<input type="checkbox"/>	214.145
<input type="checkbox"/>	214.058	<input type="checkbox"/>	214.150

#### 4.5 mm Cortex Screws self-tapping



	LENGTH		LENGTH
<input type="checkbox"/>	214.814	<input type="checkbox"/>	214.860
<input type="checkbox"/>	214.816	<input type="checkbox"/>	214.862
<input type="checkbox"/>	214.818	<input type="checkbox"/>	214.864
<input type="checkbox"/>	214.820	<input type="checkbox"/>	214.866
<input type="checkbox"/>	214.822	<input type="checkbox"/>	214.868
<input type="checkbox"/>	214.824	<input type="checkbox"/>	214.870
<input type="checkbox"/>	214.826	<input type="checkbox"/>	214.872
<input type="checkbox"/>	214.828	<input type="checkbox"/>	214.876
<input type="checkbox"/>	214.830	<input type="checkbox"/>	214.880
<input type="checkbox"/>	214.832	<input type="checkbox"/>	214.885
<input type="checkbox"/>	214.834	<input type="checkbox"/>	214.890
<input type="checkbox"/>	214.836	<input type="checkbox"/>	214.895
<input type="checkbox"/>	214.838	<input type="checkbox"/>	214.900
<input type="checkbox"/>	214.840	<input type="checkbox"/>	214.905
<input type="checkbox"/>	214.842	<input type="checkbox"/>	214.910
<input type="checkbox"/>	214.844	<input type="checkbox"/>	214.915
<input type="checkbox"/>	214.846	<input type="checkbox"/>	214.920
<input type="checkbox"/>	214.848	<input type="checkbox"/>	214.925
<input type="checkbox"/>	214.850	<input type="checkbox"/>	214.930
<input type="checkbox"/>	214.852	<input type="checkbox"/>	214.935
<input type="checkbox"/>	214.854	<input type="checkbox"/>	214.940
<input type="checkbox"/>	214.856	<input type="checkbox"/>	214.945
<input type="checkbox"/>	214.858	<input type="checkbox"/>	214.950

#### DHS/DCS Lag Screws, 12.7 mm diameter thread<sup>◊</sup>



	LENGTH		LENGTH
<input type="checkbox"/>	280.501	<input type="checkbox"/>	280.000
<input type="checkbox"/>	280.550	<input type="checkbox"/>	280.050
<input type="checkbox"/>	280.600	<input type="checkbox"/>	280.100
<input type="checkbox"/>	280.650	<input type="checkbox"/>	280.150
<input type="checkbox"/>	280.700	<input type="checkbox"/>	280.200
<input type="checkbox"/>	280.750	<input type="checkbox"/>	280.250
<input type="checkbox"/>	280.800	<input type="checkbox"/>	280.300
<input type="checkbox"/>	280.850	<input type="checkbox"/>	280.350
<input type="checkbox"/>	280.900	<input type="checkbox"/>	280.400
<input type="checkbox"/>	280.950	<input type="checkbox"/>	280.451

<sup>†</sup>In Universal Locking Trochanter Stabilization Plate Set.

\*In One-Step Basic Set.

<sup>◊</sup>DHS/DCS implants available nonsterile or sterile-packed. Add S to catalog number to order sterile product.

## Implants (cont'd)

### DHS/DCS One-Step Lag Screws 12.7 mm diameter<sup>◊</sup>



	LENGTH		LENGTH
<input type="checkbox"/>	280.251 50 mm	<input type="checkbox"/>	280.301 100 mm
<input type="checkbox"/>	280.255 55 mm	<input type="checkbox"/>	280.305 105 mm
<input type="checkbox"/>	280.260 60 mm	<input type="checkbox"/>	280.310 110 mm
<input type="checkbox"/>	280.265 65 mm	<input type="checkbox"/>	280.315 115 mm
<input type="checkbox"/>	280.270 70 mm	<input type="checkbox"/>	280.320 120 mm
<input type="checkbox"/>	280.275 75 mm	<input type="checkbox"/>	280.325 125 mm
<input type="checkbox"/>	280.280 80 mm	<input type="checkbox"/>	280.330 130 mm
<input type="checkbox"/>	280.285 85 mm	<input type="checkbox"/>	280.335 135 mm
<input type="checkbox"/>	280.290 90 mm	<input type="checkbox"/>	280.340 140 mm
<input type="checkbox"/>	280.295 95 mm	<input type="checkbox"/>	280.345 145 mm

### DHS/DCS Lag Screws, 14.0 mm diameter thread<sup>◊</sup>



	LENGTH		LENGTH
<input type="checkbox"/>	280.454 50 mm	<input type="checkbox"/>	280.504 100 mm
<input type="checkbox"/>	280.455 55 mm	<input type="checkbox"/>	280.505 105 mm
<input type="checkbox"/>	280.460 60 mm	<input type="checkbox"/>	280.510 110 mm
<input type="checkbox"/>	280.465 65 mm	<input type="checkbox"/>	280.515 115 mm
<input type="checkbox"/>	280.470 70 mm	<input type="checkbox"/>	280.520 120 mm
<input type="checkbox"/>	280.475 75 mm	<input type="checkbox"/>	280.525 125 mm
<input type="checkbox"/>	280.480 80 mm	<input type="checkbox"/>	280.530 130 mm
<input type="checkbox"/>	280.485 85 mm	<input type="checkbox"/>	280.535 135 mm
<input type="checkbox"/>	280.490 90 mm	<input type="checkbox"/>	280.540 140 mm
<input type="checkbox"/>	280.495 95 mm	<input type="checkbox"/>	280.545 145 mm

### DHS/DCS One-Step Lag Screws, 14.0 mm diameter



	LENGTH		LENGTH
<input type="checkbox"/>	280.651S 50 mm	<input type="checkbox"/>	280.701S 100 mm
<input type="checkbox"/>	280.655S 55 mm	<input type="checkbox"/>	280.705S 105 mm
<input type="checkbox"/>	280.660 <sup>◊</sup> 60 mm	<input type="checkbox"/>	280.710 <sup>◊</sup> 110 mm
<input type="checkbox"/>	280.665S 65 mm	<input type="checkbox"/>	280.715S 115 mm
<input type="checkbox"/>	280.670 <sup>◊</sup> 70 mm	<input type="checkbox"/>	280.720 <sup>◊</sup> 120 mm
<input type="checkbox"/>	280.675S 75 mm	<input type="checkbox"/>	280.725S 125 mm
<input type="checkbox"/>	280.680 <sup>◊</sup> 80 mm	<input type="checkbox"/>	280.730 <sup>◊</sup> 130 mm
<input type="checkbox"/>	280.685S 85 mm	<input type="checkbox"/>	280.735S 135 mm
<input type="checkbox"/>	280.690 <sup>◊</sup> 90 mm	<input type="checkbox"/>	280.740 <sup>◊</sup> 140 mm
<input type="checkbox"/>	280.695S 95 mm	<input type="checkbox"/>	280.745S 145 mm

### DHS/DCS Compression Screw<sup>◊</sup>



	LENGTH
<input type="checkbox"/>	280.990 36 mm

### DHS Plates – DCP Holes Standard Barrel Length, 38 mm<sup>◊</sup>



	HOLES	ANGLE		HOLES	ANGLE
<input type="checkbox"/>	281.021 2	130°	<input type="checkbox"/>	281.102 2	135°
<input type="checkbox"/>	281.031 3	130°	<input type="checkbox"/>	281.131 3	135°
<input type="checkbox"/>	281.040 4	130°	<input type="checkbox"/>	281.140 4	135°
<input type="checkbox"/>	281.050 5	130°	<input type="checkbox"/>	281.150 5	135°
<input type="checkbox"/>	281.060 6	130°	<input type="checkbox"/>	281.160 6	135°
<input type="checkbox"/>	281.081 8	130°	<input type="checkbox"/>	281.180 8	135°
<input type="checkbox"/>	281.010 10	130°	<input type="checkbox"/>	281.100 10	135°
<input type="checkbox"/>	281.012 12	130°	<input type="checkbox"/>	281.110 12	135°
<input type="checkbox"/>	281.014 14	130°	<input type="checkbox"/>	281.130 14	135°
			<input type="checkbox"/>	281.170 16	135°
			<input type="checkbox"/>	281.190 18	135°
			<input type="checkbox"/>	281.020 20	135°

	HOLES	ANGLE		HOLES	ANGLE
<input type="checkbox"/>	281.220 2	140°	<input type="checkbox"/>	281.320 2	145°
<input type="checkbox"/>	281.230 3	140°	<input type="checkbox"/>	281.330 3	145°
<input type="checkbox"/>	281.240 4	140°	<input type="checkbox"/>	281.340 4	145°
<input type="checkbox"/>	281.250 5	140°	<input type="checkbox"/>	281.350 5	145°
<input type="checkbox"/>	281.260 6	140°	<input type="checkbox"/>	281.360 6	145°
<input type="checkbox"/>	281.280 8	140°	<input type="checkbox"/>	281.308 8	145°
<input type="checkbox"/>	281.200 10	140°	<input type="checkbox"/>	281.310 10	145°
<input type="checkbox"/>	281.212 12	140°	<input type="checkbox"/>	281.312 12	145°
<input type="checkbox"/>	281.214 14	140°	<input type="checkbox"/>	281.314 14	145°
<input type="checkbox"/>	281.216 16	140°	<input type="checkbox"/>	281.316 16	145°

	HOLES	ANGLE		HOLES	ANGLE
<input type="checkbox"/>	281.402 2	150°	<input type="checkbox"/>	281.400 10	150°
<input type="checkbox"/>	281.430 3	150°	<input type="checkbox"/>	281.410 12	150°
<input type="checkbox"/>	281.440 4	150°	<input type="checkbox"/>	281.414 14	150°
<input type="checkbox"/>	281.450 5	150°	<input type="checkbox"/>	281.416 16	150°
<input type="checkbox"/>	281.460 6	150°	<input type="checkbox"/>	281.418 18	150°
<input type="checkbox"/>	281.480 8	150°	<input type="checkbox"/>	281.421 20	150°

### DHS Plates – DCP Holes Short Barrel Length, 25 mm<sup>◊</sup>



	HOLES	ANGLE		HOLES	ANGLE
<input type="checkbox"/>	281.502 2	130°	<input type="checkbox"/>	281.720 2	145°
<input type="checkbox"/>	281.503 3	130°	<input type="checkbox"/>	281.730 3	145°
<input type="checkbox"/>	281.504 4	130°	<input type="checkbox"/>	281.740 4	145°
<input type="checkbox"/>	281.505 5	130°	<input type="checkbox"/>	281.750 5	145°
<input type="checkbox"/>	281.506 6	130°	<input type="checkbox"/>	281.760 6	145°

	HOLES	ANGLE		HOLES	ANGLE
<input type="checkbox"/>	281.520 2	135°	<input type="checkbox"/>	281.820 2	150°
<input type="checkbox"/>	281.530 3	135°	<input type="checkbox"/>	281.830 3	150°
<input type="checkbox"/>	281.540 4	135°	<input type="checkbox"/>	281.840 4	150°
<input type="checkbox"/>	281.550 5	135°	<input type="checkbox"/>	281.850 5	150°
<input type="checkbox"/>	281.560 6	135°	<input type="checkbox"/>	281.860 6	150°

	HOLES	ANGLE
<input type="checkbox"/>	281.620 2	140°
<input type="checkbox"/>	281.630 3	140°
<input type="checkbox"/>	281.640 4	140°
<input type="checkbox"/>	281.650 5	140°
<input type="checkbox"/>	281.660 6	140°

<sup>◊</sup>DHS/DCS implants available nonsterile or sterile-packed. Add S to catalog number to order sterile product.

## DHS/DCS & DHS/DCS One-Step Insertion

### Implants (cont'd)

#### 95° DCS Plates – DCP Short Barrel Length, 25 mm<sup>o</sup>

		HOLES			HOLES
	281.960	6		281.940	16
	281.980	8		281.950	18
	281.900	10		281.970	20
	281.925	12		281.990	22
	281.930	14			



#### Universal Locking Trochanter Stabilization Plate<sup>o</sup>

	LENGTH
	02.102.001 131 mm



#### Trochanter Stabilization Plates<sup>o</sup>

	LENGTH
	281.869 138 mm
	281.870 148 mm



#### Kirschner Wire trocar point (10/pkg.)

	DIAMETER	LENGTH
	292.20 2.0 mm	150 mm



### Instruments

#### Drill Bits, quick coupling

		DIAMETER	LENGTH
	310.19	2.0 mm	100 mm
	310.31	3.2 mm	145 mm
	310.44	4.5 mm	145 mm



#### Drill Bits, Jacobs chuck

		DIAMETER	LENGTH
	310.20	2.0 mm	85 mm
	310.32	3.2 mm	130 mm
	310.45	4.5 mm	130 mm



#### Drill Bits

	DIAMETER/LENGTH
	324.214 2.8 mm/200 mm (100 mm Calibrated)

#### Tap For 4.5 mm Cortex and 4.5 mm Shaft Screws

	DIAMETER	TAP DEPTH
	311.46 130 mm	57 mm



#### Threaded Guide Wire

	DIAMETER	LENGTH
	900.723 2.5 mm	230 mm