INVITATION TO BID

BID FORM 25 Cubic Yard Compactor/Receiver

BID NO. 2013-21

City of Carlsbad 101 N. Halagueno Carlsbad, New Mexico 88220 Or PO Box 1569 Carlsbad, New Mexico 88221 BID DUE DATE: Please submit on or before May 1, 2013 at the office of the Purchasing

Manager, Room 101. At precisely 2:45 p.m. on May 1, 2013 bids will be opened and read aloud in Conference Room 116

- Bids must be clearly marked on the outside of the sealed envelope: "Bid No. 2013-21 25 Cubic Yard Compactor./Receiver
- 2. All bids must be submitted on bid forms furnished by the City of Carlsbad.
- 3. In order to be a valid bid, all bids must be signed.
- 4. Please submit three copies of your bid.
- 5. No alternate bids will be accepted.
- 6. All bid prices, shall include transportation, shipping or freight charges.
- 7. Bids will remain subject to acceptance for 30 days after Bid Opening.
- 8. Any questions concerning this bid must be addressed to the Purchasing Manager (575) 234-7905.
- 9. Payment terms shall be net 30 days from the receipt of the equipment.
- 10. No payment will be made prior to receipt and acceptance of equipment that has been inspected for conformity to bid specifications and other bid requirements by authorized City of Carlsbad personnel.

| DELIVERY DATE | _Total Bid Price \$ | |
|--------------------------------------|---------------------|---|
| New Mexico Identification Tax Number | Name of Company | _ |
| City Business Registration Number | Signature Title | _ |
| Resident Business Certification No. | Business Address | _ |
| Telephone Number | City, State, Zip | _ |

Acceptance of this bid constitutes a contract and is binding on both parties.

The Procurement Code, Sections 13-1-28 through 13-1-199 NMSA 1978, imposes civil and criminal penalties for its violation. In addition, the New Mexico criminal statutes impose felony penalties for illegal bribes, gratuities, and kickbacks. Acceptance of this bid constitutes a contract and is binding on both parties.

BID SPECIFICATIONS

GENERAL: The following specifications describe a 25 Cubic Yard Compactor/Receiver to be used by the City of Carlsbad, Solid Waste Department. All specifications shall be considered as minimum.

| ITEM | | MINIMUM/REQUIRED SPECIFICATIONS | BIDDER'S SPECIFICATIONS ⁽¹⁾ | BIDDER'S ACTUAL SPECIFICATIONS (2) |
|------|--------------------|--|---|---------------------------------------|
| 1.0 | Compactor/Receiver | The unit shall be a new 25 cubic yard self- contained Compactor/Receiver | □ Conforms □ Does Not Conform | |
| 2.0 | Dimensions | | | |
| 2.1 | Capacity | 25 cubic yards minimum | □ Conforms | |
| | | | □ Does Not Conform | |
| 2.2 | Overall Length | 218 inches | □ Conforms | |
| | | | □ Does Not Conform | |
| 2.3 | Container Length | 133 1/8 inches | □ Conforms | |
| | | | □ Does Not Conform | |
| 2.4 | Overall Height | 90 inches | □ Conforms | |
| | | | □ Does Not Conform | |
| 2.5 | Floor Length | 215 inches | □ Conforms | |
| 0.0 | \A C -141- | 400 in also | □ Does Not Conform | |
| 2.6 | Width | 102 inches | □ Conforms | |
| 2.7 | Weight | 8500 lbs. | □ Does Not Conform□ Conforms | |
| 2.1 | vveignt | 0300 lbs. | □ Does Not Conform | |
| 3.0 | Hopper | I. | _ Boco Not Comomi | |
| 3.1 | Hopper Capacity | 1.7 cubic yards minimum | □ Conforms | |
| | | | □ Does Not Conform | |
| 3.2 | Doghouse | Totally enclosed, framed single door with locking hasp, | □ Conforms | |
| | | right hand side feed | □ Does Not Conform | |
| 3.3 | Hopper Opening | 40 inches in length by 60 inches wide minimum | □ Conforms | |
| | | | □ Does Not Conform | |
| 4.0 | Performance | | | |
| 4.1 | Cycle Time | 33 seconds | □ Conforms | |
| | <u> </u> | | □ Does Not Conform | |
| 4.2 | Ram Face Force | Normal: 39,800 lbs. min Maximum: 49,500 lbs. min | □ Conforms | |
| | | | □ Does Not Conform | |

⁽¹⁾ Bidder is required to fill in this column.

⁽²⁾ Actual specifications must be provided in this column for any non-conforming specifications.

| ITEM | | MINIMUM/REQUIRED SPECIFICATIONS | BIDDER'S SPECIFICATIONS ⁽¹⁾ | BIDDER'S ACTUAL SPECIFICATIONS (2) |
|------|----------------------------|---|---|------------------------------------|
| | | | | |
| 4.3 | Ram Face Pressure | Normal: 25 PSI min Maximum: 31.00 PSI min | □ Conforms | |
| | | | □ Does Not Conform | |
| 4.4 | Ram Penetration | 6-inches minimum | □ Conforms | |
| | | | □ Does Not Conform | |
| 5.0 | Hydraulics | | | |
| 5.1 | Operating Pressure | Normal: 1850 PSI Maximum: 2300 PSI | □ Conforms | |
| | | | □ Does Not Conform | |
| 5.2 | Hydraulic Pump | 10.0 GPM Minimum. | □ Conforms | |
| | | | □ Does Not Conform | |
| 5.3 | Hydraulic Cylinder | Two (2) each with 4-inch cylinder bores and 2.5-inch | □ Conforms | |
| | | cylinder rods. | □ Does Not Conform | |
| 5.4 | Hydraulic Oil Tank | 20 gallon reservoir capacity minimum. | □ Conforms | |
| | | | □ Does Not Conform | |
| 5.5 | Hose Disconnect | Dripless, Quick disconnects | □ Conforms | |
| | | | □ Does Not Conform | |
| 6.0 | Electrical | <u> </u> | | I |
| 6.1 | Electric Motor | 10 HP. Totally enclosed, Fan cooled Motor | □ Conforms | |
| | | accion motor | □ Does Not Conform | |
| 6.2 | Electric Motor | 208 /230 /460, 3 phase 60 Hertz. | □ Conforms | |
| | Voltage | | □ Does Not Conform | |
| 6.3 | Electric Control | 120 VAC | □ Conforms | |
| | Voltage | | □ Does Not Conform | |
| 6.4 | Power Box | Guardian, NEMA 4. Rated, 24 volt, UL Listed | □ Conforms | |
| | | | □ Does Not Conform | |
| 6.5 | Operator Control System | NEMA 4 rated, 24 volt automated cycle operation, | □ Conforms | |
| | | turn-key switch, Extends, Retracts and stops automatically. | □ Does Not Conform | |

⁽¹⁾ Bidder is required to fill in this column.(2) Actual specifications must be provided in this column for any non-conforming specifications.

| ITEM | | MINIMUM/REQUIRED | BIDDER'S | BIDDER'S ACTUAL |
|------|---------------------|--|-------------------------------|--------------------|
| | | SPECIFICATIONS | SPECIFICATIONS ⁽¹⁾ | SPECIFICATIONS (2) |
| 6.6 | Power Unit Location | Remote Power unit, remains on site while compactor/ | □ Conforms | |
| 7.0 | _ | receiver is taken away. | □ Does Not Conform | |
| 7.0 | Ram | | | |
| 7.1 | Face Plate | ½ " steel with 5/8" stiffener plates | □ Conforms | |
| | | 4(0.5) | □ Does Not Conform | |
| 7.2 | Base Plate | ½" flat bar with 3" structural channel | □ Conforms | |
| 7.0 | Tan minta | 1/" -1 | □ Does Not Conform | |
| 7.3 | Top plate | 1/4" steel plate with 5"x3-1/2" angle support | □ Conforms | |
| 7.4 | Cide whate | France advista O'' atmost well | □ Does Not Conform | |
| 7.4 | Side plate | Framed with 3" structural channel | □ Conforms | |
| | | | □ Does Not Conform | |
| 7.5 | Ram height | 26.0 inches | □ Conforms | |
| | | | □ Does Not Conform | |
| 8.0 | Compactor Head | | | |
| 8.1 | Floor | ½" with tow 6" channel supports | □ Conforms | |
| | | | □ Does Not Conform | |
| 8.2 | Sides | 1/4" side plates with 6"x3" form steel stiffener | □ Conforms | |
| | | | □ Does Not Conform | |
| 8.3 | Top Rail | 6"x3" formed steel stiffener | □ Conforms | |
| | | | □ Does Not Conform | |
| 8.4 | Breaker bar | 6"x6"x3/4" angle steel | □ Conforms | |
| | | | □ Does Not Conform | |
| 8.5 | Sump | 12" height | □ Conforms | |
| | | | □ Does Not Conform | |
| 9.0 | Container | | | |
| 9.1 | Floor | 7 gauge floor with 3" channel cross member | □ Conforms | |
| | | | □ Does Not Conform | |
| 9.2 | Tube Rail | 6"2"x1/4" tube rails, 36 ½"I.D. between rails | □ Conforms | |
| | | | □ Does Not Conform | |
| 9.3 | Container Lifter | Dual hook-up with "A" frame, 2-inch hookbar 64-inches | □ Conforms | |
| | | from ground to hook bar, and standard solid steel bullnose with hook at both ends. | □ Does Not Conform | |
| 9.4 | Rollers | 4" diameter rollers, 4 1/2" long | □ Conforms | |

⁽¹⁾ Bidder is required to fill in this column.(2) Actual specifications must be provided in this column for any non-conforming specifications.

| ITEM | | MINIMUM/REQUIRED SPECIFICATIONS | BIDDER'S SPECIFICATIONS ⁽¹⁾ | BIDDER'S ACTUAL SPECIFICATIONS (2) |
|------|--|---|---|------------------------------------|
| | | | □ Does Not Conform | |
| 9.5 | Guide Rails | 15-feet long or as required, with stops | □ Conforms | |
| | | | □ Does Not Conform | |
| 9.6 | Standard Coating | One coat primer/rust inhibitor, two coats industrial paint outside only, Beige Boron | □ Conforms □ Does Not Conform | |
| | | color B-8422U or equal | | |
| 10.0 | Manuals | Successful bidder is to provide with each item at time of delivery: | □ Conforms □ Does Not Conform | |
| | | a. One "Operator's Manual" b. One "Parts Manual" including wiring and hydraulics diagrams. c. One copy of lubrication schedule charts. | | |
| 11.0 | Warranty | Bidder is to submit a detail listing of all types of warranty | □ Conforms | |
| | | coverage and pricing to include the following; | □ Does Not Conform | |
| | | Manufacturer's warranty certificates shall be included with the list for all standard coverage: | | |
| | | a. Full 12 month coverage on all parts and labor | □ Conforms | |
| | | b. Full extended coverage on all parts and labor | □ Does Not Conform □ Conforms | |
| | | · | □ Does Not Conform | |
| | | c. body assembly coverage plus related components, | □ Conforms | |
| 40.0 | \\\\-\\\\-\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | parts, and labor | □ Does Not Conform | |
| 12.0 | Warranty Work | All warranty or recall work is to be done in Carlsbad by the Bidder or the Bidder's designee or at a different location with all transportation | □ Conforms □ Does Not Conform | |
| | | expenses paid by Bidder | | |
| | | | | |
| | | | | |
| 13.0 | Delivery | Delivery shall be completed | □ Conforms | |

⁽¹⁾ Bidder is required to fill in this column.(2) Actual specifications must be provided in this column for any non-conforming specifications.

| ITEM | | MINIMUM/REQUIRED SPECIFICATIONS | BIDDER'S SPECIFICATIONS ⁽¹⁾ | BIDDER'S ACTUAL SPECIFICATIONS (2) |
|------|------------|--|---|---------------------------------------|
| | | within 75 calendar days. Failure to meet delivery date will be subject to liquidated damages in the amount of \$250.00 per day per unit. Complete unit shall be delivered to the City of Carlsbad, Solid Waste Department located at 1702 W. Fox, Carlsbad, NM. All transportation cost shall be included in the bid price per unit. | □ Does Not Conform | |
| 14.0 | Inspection | Upon delivery and prior to acceptance, the equipment will be inspected for compliance to these specifications by authorized City employees at the City's facility. | □ Conforms □ Does Not Conform | |
| 15.0 | Training | Bidder shall provide a minimum of Four (4) hours training on safety, technical, maintenance, service and proper operational procedures by factory or factory trained personnel. Training shall consist of classroom and hands-on operation. Time and place shall be mutually agreed on by the Bidder and the city. Training shall be provided upon delivery of the unit. | □ Conforms □ Does Not Conform | |

Bidder is required to fill in this column.
 Actual specifications must be provided in this column for any non-conforming specifications.

| ITEM | | MINIMUM/REQUIRED SPECIFICATIONS | BIDDER'S SPECIFICATIONS ⁽¹⁾ | BIDDER'S ACTUAL SPECIFICATIONS (2) |
|------|-------------------|---|---|------------------------------------|
| | | | | |
| 16.0 | Method of Payment | Payment for the equipment to be provided by the vendor, will be made on a lump sum basis, net 30 days of receipt, represented by the Total Bid Price: The Total Bid Price shall include the price of the equipment, applicable taxes transportation cost, fees, overhead, profit, and any other cost associated with the sale of the equipment. | □ Conforms □ Does Not Conform | |

VENDOR NOTES:

⁽¹⁾ Bidder is required to fill in this column.(2) Actual specifications must be provided in this column for any non-conforming specifications.