

## Diabetes Measures Group

### Measures:

- #1: Diabetes: Hemoglobin A1c Poor Control
- #110: Preventive Care and Screening: Influenza Immunization
- #117: Diabetes: Eye Exam
- #119: Diabetes: Medical Attention for Nephropathy
- #163: Diabetes: Foot Exam
- #226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention

### Reporting Instructions

**(1)** Identify patients with the following criteria:

- Aged 18 through 75 years old
- Encounter during January 1 – December 31, 2015 with the following:

One of the following diagnosis codes indicating Diabetes:

ICD-9: 250.00, 250.01, 250.02, 250.03, 250.10, 250.11, 250.12, 250.13, 250.20, 250.21, 250.22, 250.23, 250.30, 250.31, 250.32, 250.33, 250.40, 250.41, 250.42, 250.43, 250.50, 250.51, 250.52, 250.53, 250.60, 250.61, 250.62, 250.63, 250.70, 250.71, 250.72, 250.73, 250.80, 250.81, 250.82, 250.83, 250.90, 250.91, 250.92, 250.93, 357.2, 362.01, 362.02, 362.03, 362.04, 362.05, 362.06, 362.07, 366.41, 648.00, 648.01, 648.02, 648.03, 648.04

ICD-10: E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.40, E10.41, E10.42, E10.43, E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.40, E11.41, E11.42, E11.43, E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620, E11.621, E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, O24.011, O24.012, O24.013, O24.019, O24.02, O24.03, O24.111, O24.112, O24.113, O24.119, O24.12, O24.13

And

One of the following patient encounter codes: 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99217, 99218, 99219, 99220, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99281, 99282, 99283, 99284, 99285, 99291, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, G0402, G0438, G0439

## Diabetes Measures Group

- (2) Report all applicable measures within the measures group for at least 20 patients;
- The majority of the patients reported must be Medicare Part B Fee-for-service (FFS) patients, including Medicare Secondary and Railroad Medicare.
  - For each measure, the measure's clinical performance must be satisfied for at least 1 patient. [Note: An asterisk (\*) indicates that the measure's clinical performance is satisfied.]

For additional information or clinical rationale for measures, review the CMS Measure Specification for 2015 PQRS. All measures group Measure Specifications can be found on the NJ-HITEC Member Portal > Registry > Getting Started section.

## Diabetes Measures Group

### Patient Information

First Name <input type="text"/>	Middle Initial <input type="text"/>	Last Name <input type="text"/>	Date of Birth <input type="text"/>
Visit Date <input type="text"/>	Medical Record Number <input type="text"/>	Gender <input type="radio"/> Male <input type="radio"/> Female	Medicare FFS Patient <input type="radio"/> Yes <input type="radio"/> No

### Select Measure Performance

(page 1 of 2)

\* Recommended clinical performance satisfied  
 ^Patient is excluded from measure's performance

**Select one (1) clinical action for each measure below, where applicable:**

#### #1: Diabetes: Hemoglobin A1c Poor Control

*Patients whose most recent HbA1c level (performed during the measurement period) is > 9.0%*

*Note: As an inverse measure CMS assesses the percentage of patients with HbA1c poor control. To satisfy the performance criteria of this measure at least 1 patient must have a most recent hemoglobin A1c level  $\leq$  9.0%*

- Most recent hemoglobin A1c level > 9.0%
- Most recent hemoglobin A1c level  $\leq$  9.0%\*
- Hemoglobin A1c not performed

#### #110: Preventive Care and Screening: Influenza Immunization

*Patients who received an influenza immunization OR who reported previous receipt of an influenza immunization*

*For Visit Date 01/01/15-03/31/15: Report if Received 08/01/14-03/31/15*

*For Visit Date 10/01/15-12/31/15: Report if Received 08/01/15-12/31/15*

- Administered or previously received\*
- Not administered (Reason documented)^
- Not administered (No reason documented)

**Diabetes Measures Group**

Select Measure Performance

(page 2 of 2)

**#117: Diabetes: Eye Exam**

*Patients who had a retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) in the measurement period or a negative retinal or dilated eye exam (negative for retinopathy) by an eye care professional (optometrist or ophthalmologist) in the year prior to the measurement period. For retinal or dilated eye exams performed 12 months prior to the measurement period, an automated result must be available*

- Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed\*
- Dilated eye exam was not performed, reason not otherwise specified

**#119: Diabetes: Medical Attention for Nephropathy**

*Patients with a screening for nephropathy or evidence of nephropathy during the measurement period*

- Microalbuminuria test result documented and reviewed\*
- Documentation of treatment for nephropathy\*
- Patient receiving ACE inhibitor or ARB therapy\*
- Nephropathy screening was not performed

**#163: Diabetes: Foot Exam**

*Patients who received a foot exam (i.e., visual inspection, sensory exam with monofilament AND pulse exam) during the measurement period*

- Foot exam performed (Must include all 3 components)\*
- Foot exam was not performed

**#226: Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention**

*All patients  $\geq 18$  years old who were screened for tobacco use at least once within 24 months AND who received tobacco cessation counseling intervention if identified as a tobacco user*

- Identified as tobacco user and cessation intervention performed\*
- Screened for tobacco use and identified as non-user of tobacco\*
- Not screened for tobacco use (Medical reason documented)^
- Identified as tobacco user and cessation intervention not performed
- Not screened for tobacco use (No reason documented)