

TS-iPASS COMMON APPLICATION FORM

UID No:				
NAME OF INDUSTRIAL UNDERTAKING				
NAME OF PROMOTER				
S/o. D/o. W/o				
ADDRESS FOR COMMUNICATION				
Door No.		Street Name		
Village/Town	,	State		
District		PinCode		
Cell No		Mandal		
Email-ID		Telephone		
-				
PROPOSAL				
Proposal For		Land (in Lakhs.)		
Proposal For Building (in Lakhs.)		Land (in Lakhs.) Plant and Machinery(in Lakhs.)		
Proposal For Building (in Lakhs.)		Land (in Lakhs.) Plant and Machinery(in Lakhs.)		
Proposal For Building (in Lakhs.) PROBABLE EMF	PLOYMENT POTENTI	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to) be employed)	
Proposal For Building (in Lakhs.) PROBABLE EMP	PLOYMENT POTENTI	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to MALE	be employed) FEMALE	
Proposal For Building (in Lakhs.) PROBABLE EMP DIRE	PLOYMENT POTENTI	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to MALE	be employed) FEMALE	
Proposal For Building (in Lakhs.) PROBABLE EMP DIRE INDIRI	PLOYMENT POTENTI CT ECT	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to MALE	<mark>be employed)</mark> FEMALE	
Proposal For Building (in Lakhs.) PROBABLE EMP DIRE INDIRI	PLOYMENT POTENTIA CT ECT AL	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to MALE	be employed) FEMALE	
Proposal For Building (in Lakhs.) PROBABLE EMP DIRE INDIRI TOTA	PLOYMENT POTENTI CT ECT AL	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to MALE	be employed) FEMALE	
Proposal For Building (in Lakhs.) PROBABLE EMP DIRE INDIRI TOTA Category of Registration Registration No	PLOYMENT POTENTI CT ECT AL	Land (in Lakhs.) Plant and Machinery(in Lakhs.) AL(In NO. of persons to MALE Date	be employed) FEMALE	

LINE OF MANUFACTURE					
Item	Quantity	Units			
	RAW MAT	ERIALS USED IN	PROCESS		
ItemName	Quantity	Units			
LOCATION					
Proposed Location	of Factory				

Survey No		Village/Town	
Nameof		District	
Grampanchayat			
Mandal		Pincode	
Email-ID		Telephone	
Total extent of sight area as per		Proposed area for	
document(in Sq.mts)		development(in Sq mts)	
Total built-up area(in Sq.mts)		Existing width of approach road(in feet)	
Type of Approach Road		Land comes under	
Case type		Category of Industry	
POWER			
Contracted maximum demand in KVA :		Connected load in KW/HP:	
Aggregate Installed Capacity OF The transformer to be installed by the Entreprenuer:		Required Voltage Level:	
Any other services exis	ting in the same		
Proposed maximum wo	orking hours:		
Per	dav		
Per month	aay		
Expected month and year of trial production:		Probable date of requirement of power supply:	
WATER			
Water supply from :		Water requirement	
Drinking water (in KL/Day):		Water for processing(Industrial use) (in KL/Day):	
Source of water:		Requirement of water (in KL/Day):	

r		 					
Quantity of water				Quantity	of water		
required for				required f	or non-		
consumptive use (in				consumptive use (in			
KL/Day)				KL/Day):			
РСВ				.			
Waste water genera	tion	in KLD		a Proces	s:		
b Washings:				c Boiler blow down:			
d Cooling tower ble	ed			o Domostic:			
off:				e Domes	SIIC.		
f Total:				Air Pollution			
I DG SET/Boiler/Th	ermi	ic Fluid Heater		a Capac	ity:		
b Fuel consumptior pe <u>r day:</u>	١			c Fuel storage details:			
d Stack height &Dia(mts):				Air Pollution Control			
				a Emissi	on		
Process				Characteristics and			
				Source details:			
b Quantity of		 	_	c Control			
emissions:				equipment/system:			
Is the Project requires Generator							
Solid and hazardou	is w	aste					
WasteName	(Category	Qua	antity	Storage		Disposal
FIRE				<u>.</u>			
Height of the buildir (in mtrs.)	ng			Height of each floor (in mtrs.)			
Means of Escape	<u> </u>						
Intrnal Stair Case		External			Stair Case		
Width of Stair Case	,			No Of Exits			
Width of each exit (mts.)	in						
Open spaces all are	ounc	the building:	(in mts)				
East			<u>,</u> ,	West			
					I		

North		South	
Level of the ground			
Fire Detection System	(Automatic)		
Fire Alarm System			
Automatic Fire Fighting	System:	r	
Sprinkler			
Foam			
CO2			
DCP			
Fire service inlet: One - 4 way			
Under ground static water tank capacity (in Its.)		Number of Court yard hydrants	
Fire pumps - Electrical 15 mtrs. To 30 mtrs. Ht.		Fire pumps - Diesel	
Fire pumps - Electrical	30 mtrs. To 45 mtrs. Ht.		
Transformer protection	measures:		
45 Ltrs. From Trolley *			
Fencing			
Soak pit			
Lightening protection			
Control Room			
Whether the Hydraulic all around the bldg	Platform can be moved		