

PENNINGTON COUNTY HIGHWAY DEPARTMENT



APPROACH PERMIT

APPLICATION FOR ROAD APPROACH PERMIT

On this date the Applicant hereby applies to Pennington County for permission to construct an approach to the side of located approximately . The approach will serve a and will be constructed between and .

(north, south, etc.) (road name) (describe location) (residence, business, etc.) (beginning date) (completion date)

Applicant shall construct the approach and install all required culverts according to County standards and specifications (standards and specifications are shown on back side of this form and Ordinance 14) and is responsible for all cost of construction and maintenance. If any deficiencies are noted during final inspection Owner will be responsible to correct deficiencies within 30 days of notification.

Please attach a drawing or sketch showing the proposed location of the approach and set stakes in the ground to enable the Pennington County Highway Department to locate the proposed, centerline of the approach.

Culverts shall be sized to assure proper drainage. The minimum size of culvert will be eighteen inches (18") in diameter, fifteen inches (15") may be allowed under certain conditions. The minimum length of culvert shall be thirty-two feet (32').

Only one (1) approach per residence will be allowed. Approaches to General Commercial, Highway Service, General or Limited Agriculture Districts, large tracts or parcels of land will be per South Dakota Codified Law (SDCL) 31-24-3 through 31-24-7.

Name: Address:
 Phone #: Signed: _____
 Property Owner/Representative

(Applicant shall notify the Pennington County Highway Department (394-2166) upon completion of the approach for final inspection.)

TO BE COMPLETED BY PENNINGTON COUNTY HIGHWAY DEPARTMENT

Permit #: _____
 MO/DY/YR

PRELIMINARY INSPECTION: Date: _____ By: _____

Culvert Diameter _____ Culvert Length _____


The crown of the presently traveled surface, including shoulder, to be continued at a distance of 20 feet from the nearest edge of the traveled surface of the road shoulder facing the property.

Remarks: _____


PERMIT APPROVED _____ or DENIED _____

FINAL INSPECTION: Date: _____ By: _____

EXHIBIT B
PENNINGTON COUNTY HIGHWAY DEPARTMENT
SPECIFICATIONS FOR COUNTY APPROACHES



PERSPECTIVE VIEW




SECTION A-A

** W is surface Width at Right-of-Way line

W – 20' Min. for Residences
W – 28' Min. for Commercial

Maximum W – 50'



PLAN VIEW

The above Typical Approach Detail shall be followed in the construction of roads within Public right-of-ways under the jurisdiction of Pennington County. Road construction materials and methods shall conform to the current published edition of the "Standard Specifications for Roads and Bridges" of the South Dakota Department of Transportation, when referenced in the standards below. A copy of these Specifications is on file at the County Highway Department Office.

The following are standards, which shall be met:

1. Maximum grade on an approach shall be five percent (5 %) within the right-of-way.
2. Culverts shall be sized to assure proper drainage. The minimum size of culvert will be eighteen inches (18") in diameter Fifteen inches (15") may be allowed under certain conditions. The minimum length of culvert shall be thirty-two feet (32').
3. Gravel surfacing shall meet the requirements of the "Standards Specification for Base or Surfacing". Minimum depth of gravel surfacing shall be four inches (4").
4. Approaches shall be constructed perpendicular as practical to the County Road.
5. Only one (1) approach per residence will be allowed. Approaches to General Commercial, Highway Service, General or Limited Agriculture Districts, large tracts or parcels of land will be per South Dakota Codified Law (SDCL) 31-24-3 through 31-24-7.
6. Sight distance of approaches shall meet published Standards of the "American Association of State Highway Transportation Officials".