



GOVT. OF HARYANA

HARYANA PUBLIC WORKS (B&R) DEPARTMENT CHANDIGARH

**Nirman Sadan, Plot No.1, Sector-33/A, Chandigarh.
Phone:-0172-2618100 Email: pwd-eic@hry.nic.in**

STANDARD BIDDING DOCUMENT FOR BUILDINGS

TABLE OF CONTENTS

Sr. No.	Name of Contents	Page No.
	INVITATION FOR BIDS	
i	Press Notice	
ii	Detailed Notice Inviting Tender	
iii	Conditions of E-Tendering	
	SECTION-1	
i	Instructions to Bidders (ITB)	
	SECTION-2	
	Qualification information	
	SECTION-3	
	Conditions of Contract	
	SECTION-4	
	<u>Contract Data</u>	
	SECTION-5	
	Technical specification (Civil. P.H. & E.I. works)	
	SECTION-6	
	Form of bids	
	SECTION-7	
	Bill of quantities	
i	Schedule of Civil works	
ii	Schedule of E.I. works	
iii	Schedule of P.H. works	
	SECTION-8	
	Securities and other forms	
	SECTION-9	
	Drawings	
I	Additional conditions	
II	Contractor(s) labour Regulation (CH.7)	
III	Fair wages Clauses (CH.8)	
IV	Rules for Protection of Health & Sanitary Arrangement (CH.-9)	
V	Explanatory Notes	

**HARYANA PWD (B&R)
PRESS NOTICE**

The Governor of Haryana re-invite the bids from eligible bidders through online bids in the website:
<http://haryanapmgsy.etenders.in> for the work detailed in the table.

Sr. No.	Name of work	Cost of work Rs.	Cost of bid document (Rs.).	Bid security Rs. Society/Contr	Time limit	Date and time for bid preparation to Hash Submission.
1	Construction of proposed building of ayush wing in existing civil Hospital at Jagadhri in Yamuna Nagar District	8.20 Lacs	1000/-	<u>8200 /-</u> 16400 /-.	04 months	06-11-2012 10.00 Hour to 03-12-2012 17.00 Hour

Only through E-tendering

Note: - For other details visit Website <http://haryanapmgsy.etenders.in> and www.haryanapwd-bandr.org.

For & behalf of Governor of Haryana

Executive Engineer
Jag. Provl Divn PWD B&R Br
Yamuna Nagar

DETAIL NOTICE INVITING TENDER

The Governor of Haryana re-invite the bids from eligible bidders through online bids in the website: <http://haryanapmgsy.etenders.in> for the work detailed in the table.

Sr No	Name of work	Estimated Cost (Rs. in lacs)	Earnest Money Society/ Contractor	Time Limit	Cost of document (Rs.)	Date and time for bid preparation to Hash Submission.
1	Construction of proposed building of ayush wing in existing civil Hospital at Jagadhri in Yamuna Nagar District	8.20	<u>8200 /- Socy.</u> 16400 /- Cont.	04 months	1000/-	06-11-2012 10.00 Hour to 03-12-2012 17.00 Hour

1. Bidding Documents can be downloaded online from the Portal <http://haryanapmgsy.etenders.in> by the Societies / Contractors registered on the Portal.
2. Pre bid meeting will be held on at 11.30 Hrs. In the committee room of office of Superintending Engineer, Chandigarh Circle ,PWD B&R Branch, Chandigarh to clarify the issues and to answer questions on any matter that may be raised at that stage as stated in clause 9.2 of 'Instructions to Bidders' of the bidding document.
3. As the Bids that are to be submitted online are required to be encrypted and digitally signed, the Bidders are advised to obtain the same at the earliest. For obtaining Digital Certificate, the Bidders may contact the representative of Next Tenders, the Service Providers of Electronic Tendering System.
4. The contractual Agencies can submit their tender documents (Online and physical) as per the dated mentioned in the key dates above:-

Key Dates

Sr. No.	PWD B&R Stage	Contractor Stage	Start Date and Time	Expiry Date and Time
1	Release of Tender		05-11-2012 10:00 hrs.	05-11-2012 17:00 hrs.
2	-	Download Tender Document	06-11-2012 10:01 hrs.	03-12-2012 17:00 hrs.
3	-	Online Bid Preparation & Hash Submission	06-11-2012 10:01 hrs.	03-12-2012 17:00 hrs.
4	Technical and Financial Lock	-	03-12-2012 17:01 hrs.	03-12-2012 19:00 hrs.
5	-	Re-encryption of Online Bids	03-12-2012 19:01 hrs.	04-12-2012 17:00 hrs.
6		Manual Submission of BS	Up to 04-12-2012 17.00 Hrs.	
7	Open BS & Technical/PQ bid	-	05-12-2012 12:00 hrs.	
8	Technical Evaluation	-	05-12-2012 12.30 hrs.	
9	Open Financial / Price-Bid	-	05-12-2012 15.00 Hrs	

5. The Bidders can download the bidding documents from the Portal <http://haryanapmgsy.etenders.in>. Tender Document Fees has to be paid online during the Bid Preparation and Hash Submission stage and Bid Security has to be submitted in a separate sealed BS envelope. The bidders shall have to pay the Tender Document Fees mentioned against the work at the time of Bid Preparation and Hash Submission stage. The Bid Security will have to be in any one of the form as specified in the bidding document. The BS envelop has to reach in the office of Executive Engineer, Jagadhri Provincial Division PWD B&R Br Yamuna Nagar on or before 04-12-2012, 17.00 Hrs. However, as the details of the Bid Security are required to be filled at the time of Bid Preparation and Hash Submission stage, the Bidders are required to keep the BS ready appropriately.

- 6 . The tender shall be submitted by the tenderer in the following three separate envelopes
1. Earnest Money-Envelope 'BS' (Scanned copy online and hard copy in physical form)
 2. N.I.T. and Technical Bid-Envelope 'T I' (on line)
 3. Tender in Form – A (Price Bid) -Envelope 'C I' (on line)

Note: Online Bidders are required to submit the physical BS in a physical BS Envelop – 'BS' Price Bids and Technical Bid are to be submitted mandatory online and shall not be accepted in any physical form. Reference of the BS is to be mentioned Online.

Above envelop, as applicable, shall be kept in a big outer envelop, which shall also be sealed, In the first instance, the Envelop – 'BS' of all the Bidders containing the Bid Security shall be opened online and physically. If the Earnest Money is found proper, Technical Bid shall be opened (online) in the presence of such contractors who choose to be present. The Financial Offer in Envelop in 'CI' shall be opened (online) only if the tenderers meet the qualification criteria as per the Bid document. The date of opening of Financial Bid shall be fixed at the time of opening of Technical Bid.

The Contractual Agencies will submit the necessary documents as under.

Envelope 'BS' – Bid Security Envelope

Physical BS Envelop – The Bid Security will have to be in any one of the forms as specified in the bidding document.

Online BS Envelope—Reference details of the Bid Security instrument and scanned copy of the Bid Security.

In case Financial bid is submitted but Bid Security has not been submitted by any bidder, then bidder would be debarred from further tendering in Haryana PWD (B&R) for a period of minimum 1 years.

Envelope 'CI' – Price Bid Envelope

Information related to Price Bid of the tender to be submitted mandatorily online

The envelope marked BS shall be submitted clearly marking the name of agency and name of work.

The contractual Agencies can submit their tender documents (Online and physical) as per the dates mentioned in the key Dates above:-

CONDITONS:-

- 1) DNIT & Prequalification can be seen on any working day during office hours in office of the undersigned.
- 2) Conditional tenders will not be entertained & are liable to be rejected.
- 3) In case the day of opening of tenders happens to be holiday, the tenders will be opened on the next working day. The time and place of receipt of tenders and other conditions will remain unchanged.

- 4) The undersigned reserve the right to reject any tender or all the tenders without assigning any reason.
- 5) The societies shall produce an attested copy of the resolution of the Co-Operative department for the issuance of tenders.
- 6) The tender without earnest money will not be opened.
- 7) The jurisdiction of court will be at Jagadhri.
- 8) The tender of the bidder who does not satisfy the qualification criteria in the bid documents are liable to be rejected. Summarily without assigning any reason and no claim whatsoever on this account will be considered.
- 9) The bid for the work shall remain open for acceptance during the bid validity period to be reckoned from the last date of 'manual submission of BS. If any bidder/ tenderer withdraws his bid/ tender before the said period or makes any modifications in the terms and conditions of the bid, the earnest money shall stand forfeited. Bids shall be valid for 120 days from the date of bid closing i.e. from last date of manual submission of EMD. In case the last day to accept the tender happens to be holiday, validity to accept tender will be the next working day.

For & behalf of Governor of Haryana

Executive Engineer,
Jag. Provl. Divn. PWD B&R Br.
Yamuna Nagar.

Instruction to Contractor on Electronic Tendering (Applicable only for contract(s) amounting to more than Rs.5.00 lacs)

- 1. These conditions will over-rule the conditions stated in the tender documents, wherever relevant and applicable.**
- 2. Registration of the Contractors on the Haryana PW(B&R) Deptt.'s website**
<http://haryanapmgsy.etenders.in>

All the Contractors registered / intending to register with Haryana PW(B&R) Deptt. and intending to participate in the tenders processed online, are required to get registered on the Electronic Tendering System on the Portal <http://haryanapmgsy.etenders.in>

The Contractors registered with other departments who are also eligible to participate in the tenders are also required to be registered on the Electronic Tendering System in OPEN category.

For more details, please see the information in Registration info link on the home page.

3. Obtaining a Digital Certificate:

- 3.1** The Bids submitted online should be encrypted and signed electronically with a Digital Certificate to establish the identity of the bidder bidding online. These Digital Certificates are issued by an approved certifying authority, by the controller of Certifying Authorities, Government of India.
- 3.2** A Digital Certificate is issued upon receipt of mandatory identity proofs and verification letters attested by the bankers with whom the contractor maintains the accounts with. Only upon the receipt of the required documents, a digital certificate can be issued.
- 3.3** The registered contractors may obtain Class II B digital certificated from any Certifying Authority or Sub- certifying Authority authorized by the Controller of Certifying Authorities or may obtain information and application format and documents required to issue of digital certificate from:
 - i. Nex Tenders (India) Pvt. Ltd.
YUCHIT, Juhu Tara Road,
Mumbai – 400049
Phone: 022-26611287
Email: support@nextenders.com
 - ii. Nex Tenders (India) Pvt. Ltd.
Bay No.13-14 (Basement) Sector-2, Panchkula.
Pin Code: 134109
Mob: 09815034028 (Mr.Manmeet Singh)
Mob: 09878012160 (Mr.Rishi)
Email: Chandigarh@nextenders.com
- 3.4** Bid for a particular tender may be submitted only using the digital certificate, which is used to encrypt the data and sign the hash during the stage of bid preparation and hash submission. In case, during the process of a particular tender, the user loses his digital certificate (i.e. due to virus attack, hardware problem, operating system problem); he may not be able to submit the bid online. Hence, the users are advised to back up to certificate and keep the copies at safe place under proper security to be used in case of emergencies.

- 3.4** In case of online tendering, if the digital certificate issued to the authorized user of a firm is used for signing and submitting a bid it will be considered equivalent to a no-objection certificate/power of attorney to that User. The firm has to authorize a specific individual via an authorization certificate signed by all partners to use the digital certificate as per Indian Information Technology Act 2000. Unless the certificates are revoked, it will be assumed to represent adequate authority of the user to bid on behalf of the firm for Haryana PWD B&R tenders as per Information Technology Act 2000. The digital signature of this authorized user will be binding on the firm. It shall be the responsibility of management / partners of the registered firms to inform the certifying authority of Sub / Certifying Authority, if the authorized user changes, and apply for a fresh digital certificate and issue a 'authorization certificates' for the new user. The procedure for application of a digital certificate will remain the same for the new user.
- 3.5** The same procedure holds true for the authorized users in a private/Public limited company. In this case, the authorization certificate will have to be signed by the directors of the company.

4. Opening of an Electronic Payment Account:

- 4.1** For purchasing the tender documents online, contractors are required to pay the tender documents fees online using the electronic payments gateway service as mentioned in the D.N.I.T.
- 4.2** For the list of payments using which the online payments can be made, please refer to the Home page of the Portal <http://haryanapmgsy.etenders.in>.

5. Set up of machine

- 5.1** In order to operate on the electronic tender management system, a user's machine is required to be set up. A help file on setting up of the system can be obtained from next Tenders (India) Pvt. Ltd. or downloaded from the home page of the website - <http://haryanapmgsy.etenders.in>.

6. Online Viewing of Detailed Notice Inviting Tenders:

- 6.1** The contractors can view the detailed N.I.T and the time schedule (Key Dates) for all the packages floated using the electronic tendering system on the Haryana PW(B&R) website <http://haryanapmgsy.etenders.in>

7. Purchase of Tender Documents:

- a) Download of Tender Documents: The tender documents can only be downloaded from the Electronic Tendering System on the Portal <http://haryanapmgsy.etenders.in>

8. Submission of Bid Seal (Hash) of online Bids:

- 8.1** Submission of bids will be preceded by submission of the digitally signed bid seal (Hash) as stated in the tender time schedule (Key Dates)

9. Generation of Super Hash:

- 9.1 After the prescribed time of submission of Bid Seal (Hash) by the Contractors has lapsed, the bid round will be closed and a digitally signed tender Super Hash will be generated by authorized Haryana PW(B&R) official. This is equivalent to sealing the tender box.

10. Submission of actual online bids:

- 10.1 Contactors have to submit their encrypted bids online and upload the relevant documents for which they generated the hash at the stage of hash generation and submission after the generation of Super Hash within the date and time as stated in the Notice Inviting Tenders (Key Dates). The electronic bids of only those contactors who have submitted their bid seals (Hashes) within the stipulated time, as per the tender time schedule (Key Dates), will be accepted by the System. A contractor who does not submit his bid seal (Hash) within the stipulated time will not be allowed to submit his bid.

11. Submission of Tender Document Fees:

- 11.1 The Payment can be made by eligible / approved contractors online directly. Arrangements have been made for contractors to make payments online via Credit Cards / Internet Banking Accounts / ITZ Cash Cards/Debit Cards. The contractors have to pay for the tender documents online by making online payment of tender document fees using the service of the secure electronic payment gateway. The secure Electronic payments gateway is an online interface between contractors and credit card / online payment authorization networks.

12. Submission of Earnest Money Deposit:

- 12.1 The EMD Payment will be made by eligible / approved contractors online.

13. Key Dates:

- 13.1 The contractors are strictly advised to follow dates and times as indicated in the Notice Inviting Tenders. The date and time will be binding on all contractors. All online activities are time tracked and the system enforces time locks that ensure that no activity or transaction can take place outside the start and end dates and time of the stage as defined in the Notice Inviting Tenders.

Other Information:

1. The intending Contractors shall fill in the item rate in the online templates of the online tender. The Price Bid has to be submitted mandatory online.
2. Technical Bid Documents that cannot be submitted online, if any should be put in separate sealed envelopes and these sealed envelopes together with the documents listed below and delivered to this office before the date and time mentioned in the Tender Notice.
 - i. A list of all documents accompanying the sealed envelopes containing the tender documents.
 - ii. Duly accepted power of Attorney in original along with its two certified copies in the name of tenderer or authorized representative to act on behalf of the agency.

3. a) Bidder must strictly abide by the stipulations set forth in detailed notice inviting tenders while tendering for the work.
4. Price Bid has to be submitted mandatory online and shall not be accepted physically under any circumstances. In case any tenders does not comply with procedure given above, will be presumed that he is not interested in work and the work shall not be let out to him, further he may be debarred without further notice to him for failing to abide by the approved terms of detailed notice inviting tenders for this work.
5. The tenders which are not accompanied by the earnest money or do not strictly follow the technical requirement, are liable to be rejected summarily.
6. Tenders quotations which are dependent upon the quotations of another tender shall be summarily rejected.
7. The tender of the bidders who does not satisfy the qualification in the bid documents are liable to be rejected summarily without arising any reason and no claim what so ever on their account will be considered.

Executive Engineer,
Jag. Provincial Division, Hr.
PW (B&R), Deptt. Yamuna Nagar
Phone : 01732-237834
Email: pwd-eepd-yamunanagar@hry.nic.in

SECTION-1

INSTRUCTIONS TO BIDDERS

(ITB)

Section 1: Instructions to Bidders

Table of Clauses

	A. General	Page No.		D. Submission of Bids	Page No.
1	Scope of Bid	13	20	Deadline for Submission of Bids	21
2	Source of Funds	13	21	Late Bids	22
3	Eligible Bidders	14		E. Bid Opening	
4	Qualification of the Bidder	14	23	Bid Opening	22
5	One Bid per Bidder	17	24	Process to be Confidential	22-23
6	Cost of Bidding	17	25	Clarification of Bids and Contracting the Employer	23
7	Site Visit	17	26	Examination of bids and Determination of Responsiveness	23
	B. Bidding Documents and Evaluation		27	Correction of Errors	23-24
8	Content of Bidding Documents	17	28	Deleted	
9	Clarification of Bidding Documents and pre-bid meeting.	18	29	Evaluation and Comparison of Financial Bids	24
10	Amendment of Bidding Documents	18	30	Deleted	
	C. Preparation of Bids			F. Award of Contract	
11	Language of Bid	18	31	Award Criteria	25
12	Documents Comprising the Bid	18-19	32	Employer's Right to Accept any Bid and to Reject any or all Bids 16	25
13	Bid Prices	19	33	Notification of Award and Signing of Agreement	25-26
14	Currencies of Bid and Payment	19	34	Performance Security	26
15	Bid Validity	19-20	35	Advances Payment and Security	26
16	Bid Security	20	36	Deleted	
17	Alternative Proposals by Bidders	21	37	Corrupt or Fraudulent Practices	27
18	Format and Signing of Bid	21	38	Appendix to ITB	28-29
19	Sealing and Marking of Bids	21	39	Annexure I & II	30-32

A. GENERAL

1 Scope of Bid

- 1.1 The Employer (named in Appendix to ITB) invites bids for the construction of works (as defined in these documents and referred to as “the works”) detailed in the table given in IFB. The bidders may submit bids for any or all of the works detailed in the table given in IFB.
- 1.2 The successful bidder will be expected to complete the works by the intended completion date specified in the Contract data.
- 1.3 Throughout these bidding documents, the terms ‘bid’ and ‘tender’ and their derivatives (bidder/tenderer, bid/tender, bidding/tendering, etc.) are synonymous.

2. Source of Funds

- 2.1 The expenditure on this project will be met from the Client Department .

3. Eligible Bidders.

- 3.1 This Invitation for Bids is open to all bidders as defined in Appendix to ITB.

4. Qualification of the Bidder (Applicable for contract(s) costing more than Rs.100.00 lacs).

- 4.1 All bidders shall provide in Section-2, Forms of Bid and Qualification Information a preliminary description of the proposed work method and schedule, including drawing and charts, as necessary. The proposed methodology should include programme of construction backed with equipment planning and deployment duly supported with broad calculations and quality assurance procedures proposed to be adopted justifying their capability of execution and completion of work as per technical specifications, within stipulated period of completion.
- 4.2 Deleted
- 4.3 All bidders shall include the following information and documents with their bids in Section 2:
 - a) copies of original documents defining the constitution or legal status, place of registration, and principal place of business, written power of attorney of the signatory of the Bid to commit the Bidder.
 - b) total monetary value of construction work performed for each of the last five years.
 - c) experience in building construction works for each of the last five years, and details of works underway or contractually committed; and clients who may be contacted for further information on those contracts.
 - d) major items of construction equipment proposed to carry out the Contract.
 - e) qualifications and experience of key site management and technical personnel proposed for Contract:
 - f) reports on the financial standing of Bidder, such as profit and loss statements and auditor’s reports for the past five years.
 - g) evidence of access to line(s) of credit and availability of other financial resources facilities (10% of contract value), certified by the Bankers (Not more than 3 months old).
 - h) undertaking that the bidder will be able to invest a minimum cash upto 25% of contract value of work, during implementation of work.
 - i) authority to seek references from the Bidder’s bankers;
 - j) information regarding any litigation, current or during the last five years, in which the Bidder is involved, the parties concerned, and disputed amount;
 - k) proposals for subcontracting components of the works amounting to more than 20 per cent of the Bid Price (for each, the qualifications and experience of the identified sub-contractor in the relevant field should be annexed); and
 - l) the proposed methodology and programme of construction, backed with equipment planning and deployment, duly supported with broad calculations and quality control procedures proposed to be

adopted, justifying their capability of execution and completion of the work as per technical specifications within the stipulated period of completion as per milestones.

4.4 Bids from Joint ventures are not acceptable.

4.5 Qualification Criteria

4.5A. **To qualify for award of the contract, each bidder in its name should have in the last five years as referred to in Appendix.**

- a) The applicant should have experience of having successfully completed similar works during last 7 years ending last day of month previous to the one in which applications are invited should be either of the following:
 - i. Three similar completed works costing not less than the amount equal to 40% of the estimated cost.
 - ii. Two similar completed works costing not less than the amount equal to 50% of the estimated cost.
 - iii. One similar completed work costing not less than the amount equal to 80% of the estimated cost.

Cost of work shall mean gross value of the completed work including the cost of materials supplied by the Govt. / Client, but excluding those supplied free of cost. This should be certified by an officer not below the rank of Executive Engineer/ Project Manager or equivalent (calculated on the basis of 10% value added compounded per year).

- b) The applicant should have minimum Average Annual financial turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost. This should be duly audited by a Chartered Accountant (10% compounded value per year to be added)
- c) The applicant should have not incurred any loss in more than two years during the last five years ending last day of tender duly certified by the Chartered Accountant.
- d) The contractor or his identified sub-contractor should possess required valid license for executing the water supply/sanitary/electrical engineering works and should have executed similar water supply/sanitary/electrical engineering works for a minimum amount as indicated in Appendix in any one year.
- e) The applicant's performance for each work completed in the last 5 years and in hand should be certified by an officer not below the rank of Executive Engineer/Project manager or equivalent and should be obtained in sealed cover.

B. Each bidder should further demonstrate:

- (a) availability (either owned or leased) of the key and critical equipment to attain the completion of works in accordance with the prescribed construction schedule are shown in the **Annexure-I.**

The bidders should, however, undertake their own studies and furnish with their bid, a detailed construction planning and methodology supported with layout and necessary drawings and calculations (detailed) as stated in clause 4.3(1) above to allow the employer to review their proposals. The numbers, types and capacities of each plant/equipment shall be shown in the proposals along with the cycle time for each operation for the given production capacity to match the requirements. If the contractual agency fails to bring any of the quality control lab equipment as mentioned in Annexure-I, the item will be arranged by Haryana PW (B&R) Deptt. and recovery shall be made from the contractor's bill @ double the cost of that item.

- (b) Availability for this work of personnel with adequate experience as required; as per **Annexure-II.**
- (c) liquid assets and/or availability of credit facilities of not less than amount indicated in Appendix.

C. **To qualify for a package of contracts made up of this and other contracts for which bids are invited in the IFB**, the bidder must demonstrate having experience and resources sufficient to meet the aggregate of the qualifying criteria for the individual contracts.

4.6. Sub-contractors' experience and resources shall not be taken into account in determining the bidder's compliance with the qualifying criteria except to the extent stated in 4.5 (A) above.

4.7. **Bid Capacity**

Bidders who meet the minimum qualifications criteria shall be qualified only if their available bid capacity for construction work is equal to or more than the total bid value. Bid capacity will be determined for works costing Rs.2.00 crores and above. The available bid capacity shall be calculated as under:

$$\text{Assessed Available Bid Capacity} = (A * N * 3 - B)$$

where

A= Maximum value of building construction works executed in any one year during the last five years (updated to the price level of the last year @10% per annum) taking into account the works completed and in progress.

N= Number of years prescribed for completion of the works for which bids are invited (period upto six months taken as half-year and more than six months as full year)

M= 3

B= Value at current price level, of existing commitments and ongoing works to be completed during the period of completion of the works for which bids are invited.

Note: The statements showing the value of existing commitments and on-going works as well as the stipulated period of completion remaining for each of the works listed should be countersigned by the Engineer-In-Charge not below the rank of an Executive Engineer or equivalent.

4.8 Even though the bidder met the above qualifying criteria, they are subject to be disqualified if they have:

-made misleading or false representations in the forms, statements and attachments submitted in proof of the qualification requirements; and/or.

-record of poor performance such as abandoning the works, not properly completing the contract, inordinate delays in completion, litigation history, or financial failures etc: and/or.

-participated in the previous bidding for the same work and had quoted unreasonably high bid prices and could not furnish rational justification to the employer.

5. **One Bid per Bidder.**

5.1 Each bidder shall submit only one bid for one package. A bidder who submits or participates in more than one Bid (other than as a subcontractor or in cases of alternatives that have been permitted or requested) will cause all the proposals with the Bidder's participation to be disqualified.

6. **Cost of Bidding.**

6.1 The bidder shall bear all costs associated with the preparation and submission of his Bid, and the Employer will in no case be responsible and liable for those costs.

7. **Site Visit.**

7.1 The Bidder, at the Bidder's own responsibility and risk is encouraged to visit and examine the Site of Works and its surroundings and obtain all information that may be necessary for preparing the Bid and entering into a contract for construction of the Works. The costs of visiting the Site shall be at the Bidder's own expense.

B. BIDDING DOCUMENTS

8. **Content of Bidding Documents.**

- 8.1 The set of bidding documents comprises the documents listed below and addenda issued in accordance with Clause 10:

Section	Particulars.
	Invitation for Bids
1	Instructions to Bidders
2.	Qualification Information, and other forms.
3	Conditions of Contract
4.	Contract-Data.
5.	Technical Specifications
6.	Form of Bid.
7.	Bill of Quantities.
8.	Securities and others forms
9.	Drawings
10.	Documents to be furnished by the bidder.

- 8.3. The bidder is expected to examine carefully all instructions, conditions of contract, contract data, forms, terms, technical specifications, bill of quantities, forms, Annexes and drawings in the Bid Document. Failure to comply with the requirements of Bid Documents shall be at the bidder's own risk. Pursuant to clause 26 hereof, bids which are not substantially responsive to the requirements of the Bid documents shall be rejected.

9. Clarification of Bidding Documents.

- 9.1. A prospective bidder requiring any clarification of the bidding documents may notify the Employer in writing or by cable (hereinafter "cable" includes telex and facsimile) at the Employer's address indicated in the invitation to bid. The Employer will respond to any request for clarification which he received earlier than 15 days prior to the deadline for submission of bids. Copies of the Employer's response will be forwarded to all purchasers of the bidding documents, including a description of the enquiry but without identifying its source.

9.2 Pre-bid meeting

- 9.2.1 In case of works with DNIT amount above Rs.10.00 crores, a pre-bid meeting shall be held at _____ on _____.
- 9.2.2. The purpose of the meeting will be to clarify issues and to answer questions for clarification of any doubts on any provision of the contract or on any matter that may be raised at that stage.
- 9.2.3. The bidder is requested to submit any questions in writing or by cable to reach the Employer not later than one week before the meeting.
- 9.2.4. Minutes of the meeting, including the text of the questions raised (without identifying the source of enquiry) and the responses given will be transmitted without delay to all purchasers of the bidding documents and a copy placed on departmental website. Any modification of the bidding documents listed in Sub-Clause 8.1 which may become necessary as a result of the pre-bid meeting shall be made by the Employer exclusively through the issue of an Addendum pursuant to Clause 10 and not through the minutes of the pre-bid meeting.
- 9.2.5. Non-attendance at the pre-bid meeting will not be a cause for disqualification of a bidder.

10. Amendment of Bidding Documents.

- 10.1 Before the deadline for submission of bids, the Employer may modify the bidding documents by issuing addenda.
- 10.2. Any addendum thus issued shall be part of the bidding documents and shall be communicated in writing or by cable to all the purchasers of the bidding documents. Prospective bidders shall

acknowledge receipt of each addendum in writing or by cable to the Employer. The Employer will assume no responsibility for postal delays.

- 10.3. To give prospective bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer may, at his discretion, extend as necessary the deadline for submission of bids, in accordance with Sub-Clause 20.2 below.

C. PREPARATION OF BIDS

11. Language of the Bid

- 11.1 All documents relating to the bid shall be in the English language.

12. Documents Comprising the Bid.

- 12.1 The bid to be submitted by the bidder (refer Clause 8.1) shall be in two separate parts: Part-I shall be named "Technical Bid" which will be submitted online except those documents to be submitted in physical form.

- (i) For bidding documents downloaded from website (refer IFB), the cost of bidding document will be paid online.
- (ii) Bid Security in the form specified in Section 8.
- (iii) Qualification Information and supporting documents as specified in Section-2.
- (iv) Certificate, undertakings, affidavits as specified in Section 2.
- (v) Information pursuant to Clause 4 of these instructions.
- (vi) Undertaking that the bid shall remain valid for the period specified in Clause 15.1.

Part-II shall be named "Financial Bid" and shall comprise.

- (i) Form of Bid as specified in Section 6.
- (ii) Priced Bill of Quantities for items specified in Section 7.

Both bids will be submitted online in accordance with Clause 19.

- 12.2. Following documents, which are not submitted with the bid, will be deemed to be part of the bid.

Section.	Particulars.
1.	Invitation for Bids (IFB).
2.	Instructions to Bidders.
3.	Conditions of Contract.
4.	Contract Data.
5.	Specifications.
6.	Drawings

13. Bid Prices.

- 13.1. The contract shall be for the whole works as described in Sub-Clause 1,1, based on the priced Bill of Quantities submitted by the Bidder.
- 13.2. The intending Contractors shall fill in Item rate at its appropriate places in figures. *Items for which no rate or price is entered by the bidder will not be paid for by the Employer and considered as nil rate.*
- 13.3. All taxes, duties, cess, other levies and surcharge as applicable from time to time payable by the contractor under the contract, or for any other cause shall be included in the rates, prices and total Bid Price submitted by the Bidder.

14. Currencies of the Bid and Payment.

- 14.1. The unit rates and the price shall be considered in Indian Rupees. All payments shall be made in Indian Rupees.
- 15. Bid Validity.**
- 15.1. Bids shall remain valid for a period not less than 120 days after the deadline date for bid submission. A bid valid for a shorter period shall be rejected by the Superintending Engineer PW (B&R) Deptt. as non-responsive. In exceptional circumstances, prior to expiry of original time limit, the Employer may request that the bidder may extend the period of validity for a specified additional period.
- 15.2. In exceptional circumstances, prior to expiry of the original time limit, the Employer may request that the bidders may extend the period of validity for a specified additional period. The request and the bidders' responses shall be made in writing or by cable. A bidder may refuse the request without forfeiting his bid security. A bidder agreeing to the request will not be required or permitted to modify his bid except as provided in 15.3 hereinafter, but will be required to extend the validity of his bid security for a period of the extension, and in compliance with Clause 16 in all respects.
- 15.3. In the case of contracts in which the Contract Price is fixed (not subject to price adjustment), in the event that the Employer requests and the Bidder agrees to an extension of the validity period, the contract price, if the Bidder is selected for award shall be the bid price corrected as follows;
The price shall be increased by the factor of 0.2% for each week or part of a week that has elapsed from the expiration of the initial bid validity to the date of issue of letter of acceptance to the successful Bidder.
- 15.4. Bid evaluation will be based on the bid prices without taking into consideration the above correction.
- 16. Bid Security.**
- 16.1. The Bidder shall furnish, as part of his Bid, a Bid security in the amount as shown in column 4 of the table of IFB for this particular work. The bid security is to be paid online via Credit Cards / Internet Banking Accounts / ITZ Cash Cards/Debit Cards for contract(s) more than Rs.5.00 lacs. For contract(s) less than Rs.5.00 lacs, bid security shall be in favour of Executive Engineer, Jag. Provl. Divn. PWD B&R Br. Yamuna Nagar may be in one of the following Nagar and forms:
- a) Deposit-at-Call Receipt from any scheduled Indian Bank or a foreign Bank located in India and approved by the Reserve Bank of India.
 - b) Indian Post Office/National Savings Certificate duly endorsed by the competent postal authority in India.
 - c) Bank Guarantee from any Nationalised Indian bank/ Scheduled Indian Bank or a foreign Bank or a foreign Bank approved by the Reserve Bank of India in format given in Volume III.
 - d) Fixed Deposit Receipt, a certified cheque or an irrevocable letter of credit, issued by any Scheduled Indian Bank or a foreign Bank or a foreign Bank approved by the Reserve Bank of India.
- 16.2. Bank guarantees (and other instruments having fixed validity) issued as surety for the bid shall be valid for 45 days beyond the validity of the bid.
- 16.3. Any bid not accompanied by an acceptable Bid Security and not secured as indicated in Sub-Clauses 16.1 and 16.2 above shall be rejected by the Employer as non-responsive.
- 16.4. The Bid Security of unsuccessful bidders will be returned within 45 days of the end of the bid validity period specified in Sub-Clause 15.1.
- 16.5. The Bid Security of the successful bidder will be discharged when the bidder has signed the Agreement and furnished the required Performance Security.

- 16.6. The Bid Security may be forfeited.
- (a) if the Bidder does not accept the correction of the Bid Price, pursuant to Clause 27; or.
 - (b) in the case of a successful Bidder, if the Bidder fails within the specified time limit to
 - (i) sign the Agreement; or.
 - (ii) furnish the required Performance Security.

17. Alternative Proposals by Bidders.

- 17.1. Bidders shall submit offers that fully comply with the requirements of the bidding documents, including the conditions of contract, basic technical design as indicated in the drawing and specifications. Conditional offer or alternative offers will not be considered further in the process of tender evaluation.

18. Format and Signing of Bid

- 18.1. The Bidder shall submit one set of the Technical Bid documents which can not be submitted online, if required. as described in Clause 12 of these Instructions to Bidders
- 18.2. The documents of the technical bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign on behalf of the Bidder, pursuant to Sub-Clause 4.3. All pages of the bid where entries or amendments have been made shall be initialed by the person or persons signing the bid.
- 18.3. The documents of the technical bid shall contain no alterations or additions, except those to comply with instructions issued by the Employer, or as necessary to correct errors made by the bidder, in which case such corrections shall be initialed by the person or persons signing the bid.

D. SUBMISSION OF BIDS

19. Sealing and Marking of Bids.

- 19.1. Technical bid: to be opened on 5-12-2012 at 12.00 AM (date & time of technical bid opening as per clause 23.1 of ITB)
Financial Bid; to be opened on 5-12-2012 at 3.00 PM. The contents of Technical and Financial Bids will be as specified in clause 12.1
- 19.2. The envelop containing documents of Technical Bids which can not be submitted online.
- (a) be addressed to the Employer at the address given in Appendix.
 - (b) bear the identification as indicated in Appendix.
- 19.3. In addition to the identification required in Sub-Clauses 19.1 and 19.2, the envelope shall indicate the name and address of the bidder to enable the bid to be returned unopened in case it is declared late, or the Evaluation Committee declares the bid as non responsive pursuant to Clause 23.
- 19.4. If the envelope is not sealed and marked as above, the Executive Engineer, Jag. Provl. Divn. PWD B&R Br. Yamuna Nagar will assume no responsibility for the misplacement or premature opening of the bid.

20. Deadline for Submission of the Bids

- 20.1. The documents of Technical Bid must be received by the Executive Engineer, Jag. Provl. Divn. PWD B&R Br. Yamuna Nagar at the address specified above not later than the date indicated in Appendix. In the event of the specified date for the submission of bids declared a holiday the Bids will be received upto the appointed time on the next working day.
- 20.2. The Employer may extend the deadline for submission of bids by issuing an amendment in accordance with Clause 10, in which case all right and obligations of the Employer and the bidders previously subject to the original deadline will then be subject to the new deadline.

21. Late Bids

- 21.1 Any Bid received by the Employer after the deadline prescribed in Clause 20 will be returned unopened to the bidder.

22. Modification and Withdrawal of Bids

Deleted.

E. BID OPENING AND EVALUATION

23. Bid Opening

- 23.1. The Executive Engineer, Jag. Provl. Divn. PWD B&R Br. Yamuna Nagar will open all the Bids received (except those received late), including modifications made pursuant to Clause 22, in the presence of the Bidders or their representatives who choose to attend at time, date and the place specified in Appendix in the manner specified in Clause 23.3. In the even of the specified date of Bid opening being declared a holiday, the Bids will be opened at the appointed time and location on the next working day.

23.2. Deleted.

- 23.3. The envelope containing "Technical Bid" shall be opened first.

- 23.4 The amount of earnest money, forms and validity shall be announced. Thereafter, the bidders' names and such other details as the Employer may considered appropriate, will be announced by the Executive Engineer, Jagadhri Provl. Division PWD B&R Br . Yamuna Nagar at the opening.

- 23.5 Evaluation of the technical bids with respect to bid security, qualification information and other information furnished pursuant to clause 12.1 of ITB shall be taken up and completed on the date of bid opening and a list will be drawn up of the responsive bids whose financial bids are eligible for consideration.

- 23.6 The date & time of opening of the Financial Bid will be announced by the Employer.

- 23.7. At the time of opening of "Financial Bid", the names of the bidders whose bids were found responsive in accordance with Clause 23.4 will be announced. The bids of only those bidders will be opened. The responsive Bidders ' names, the Bid prices, the total amount of each bid, any discounts and such other details as the Employer may consider appropriate, will be announced by the Executive Engineer, Jagadhri Provl. Division PWD B&R Br . Yamuna Nagar at the opening. Any Bid price or discount, which is not read out and recorded, will not be taken into account in Bid Evaluation.

- 23.8 The Executive Engineer Jag. Provincial Division PWD B&R Br Yamuna Nagar will prepare the minutes of the bid opening including the information disclosed to those present in accordance with sub clause 23.6.

24. Process to be Confidential

- 24.1. Information relating to the examination, clarification, evaluation, and comparison of Bids and recommendations for the award of a contract shall not be disclosed to Bidders or any other persons not officially concerned with such process until the award to the successful Bidder has been announced, Any efforts by a Bidder to influence the Superintending Engineer Chandigarh Circle, PW(B&R) Deptt. Chandigarh processing of Bids or award decisions may result in the rejection of his Bid.

25. Clarification of Financial Bids

- 25.1. To assist in the examination, evaluation, and comparison of Bids, the Superintending Engineer may, at his discretion, ask any Bidder for clarification of his Bid, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by cable, but no change in the price or

substance of the Bid shall be sought, offered, or permitted except as required to confirm the correction of arithmetic errors discovered by the Superintending Engineer in the evaluation of the Bid in accordance with Clause 27.

- 25.2. Subject to sub-clause 25.1, no Bidder shall contact the Employer on any matter relating to his bid from the time of the bid opening to the time the contract is awarded. If the Bidder wishes to bring additional information to the notice of the Employer, it should do so in writing.
- 25.3. Any efforts by the Bidder to influence the Superintending Engineer Chandigarh Circle, Hr. PW (B&R) Deptt. Chandigarh in the Employer's bid evaluation, bid comparison or contract award decisions may result in the rejection of the Bidders' bid.

26. Examination of Bids and Determination of Responsiveness

- 26.1. During the detailed evaluation of "Technical Bids", the Superintending Engineer will determine whether each Bid (a) meets the eligibility criteria defined in Clause 3 and 4; (b) has been properly signed; (c) is accompanied by the required securities and; (d) is substantially responsive to the requirements of the Bidding documents. During the detailed evaluation of the "Financial Bid", the responsiveness of the bids will be further determined with respect to the remaining bid conditions, i.e. priced bill of quantities, technical specifications, and drawings.
- 26.2. A substantially responsive "Financial Bid" is one which conforms to all the terms, conditions, and specifications of the Bidding documents, without material deviation or reservation. A material deviation of reservation is one (a) which effects in any substantial way the scope, quality, or performance of the Works; (b) which limits in any substantial way, inconsistent with the Bidding documents, the Superintending Engineer right or the Bidder's obligations under the Contract; or (c) whose rectification would effect unfairly the competitive position of other Bidders presenting substantially responsive Bids.
- 26.3. If a "Financial Bid" is not substantially responsive, it will be rejected by the Executive Engineer, Jagadhri Provl. Division PWD B&R Br . Yamuna Nagar and may not subsequently be made responsible by correction or withdrawal of the non-conforming deviation or reservation.

27. Correction of Errors.

- 27.1. "Financial Bids" determined to be substantially responsive will be checked by the Executive Engineer, Jagadhri Provl. Division PWD B&R Br . Yamuna Nagar for any arithmetic errors. Errors will be corrected by the Employer as follows:
 - (a) Where there is a discrepancy between the rates in figures and in words, the rate in words will govern; and
 - (b) Where there is a discrepancy between the unit rate and the line item total resulting from multiplying the unit rate by the quantity, the unit rate as quoted will govern.
- 27.2. The amount stated in the "Financial Bid" will be corrected by the Employer in accordance with the above procedure and the bid amount adjusted with the concurrence of the Bidder in the following manner.
 - (a) If the Bid price increases as a result of these corrections, the amount as stated in the bid will be the 'bid price' and the increase will be treated as rebate;
 - (b) If the bid price decreases as a result of the corrections, the decreased amount will be treated as the 'bid price'

Such adjusted bid price shall be considered as binding upon the Bidder. If the Bidder does not accept the corrected amount the Bid will be rejected, and the Bid security may be forfeited in accordance with Sub-Clause 16.6 (b).

28. Deleted

29. Evaluation and Comparison of Financial Bids.

- 29.1. The Superintending Engineer will evaluate and compare only the Bids determined to be substantially responsive in accordance with Sub-Clause 26.2.
- 29.2. In evaluating the Bids, the Employer will determine for each Bid the evaluated Bid Price by adjusting the Bid Price as follows:
- (a) Making any correction for errors pursuant to Clause 27; or
 - (b) Making an appropriate adjustment for any other acceptable variations, deviations; and
 - (c) making appropriate adjustments to reflect discounts or other price modifications offered in accordance with Sub-Clause 23.6.
- 29.3. The Superintending Engineer Chandigarh Circle, Hr. PW (B&R) Deptt. Chandigarh reserves the right to accept or reject any variation or deviation, Variations and deviations and other factors, which are in excess of the requirements of the Bidding documents or otherwise result in unsolicited benefits for the Employer shall not be taken into account in Bid evaluation.
- 29.4. The estimated effect of the price adjustment conditions under Clause-47 of the *Conditions of Contract*, during the period of implementation of the Contract, will not be taken into account in Bid evaluation.
- 29.5. If the Bid of the successful Bidder is seriously unbalanced in relation to the Engineer's estimate of the cost of work to be performed under the contract, the Superintending Engineer may require the Bidder to produce detailed price analyses for any or all items of the Bill of Quantities, to demonstrate the internal consistency of those prices with the construction methods and schedule proposed. After evaluation of the price analyses, the Employer may require that the amount of the performance security set for the in Clause 34 be increased at the expense of the successful Bidder to a level sufficient to protect the Employer against financial loss in the event of default of the successful Bidder under the Contract.
- 29.6. A bid which contains several items in the Bill of Quantities which are unrealistically priced low and which cannot be substantiated satisfactorily by the bidder, may be rejected as non-expensive.

30. Deleted

F. AWARD OF CONTRACT

31. Award Criteria

- 31.1 Subject to Clause 32, the Superintending Engineer Chandigarh Circle, Hr. PW (B&R) Deptt. Chandigarh will award the Contract to the Bidder whose Bid has been determined.
- (i) to be substantially responsive to the Bidding documents and who has offered the lowest evaluated Bid Price; and
 - (ii) to be within the available bid capacity adjusted to account for his bid price which is evaluated the lowest in any of the packages opened earlier than the one under consideration.
- In no case, the contract shall be awarded to any bidder whose available bid capacity is less than the evaluated bid.

32. Employer's right to accept any Bid and to reject any or all Bids

- 32.1. Notwithstanding Clause 31, the Employer reserves the right to accept or reject any Bid, and to cancel the Bidding process and reject all Bids, at any time prior to the award of Contract, without thereby incurring any liability to the effected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Employer action.

- 32.2 Normally, the lowest responsive tender (L1) shall be accepted unless there is some valid objection like, his record of failure in execution of formal works or his rates being abnormally low and non workable, etc
- 32.3 Tenders shall be accepted in accordance with the delegation of the powers under Departmental Financial Rules (DFR).

33. Notification of Award and Signing of Agreement

- 33.1. The Bidder whose Bid has been accepted will be notified of the award by the Employer prior to expiration of the Bid validity period by cable, telex or facsimile confirmed by registered letter. This letter (hereinafter and in the *Conditions of Contract* called the "Letter of Acceptance") will state the sum that the Employer will pay the Contractor in consideration of the execution, completion, and maintenance of the Works by the Contractor as prescribed by the Contract (hereinafter and in the Contract called the "Contract Price").
- 33.2. The notification of award will constitute the formation of the Contract, subject only to the furnishing of performance security in accordance with the provisions of Clause 34.
- 33.3. The agreement will incorporate all agreements between the Employer and the successful Bidder. It will be signed by the Employer and sent to the successful Bidder, within 28 days following the notification of award along with the Letter of Acceptance. Within days of receipt, the successful Bidder will sign the Agreement and deliver it to the Employer.
- 33.4. Upon the furnishing by the successful Bidder of the Performance Security, the Superintending Engineer will promptly notify the other Bidders that their Bids have been unsuccessful.
- 33.5 If the lowest tenderer (L-1) backs out, his earnest money shall be forfeited, the agency will be debarred for giving tenders for one year and the second lowest tenderer(L-2), third lowest tenderer (L-3) in order of sequence, may be called upon to bring his offer to the same level as the originally first lowest tenderer. In the event of their refusal to do so, tenders shall be recalled. In case of great urgency, authority competent to accept the tender may authorize call of limited or short notice tenders.

34. Performance Security

- 34.1. Within days of receipt of the Letter of Acceptance, the successful Bidder shall deliver to the Executive Engineer a Performance Security in any of the forms given below for an amount equivalent to 5% of the Contract price plus additional security for unbalanced or front loaded tenders in accordance with Clause 29.5 of ITB to be kept as a surety that the contractor completes the work satisfactory. The performance security will be valid upto the end of the defect liability period+45 days or as prescribed in the contract data. In case, the time of completion is enlarged, the validity of the guarantee shall be correspondingly extended. It carries no interest and is refunded to the contractor after the date specified in the contract.
- a bank guarantee in the form given in Section 8; or
-certified Bank Draft as indicated in Appendix.
- 34.2. If the performance security is provided by the successful Bidder in the form of a Bank Guarantee, it shall be issued either (a) at the Bidder's option, by a Nationalized/Scheduled Indian bank or (b) by a foreign bank located in India and acceptable to the Employer.
- 34.3. Failure of the successful Bidder to comply with the requirements of Sub-Clause 34.1 shall constitute sufficient grounds for cancellation of the award, forfeiture of the Bid Security and de-barring the agency for giving tenders for one year. If the work of is an urgent nature and cannot brook delay involved in re-tendering, the remaining tenderers shall be offered the lowest approved rates. If more than one tenderer turns up, then preferences shall be given to the tenderer graded according to the rates quoted in the first instance.
- 34.4 Generally, no consideration shall be given to the offers received after scheduled time of receipt of tenders. But if the subsequent even from a non-tenderer(received within one week of the previous offer and before the decisions of the contract) is not just marginally but significantly favourable to the Government (to the extent of 5% of the lowest tender amount in case of works costing more than

Rs.5.00 crores, 10% in case of works more than Rs.1.00 crore but less than Rs.5.00 crores, 20% for in case of works more than Rs.5.00 lacs but less than Rs.1.00 crore and 30% in case of works less than Rs.5.00 lacs or any other limits as decided by Government from time to time) then the subsequent offer can be considered provided the bidder deposits the bid security and unconditional bank guarantee for the difference of the amounts between the officer of the lowest agency and the subsequent fresh offer. In that case, short notice fresh sealed bids shall be invited, with special invitation to the previous participants including the subsequent bidder mentioned above, but with the stipulation that the subsequent bidder shall not bid higher than his previous offer, otherwise his bid security and bank guarantee shall be forfeited. Tender shall be allotted to the lowest valid bid received.

- 34.5 The letter of acceptance shall be issued to the contractor for an amount of its financial offer as evaluated. If this amount is more than 20% above the administrative approval, Govt./Client's approval shall be taken. In other cases work can be allotted under intimation to Government/Client. In any case, revised administrative approval shall be sought if the excess over the amount of administrative approval is more than 10%. The client deptt. shall be given sufficient time to arrive at decision, say 30-45 days.

35. Advance Payment and Security

The Employer will provide an Advance Payment on the contract price as stipulated in the conditions of contract, subject to maximum amount, as stated in the Contract Data.

36. Deleted

37. Corrupt or Fraudulent Practices

- 37.1. The Superintending Engineer, Hr. PW (B&R) Deptt. Chandigarh will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question and will declare the firm ineligible, either indefinitely or for a stated period of time; to be awarded a contract with Govt. of India/State PWD and any other agencies, if it at any time determines that the firm has engaged in corrupt or fraudulent practices in competing for the contractor, or in execution.

- 37.2. Furthermore, Bidders shall be aware of the provision stated in Sub-Clause 23.3 and Sub-Clause 59.2 of the Conditions of Contract.

38. Debarring

If the agency submits Financial Bid through e-tendering but fails to submit either bid security or the Technical bid or both, then the agency will be debarred from further tendering in Haryana PW(B&R) Deptt. for one year.

39. Payment System

The agency/bidder to whom the work is allotted shall be paid lowest of the following in the running/finals bills:

1. Amount calculated with the accepted rates of the lowest agency.
2. Amount worked out with the rates of L-2/L-3/L-4 and so on (applicable for the tenders failing within 10% of the accepted tender amount).
3. Amount worked out with the accepted percentage above HSR/analytical rates worked out in financial statement. Financial statement will be made a part of agreement.
4. Any agency submitting financial bid but not giving earnest money can be debarred from tendering in the department upto 1- year apart from other departmental action as due.
5. Value of 'M' shall be taken as 3 w.r.t. 14.9.2 clause of PWD code.

40. Completion of work

The agency to whom the work is allotted shall complete the entire work as per drawing irrespective of quantities in the DNIT. The agency is bound to consult the drawings before tendering and tender the work accordingly.

41. Withdrawal of items

The Employer can withdraw any item at any stage. No claim on account of withdrawal will be entertained.

APPENDIX to ITB

**Clause Reference
With respect to
Section-I.**

1. Name of the Employer :- Executive Engineer , Jagadhri Provincial Division
PWD B&R Branch Yamuna Nagar
[Cl. 1.1]
- Name of the Engineer :- Executive Engineer,
Jag. Provl. Division PWD B&R Br. Yamuna Nagar
(for contract(s) costing upto Rs.1.00 cr.)
2. Eligible bidders are Bidders registered with Haryana Government, [Cl. 3.1]
Other State Governments, Government of India and other Central and State
Government Undertakings who satisfy the Qualification criteria.
3. The last seven years
2005-2006
2006-2007
2007-2008
2008-2009
2009-2010
2010-2011
2011-2012
4. Escalation factors (for the cost of works executed and [Cl. 4.5]
financial figure to a common base value for works completed)
- | <u>Year before</u> | <u>Multiplying factor</u> |
|--------------------|---------------------------|
| 2005-2006 | 1.1 |
| 2006-2007 | 1.21 |
| 2007-2008 | 1.33 |
| 2008-2009 | 1.46 |
| 2009-2010 | 1.60 |
| 2010-2011 | 1.76 |
| 2011-2012 | 1.93 |
5. This annual financial turn over amount is Rs.2.46 lacs [Cl. 4.5A (a)]
(Rs..... lacs)
6. Value of work is Rs. 8.20 lacs [Cl. 4.5A(b)]

7. Quantities of Civil work : as per bill of quantities [Cl. 4.5A(c)]
8. The cost of electric work to be assessed from bill of Quantities. [Cl. 4.5A(d)]
9. The cost of water supply & sanitary work to be assessed from bill of quantities. [Cl. 4.5A(e)]
10. Liquid assets and/or availability of [Cl. 4.5B(c)] credit facilities is 25% of the DNIT amount (Rs 2.05 lacs)
11. Price level of the current financial year [Cl. 4.7]
12. Deleted (for this work) [Cl. 9.2.1]
13. The technical bid will be opened by Employer In his office at Yamuna Nagar Deptt. _____.
14. Address of the Employer Executive Engineer [Cl. 4.5(a)]
Jag. Provl. Division Haryana PW (B&R) Deptt.,
Yamuna Nagar.
15. Identification: [Cl. 19.2(b)]
16. The bid should be submitted latest by 3-12-2012 upto 17.00 hrs. [Cl. 20.1(a)]
17. The technical bid will be opened by Executive Engineer in the office [Cl. 23.1]
At Jag. Provl. Division PWD B&R Yamuna Nagar.
18. The Bank Draft / Bank Guarantee from any nationalized bank [Cl. 34.1]
Nationalized/Scheduled Indian bank or (b) by a foreign bank
located in India and acceptable to the Employer .

ANNEXURE -I

(Reference CI.4.5 (B) (a))

List of Key plant & Equipment to be deployed on the work (contract (s) amounting more than Rs.10.00 crores) except minor Special Repair & Maintenance works.

Sr. No.	Item of Equipment	Requirement
1	Computerized Concrete Batching Plant	1 No. 15 cum/hour as per requirement.
2	Concrete Weigh Batcher computerized	1 No.(3 bag capacity minimum)
3	Concrete Pump	1 No. 15 cum/hour minimum
4	Concrete Transit Mixer	As required
5	Concrete vibrator (Skin)	2 Nos.
6	Needle vibrator	5 Nos. with minimum 1 no. as petrol running.
7	Plate compactor	1 No.
8	Tipper/Dumper	2 Nos.
9	Compressor	Optional as required
10	Generator with CPRIO approved canopy	1 No.
11	Bar bending Machine	1 No
12	JCB	1 No.
13	Hydraulic lift/ordinary lift	1 No.
14	Tower crane	1 No. for works more than Rs.20 cr.
15	Reverse Osmosis Plant	1 No. for works where water as per IS 456 is not available.

Quality Control Lab Equipments:-

Sr. No.	Item of Equipment	Requirement
1	Sieves required for Coarse Aggregate & fine aggregate	1 Set
2	Impact value/ Flakiness testing equipment	1 Set
3	Cube Moulds	18 Nos.
4	Slump Test	2 Nos
5	Compression testing machine (Automatic computerized recording-AIMILor equivalent make)	1 No
6	Electronics Weighing Machine branded	100 Kg capacity (1 No)
7	Water testing equipment	1 No
8	Soil density measuring operators	1 No
9	Any other equipment required at site for quality control by the Engineer-in-charge like Gauze meter, Varnier caliper, Measuring equipment, Dumpy level.	

List of Key plant & Equipment to be deployed on the work (contract (s) amounting upto Rs.10.00 crores) except minor Special Repair & Maintenance works.

Sr. No.	Item of Equipment	Requirement
1	Computerized Concrete Weigh Batcher	1 No. (3 bag capacity minimum) in case this small weigh batcher is not sufficient at site due to heavy foundations or otherwise. Computerized Concrete Batching Plant of bigger capacity will have to installed.
2	Concrete vibrator (Skin)	2 Nos.
3	Needle vibrator	5 Nos. with minimum 1 no. as petrol running
4	Plate compactor	1 No.
5	Tipper/Dumper	Optional as required
6	Compressor	Optional as required
7	Generator with CPRI approved canopy	1 No.
8	Bar bending Machine	1 No for contract(s) (more than Rs.1.00 crore)
9	JCB	Optional as required
10	Hydraulic lift/ordinary lift	1 No.

Quality Control Lab Equipments:-

Sr. No.	Item of Equipment	Requirement
1	Sieves required for Coarse Aggregate & fine aggregate	1 Set
2	Impact value testing equipment	1 Set
3	Cube Moulds	6 Nos. (for contract(s) upto Rs.1.00 crore) 12 Nos. (for contract(s) upto Rs.5.00 crore)
4	Slump Test	2 Nos
5	Compression testing machine (Automatic computerized recording-AIMILor equivalent make)	1 No
6	Electronics Weighing Machine branded	50 Kg capacity (1 No)
7	Water testing equipment	1 No (for contract(s) upto Rs.1.00 cr.)
8	Electronic Moisture meter	1 No
9	Any other equipment required at site for quality control by the Engineer-in-charge like Gauze meter, Varnier caliper, Measuring equipment, Dumpy level.	

Note:-

1. **No Concrete from outside the campus will be allowed for the work.**
2. The numbers, types and capacities of each plant/equipment shall be shown in the proposals alongwith the cycle time for each operation for the given production capacity to match the requirements.
3. **In case the contractor fails to arrange any of the key plant/equipment at site, the department will procure at his risk and cost and make deductions from his bills, the cost of the plant/equipment alongwith 14% departmental charges.**

ANNEUXRE-II

List of Key Personnel to be deployed on Contract Work.

(Reference CI 4.5 (B) (b))

Sr. No.	Agreement Amount.	Key personal required to be Employed by the contractor.	Recovery rate in case non –Employment.
1	Upto Rs. 100.00 lacs	One Civil Engineer with diploma in Civil Engineering with 5 years experience of building construction.	Rs. 30,000/- per month
2	Above Rs. 100.00 lacs to Rs.500.00 lacs.	One Civil Engineer with degree in Civil Engineering with 2 years experience or Diploma in Civil Engineering with 5 years experience in building construction.	Rs. 50,000/- per month
3	Above Rs. 500.00 lacs	One Civil Engineer with degree in Civil Engineering with 5 years experience in building construction and one Quality Control Engineer with Diploma in Civil Engineering with 2 years experience in quality control.	Rs. 75,000/- per month for Civil Engineer and Rs. 25,000/- per month for Quality Control Engineer.

In case the contractor fails to employ the Key Personnel required to be employed as above at site, the department will employ the personnel and the recoveries will be made as above from his bills alongwith 14% departmental charges. The personnel so employed shall be considered as employees of the contractor and all responsibilities of them shall lie with him only.

SECTION 2
QUALIFICATION INFORMATION

QUALIFICATION INFORMATION

The information to be filled in by the Bidder in the following pages will be used for purposes of post qualification as provided for in Clause 4 of the Instructions to Bidders. This information will not be incorporated in the Contract.

1. For Individual Bidders

1.1. Constitution or legal status of Bidder

[Attach copy]

Place of registration: _____

Principal place of business: _____

Power of attorney of signatory of Bid

[Attach]

1.2. Total value of Building Construction works performed in the last five years
** (in Rs. in lacs)

2004-2005 _____
2005- 2006 _____
2006 – 2007 _____
2007 – 2008 _____
2008 - 2009 _____
2009 - 2010 _____
2010 - 2011 _____

1.3.1. Work performed as prime contractor and work performed in the past as a nominated sub-contractor will also be considered provided the sub-contract involved execution of all main items of work described in the bid document, provided further that all other qualification criteria are satisfied (in the same name) on works of a similar nature over the last five years.**

Project Name	Name of the Employer	Description of work	Contract No.	Value of Contract (Rs. crore)	Date of issue of work order	Stipulated period of completion	Actual date of completion*	Remarks explaining reasons for delay & work Completed

*Attach certificate(s) from the Engineer(s)-in-Charge

**immediately preceding the financial year in which bids are received.

β Attach certificate from chartered Accountant.

#1.3.2 Quantities of work executed as prime contractor and work performed in the past as a nominated sub-contractor will also be considered provided the sub-contract involved execution of all main items of work described in the bid document, provided further that all other qualification criteria are satisfied (in the same name and style) in the last five years:**

Year	Name of the work	Name of the Employer *	Quantity of work performed						Remarks* (indicate contract Ref)
			Cement Concrete (including RCC & PCC)	Masonry	Plastering work	Flooring work (terrazzo)	Flooring work (granite, marble, tiles)	Wood Work	
2004 - 05 2005 - 06 2006 - 07 2007 - 08 2008 - 09 2009 - 10 2010 - 11									

1.4. Information on Bid Capacity (works for which bids have been submitted and works which are yet to be completed) as on the date of this bid.

(A) Existing commitments and on-going works:

Description of works	Place & State	Contract No.	Name & Address of Employer	Value of Contract (Rs. Cr)	Stipulated period of completion	Value of works* remaining to be completed (Rs. Cr)	Anticipated date of completion
1	2	3	4	5	6	7	8

* Attach certificate(s) from the Engineer(s)-in-Charge

@ The item of work for which data is requested should tally with that specified in ITB clause 4.5A(c).

** immediately preceding the financial year in which bids are received.

(B) Works for which bids already submitted:

Description of works	Place & State	Name & Address of Employer	Estimated value of works (Rs. Cr.)	Stipulated period of completion	Date when decision is expected	Remarks, if any
1	2	3	4	5	6	7

1.5. Availability of key items of Contractor's Equipment essential for carrying out the Works [Ref. Clause 4.5(B)(a)]. The Bidder should list all the information requested below. Refer also to Sub Clause 4.3 (d) of the Instructions to Bidders.

Item of Equipment	Requirement		Availability proposals			Remarks (from whom to be purchased)
	No.	Capacity	Owned/ Leased to be procured	Nos./Capacity	Age/ Condition	

1.6. Qualifications and experience of key personnel required for administration and execution of the Contract [Ref. Clause 4.5(B)(b)]. Attach biographical data. Refer also to Sub Clause 4.3 (e) of instructions to Bidders and Sub Clause 9.1 of the Conditions of Contract.

Position	Name	Qualification	Year of Experience (General)	Years of experience in the proposed position
Project Manager				
Etc.				

1.7. Proposed sub-contracts and firms involved. [Refer ITB Clause 4.3(k)]

Sanctions of the works	Value of Sub-contract	Sub-contractor (Name & Address)	Experience in similar work

Attach copies of certificates on possession of valid license for executing water supply/ sanitary work/ building electrification works [Reference Clause 4.5(d) & Clause 4.5(e)]

*1.8. Financial reports for the last five years: balance sheets, profit and loss statements, auditors' reports (in case of companies/corporation), etc. List them below and attach copies.

1.9. Evidence of access to financial resources to meet the qualification requirements: cash in hand, lines of credit, etc. List them below and attach copies of support documents.

1.10. Name, address, and telephone, telex, and fax numbers of the Bidders' bankers who may provide references if contacted by the Employer.

1.11. Information on litigation history in which the Bidder is involved.

Other Party(ies)	Employer	Cause of Dispute	Amount involved	Remarks showing Present Status

1.12. Statement of compliance under the requirements of Sub Clause 3.2 of the instructions to Bidders.

1.13. Proposed work method and schedule. The Bidder should attach descriptions, drawings and charts as necessary to comply with the requirements of the Bidding documents. [Refer ITB Clause 4.1 & 4.3(1)]

1.14. Programme

1.15. Quality Assurance Programme

2. Deleted

3. Additional Requirements

3.1 Bidders should provide any additional information required to fulfill the requirements of Clause 4 of the Instructions to the Bidders, if applicable.

(i) Affidavit

(ii) Undertaking

**SAMPLE FORMAT FOR EVIDENCE OF ACCESS TO OR
AVAILABILITY OF CREDIT FACILITIES**

(CLAUSE 4.2(I) OF ITB)

BANK CERTIFICATE

This is to certify that M/s. _____ is a reputed agency with a good financial standing.

If the contract for the work, namely _____ is awarded to the above firms, we shall be able to provide overdraft/credit facilities to the extent of Rs. _____ to meet their working capital requirements for executing the above contract during the contract period.

(Signature)

Name of Bank

Senior Bank Manager

Address of the Bank

AFFIDAVIT

1. I, the undersigned, do hereby certify that all the statements made in the required attachments are true and correct.
2. The undersigned also hereby certifies that neither our firm M/s _____ have abandoned any work Govt. of India/or any State or Govt. undertakings nor any contract awarded to us for such works have been rescinded on account of our default, during last five years prior to the date of this bid.
3. The undersigned hereby authorize(s) and request(s) any bank, person, firm or corporation to furnish pertinent information deemed necessary and requested by the Department to verify this statement or regarding my (our) competence and general reputation.
4. The undersigned understand and agrees that further qualifying information may be requested, and agrees to furnish any such information at the request of the Department/ Project implementing agency.

(Signed by an Authorized Officer of the Firm)

(Title of Officer)

(Name of Firm)

DATE

UNDERTAKING

I, the undersigned do hereby undertake that our firm M/s _____
_____ would invest a minimum cash up to 25% of the value of the work during
implementation of the Contract.

(Signed by an Authorized Officer of the Firm)

(Title of Officer)

(Name of Firm)

DATE

SECTION 3

CONDITIONS OF CONTRACT

Conditions of Contract

Table of Contents

A. General	Page No.	C. Quality Control	Page No.
1. Definitions	40-41	33. Identifying Defects	47
2. Interpretation	41	34. Tests	47
3. Language and Law	41	35. Correction of Defects	47
4. Engineer's Decisions	42	36. Uncorrected Defects.	47
5. Delegation	42		
6. Communications	42	D. Cost Control	
7. Sub-contracting	42	37. Bill of Quantities	47
8. Other Contractor	42	38. Changes in the Quantities	47
9. Personnel	42	39. Variations	47
10. Employer's & Contractor's Risks.	42	40. Payments for Variations	48
11. Employer's Risks	42	41. Cash Flow Forecasts	48
12. Contractor's Risks	43	42. Payment Certificates	48
13. Insurance.	43	43. Payments.	48-49
14. Site Investigation Reports	43	44. Compensation Events	49
15. Queries about the Contract Data.	43	45. Tax	49
16. Contractor to Construct the Works	43	46. Currencies	49
17. The Works to be Completed by the Intended Completion date.	43	47. Price Adjustment	50
18. Approval by the Engineer	43-44	48. Retention	50
19. Safety	44	49. Liquidated Damages(LD)	50
20. Discoveries	44	50. Bonus	51
21. Possession of the Site	44	51. Advance Payment.	51
22. Access to the Site.	44	52. Secured advance	51
23. Instructions	44	53. Securities	51
24. Disputes Redressal System	44-45	54. Security deduction(retention)	51
25. Arbitration	45	55. Deleted	51
26. Deleted	45	56. Cost of Repairs	51
		E. Finishing the Contract	
B. Time Control		57. Completion	52
27. Programme	45	58. Taking Over	52
28. Extension of the Intended Completion Date.	45-46	59. Final Account	52
29. Deleted	46	60. Operating and Maintenance Manuals.	52
30. Delays Ordered by the Engineer	46	61. Termination	52-53
31. Management Meetings	46	62. Payment upon Termination	53
32. Early Warning	46	63. Property	53
		64. Release from Performance	53
		F. Special Conditions of Contract	53-55

CONDITIONS OF CONTRACT

A.GENERAL

1. Definitions

1.1 Terms which are defined in the Control Data are not also defined in the Conditions of Contract but keep their defined meanings. Capital initials are used to identify defined terms.

Bill of Quantities means the priced and completed Bill of Quantities forming part of the Bid.

Compensation Events are those defined in Clause 44 hereunder.

The **Completion Date** is the date of completion of the Works as certified by the Engineer-in-Charge in accordance with Sub Clause 55.1.

The **Contract** is the contract between the Employer and the Contractor to execute, complete and maintain the Works. It consists of the documents listed in Clause 2.3 below.

The **Contract Data** defines the documents and other information which comprise the Contract.

The **Contractor** is a person or corporate body whose Bid to carry out the Works has been accepted by the Employer.

The **Contractor's Bid** is the completed Bidding document submitted by the Contractor to the Employer and includes Technical and Financial bids.

The **Contractor Price** is the price stated in the Letter of Acceptance and thereafter as adjusted in accordance with the provisions of the Contract.

Days are calendar days; **months** are calendar months.

A **Defect** is any part of the Works not completed in accordance with the Contract.

The **Defects Liability Period** is the period named in the Contract Data and calculated from the Completion Date.

The **Employer** is the party who will employ the Contractor to carry out the Works.

The **Engineer** is the person named in the Contract Data (or any other competent person appointed and notified to the contractor to act in replacement of the Engineer-in-Charge) who is responsible for supervising the Contractor, administering the Contract, certifying payments due to the Contractor, issuing and valuing Variations to the Contract, awarding extensions of time, and valuing the Compensation Events.

Equipment is the Contractor's machinery and vehicles brought temporarily to the Site to construct the Works.

The **Initial Contract Price** is the Contract Price listed in the Employer's Letter of Acceptance.

The **Intended Completion Date** is the date on which it is intended that the Contractor shall complete the Works. The Intended Completion Date is specified in the Contract Data. The Intended Completion Date may be revised only by the Engineer-in-Charge by issuing an extension of time.

Materials are all; supplies, including consumables, used by the contractor for incorporation in the Works.

Plant is any integral part of the Works which is to have a mechanical, electrical, electronic or chemical or biological function.

The **Site** is the area defined as such in the Contract Data.

Site Investigation Reports are those which were included in the Bidding documents and are factual interpretative reports about the surface and sub-surface conditions at the site.

Specification means the Specification of the Works included in the Contract and any modification or addition made or approved by the Engineer-in-Charge.

The **Start Date** is given in the Contract Data. It is the date when the Contractor shall commence execution of the works. It does not necessarily coincide with any of the Site Possession Dates.

A **Subcontractor** is a person or corporate body who has a Contract with the Contractor to carry out a part of the Work in the Contract which includes work on the Site.

Temporary Works are works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

A **Variation** is an instruction given by the Engineer-in-Charge, which varies the Works.

The **Works** are what the Contract requires the Contractor to construct, install, and turn over to the Employer, as provided in the bid documents, BOQ and drawings etc. and as directed by the Engineer from time to time defined in the Contract Data.

2. **Interpretation**

2.1 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance, Words have their normal meaning under the language of the Contract unless specifically defined. The Engineer-in-Charge will provide instructions clarifying queries about the Conditions of Contract.

2.2 If sectional completion is specified in the Contract Data, references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date apply to any Section of the Works (other than references to the Completion Date and Intended Completion date for the whole of the Works).

2.3 The documents forming the Contract shall be interpreted in the following order or priority:

- (1) Agreement.
- (2) Letter of Acceptance, notice to proceed with the works.
- (3) Contractor's Bid
- (4) Contract Data.
- (5) Conditions of Contract including Special Conditions of Contract.
- (6) Specifications.
- (7) Drawings
- (8) Bill of quantities and
- (9) Any other document listed in the Contract Data as forming part of the Contract.

3. **Language and Law**

3.1 The language of the Contract and the law governing the Contract are stated in the Contract Data.

4. **Engineer's Decisions.**

4.1. Except where otherwise specifically stated, the Engineer will decide contractual matters between the Employer and the Contractor in the role representing the Employer.

5. Delegation

5.1 The Engineer may delegate any of his duties and responsibilities to other people except to the Adjudicator after notifying the Contractor and may cancel any delegation after notifying the Contractor.

6. Communications

6.1. Communications between parties which are referred to in the conditions are effective only when in writing. A notice shall be effective only when it is delivered (in terms of India Contract Act.).

7. Sub-contracting

7.1. The Contractor may sub-contract any portion of work, upto a limit specified in Contract Data, with the approval of the Engineer-in-Charge but may not assign the Contract without the approval of the Employer in writing. Sub-contracting does not alter the Contractor's obligations.

8. Other Contractors

8.1. The Contractor shall cooperate and share the Site with other contractors, public authorities, utilities, and the Employer between the date given in the Schedule of other Contractors. The Contractor shall as referred to in the Contract Data, also provide facilities and services for them as described in the Schedule. The employer may modify the schedule of other contractors and shall notify the contractor of any such modification.

9. Personnel

9.1. The Contractor shall employ the key personnel named in the Schedule of Key Personnel as referred to in the Contract Data to carry out the functions stated in the Schedule or other personnel approved by the Engineer-in-Charge. The Engineer-in-Charge will approve any proposed replacement of key personnel only if their qualifications, abilities, and relevant experience are substantially equal to or better than those of the personnel listed in the Schedule. In case of non-employment of key personnel action can be taken as per clause 59 of conditions of contract & deduction will be made from the bills / due payment of the contractor on account of salary per month of key personnel as per Annexure-II of Section-I @ of Rs. 30,000/- P.M for Sr.No.1, Rs. 50,000/- P.M for Sr.No.2 and Rs 1,00,000/- P.M for Sr. No. 3.

9.2. If the Engineer-in-Charge asks the Contractor to remove a person who is a member of the Contractor's staff or his work force stating the reasons the Contractor shall ensure that the person leaves the Site within seven days and has no further connection with the work in the Contract.

10. Employer's and Contractor's Risks.

10.1. The Employer carries the risks which this Contract states are Employer's risks, and the Contractor carries the risks which this Contract states are Contractor's risks.

11. Employer's Risks

11.1 The Employer is responsible for the excepted risks which are (a) in so far as they directly affect the execution of the Works in India, the risks of war, hostilities, invasion, act of foreign enemies, rebellion, revolution, insurrection or military or usurped power, civil war, riot commotion or disorder (unless restricted to the Contractor's employees), and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive, or (b) a cause due solely to the design of the Works, other than the Contractor's design.

12. Contractor's Risks.

12.1. All risks of loss of or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract other than the excepted risks are the responsibility of the Contractor.

13. Insurance. (For contract(s) above Rs.5.00 crores)

13.1. The Contractor shall provide, in the joint names of the Employer and the Contractor, insurance cover (contractor all risks policy) from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles states in the Contract Data for the following events which are due to the Contractor's risks:

- (a) loss or damage to the Works, Plant and Materials;
- (b) loss of or damage to Equipment.
- (c) Loss of or damage of property (except the Works, Plant, Materials and Equipment) in connection with the Contract; and
- (d) Personal injury or death.

13.2. Policies and certificates for insurance shall be delivered by the Contractor to the Engineer-in-Charge before the Start Date. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.

13.3 If the Contractor does not provide any of the policies and certificates required, the Employer may effect the insurance which the Contractor should have provided and recover the premiums the Employer has paid from payments otherwise due to the Contractor or, if no payment is due, the payment of the premiums shall be a debt due. 14% Departmental charges over payment of premiums will also be recovered from the contractors.

13.4 Alterations to the terms of an insurance shall not be made without the approval of the Competent authority.

14. Site Investigation Report.

14.1. The Contractor, in preparing the Bid, shall rely on any site Investigation Reports referred to in the Contract Data, supplemented by any information available to the Bidder. In case such information is not available in the contract data, the Contractor shall gather such information from the office of Engineer-In-Charge. No claim on account of non availability will be entertained.

15. Queries about the Contract Data.

15.1. The Engineer-in-Charge will clarify queries on the Contract Data.

16. Contractor to Construct the Works

16.1. The Contractor shall construct and install the Works in accordance with the Specification and Drawings.

17. The Works to be Completed by the Intended Completion Date.

17.1. The Contractor may commence execution of the Works on the Start Date and shall carry out the Works in accordance with the programme submitted by the Contractor, as updated with the approval of the Engineer-in-Charge, and complete them by the Intended Completion Date.

18. Approval by the Engineer-in-Charge

18.1. The Contractor shall submit Specifications and Drawings showing the proposed Temporary Works to the Engineer-in-Charge, who is to approve them if they comply with the Specifications and Drawings.

18.2. The Contractor shall be responsible for design of Temporary Works.

18.3. The Engineer-in-Charge's approval shall not alter the Contractor's responsibility for design of the Temporary Works.

18.4. The Contractor shall obtain approval of third parties to the design of the Temporary Works where required.

18.5. All Drawings prepared by the Contractor for the execution of the temporary or permanent Works, are subject to prior approval by the Engineer-in-Charge before their use.

19. Safety

19.1. The Contractor shall be responsible for the safety of all activities on the Site.

20. Discoveries

20.1. Anything of historical or other interest or of significant value unexpectedly discovered on the Site is the property of the Employer. The Contractor is to notify the Engineer-in-Charge of such discoveries and carry out the Engineer-in-Charge's instructions for dealing with them.

21. Possession of the Site

21.1. The Employer shall give possession of all parts of the Site to the Contractor. If possession of a part is not given by the date stated in the Contract Data the Employer is deemed to have delayed the start of the relevant activities and this will be Compensation Event.

22. Access to the Site

22.1. The Contractor shall allow the Engineer-in-Charge and any person authorized by the Engineer-in-Charge access to the Site, to any place where work in connection with the Contract is being carried out or is intended to be carried out and to any place where materials or plant are being manufactured/fabricated/assembled for the works.

23. Instructions

23.1. The Contractor shall carry out all instructions of the Engineer-in-Charge pertaining to works which comply with the applicable laws where the Site is located.

24. Dispute Redressal System

24.1 In case of contract(s) of value lesser than Rs.2 cr., the agency will make an appeal to the Appellant Authority i.e. concerned Superintending Engineer who will decide the issue within 90 days. In case of dissatisfaction on the part of the contractor, he can go to Court after the decision of this appeal or after 90 days in case of no decision from the Appellant Authority.

24.2 In case of contract(s) of value more than Rs.2.00 cr. and less than Rs.10.00 cr., the agency will make an appeal to the Appellant Authority i.e. concerned Superintending Engineer who will decide the issue within 90 days. If the contractor is not satisfied with the Appeal, he can go for Arbitration. Adjudication of the dispute shall be done by Soul Arbitrator to be appointed by the Govt. from the list of Arbitrators approved by the Govt.

24.3 For disputes relating to contract(s) of value higher than Rs.10 cr., the agency may first appeal to the concerned Superintending Engineer. In case the contractor is not satisfied with the appeal he can go for the Arbitration. The arbitration shall be done by three members tribunal with composition as below.

24.4 The composition of the Tribunal will be:

- I. One official member, Chairman of the Tribunal, not below the rank of Chief Engineer (Serving) of the State Govt./State Govt. Undertakings.
- II. One official member not below the rank of Superintending Engineer (Serving/retired) of Hr.PW(B&R) Deptt. and
- III. One non-official member who will be technical expert not below the rank of Superintending Engineer (Serving/retired) of Hr.PW(B&R) Deptt. selected by the Contractor from a panel of three persons given to him by the Employer.

24.4 The Contractor and the Employer will be entitled to present their case in writing duly supported by documents. If so requested, the Tribunal may allow one opportunity to the Contractor and the Employer for oral arguments for a specified period. The Tribunal shall give its decision within a period of 180 days from the date of appeal, failing which the contractor can approach the appropriate court for the resolution of the dispute.

24.5 The decision of the Tribunal will be binding on the Employer for payment of claims up to five percent of the Initial Contract Price. The Contractor can accept and receive payment after signing as “in full and final settlement of all claims”. If he does not accept the decision, he is not barred from approaching the courts. Similarly, if the Employer does not accept the decision of the Tribunal above the limit of five percent of the Initial Contract Price, he will be free to approach the courts applicable under the law.

24.6 Policy of fee structure of arbitrator in case of Civil Engineering Construction Contracts/ Supervision Consultants

Sr. No	Agreement amount	Fee payable of sole arbitrator / each Arbitrator in Tribunal	TA/DA	Charges for computer Operator / Clerk	Regarding fee and award writing including typing charges and stationery etc.
1	Upto Rs. 2.00 Crore	No Arbitrator required			
2	More than Rs. 2.00 Crore but upto Rs. 10.00 Crore (Sole Arbitrator)	Rs. 10000/- per hearing and maximum Rs 2.00 Lacs for whole proceedings	As per Govt. Rules	Rs. 1000/- per hearing and maximum Rs. 20000/- for the whole proceedings.	25000/- lumpsum
3	More than 10.00 crores (Tribunal comprising of three Arbitrators)	Rs. 12500/- per hearing and maximum Rs. 3.00 lacs for whole proceedings to each Arbitrator .	As per Govt Rules	Rs 1250/- per hearing and maximum Rs 25000/- for the whole proceedings	25000/- (lumpsum) each Arbitrator of Tribunal

24.7 The fees structure given above will be shared equally by both parties

25. Arbitration

25.1 As per provisions of the clause 24 of Dispute Reddressel System. The claimant shall deposit with the Engineer-In-Charge a claim fee @2% of claim amount or as prescribed in tender document. On termination of the arbitration proceedings, this fee shall be adjusted against the cost, if any, awarded by the arbitrator (or arbitral tribunal) against the claimant party and the balance remaining after such adjustment, and in the absence of such cost being awarded, the whole of the sum will be refunded within one month of the date of the award.

26 Deleted

B. TIME CONTROL

27. Programme

27.1. Within the time stated in the Contract Data the Contractor shall submit to the Engineer-in-Charge for approval a Programme showing the general methods, arrangements, order, and timing for all the activities in the Works along with monthly cash flow forecast.

27.2. An update of the Programme shall be a programme showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work including any changes to the sequence of the activities.

27.3. The Contractor shall submit to the Engineer-in-Charge, for approval, an updated Programme at intervals no longer than the period stated in the Contract Data. If the Contractor does not submit an updated Programme within this period, the Engineer-in-Charge may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Programme has been submitted.

- 27.4. The Engineer-in-Charge's approval of the Programme shall not alter the Contractor's obligations. The Contractor may revise the Programme and submit it to the Engineer-in-Charge again at any time. A revised Programme is to show the effect of Variations and Compensation Events.

28. Extension of the Intended Completion Date

- 28.1. The Engineer-in-Charge shall get the Intended Completion Date extended from competent authority if a Compensation Event occurs or a Variation is issued which makes it impossible for Completion to be achieved by the Intended Completion Date without the Contractor taking steps to accelerate the remaining work and which would cause the Contractor to incur additional cost.
- 28.2. The Engineer-in-Charge shall decide whether and by how much to extend the Intended Completion Date within 60 days of the Contractor asking the Engineer-in-Charge for a decision upon the effect of Compensation Events or Variation and submitting full supporting information. If the Contractor has failed to give early warning of a delay or has failed to cooperate in dealing with a delay, the delay by this failure shall not be considered in assessing the new Intended Completion Date.
- 28.3. The Engineer-in-Charge shall within 30 days of receiving full justification from the contractor for extension of Intended Completion Date refer to the Employer his decision. The Employer shall in not more than 60 days communicate to the Engineer-in-Charge the acceptance or otherwise of the Engineer-in-Charge's decision. If the Employer fails to give his acceptance, the Engineer-in-Charge shall not grant the extension and the contractor may refer the matter to the Dispute Review System under Clause 24.1.

29. Deleted

30. Delays Ordered by the Engineer-in-Charge

- 30.1. The Engineer-in-Charge may instruct the Contractor to delay the start or progress of any activity within the Works.

31. Management Meetings

- 31.1. Either the Engineer-in-Charge or the Contractor may require the other to attend a management meeting. The business of a management meeting shall be to review the plans for remaining work and to deal with matters raised in accordance with the early warning procedure. One meeting in each quarter is mandatory for smooth running of works. Proceedings of meeting may be circulated to all including Head office.
- 31.2. The Engineer-in-Charge shall record the business of management meetings and is to provide copies of his record to those attending the meeting and to the Employer. The responsibility of the parties for actions to be taken is to be decided by the Engineer-in-Charge either at the management meeting or after the management meeting and stated in writing to all who attended the meeting.

32. Early Warning

- 32.1. The Contractor is to warn the Engineer-in-Charge at the earliest opportunity of specific likely future events or circumstances that may adversely affect the quality of the work, increase the Contract Price or delay the execution of works. The Engineer-in-Charge may require the Contractor to provide an estimate of the expected effect of the future event or circumstance on the Contract Price and Completion Date. The estimate is to be provided by the Contractor as soon as reasonably possible.
- 32.2. The Contractor shall cooperate with the Engineer-in-Charge in making and considering proposals for how the effect of such an event or circumstance can be avoided or reduced by anyone involved in the work and in carrying out any resulting instruction of the Engineer-in-Charge.

C. QUALITY CONTROL

33. Identifying Defects

33.1. The Engineer-in-Charge shall check the Contractor's work and notify the Contractor of any Defects that are found. Such checking shall not affect the Contractor's responsibilities. The Engineer-in-Charge may instruct the Contractor to search for a Defect and to uncover and test any work that the Engineer-in-Charge considers may have a Defect.

34. Tests

34.1. If the Engineer-in-Charge instructs the Contractor to carry out a test not specified in the Specification to check whether any work has a Defect and the test shows that it does, the Contractor shall pay for the test and any samples. If there is no Defect the test shall be a Compensation Event.

35. Correction of Defects

35.1. The Engineer-in-Charge shall give notice to the Contractor of any Defect (structural, technical or routine maintenance nature) before the end of the Defects Liability Period, which begins at Completion and is defined in the Contract Data. The Defects Liability period shall be extended for as long as Defects remain to be corrected. The defects shall include the routine maintenance activities as well.

35.2. Every time notice of a Defect is given the Contractor shall correct the notified Defect within the length of time specified by the Engineer-in-Charge's notice.

36. Uncorrected Defects

36.1. If the Contractor has not corrected a Defect within the time specified in the Engineer-in-Charge's notice, the Engineer-in-Charge will assess the cost of having the Defect corrected, and the Contractor will pay double of this amount.

D. COST CONTROL

37. Bill of Quantities

37.1. The Bill of Quantities shall contain items for the construction, installation, testing and commissioning work to be done by the Contractor.

37.2. The Bill of Quantities is used to calculate the Contractor Price. The Contractor is paid for the quantity of the work done at the rate in the Bill of Quantities for each item.

38. Changes in the Quantities

38.1. If the final quantity of the work done differs from the quantity in the Bill of Quantities for the particular item by more than 25 per cent provided the change exceeds 1% of initial Contract Price, the Engineer-in-Charge shall adjust the rate to allow for the change, duly considering.

- (a) justification for rate adjustment as furnished by the Contractor,
- (b) economies resulting from increase in quantities by way of reduced plant, equipment, and overhead costs.
- (c) Entitlement of the Contractor to compensation events where such events are caused by any additional work.

38.2. The Engineer-in-Charge shall not adjust rates from changes in quantities if thereby the Initial Contract Price is exceeded by more than 15 per cent, except with the Prior approval of the Employer.

38.3. If requested by the Engineer-in-Charge, the Contractor shall provide the Engineer-in-Charge with a detailed cost breakdown of any rate in the Bill of Quantities.

39. Variations

39.1. All Variations shall be included in updated Programmes produced by the Contractor.

40. Payments for Variations

- 40.1 The Contractor shall provide the Engineer-in-Charge with a quotation (with break down of unit rates) for carrying out the Variation when requested to do so by the Engineer-in-Charge. The Engineer-in-Charge shall assess the quotation, which shall be given within seven days of the request or within any longer period stated by the Engineer-in-Charge and before the Variation is ordered.
- 40.2 If the work in the Variation corresponds with an item description in the Bill of Quantities and if, in the opinion of the Engineer-in-Charge, the quantity of work above the limit stated in Sub Clause 38.1 or the timing of its execution do not cause the cost per unit of quantity to change, the rate in the Bill of Quantities shall be used to calculate the value of the Variation. If the cost per unit of quantity changes, or if the nature of timing of the work in the Variation does not correspond with items in the Bill of Quantities, the quotation by the Contractor shall be in the form of new rates for the relevant items of work.
- 40.3 If the Contractor's quotation is unreasonable, the Engineer-in-Charge may order the Variations and make a change to the Contract Price which shall be based on Engineer-in-Charge's own forecast of the effect of the Variation on the Contractor's costs.
- 40.4 If the Engineer-in-Charge decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and the Variation shall be treated as a Compensation Event.
- 40.5 The Contractor shall not be entitled to additional payment for costs which could have been avoided by giving early warning.

41. Cash Flow Forecasts

- 41.1 When the Programme is updated, the contractor is to provide the Engineer-in-Charge with an updated cash flow forecast.

42. Payment Certificates

- 42.1 The Contractor shall submit to the Engineer-in-Charge monthly statements of the estimated value of the work completed less the cumulative amount certified previously by 1st week of the month. In case contractor does not submit his bill by 1st week of the month, Engineer-In-Charge shall get the monthly statement of the estimated value of work completed less cumulative amount prepared by the end of third week of the month. This procedure will be followed even if no work is carried out at the site of work.
- 42.2 The Engineer-in-Charge shall check the Contractor's monthly statement within 14 days and certify the amount to be paid to the Contractor after taking into account any credit or debit for the month in question in respect of materials for the works in the relevant amounts and under conditions set forth in sub-clause 51(3) of the conditions of contract.
- 42.3 The value of work executed shall be determined by the Engineer-in-Charge.
- 42.4 The value of work executed shall comprise the value of the quantities of the Compensation Events.
- 42.5 The value of work executed shall include the valuation of Variations and Compensation Events.
- 42.6 The Engineer-in-Charge may exclude any item certified in a previous certificate or reduce the proportion of any item previously certified in any certificate in the light of later information.

43. Payments

- 43.1 If an amount certified is increased in a later certificate as a result of an award by the Adjudicator or an Arbitrator, the Contractor shall be paid interest @10% per annum upon the delayed payment as set out in this clause. Interest shall be calculated from the date upon which the increased amount would have been certified in the absence of dispute.
- 43.3 Items of the Works for which no rate or price has been entered in will not be paid for by the Employer and shall be deemed covered by the other rates and price in the Contract.

44. Compensation Events

44.1. The following are Compensation Events unless they are caused by the Contractor;

- (a) The Employer does not give access to 80% of the Site by the Site Possession Date stated in the Contract Data.
- (b) The Employer modifies the schedule of other contractors in a way which affects the work of the contractor under the contract.
- (c) The Engineer-in-Charge orders a delay or does not issue drawings, specifications or instructions required for execution of works due to which the work is delayed. However, these can be issued from time to time during the execution of the work.
- (d) The Engineer-in-Charge instructs the Contractor to uncover or to carry out additional tests upon work which is then found to have no Defects.
- (e) The Engineer-in-Charge does not approve of a subcontract to be let, within 30 days.
- (f) Ground conditions are substantially more adverse than could reasonably have been assumed before issuance of Letter of Acceptance from the information issued to Bidders (including the Site Investigation Reports), from information available and from a visual inspection of the site.
- (g) The Engineer-in-Charge gives an instruction for dealing with an unforeseen condition, caused by the Employer, or additional work required for safety or other reasons.
- (h) Other contractors, public authorities, utilities or the Employer does not work within the dates and other constraints stated in the Contract, and they cause delay or extra cost to the Contractor.
- (i) The advance payment is delayed, beyond 45 days after receipt of application and bank guarantee.
- (j) The effect on the Contractor of any of the Employer's Risks.
- (k) The Engineer-in-Charge unreasonably delays issuing a Certificate of Completion.
- (l) Other Compensation Events listed in the Contract Data or mentioned in the Contract.

44.2. If a Compensation Event would cause additional cost or would prevent the work being completed before the Intended Completion Date, the Contract Price shall be increased and/or the Intended Completion Date is extended. The Engineer-in-Charge shall decide whether and by how much the Contract Price shall be increased and whether and by how much the Intended Completion Date shall be extended.

44.3. As soon as information demonstrating the effect of each Compensation Event upon the Contractor's forecast cost has been provided by the Contractor, it is to be assessed by the Engineer-in-Charge and the Contract Price shall be adjusted accordingly. If the Contractor's forecast is deemed unreasonable, the Engineer-in-Charge shall adjust the Contract Price based on Engineer-in-Charge's own forecast. The Engineer-in-Charge will assume that the Contractor will react competently and promptly to the event.

44.4. The Contractor shall not be entitled to compensation to the extent that the Employer's interests are adversely affected by the Contractor not having given early warning or not having cooperated with the Engineer-in-Charge.

45. Tax

45.1. The rates quoted by the Contractor shall be deemed to be inclusive of the sales tax /VAT, Labour Cess, Service Tax if any and other taxes that the Contractor will have to pay for the performance of this Contract. The Employer will perform such duties in regard to the deduction of such taxes at source as per applicable law.

46. Currencies

46.1. All payments shall be made in Indian Rupees.

47. Price Adjustment.

47.1 The rate of cement/steel issued under the authority of Engineer-in-Chief Hr. PW (B&R) Deptt., Chandigarh on the date of receipt of tender shall be considered as base rate. If during execution of the works,

the rate of cement/steel increases or decreases, the difference in cost shall be paid/ recouped from the contractor in the bill, as per formula given on contract data at sr.no.23 subject to the following conditions:-

47.1.1 The cement/steel will be arranged by the Contractor.

47.1.2 The contractor shall submit original bill/ voucher while claiming the payment for the work done. The bill/ voucher should pertain to the period of original contractual time limit and should correspond with the progress of work. No extra payment due to increase in rate of cement/steel will be paid if the original bill/ vouchers are not submitted by the agency. No increase in prices of the cement/steel shall be reimbursed to the contractor beyond the original time period allowed for construction as per contract agreement irrespective of extension of time limit granted to the agency for any reason, whatsoever.

47.1.3 After approval of tender, the Contractor shall submit the work programme for execution of work and get it approved from the Engineer-in-Charge in the time limit prescribed in the tender document. The increase in rates of cement/steel shall only be paid if the work is carried out within the prescribed period as per the approved work programme.

47.2 To the extent that full compensation for any rise or fall in costs to the contractor is not covered by the provisions of this or other clauses in the contract, the unit rates and prices included in the contract shall be deemed to include amounts to cover the contingency of such other rise or fall in costs.

48. Retention Money

48.1 6% (six percent) retention money shall be deducted from running bills subject to a maximum of 5% of the agreement amount and shall be refunded 50% immediately after completion of work to the satisfaction of Engineer-in-Charge & balance 50% will be released after expiry of the defect liability period. However, retention money can be released against unconditional Bank Guarantee in favour of department valid for 60 days beyond stipulated period as per schedule.

49. Liquidated Damages(LD)

49.1. The Contractor shall pay liquidated damages to the Employer at the rate per day stated in the Contract Data for each day that the Completion Date is later than the Intended Completion Date (for the whole of the works or the milestone as stated in the contract data). The total amount of liquidated damages shall not exceed the amount defined in the Contract Data. The Employer may deduct liquidated damages from payments due to the Contractor. Payment of liquidated damages does not affect the Contractor's liabilities.

49.2. If the Intended Completion Date is extended after liquidated damages have been paid, the Engineer-in-Charge shall correct any overpayment of liquidated damages by the Contractor by adjusting the next payment certificate. The Contractor shall be paid interest on the over payment calculated from the date of payment to the date of repayment at the rates specified in Sub Clause 43.1. If the contractor achieves the next milestone in time, then LD imposed will be waived off automatically and payment shall be released without any interest in the next bill due to the contractor.

49.3. If the Contractor fails to comply with the time for completion as stipulated in the tender, then the contractor shall pay to the employer the relevant sum stated in the Contract Data as Liquidated damages for such default and not as penalty for everyday or part of day which shall elapse between relevant time for completion and the date stated in the taking over certificate of the whole of the works on the relevant section, subject to the limit stated in the contract data.

The engineer may, without prejudice to any other method of recovery deduct the amount of such damages from any money due or to become due to the contractor. The payment or deduction of such damages shall not relieve the contractor from his obligation to complete the works on from any other of his obligations and liabilities under the contract.

50. Bonus

50.1 If the Contractor achieves completion of the whole of the works prior to the Intended Completion Date prescribed in Contract Data the Employer shall pay to the contractor a sum stated in Contract Data as bonus for every completed month which shall elapse between the date of completion of all items of works as stipulated in the contract, including variations ordered by the Engineer-in-Charge and the time prescribed in Clause 17.

For the purpose of calculating bonus payments, the time given in the Bid for completion of the whole of the works is fixed and unless otherwise agreed, no adjustments of the time by reason of granting an extension of time pursuant to Clause 28 or any other clause of these conditions will be allowed. Any period falling short of a complete month shall be ignored for the purpose of computing the period relevant for the payment of bonus. Time schedule is to be fixed as given below.

DNIT Amount	Time Schedule
1-2.5 cr.	12 Months
2.5-5 cr.	15 Months
5-10 cr.	18 Months
10-20 cr.	21 Months
> 20 cr.	24 Months

51. Advance Payment

51.1. The Engineer shall make advance payment to the Contractor of the amounts stated in the Contract Data by the date stated in the Contract Data, against provision by the Contractor of an Unconditional Bank Guarantee in a form and by a bank acceptable to the Engineer in amounts and currencies equal to the advance payment. The guarantee shall remain effective until the advance payment has been repaid, but the amount of the guarantee shall be progressively reduced by the amounts repaid by the Contractor. Interest will not be charged on the advance payment.

51.2. The Contractor is to use the advance payment only to pay for Equipment, Plant and Mobilization expenses required specifically for execution of the Works. The Contractor shall demonstrate that advance payment has been used in this way by supplying copies of invoices or other documents to the Engineer-in-Charge.

51.3. The advance payment shall be repaid by deducting proportionate amounts from payments otherwise due to the Contractor. Following the schedule of completed percentages of the Works on a payment basis. No account shall be taken of the advance payment or its repayment is assessing valuations of work done, Variations, price adjustments, Compensation Events, or Liquidated Damages.

51.4. Secured Advance

The Engineer-in-Charge shall make advance payment in respect of materials intended for but not yet incorporated in the Works in accordance with conditions stipulated in the Contract Data.

52. Securities

52.1. The Performance Security (Including additional security for unbalanced bids) shall be provided to the Employer not later than the date specified in the Letter of Acceptance and shall be issued in an amount and form and by a bank or surety acceptable to the Employer, and denominated in Indian Rupees. The Performance Security shall be valid until a date 45 days from the date of expiry of Defects Liability Period and the additional security for unbalanced bids shall be valid until a date 45 days from the date of issue of the certificate of completion.

53. Deleted

54. Cost of Repairs

54.1. Loss or damage to the Works or Materials to be incorporated in the Works between the Start Date and the end of the Defects Correction Periods shall be remedied by the Contractor at the Contractor's cost if the loss or damage arises from the Contractor's act or omissions.

E. FINISHING THE CONTRACT

55. Completion

55.1. The Contractor shall request the Engineer-in-Charge to issue a Certificate of Completion of the Works and the Engineer-in-Charge will do so upon deciding that the Work is completed.

56. Taking Over

56.1. The Employer shall take over the Site and the Works within seven days of the Engineer-in-Charge issuing a certificate of Completion.

57. Final Account

57.1. The Contractor shall supply to the Engineer-in-Charge a detailed account of the total amount that the Contractor considers payable under the Contract before the end of the Defects Liability Period. However, the final bill of the work will be passed by the Engineers within 90 days from the date of completion. The final account and final bill are different in nature. The Engineer-in-Charge shall issue a Defect Liability Certificate and certify any final payment that is due to the Contractor within 56 days after the end of defect liability period if it is correct and complete. If it is not, the Engineer-in-Charge shall issue within 56 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Engineer-in-Charge shall decide on the amount payable to the Contractor and issue a payment certificate, within 56 days of receiving the Contractor's revised account.

58. Operating and Maintenance Manuals

58.1. If "as built" Drawing and/or operating and maintenance manuals are required, the Contractor shall supply them by the dates stated in the Contract Data.

58.2. If the Contractor does not supply the Drawings and/or manuals by the dates stated in the Contract Data, or they do not receive the Engineer-in-Charge's approval, the Engineer-in-Charge shall withhold the amount stated in the Contract Data from payments due to the Contractor.

59. Termination

59.1. The Employer or the Contractor may terminate the Contract if the other party causes a fundamental breach of the Contract.

59.2. Fundamental breaches of Contract include, but shall not be limited to the following:

- (a) the Contractor stops work for 20 days when no stoppage of work is shown on the current Programme and the stoppage has not been authorized by the Engineer-in-Charge.
- (b) the Engineer-in-Charge instructs the Contractor to delay the progress of the Works and the instruction is not withdrawn within 28 days;
- (c) the Employer or the Contractor is made bankrupt or goes into liquidation other than for a reconstruction or amalgamation;
- (d) a payment certified by the Engineer-in-Charge is not paid by the Employer to the Contractor within 56 days of the date of the Engineer-in-Charge's certificate;
- (e) the Engineer-in-Charge gives Notice that failure to correct a particular Defect is a fundamental breach of Contract and the Contractor fails to correct it within a reasonable period of time determined by the Engineer-in-Charge;
- (f) the Contractor does not maintain a security which is required.
- (g) the Contractor has delayed the completion of miles stone/ work by 30 days and
- (h) if the Contractor, in the judgment of the Employer has engaged in corrupt or fraudulent practices in competing for or in executing the Contract
- (i) Non-employment of key personnel as per clause 9.

For the purpose of this paragraph "corrupt practice" means the offering, giving, receiving or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution "Fraudulent practice: means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition."

59.3. When either party to the Contract gives notice of a breach of contract to the Engineer-in-Charge for a cause other than those listed under Sub Clause 59.2 above, the Engineer-in-Charge shall decide whether the breach is fundamental or not.

59.4. Notwithstanding the above, the Employer may terminate the Contract for convenience.

59.5. If the Contract is terminated the Contractor shall stop work immediately, make the Site safe and secure and leave the Site as soon as reasonable possible.

60. Payment upon Termination

60.1. If the Contract is terminated because of a fundamental breach of Contract by the Contractor, the Engineer-in-Charge shall issue a certificate for the value of the work done less advance payments received up to the date of the issue of the certificate, less other recoveries due in terms of the contract, less taxes due to be deducted at source as per applicable law and less the percentage to apply to the work not completed as indicated in the Contract Data. Additional Liquidated Damages shall not apply. If the total amount due to the Employer exceeds any payment due to the Contractor the difference shall be a debt payable to the Employer.

60.2. If the Contract is terminated at the Employer's convenience or because of a fundamental breach of Contract by the Employer, the Engineer-in-Charge shall issue a certificate for the value of the work done, the cost of balance material brought by the contractor and available at site, the reasonable cost of removal of Equipment, repatriation of the Contractor's personnel employed solely on the Works, and the Contractor's costs of protecting and securing the Works and less advance payments received up to the date of the certificate, less other recoveries due in terms of the contract and less taxes due to be deducted at source as per applicable law.

61. Property

61.1. All materials on the Site, Plant, Equipment, Temporary Works and Works are deemed to be the property of the Employer, if the Contract is terminated because of a Contractor's default.

62. Release from Performance

62.1. If the Contract is frustrated by the outbreak of war or by any other event entirely outside the control of either the Employer or the Contractor the Engineer-in-Charge shall certify that the Contract has been frustrated. The Contractor shall make the Site safe and stop work as quickly as possible after receiving this certificate and shall be paid for all work carried out before receiving it and for any work carried out afterwards to which commitment was made.

F. SPECIAL CONDITIONS OF CONTRACT

1. LABOUR:

The Contractor shall, unless otherwise provided in the Contract, make his own arrangements for the engagement of all staff and labour, local or other, and for their payment, housing, feeding and transport.

The Contractor shall, if required by the Engineer-in-Charge, deliver to the Engineer-in-Charge a return in detail, in such form and at such intervals as the Engineer-in-Charge may prescribe, showing the staff and the numbers of the several classes of labour from time to time employed by the Contractor on the Site and such other information as the Engineer-in-Charge may require.

2. COMPLIANCE WITH LABOUR REGULATIONS :

During continuance of the contract, the Contractor and his sub-contractors shall abide at all times by all existing labour enactments and rules made thereunder, regulations, notifications and bye laws of the State or Central Government or local authority and any other labour law (including rules), regulations, bye laws that may be passed or notification that may be issued under any labour law in future either by the State or the Central Government or the local authority. Salient features of some of the major labour laws that are applicable to construction industry are given below. The Contractor shall keep the Employer indemnified in case any action is taken against the Employer by the competent authority on account of contravention of any of the provisions of any Act or rules made thereunder, regulations or notifications including amendments. If the Employer is caused to pay or reimburse, such amounts as may be necessary to cause or observe, or for non-observance of the provisions stipulated in the notifications/bye laws/Acts/Rules/regulations including amendments, if any, on the part of the Contractor, the Engineer-in-Charge/Employer shall have the right to deduct any money due to the Contractor including his amount of performance security. The Employer/Engineer-in-Charge shall also have right to recover from the Contractor any sum required or estimated to be required for making good the loss or damage suffered by the Employer.

The employees of the Contractor and the Sub-Contractor in no case shall be treated as the employees of the Employer at any point of time.

SALIENT FEATURES OF SOME MAJOR LABOUR LAWS APPLICABLE TO ESTABLISHMENTS ENGAGED IN BUILDING AND OTHER CONSTRUCTION WORK.

- a) Workman Compensation Act 1923:- The Act provides for compensation in case of injury by accident arising out of and during the course of employment.
- b) Payment of Gratuity Act 1972:- Gratuity is payable to an employee under the Act on satisfaction of certain conditions on separation if an employee has completed 5 years service or more on death, the rate of 15 days wages for every completed year of service. The Act is applicable to all establishments employing 10 or more employees.
- c) Employee P.F. and Miscellaneous Provision Act 1952:- The Act Provides for monthly contributions by the employer plus workers @10% each. The benefits payable under the Act are:
 - (i) Pension or family pension on retirement or death, as the case may be.
 - (ii) Deposit insurance linked with death of the worker during Employment.
 - (iii) Payment of P.F. accumulation or retirement/death etc.
- d) Maternity Benefit Act 1951:- The Act provides for leave and some other benefits to women employees in case of confinement or miscarriage etc.
- (e) Contract Labour (Regulation & Abolition) Act 1970:- The Act provides for certain welfare measures to be provided by the Contractor to contract labour and in case the Contractor fails to provide, the same are required to be provided by the Principal Employer by Law. The Principal Employer is required to take Certificate of Registration and the Contractor is required to take licence from the designated Officer. The Act is applicable to the establishments or Contractor of Principal Employer, if they employ 20 or more contract labour.
- (f) Minimum Wages Act 1948:- The Employer is supposed to pay not less than the Minimum Wages fixed by appropriate Government as per provisions of the Act, if the employment is a scheduled employment. Construction of Buildings, Roads, Runways are scheduled employments.
- (g) Payment of Wages Act 1936:- It lays down as to by what date the wages are to be paid, when it will be paid and what deductions can be made from the wages of the workers.
- (h) Equal Remuneration Act 1979:- The Act provides for payment of equal wages for work of equal nature to Male and Female workers and for not making discrimination against Female employees in the matters of transfers, training and promotions etc.
- (i) Payment of Bonus Act 1965:- Bonus will be paid as per latest policy of the Govt. of India.
- (j) Industrial Disputes Act 1947:- The Act lays down the machinery and procedure for resolution of Industrial disputes, in what situations a strike or lock-out becomes illegal and what are the requirements for laying off or retrenching the employees or closing down the establishment.
- (k) Industrial Employment (Standing Orders) Act 1946:- It is applicable to all establishments employing 100 or more workmen (employment size reduced by some of the States and Central Government to 50). The Act provides for laying down rules governing the conditions of employment by the Employer on matters provided in the Act and get the same certified by the designated Authority.
- (l) Trade Unions Act 1926:- The Act lays down the procedure for registration of trade unions of workmen and employers. The Trade Unions registered under the Act have been given certain immunities from civil and criminal liabilities.
- (m) Child Labour (Prohibition & Regulation) Act 1986:- The Act prohibits employment of children below 14 years of age in certain occupations and processes and provides for regulation of employment of children in all other occupations and processes. Employment of Child Labour is prohibited in Building and Construction Industry.

- (n) Inter-State-Migrant workmen's (Regulation of Employment & Conditions of Service) Act 1979:-
The Act is applicable to an establishment which employs 5 or more inter-state migrant workmen through an intermediary (who has recruited workmen in one state for employment in the establishment situated in another state). The Inter-State migrant workmen, in an establishment to which this Act becomes applicable, are required to be provided certain facilities such as housing, medical aid, traveling expenses from home upto the establishment and back, etc.
- (o) The Building and Other Construction Workers (Regulation of Employment and Conditions of Service) Act 1996 and the Cess Act of 1996:- All the establishment who carry on any building or other construction work and employs 10 or more workers are covered under this Act. All such establishments are required to pay cess at the rate not exceeding 2% of the cost of construction as may be modified by the Government. The Employer of the establishment is required to provide safety measures at the Building or construction work and other welfare measures, such as Canteens, First-Aid facilities, Ambulance, Housing accommodations for workers near the work place etc. The Employer to whom the Act applies has to obtain a registration certificate from the Registering Officer appointed by the Government.
- (p) Factories Act 1948:- The Act lays down the procedure for approval of plans before setting up a factory, health and safety provisions, welfare provisions, working hours, annual earned leave and rendering information regarding accidents or dangerous occurrences to designated authorities. It is applicable to premises employing 10 persons or more with aid of power or 20 or more persons without the aid of power engaged in manufacturing process.

SECTION 4
CONTRACT DATA

CONTRACT DATA

Clause Reference
with respect
to section 3

Items marked "N/A" do not apply in this Contract.

- 1 The Employer Executive Engineer, Jagadhri Provl. Division PWD B&I
Yamuna Nagar
Name: Sh. Virender Jakhar
Address: Jagadhri Provl. Division PWD B&R Br . Yamuna Nagar
- 2 Name of Engineer-in- Charge Executive Engineer-in-Charge, [Cl.1.1]
(Name of Authorized Representative of Engineer-in-Charge will be
intimated later)
- 3 The Defects Liability Period is 36 months from the date of completion of work. [Cl.1.1 & 35]
- 4 The Start Date shall be days after the date of issue of the acceptance letter.
- 5 The Intended Completion Date for the whole of the work is 04 months after start of work with the following milestones: [Cl.1.1,17&28]
[Cl.2.2 &49.1]
- 6 **Milestone dates:**
Physical works to be completed **Period from the start date**
Milestone 1 i.e. 25% 35% of the stipulated time
Milestone 2 i.e. 50% 65% of the stipulated time
Milestone 3 i.e. 75% 85% of the stipulated time
Milestone 4 i.e. 100% 100% of the stipulated time
- 7 The site is located in district Yamuna Nagar [Cl.1.1]
- 8 The following documents also form part of the Contract i.e. undertaking [Cl. 2.3(9)]
bidder if any.
- 9 The law which applies to the Contract is the law of Union of India [Cl.3.1]
- 10 The language of the Contract documents is English [Cl.3.1]
- 11 Limit of subcontracting 20% of the Initial Contract Price [Cl.7.1]
- 12 The Schedule of Key Personnel As per Annex.-II of Section I [Cl.9]
- 13 The minimum insurance cover for physical property, injury and death is Rs Clause Reference
per occurrence with the number of occurrences limited to four. After with respect to
occurrence, contractor will pay additional premium necessary to section 3
insurance valid for four occurrences always. This clause is applica
contracts more than 1.00 crore initially [Cl.13]

- 14 The Site Possession Date shall be the date of issue of acceptance letter [C1.14]
- 15 The SE Chandigarh Circle Hr. PW(B&R)Deptt. Chandigarh (competent aut upto Rs.10.00 crores. [C1.21]
- 16 CE(Bldgs.) beyond Rs.10.00 crores. [C1.24]
- 17 Deleted. [C1.26]
- 18 The period for submission of the programme for approval of Engineer shall be days from the issue of Letter of Acceptance. [C1.27.1]
- 19 The period between programme updates shall be 90 days. [C1.27.3]
- 20 The amount to be withheld for late submission of an updated programme shall be 0.25% of contract price subject to max. of Rs. 2.00 lacs. [C1.27.3]
- 21 The following events shall also be Compensation Events: [C1.44]
- Substantially adverse ground conditions encountered during the course of execution of work not provided for in the bidding document
- (i)Removal of underground utilities detected subsequently.
- (ii)Significant change in classification soil requiring additional mobilization by the contractor, e.g. ordinary soil to rock excavation.
- (iii)Removal of unsuitable material like marsh, debris dumps, etc. not caused by the contractor.
- (iv)Artesian conditions
- (v)Seepage, erosion, landslide.
- (vi)River training requiring protection of permanent work.
- (vii)Presence of historical, archeological or religious structures, monuments interfering with works.
- (viii)Restriction of access of ground imposed by civil, judicial, or military authority.
- 22 The currency of the Contract is Indian Rupees. [C1.46]
- 23 **For contract(s) amounting to more than Rs.1.00 crore,**
- A) if after submission of the tender, the price of cement and /or steel reinforcement bars incorporated in the works increase(s) beyond the price(s) prevailing at the time of last stipulated date for receipt of tenders (including extensions, if any) for the work, then the amount of the contract price shall accordingly be varied and provided further that any such increase shall not be payable if such increase has become operative after the stipulated date of completion of work in question.
- B) If after the submission of the tender, the prices of cement and / or steel reinforcement bars incorporated in the works is decreased, Govt. shall in respect of these materials

incorporated in the works be entitled to deduct from the dues of the contractor such amount as shall be equivalent to the difference between the prices of cement and /for steel reinforcement as prevailed at the time of last stipulated date for receipt of tenders including extensions if any for the work and the prices of these materials on the coming into force of such base price of cement and /or steel reinforcement bars issued under Engineer-In-chief, Hr.PW(B&R) Deptt., Chandigarh. The base price of cement & steel is as below.

Pc (Cement) Rs.4700/- Per MT including taxes

Ps(Steel Reinforcement Bars) Rs.43,000/- Per MT including taxes

It is further clarified that the decrease in the prices of cement & steel shall be deducted from the dues of the contractor if such decrease has become operative after the stipulated date of completion of work

in question and increase shall not be payable if such increase has become operative after the stipulated date of completion of work in question. The increase/decrease in price shall be determined by the **All India Wholesale Price Indices for Cement and Steel (Bars and rods)** as **published by the Economic Advisor to Government of India, Ministry of Commerce and Industry**) and base price for cement and /or steel reinforcement bars as issued under authority of the Engineer-In-chief, Hr.PW(B&R) Deptt., Chandigarh as valid on the last stipulated date of receipt of tender including extension if any and for the period under consideration.

If the purchase rate of cement and steel is less than the base rate no variation in cost will be payable to the agency.

The amount of the contract shall accordingly be carried for cement and /or steel reinforcement bars and will be worked out as per the formula given below.

a) Adjustment for component of 'Cement'

$$V_c = P_c \times Q_c \times \frac{C_1 - C_{10}}{C_{10}}$$

Where,

V_c = Variation in cement cost i.e. increase or decrease in the amount in rupees to be paid or recovered.

P_c = Base price of cement as issued under authority of Engineer-In-chief, Hr.PW(B&R) Deptt., Chandigarh valid at the time of the last stipulated date of receipt of tender including extensions, if any.

Q_c = Quantity of cement used in the works since previous bill.

C_{10} = All India Wholesale Price index for cement as published by the Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the last stipulated date of receipt of tenders including extensions, if any.

C_1 = All India Wholesale Price index for cement for period under consideration as published by Economic Advisor to Government of India, Ministry and Commerce as valid on the date of purchase of material.

b) Adjustment for Component of 'Steel'

$$V_s = P_s \times Q_s \times \frac{S_1 - S_{10}}{S_{10}}$$

Where,

V_s = Variation in cost of steel reinforcement bars i.e. increase or decrease in the amount in rupees to paid or recovered.

P_s = Base price of steel reinforcement bars, as issued under authority of Engineer-In-chief, Hr.PW(B&R) Deptt., Chandigarh at the time of the last stipulated date of receipt of tender including extension, if any.

Q_s = Quantity of steel paid either by way of secured advance or used in the works since previous bill(whichever is earlier)

S_{10} = All India wholesale Price Index for Steel (Bars & rods) for the period under consideration as published by Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the last stipulated date of tenders including extensions, if any.

S1 = All India wholesale Price Index for steel (bars & rods) in for the period under consideration as published by Economic Advisor to Government of India, Ministry of Industry and Commerce as valid on the date of purchase of material.

24. The proportion of payments retained (retention money) shall be 6% from each bill subject to a maximum of 5% of the contract amount. [Cl.48]
25. Amount of liquidated damages for delay in completion of works For Whole of work 1/500 of the Initial Contract Price per day. [Cl.49]
For Milestones (as specified, in item 6 of Contract Data) 1/500 of the initial contract price per day
26. Maximum limit of liquidated damages for delay in completion of work/ milestones 10 per cent of the Initial Contract Price rounded off to the nearest thousand. [Cl.49]
27. Amount of Bonus for early completion of Whole of the works 0.5 percent of the Initial Contract Price (part of a month to be excluded), rounded off to the nearest thousand, per month. [Cl.50]
28. Maximum limit of Bonus for early completion of work 2.5 per cent of the Contract Price rounded to the nearest thousand. [Cl.51&52]
29. The amounts of the advance payment are: (CL:51 & 52)
- | Nature of Advance | | Amount (Rs) Conditions to be fulfilled |
|-------------------|--|--|
| I | Mobilization / equipment Maximum 5 % of the contract price (90% of contract price for working equipment) | <p>An interest bearing mobilization advance upto the extent of 5% of contract value (or such limit as prescribed) is given to contractors for works costing more than Rs. 100 crores, against unconditional and irrevocable bank guarantees to be furnished by the contractor equal to the amount of advances paid from time to time. Interest @Prime Lending Rate (PLR) of SBI prevalent at the time of tender per annum shall be charged against the mobilization advance given to the contractor.</p> <p>The recovery of the mobilization advance together with interest shall be done through percentage deduction from interim/running payments, in the manner prescribed in the contract. It shall be desirable to recover the total amount of mobilization advance alongwith interest within the time stipulated for completion. The mobilization bank guarantee shall be released after the recovery of the mobilization advance, including interest thereon.</p> <p>In case, of slow progress of work, the Engineer-In-Charge comes to a conclusion that the total amount of mobilization advance with interest cannot be recovered by the time 80% of stipulated time is over, the bank guarantee(s) furnished by the contractor may be encashed.</p> <p>If the tender document so provides, the contractor will have the option to furnish mobilization bank guarantee in lieu of and on recovering of ¼, ½, ¾ and full amount of proportional bank guarantees can be released.</p> <p>In case the contractor requires an advance on the security of materials brought to site, Engineer-In-Charge may grant the same on written request from the contractor sanctioned the amount.</p> |
| II | Secured advance for 75% of Invoice value of perishable materials brought to site | In case the contractor requires an advance on the security of materials brought to site, Engineer-In-Charge may grant the same on written request from the contractor sanctioned the amount. |

upto an amount 75% or as decided by the Engineer in Charge of the value (as assessed by themselves) as in the Contract Data of such materials, provided they are of an imperishable nature and that a formal agreement is drawn up with the contractor under which Govt. secures a lien on the materials and is safeguarded against losses due to the contractor postponing the execution of the work or misuse of the material and against the expense entailed for their proper watch and safe custody. If the materials are fire prone or can be destroyed fully/partially on storage, it shall be desirable to have it first insured by the contractor. Cases in which a contractor, whose contract is for fire insurance work, requires an advance on the security of materials brought to site. Divisional Officer may, on written request from the contractor, sanction the advance upto an amount of 75% or as decided by the competent authority of the value (as assessed by themselves) of such materials provided they are of an imperishable nature and a formal agreement is drawn up with the contractor which Government secures a lien on the materials and is safeguarded against losses due to the contractor postponing the execution of the work or misuse of the material and against the expense entailed for their proper watch and safe custody. If the materials are fire prone or can be destroyed fully/partially on storage, it shall be desirable to have it first insured by the contractor.

III Machinery Advance

For works costing more than Rs.10.00 crores, or such amount as may be prescribed by the Government from time to time, another interest bearing machinery advance of a maximum of 5% of the contract price, depending on the merits of the case, can be given with the approval of the Chief Engineer(Buildings) against the new construction equipment brought to the site, if a written request is made by the contractor.

The advance shall be paid only upon the contractor furnishing (i) an affidavit that the machinery in question is free of any charge or hypothecation with any bank or financial institution; (ii) unconditional and irrevocable bank guarantee(s); (iii) satisfactory proof of purchase/payment of the machinery, and (iv) an undertaking that the equipment so purchased by the contractor is required for use on the work in question, is serviceable shall work only on that job and shall not be removed from the site without obtaining written approval of the Engineer-In-Charge. The recovery of machinery advance and the interest to be charged thereon shall be as per tender document. Interest @Prime Lending Rate (PLR) of SBI prevalent at the time of tender period shall be charged against the machinery advance given to the contractor.

The recovery of the machinery advance together with interest shall be done through percentage deduction from interim/running payments, in the manner prescribed in the contract. It shall be desirable to recover the total amount of machinery advance alongwith interest within the time stipulated for completion. The mobilization

guarantee shall be released after the recovery of machinery advance, including interest thereon.

IV Bank Guarantees

The bank guarantee shall be unconditional, requiring the bank to pay the beneficiary the sum specified in the guarantee on the first demand and without demur or delay without reference to the party on whose behalf it has been issued, notwithstanding any dispute or disagreement that might have arisen between the employer and the contractor. The form of bank guarantee shall be prescribed by the departments.

It shall be the duty of the Engineer-In-Charge to obtain independent confirmation about the genuineness of bank guarantees directly from the bank issuing them. Further, he shall keep them in safe custody and hand them over to his successor when a change of charge takes place. Details of bank guarantees shall be entered into a register which shall be reviewed every month to ensure compliance with the action in respect of renewal of any guarantee, if required, before it expires.

(The advance payment will be paid to the Contractor no later than 28 days after fulfillment of the conditions)

30 Deleted.

31 Always provided that the advance shall be completely repaid prior to the expiry of the original time for completion pursuant to clauses 17 and 28.

Repayment of Secured advance.

32. The advance shall be repaid from each succeeding monthly payments to the extent materials [for which advance was previously paid pursuant to Clause 51.4 of G.C.C.] have been incorporated into the Works.

The Securities shall be for the following minimum amounts equivalent as a percentage of the Contract Price

Performance Security for 5 per cent of contract price plus Rs..... (to be decided after evaluation of the bid) as additional security in terms of ITB Clause 29.5.

33. The standard form of Performance Security acceptable to the Employer shall be an unconditional Bank Guarantee of the type as presented in Section 8 of the Bidding Documents.

34. The date by which "as-built" drawings including PH/EI fixations (in scale as directed) in 2 sets are required is within 28 days of issue of certificate of completion of whole or section of the work, as the case may be.

35. The amount to be withheld for failing to supply "as-built" drawings by the date required is 1% of the contract value.

36. The following events shall also be fundamental breach of contract:

"The Contractor has contravened Sub-clause 7.1 and Clause 9 of conditions of contract."

37. The Contractor has contravened Sub-clause 7.1 and Clause 9.0 of GCC.

If the Contract is terminated on account of fundamental breach of Contract by the Contractor, then the additional penalty for not completing the work shall be 20 percent of the value of the work not completed in addition to the Liquidated damages, [Cl:60]

(To be calculated as per Clause 25 of contract date)

SECTION – 5
TECHNICAL SPECIFICATIONS

1.SPECIFICATIONS

The work will be executed as per Haryana PWD B&R Specifications as per latest amendment. In case of any discrepancy the Bureau of Indian Standards shall be followed and then CPWD specifications shall be followed. These will be in order of preference as mentioned below:

- i)Haryana PWD (B&R) Specifications.
- ii)Bureau of Indian Standards.
- iii)CPWD Specifications.

In case, any item is not covered by all three above, then the decision of Engineer-in-Charge shall be final.

2. PREAMBLE

2.1 The technical specifications contained herein shall be read in conjunction with the other bidding documents as specified in volume-1.

2.2 SITE INFORMATION

2.2.1 The information given here under and provided else where in these documents is given in good faith by the employer but the contractor shall satisfy himself regarding all aspects of site conditions and no claim will be entertained on the plea that the information supplied by the employer is erroneous or insufficient.

2.2.2 The area in which the works are located is mostly plain terrain.

2.2.3 GENERAL CLIMATIC CONDITIONS

2.2.3.1 The Variation in daily temperature in this region is as under :-

- (i) During summer months, from about 20° C minimum to 46° C maximum.
- (ii) During winter months, from about 2° C minimum to 28° C maximum.

2.2.3.2 The average annual rainfall in the area is of the order of 500mm. A good portion of which is concentrated during the months of August and September each year.

2.2.3.3 The range of relative humidity varies from a minimum of 40% to a maximum of 80%.

BROAD SPECIFICATION OF STEEL & CEMENT TO BE ARRANGED AND USED BY THE CONTRACTOR/BIDDER

1. **STEEL**

The steel to be used for the work shall be T.M.T. steel as per I.S.1786 Fe. 500 instead of cold twisted Deformed (Ribbed/Tor Steel) and the same will be used by the agency from either of Company TISCON, SAIL, RINL as approved by Engineer-in-Charge equivalent as per IS code 1786. Preferably TISCON will be used. In case TISCON is not available, preference will be given to RINL/SAIL.

2. **CEMENT**

I.S.I. marked 43 grade ordinary Portland cements as per I.S. 8112 (Latest) packed in HDOE bags of 50kg each from the reputed firm from Birla , J.K., Ambuja, J.P. or as approved by Engineer-in-Charge is to be used by the Contractor/ bidder Pozallana, Portland cement can be used only in non RCC work.

3. Test Certificate from Shri Ram Test House/ NIT Kurukshetra or any other approved test center shall be supplied by the agency for each lot of material and the cost thereof shall be borne by the agency.

4. Payment of items involving use of cement , steel will be made to the agency only if original voucher or bill of purchase is supplied to the Engineer-in-Charge-in-Charge .

5. No payment of items involving use of cement steel and other material will be made to the agency if it is brought from any other manufacturer other than mentioned in this DNIT and item thus executed will be rejected & No payment will be made for such items.

6. Marble, Dholpur, Kotah or any other type of stone should be used in the work as approved by the Engineer-in-Charge-in-charge.

7 In case factory manufactured items, the contractor will give the name of manufacturers and a warranty certificate of five years in favour of Engineer-in-Charge-in-charge. In case of doors shutters the type of wood used shall also be given by the manufacturer.

8. All material which will be brought to the site either should be got tested at site or a test certificate from the manufacturer will be produced by the contractor .In case Engineer-in-Charge-in-charge is not satisfied with the certificate produced by the contractor than the material will be sent to a reputed laboratory for testing as desired by the Engineer-in-Charge-in Charge and charges there of shall be borne by the agency.

9. In case sample is not found up to the specification than the testing expenditure will be borne by the agency and material is to be replaced.

10. If test certificate is not produced by the contractor/manufacturer the same will be got tested at the frequency as in I.S. code/laboratory manual/PWD specification and the entire expenditure will be borne by the agency.

11. The aluminum sections to be used in the Joinery work shall be of Jindal or Hindalco.

12. The Cement and Steel will be arranged by the Agency himself at his own cost and the rates quoted by the agency shall also include the cost of Cement and Steel. This claim is applicable for contract(s) costing Rs.1.00 crore and above.

13. The Cement manufactured by the mini Cement plant shall not be allowed to used.

14. The contractor shall use canal water for the construction of building or water from any other sources as approved by the Engineer-in-Charge. Water should be got from tested at regular intervals i.e. maximum of 2 (two) months from the laboratory approved by the Engineer-in-Charge and no extra cost will be paid for the same. Water to be used shall meet latest IS standard as per IS 456/other relevant codes. In case canal water is not available, contractor will install RO system of suitable capacity and check quality of water daily from the Lab set up at site in addition to regular testing from reputed lab.

CONDITIONS FOR EARTH WORK

1. The earth to be used shall be good and free from leaves, mud, vegetable matter slush and other materials.
2. The work shall be carried out strictly in accordance with the P.W.D. specification book of 1990 of latest edition, there to and to the entire satisfaction of the Engineer-in-Charge-in-Charge of the work and as amended from time to time, till the date of final payment.
3. The rate to be quoted shall include all allowances for hardness wetness sales tax forest, dues octroi, cess and all such other charges and taxes leviable if any and nothing extra shall be payable to the agency on this account.
4. Nothing shall be paid for any loss of damages done due to rains, floods, or any other act of God.
5. Payment for earth filling will be done on the basis of cross sections as laid down in the Haryana PWD specification No. 6.2 para 27 (b) read with the para 28 and multiplying the ratio of dry built density of the earth and laid to dry bulk density of natural fill.
6. 20% deduction shall be made for actual measured cubic contents in all cases of un-compacted fills to arrive at the net cubic contents/measurements.
7. No earth shall be taken from Govt. land.
8. In case agency brings/use the earth from lesser lead than provided in the D.N.I.T. / analysis. The rate shall be reduced proportionately.
9. Cross section of existing ground at the interval of 15 metres shall be accepted and signed by the tenderer before start of the work.

TECHANICAL CONDITION FOR EI WORK

1. The recovery of the pipe already laid will be made on measurement rate basis or point rate basis or on actual expenditure basis which ever is on high side. In case of Departmental work, 10% supervision charges shall also be added.
2. Conduit pipe where already laid for wiring purpose will be delivered to the contractor in absolutely clean condition with round inspection boxes duly painted, covered and whole system tested. After the conduit system is handed over to the contractor to whom the work is allotted, he will be responsible for its upkeep.
3. During execution of work, if the contractor does not lay pipe and its accessories in the slab within time prescribed by the Engineer-in-Charge of the work, the Deptt. can then lay the said pipe-departmentally at contractors risk and cost without operating the clause 2 and 3 of the contract agreement.
4. Separate conduit pipe for power plug with independent circuit wires shall be laid.
5. Multi plugs shall be provided in all the buildings.
6. C-Series MCB will be provided for air conditioner wiring and no extra payment will be made and only one make of MCB's will be used in whole work.
7. Vertical type of MCB distribution boards will be provided wherever required as per design.
8. The contractor is also allowed to use MCBs duly ISI marked of more then 9 KA breaking capacity for which no extra payment will be made.
9. For HSR item no.31.12 (D), 31.15 the make of enclosure will be same as that of MCB of standard size having thickness 1.6 mm and 1.2 mm in case of TPN and SPN enclosure respectively.
10. All MCCBs upto 220 Amp will have 25 KA minimum breaking capacity and above 220 amp. MCCBs will have 50 KA minimum breaking capacity. All MCCBs will have magnetic thermal release and rotary operating mechanism duly interlocked and only one make of MCCBs shall be used in whole work. No extra payment on this account shall be made.
11. The thickness of M.S. Sheet of switch boxes should be of 16 gauges for which no extra payment will be made.
12. The fan boxes sheet should be 16 gauge and anodized for which no extra payment will be made.
13. The contractor shall install the material from the list of approved electrical material appended in the NIT. Material not covered in the list will be used as per HSR-1988, and PWD Specifications-1990.
14. The contractor must ensure preparation and submission of pipe diagram, wiring diagram, key diagram etc. as required vide PWD Specifications Chapter No. 31.6.
15. Where ISI recommends multi stranded conductor of cable, cable with multi- stranded conductor only will be used on work.

16. Rates should be quoted by the tenderer both in word and in figure, in case of any difference between the two, the lowest of the same shall be considered as final rate.
17. The rates of bus bar includes the cost of all Labour and material required to complete the job in all respect including thimbles etc. of the same material as that of bars. The support for bars will be made of porcelain. No extra payment in this regard will be given.
18. The tenderer must either be 'A' Class Electrical Contractor enlisted with Haryana PW(B&R) Deptt. or he must sublet the electrical work to a sub contractor possessing the above qualification. The Sub contracting will be done with the written approval of Superintending Engineer, Elect. Circle PW(B&R) Deptt., Karnal or Executive Engineer, Elect. Divn. PW(B&R) Deptt. (concerned division) as per competency.
19. The contractor must employ the following staff while carrying out work:-

List of Key Personnel to be deployed on Contract Work.

(Reference CI 4.5 (B) (b))

Sr. No.	Agreement Amount.	Key personal required to be Employed by the contractor.	Recovery rate in case non –Employment.
1	Upto Rs. 1.00 crore	One Electrical Engineer with diploma in Electrical Engineering with 5 years experience of building construction.	Rs. 30,000/- per month
2	Above Rs. 1.00 cr. to Rs. 5.00 cr.	One Electrical Engineer with degree in Electrical Engineering with 2 years experience or Diploma in Electrical Engineering with 5 years experience in building construction.	Rs. 50,000/- per month
3	Above Rs. 5.00 cr.	One Electrical Engineer with degree in Electrical Engineering with 5 years experience in building construction	Rs. 75,000/- per month for Civil Engineer.

21. All the street light fittings, bulbs and cables will be got inspected by the contractor at the works/Go down of the manufacturer before installation at site. A certificate will also be produced/ submitted by the contractor about the authenticity of purchase of above material from the authorized source.
22. Only HYLAM make ISI make (I.S.2036-1995) white Bakelite sheet will be used without any extra cost.
23. The rates mentioned in the NIT are for complete item including cost of all accessories, material, labour, tool plants, water electricity bills etc. Unless otherwise specified. No extra payment for the same shall be made.
24. The minimum size of MS control switch boards for controlling one fan point and one light point shall not be less than 20cm x 25cm x 10cm.
25. The MS box for telephone, Intercom and Bell push shall be installed of size 100mm x 100mm x 60mm in place of 75mm x 75mm x 60mm.
26. The tender having ambiguous/confusing rates and conditions shall be summarily rejected.
27. The quantity/amount of NIT can be increased or decreased.
28. No Road cut charges shall be paid.

29. The contractor shall install two number check nuts and one No. PVC threaded Bush for each pipe in MS inspection boxes. The contractor shall also install PVC flanged bush in the junction boxes for each pipe. No extra payment on this account will be made. The contractor shall quote the rates accordingly.

L.T. panel: -

General: - This distribution board shall be fabricated out of 14 gauge sheet steel cubical type suitable for floor mounting end or dead front type. Suitable rubber gaskets shall be provided between all opening and joint to make the distribution board dust, moisture and vermin proof. The distribution board shall be suitable for indoor location and shall consist of the bus bar chambers both vertically and horizontally and the cable entry for the distribution shall be from bottom. Distribution board will consist of a number of vertical sections. Each vertical section shall be divided in to a few standard sizes of the compartment. The equipment for the various incoming and out going feeders shall be housed in a separate compartment. Each compartment door of distribution board shall be provided with inter locking arrangement with the handle of the respective switches/ MCCB such that the door can not be opened unless the switches are in the off position. Vertical cable entry shall be provided on each section of the distribution board for cabling purpose. Continues bus bar of copper shall be provided at the bottom along the entire length, cable compartment with concealed hinged front door will be fully segregated from the main horizontal/ vertical bus bar of equipment module. The distribution board shall be painted with a suitable enameled shade after necessary primary treatment. The distribution board shall be suitable for operation on 415 volts 3 phase 50 cycles per second A.C. supply system.

Bus Bar: - The high conductivity copper bus bar provided in the chambers shall be duly tinned and insulated and rigidly supported at the short intervals by strong 12mm thick non inflammable hylam partitions. The partitions shall be so designed so as to with stand the stress, which can normally occur on short circuits. Further, The bus bars and links shall be of flat copper dully tinned so that the contract between bus bars shall be easily accessible from front for any connections and inspection etc.

The bus bars chamber should have of strong metal having no possibility of any dents, due to accidents and damage, which could result into electrical fault. Bus bars chamber shall be of unit type construction and have standard flanges opening at the top and bottom on both side so that any modification, extension can be easily effected at the site.

Test Certificate: - A test certificate from the manufacturer shall be handed over to the department before installation of the panel specifying that the panel conform to relevant ISS/ PWD specifications.

Wiring Diagram: - After completion of the work complete diagram showing connections to the various equipment on the board is to be prepared by the contractor and to be submitted to the department along with final bill of the work. In case contractor fails to supply the diagram amount @ 0.5% of the work executed shall be deducted from the contractor's final bill.


Connection: - Inter connections from bus bar chamber to the different molded case circuit breaker / air circuit breaker should be through solid copper bars of the required capacity duly tinned and insulated for which no extra payment will be made.

LIST OF APPROVED MAKES OF ELECTRICAL ACCESSORIES AND ITEMS.

SR.NO.	NAME OF ITEMS	NAME OF BRANDS.
1	(A)Electrical accessories, Batten Holder, Pendent Holder, Ceiling rose, Bellpush, Switches and sockets etc.(ISI Marked). (B) Modular accessories	Anchor Penta,SSK (PENTA) Anchor(Wood), ABB(Classic), Lagrand(Mosaic), North West.
2	Bakelite sheet (only white in colour).	Hylem make (ISI marked) as per IS 2036-95
3	MS Conduit pipes.(I.S.I Marked)	BEC, NIC, STEEL KRAFTS.
4	Call Bell and Buzzer.	Anchor,Leader,Rider.
5	PVC wires (Copper condutor) (ISI Marked)	Grandlay, Havell's, Kalinga, National, Plaza, ECKO, Bonton.
6	PVC underground cable with aluminium conductor (ISI marked)	Brucab, CCI, Grandlay, Havell's,ICC,ICL Kalinga, National,Plaza.
7	HT-XLPE cables with AI. Conductor (ISI Marked).	CCI, Gloster, Havell's,ICC, ICL, Incab, Plaza.
8	LT-XLPE cables with AI. Conductor (ISI Marked).	CCI, (Tropothen-X) Grandlay, Havell,s, Incab, ICL, ICC, Plaza.
9	PVC pipe 6Kg. Pressure (ISI Marked).	AKG,Diplast,Kalinga, Polypack.
10	GI pipe and MS pipe (Medium) (ISI Marked)	Hindustan, Jindal, Parkash, Ravindra, Tata.
11	I.C Switches.	Category-A: GE, L&T, Siemens Category-B:(ISI Marked): Havell's, Standard, Zeta, C&S
12	MCB's (ISI Marked).	GE, Havell's, Indo- Kopp, L & T, Load Kontakt, Standard, Siemens, C&S, ABB.
13	Enclosures (Standard Size only).	Makes as per MCB's (But in case of Indo-Kopp it will be Indo-Asian)
14	ELCB's/ RCCB's (ISI Marked).	GE, Havell's , Load Stop, L&T, Siemens,
15	MCCB's	GE, Havell's, L&T, Siemens. Schineider Electric, C&S & ABB.
16	Poles.	Manufactured by any firm as per ISI Marked sectional lengths and strictly according to IS specifications.
17	PVC Tee Joints.	M-Seal.


18	Ceiling fans (Double ball bearings).	Bajaj, Crompton, Khaitan, Orient, Usha.
19	Exhaust Fans (Heavy Duty).	Alstom, Bajaj, Crompton, Khaitan, Orient.
20	Indoor tube light fittings.	Bajaj, Crompton, GE, Philips.
21	Tubes/ Bulbs (ISI Marked).	Bajaj, Crompton, GE, Mysore, Philips.
22	OUTDOOR Street / Flood Light Fittings.	Bajaj, Crompton ,GE, Philips.
23	ACB's	GE, L&T, Siemens, Schineider Electric.
24	OCB's & VCB's.	Alstom, Crompton, Siemens.
25	TRANSFORMERS.	Alstom, Bharat Bijlee, Kirloskar, Crompton, NGEF, Voltamp.
26	GENERATORS:	a) Engines: Cummins, Greaves cotton, Kirloskar, Ruston. b) Alternator: Crompton, Jyoti, Kirlosker, NGFC , Stamford,
27	Energy Meter/ Sub Meter.	As per approved list of HVPN.

L.T. PANEL SIZE 1700 MM X 1875 MM X 500 MM.
FOR LIGHT LOAD



RJ
AV
D 558 P.

L.T. PANEL SIZE 1700MM X 1100MM X 100MM
FOR POWER LOAD



RJ
GURJON D. [Signature]

TECHNICAL CONDITION FOR P.H. ITEMS.

P.H. fixtures.

1. The P.H. fixtures such as seats, urinals, Cistern, Sinks etc. shall be of reputed manufacturers such as Hindware only etc. shall be used. Preferably Hindware will be used.
2. The G.I. pipe to be used of 'B' Class of reputed manufacturers such as Tata/Jindal. The weight of pipe per meter shall be as per recommendation of the manufacturers.
3. The P.V.C. pipes shall be I.S.I. marked and reputed brand such as Finolex, Prince & Supreme etc.
4. The other fixture of C.P. brass as mentioned in the Schedule shall be I.S.I. marked or of reputed manufacturers such as Jaguar or equivalent duly approved by Engineer-In-Charge.
5. The item of H.C.I. as mentioned in the Schedule shall be as per Haryana P.W.D. Specification.
6. In this contract schedule of rates only essential portion of items has been written, for Public Health item, but it will deem to cover only the entire items as fully described in Haryana PWD Schedule of Rates - 1988.
7. The Engineer-in-Charge shall be entitled to order against any item of work shown in this contract schedule of rates here-in-after called the "Schedule" to any extent and without any limitation what-so-ever required in his opinion for the purpose of work irrespective of the fact that the quantities are omitted altogether in the schedule to be carried out.

Conditions for Public Health Works

1. The work will be carried out strictly in accordance with the PWD Book of specification addition 1990, which will form a part and parcel of this contract agreement.
2. In this contract schedule of rates only essential portion of item has been written, but it will deem to cover the entire items as fully descry bed in Haryana PWD schedule of rates-1988.
3. The Engineer-in-Charge-in-charge shall be entitled to order work against any item of work shown in this contract schedule of rates hereinafter called the schedule, to any extent and without any limitation where ever as may be required in his opinion for the purpose of work, Irrespective of the fact that the quantities are omitted all together in the schedule or are shown more or less than the work ordered to be carried out.
4. The rate for any item of work not provided in the Haryana PWD schedule of rates 1988 but executed at site will be decided by the competent authority and the decision will be binding upon the contractor.
5. All the items in this contract schedule or rates are subject to the footnotes given in the Haryana PWD schedule or rates of rates 1988 regarding these items.
6. Approximate quantities are given in this contract schedule of rates and may vary at the time of execution of works. The payment will however be made for the actual work done by the contractor. No extra claims whatsoever will be admissible to the contractor on account of v variation alternation or deletion of any items over the quantities depicted in this contract schedule of rates.
7. All amendments issued on the Haryana PWD Schedule of Rates-1988 upto the date of opening of tenders will be applicable on the contract schedule of rates.
8. The contractor will have to make his own arrangement of bricks.
9. Any other items not included in this contract schedule of rates and got done at site of work will be paid according to Haryana PWD schedule of rates 1988 accepted in the allotment letter approval issued by the competent authority against this agreement.
10. No claim will be entertained from the contractor in case of any omission in description rates or unit which might have occurred in any of these items taken in this schedule while comparing this schedule or on account of typing comparison or overwriting in case of any error the same shall be rectifiable at any stage as per Haryana PWD schedule of rates 1988 alongwith the amendments on the same received from time to time.
11. The premium should be quoted above or below the contract schedule of rates and no condition should be given in case any condition is tendered this will be considered as Null and void and only the premium or discount quoted by the tenderer shall be accepted in case any tenderer refuses to accept this his earnest money will be forted.

12. The contractor shall submitted the test certificate if the steel brought by him to site of work also the sample of steel may be got tested by the Engineer-in-Charge-in-Charge. The steel shall be ISI marked.
13. No. premium shall be payable on the allotted rates of NS items by the competent authority.
14. Inspection of SW pipe & RCC NP3 pipe will be carried out by the Engineer-in-Charge-in-Charge or his representative before the same are brought at site for use & SW pipe & RCC NP3 pipe will be confirming to all the tests including optional test as per IS 651-1992 for SW pipe and 458-1988 for RCC NP3 pipe with upto date amendment.
15. The measurement of SW pipe & RCC NP3 pipe sewer provided on through rate basis will be done by at least 2 No J.Es to be nominated by Engineer-in-Charge-in-Charge.
16. Each manhole cover and frame shall have the trade mark of manufacturer month and year alongwith class and work and shall be ISI mark.
17. All taxes such as royalty municipal tax octori charges and any other kind of taxes shall be paid by the contractor and are included in the rate quoted by the contractor separately for which no premium will be allowed.
18. As and when contractor gives condition that arrangement of water shall made by the department, it shall be deemed that all the charges incurred thereon shall be borne by the department and recovery on the total work done shall be made from him.
19. Rate to be quoted by the contractor for each N.S item for complete Job including all taxes, carriage etc. Nothing extra on any account shall be paid.
20. Payment will be made according to the actual work done by the contractor.
21. Towel rails and bottle traps will be fitted after the written approval of Engineer-in-Charge.

SECTION 6

FORM OF BID

FORM OF BID

Description of the Works:

Renovation and beautification of existing Park Namely Bhagat Singh Park situated in Model Town at Yamuna Nagar

To _____ :

Address _____ :

1. We offer to execute the Works described above and remedy any defects therein in conformity with the conditions of Contract, specification, drawings, Bill of Quantities and Addenda for the sum(s) of _____
(_____)
2. We undertake, if our Bid is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Engineer-in-Charge's notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the document.
3. We agree to abide by this Bid for the period of * _____ days from the date fixed for receiving the same, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
4. Unless and until a formal Agreement is prepared and executed this Bid, together with your written acceptance thereof, shall constitute a binding contract between us.
5. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this _____ day of _____ 20.....

Signature _____ in the capacity of _____ duly authorized to sign bids for and on behalf of _____

(in block capitals or types)

Address

Witness

Address

Occupation

SECTION 7

BILL OF QUANTITIES

**DETAILED NOTICE INVITING TENDER FOR RENOVATION AND BEAUTIFICATION
OF EXISTING PARK NAMEDLY BHAGAT SINGH PARK SITUATED IN MODEL TOWN
AT YAMUNA NAGAR**

Amt. Cost Rs. 18.50 lacs

Date of Tender :

Earnest Money : Rs.
Rs.

Time Limit: 03 Months

Sr. No.	Description of items	Quantity	Rate	Unit
			Rate to be quoted by agency	
	iv) Baby swing 2 Seater:- 6'x7' with double support. Manufactured with 70x70mm 14 gauge + ISI MS pipe with supports of 35x35mm ISI mark 14 gauge MS pipe. Top should be covered with pencil tops.seats should be of Fiberglass material with PU coating. Tested Chains of 6mm will be used with MS reels	1		Each(Per number)

Note:

1. Item for which no rate or price has been entered in will not be paid for by the employer when executed and shall be deemed covered by the other rates and prices in the bill of quantities (Refer: ITB Clause 13.2 and GCC Clause 43.3).
2. Unit rates and prices shall be quoted by the bidder in Indian rupee [ITB clause 14.1].
3. Where there is a discrepancy between the rate in figures and words, the rates in words will govern. [ITB Clause 27.1(a)].
4. Where there is a discrepancy between the rate and the line item total resulting from multiplying the unit rate by quantity, the unit rate quoted shall govern [ITB Clause 27.1(b)].

BILL OF QUANTITIES

Preamble

1. The Bill of Quantities shall be read in conjunction with the Instructions to Bidders, Conditions of Contract, Technical Specifications and Drawings.
2. The quantities given in the Bill of Quantities are estimated and provisional, and are given to provide a common basis for bidding. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Engineer-in-Charge and valued at the rates and prices tendered in the priced Bill of Quantities, where applicable, and otherwise at such rates and prices as the Engineer-in-Charge may fix within the terms of the Contract.
3. The rates and prices tendered in the priced Bill of Quantities shall, except in so far as it is otherwise provided under the Contract, include all constructional plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes cess and duties, together with all general risks, liabilities and obligations set out or implied in the Contract.
4. The rates and prices shall be quoted entirely in Indian Currency.
5. The cost of Items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
6. The whole cost of complying with the provisions of the Contract shall be included in the items provided in the priced Bill of Quantities, and where no Items are provided the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
7. General directions and descriptions of work and materials are not necessarily repeated or summarized in the Bill of Quantities. References to the relevant sections of the contract documentation shall be made before entering rates or prices against each item in the Bill of Quantities.
8. The method of measurement of completed work for payment shall be in accordance with the specification of Haryana PWD (B&R)
9. Errors will be corrected by the Employer for any arithmetic errors pursuant to Clause 29 of the Instructions to Bidders.
10. Rock is defined as all materials which, in the opinion of the Engineer-in-Charge, require blasting, or the use of metal wedges and sledgehammers, or the use of compressed air drilling for its removal, and which cannot be extracted by ripping with a tractor of at least 150 kw with a single rear mounted heavy duty ripper.

Notes for Public Health items

1. Any items of work not provided in the contract schedule of rates if required to be executed will be paid as per Haryana PWD schedule of rates 1988 plus ceiling premium as applicable in DNIT subject to the premium tendered by the contractor. In case of non schedule item, these will be paid by the Engineer-in-Charge based on market rates of that time after getting approval from the competent authority and will be binding upon the contractor.
2. The work will be carried out strictly in accordance with the PWD book of specification 1990 edition and that will form part and parcel of this contract agreement.
3. The Engineer-in-charge shall be entitled to order work against any item or work shown in this contract schedule of rates hereinafter called the "Schedule" to any extent and without any limitation whatsoever as may be required in his opinion for the purpose of work irrespective of the fact the quantities are omitted altogether in the "Schedule" or shown more or less than the work ordered to be carried out.
4. In this contract schedule of rates only essential portion of items has been written, but it will deem to cover the entire items as fully described in Haryana PWD schedule rates 1988 till the date of opening of tender and will be applicable on this contract schedule of rates.
5. All the items in this contract schedule of rates 1988 subject to the foot notes given in the Haryana PWD schedule of rates 1988 till the date of opening of tender and will be applicable on this contract schedule of rates.
6. Approximate quantities are given in this contract schedule of rates and may vary at the time of execution of works done at site by the contractor.
7. The condition regarding this agreement of bricks & tiles by the departments be accepted & tagged with this condition is liable or rejection will be issued from the department. The bricks will be arrangement by the contractor himself.
8. All amendments issued to the Haryana PWD schedule of rates will be applicable on the contract schedule of rates.
9. As and when contractor gives condition that arrangement of water shall be made by the department, it shall be deemed that all the charges incurred thereon shall be borne by the department and recovery on the total work done shall be made from him.
10. No claim will be entertained from the contractor in case of any mistake in description, rate or unit occurred on account of typing or comparison or over sight. If there is any mistake, the same shall be rectifiable by the Engineer-In-Charge at any stage as per Haryana PWD schedule of rates 1988 and all the amendments received from time to time.
11. The premium should be quoted above or below the contract schedule or rates and no condition should be given. In case any conditions is tendered, this will be considered as null and void and only the premium or discount quoted by the tenderer shall be accepted. In case any tendered refused to accept the above afterwards, his earnest money will be forfeited.
12. Tender premium will not be allowed on N.S. item.
13. Rate to be quoted by the contractor for each N.S. item for complete job including all taxes, carriage etc. Nothing extra on any account shall be paid.
14. The payment will be made according to the actual work done by the contractor.
15. Towel rails and bottle traps will be fitted after written approval of Engineer-in-Charge.

SECTION 8

SECURITIES AND OTHER FORMS

BID SECURITY (BANK GUARANTEE)

WHEREAS, _____ [name of Bidder] (hereinafter called "the Bidder") has submitted his Bid dated _____ [date] for the construction of _____ [name of Contract hereinafter called "the Bid"].

KNOW ALL PEOPLE by these presents that We _____ [name of Bank] of _____ [name of country] having our registered office at _____ (hereinafter called "the Bank") are bound unto _____ [name of Employer] (hereinafter called "the Employer") in the sum of _____* for which payment well and truly to be made to the said Employer the Bank itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank this _____ day of _____, 20____.

THE CONDITIONS of this obligation are:

(1) If after Bid opening the Bidder withdraws his bid during the period of Bid validity specified in the Form of Bid;

OR

(2) If the Bidder having been notified to the acceptance of his bid by the Employer during the period of Bid validity :

- (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to Bidders, if required; or
- (b) fails or refuses to furnish the Performance Security, in accordance with the Instructions to Bidders; or
- (c) does not accept the correction of the Bid Price pursuant to Clause 27.

We undertake to pay to the Employer up to the above amount upon receipt of his first written demand, without the Employer having to substantiate his demand, provided that in his demand the Employer will note that the amount claimed by him is due to him owing to the occurrence of one or any of the three conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date _____** days after the deadline for submission of Bids as such deadline for submission of Bids as such deadline is stated in the Instructions to Bidders or as it may be extended by the Employer, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this guarantee should reach the Bank not later than the above date.

DATE _____ SIGNATURE _____

WITNESS _____ SEAL _____

[Signature, name and address]

* The Bidder should insert the amount of the guarantee in words and figures denominated in Indian Rupees. This figure should be the same as shown in Clause 16.1 of the Instructions to Bidders.

** 45 days after the end of the validity period of the Bid. Date should be inserted by the Employer before the Bidding documents are issued.

PERFORMANCE BANK GUARANTEE

To

_____ [name of Employer]
_____ [address of Employer]

WHEREAS _____ [name and address of Contractor] (hereafter called "the Contractor") has undertaken, in pursuance of Contract No. _____ dated _____ to execute _____ [name of Contract and brief description of Works] (hereinafter called " the Contract").

AND WHEREAS it has been stipulated by you in the said Contract that the Contractor shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with his obligation in accordance with the Contract;

AND

WHEREAS we have agreed to give the Contractor such a Bank Guarantee:

NOW THEREFORE we hereby affirm that we are the Guarantor and responsible to you on behalf of the Contractor, up to a total of _____ [amount of guarantee]* _____ (in words), such sum being payable in the types and proportions of currencies in which the Contract Price is payable, and we undertake to pay you, upon your first written demand and without cavil or argument, any sum or sums within the limits of _____ [amount of guarantee] as aforesaid without your needing to prove or to show grounds or reasons for your demand for the sum specified therein.

We hereby waive the necessity of your demanding the said debt from the contractor before presenting us with the demand.

We further agree that no change or addition to or other modification of the terms of the Contract or of the Works to be performed thereunder or of any of the Contract documents which may be made between you and the Contractor shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall be valid until 28 days from the date of expiry of the Defect Liability Period.

Signature and Seal of the guarantor _____
Name of Bank _____
Address _____
Date _____

* An amount shall be inserted by the Guarantor, representing the percentage the Contract Price specified in the Contract including additional security for unbalanced Bids, if any and denominated in Indian Rupees.

BANK GUARANTEE FOR ADVANCE PAYMENT

To

_____ [name of Employer]
_____ [address of Employer]
_____ [name of Contractor]

Gentlemen :

In accordance with the provisions of the Conditions of Contract, sub-clause 51.1 ("Advance Payment") of the above-mentioned Contract, _____ [name and address of Contractor] (hereinafter called "the Contractor") shall deposit with _____ [name of Employer] a bank guarantee to guarantee his proper and faithful performance under the said Clause of the Contract in an amount of _____ [amount of Guarantee]* _____ [in words].

We, the _____ [bank of financial institution], as instructed by the Contractor, agree unconditionally and irrevocably to guarantee as primary obligator and not as Surety merely, the payment to _____ [name of Employer] on his first demand without whatsoever right of obligation on our part and without his first claim to the Contractor, in the amount not exceeding _____ [amount of guarantee]* _____ [in words].

We further agree that no change or addition to or other modification of terms of the Contractor or Works to be performed thereunder or of any of the Contract documents which may be made between _____ [name of Employer] and the Contractor, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment under the Contract until _____ [name of Employer] receives full repayment of the same amount from the Contractor.

Yours truly,

Signature and Seal of the guarantor _____
Name of Bank _____
Address _____
Date _____

* An amount shall be inserted by the Bank or Financial Institution representing the amount of the Advance Payment, and denominated in Indian Rupees.

**INDENTURE FOR SECURED ADVANCES
FORM 31**

(for use in cases in which the contract is for finished work and the contractor has entered into an agreement for the execution of a certain specified quantity of work in a given time).

This indenture made the _____ day of _____, 20__ BETWEEN _____(hereinafter called the contractor which expression shall where the context so admits or implies be deemed to include his executors, administrators and assigns) or the one part and the Employer of the other part.

Whereas by an agreement dated _____ (hereinafter called the said agreement) the contractor has agreed.

AND WHEREAS the contractor has applied to the Employer that he may be allowed advanced on the security of materials absolutely belonging to him and brought by him to the site of the works the subject of the said agreement for use in the constructions of such of the works as he has undertaken to executive at rates fixed for the finished work (inclusive of the cost of materials and labour and other charges).

AND WHEREAS the Employer has agreed to advance to the Contractor the sum of Rupees _____ on the security of materials the quantities and other particulars of which are detailed in Accounts of Secured Advances attached to the Running Account bill for the said works signed by the Contractor on _____ and the Employer has reserved to himself the option of making any further advance or advances on the security of other materials brought by the Contractor to the site of the said works.

Now THIS INDENTURE WITNESSETH that in pursuance of the said agreement and in consideration of the sum of Rupees _____ on or before the execution of these presents paid to the Contractor by the Employer (the receipt where of the Contractor doth hereby acknowledge) and of such further advances (if any) as may be made to him as a for said the Contractor doth hereby covenant and agree with the President and declare as follows:

- (1) That the said sum of Rupees _____ so advanced by the Employer to the Contractor as aforesaid and all or any further sum of sums advanced as aforesaid shall be employed by the Contractor in or towards expending the execution of the said works and for no other purpose whatsoever.
- (2) That the materials details in the said Account of Secured Advances which have been offered to an accepted by the Employer as security are absolutely the Contractor's own propriety and free from encumbrances of any kind and the contractor will not make any application for or receive a further advance on the security of materials which are not absolutely his own property and free from encumbrances of any kind and the Contractor indemnified the Employer against all claims to any materials in respect of which an advance has be made to him as aforesaid.
- (3) That the materials detailed in the said account of Secured Advances and all other materials on the security of which any further advance or advances may hereafter be made as aforesaid (hereafter called the said materials) shall be used by the Contractor solely in the execution of the said works in accordance with the directions of the Engineer-in-Charge.
- (4) That the Contractor shall make at his own cost all necessary and adequate arrangements for the proper watch, safe custody and protection against all risks of the said materials and that until used in construction as aforesaid the said materials shall remain at the site of the said works in the Contractor's custody and on his own responsibility and shall at all times be open to inspection by the Engineer-in-Charge or any officer authorized by him. In the event of the said materials or any part thereof being stolen, destroyed or damaged or becoming deteriorated in a greater degree than

is due to reasonable use and wear thereof the Contractor will forthwith replace the same with other materials of like quality or repair and make good the same required by the Engineer-in-Charge.

- (5) That the said materials shall not be any account be removed from the site of the said works except with the written permission of the Engineer-in-Charge or an officer authorized by him on that behalf.
- (6) That the advances shall be repayable in full when or before the Contractor receives payment from the Employer of the price payable to him for the said works under the terms and provisions of the said agreement. Provided that if any intermediate payments are made to the Contractor on account of work done than on the occasion of each such payment the Employer will be at liberty to make a recovery from the Contractor's bill for such payment by deducting there from the value of the said materials than actually used in the construction and in respect of which recovery has not been made previously, the value for this purpose being determined in respect of each description of materials at the rates at which the amounts of the advances made under these presents were calculated.
- (7) That if the Contractor shall at any time make any default in the performance or observance in any respect of any of the terms and provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing of the Employer shall immediately on the happening of such default be repayable by the Contractor to be the Employer together with interest thereon at twelve per cent per annum from the date or respective dates of such advance or advances to the date of repayment and with all costs, charges, damages and expenses incurred by the **Employer** in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the Contractor and the Contractor hereby covenants and agrees with the **Employer** to reply and pay the same respectively to him accordingly.
- (8) That the Contractor hereby charges all the said materials with the repayment to the Employer of the said sum of Rupees _____ and any further sum of sums advanced as aforesaid and all costs, charges, damages and expenses payable under these presents PROVIDED ALWAYS and it is hereby agreed and declared that notwithstanding anything in the said agreement and with- out prejudice to the power contained therein if and whenever the covenant for payment and repayment here-in-before contained shall become enforceable and the money owing shall not be paid in accordance there with the **Employer** may at any time thereafter adopt all or any of the following courses as he may deem best :
 - (a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the contractor in accordance with the provisions in that behalf contained in the said agreement debiting the contractor with the actual cost of effecting such completion and the amount due to the contractor with the value of work done as if he had carried it out in accordance with the said agreement and at the rates thereby provided. If the balance is against the contractor, he is to pay same to the **Employer** on demand.
 - (b) Remove and sell by public auction the seized materials or any part there of and out of the moneys arising from the sale retain all the sums aforesaid repayable or payable to the **Employer** under these presents and pay over the surplus (if any) to the Contractor.
 - (c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the Contractor under the said agreement.
- (9) That except in the event of such default on the part of the contractor as aforesaid interest on the said advance shall not be payable.
- (10) That in the event of any conflict between the provisions of these presents and the said agreement the provisions of these presents shall prevail and in the event of any dispute or difference arising over the construction or effect of these presents the settlement of which has not been here-in-before expressly provided for the same shall be referred to the Employer whose decision shall be final and the provision of the Indian Arbitration Act for the time being in force shall apply to any such reference.

Letter of Acceptance
(Letterhead paper of the Employer)

_____ (Date)

To

_____ (Name and address of the Contractor)

Dear Sirs,

This is to notify you that your Bid dated _____ for execution of the _____ (name of the contract and identification number, as given in the Instructions to Bidders) for the Contract Price of Rupees _____ (_____) (amount in words and figures), as corrected and modified in accordance with the Instructions to Bidders¹ is hereby accepted by our agency.

We accept/ do not accept that _____ be appointed as the Adjudicator². You are hereby requested to furnish Performance Security, in the form detailed in Para 34.1 of ITB for an amount equivalent to Rs. _____ within days of the receipt of this letter of acceptance valid up to 28 days from the date of expiry of defects Liability Period i.e. up to _____ and sign the contract, failing which action as stated in Para 34.3 of ITB will be taken.

Your faithfully,

Authorized Signature
Name and title of Signatory
Name of Agency

¹ Delete “corrected and” or “and modified” if only one of these actions applies. Delete as corrected and modified in accordance with the Instructions to Bidders, if corrections or modifications have not been affected.

² To be used only if the Contractor disagrees in his Bid with the Adjudicator proposed by the Employer in the “Instructions to Bidders”.

Issue of Notice to proceed with the work
(Letterhead of the Employer)

_____ (Date)

To

_____ (Name and address of the Contractor)

Dear Sirs,

Pursuant to your furnishing the requisite security as stipulated in ITB Clause 34.1 and signing of the Contract for the construction of _____
_____ at a Bid Price of
Rs. _____.

You are hereby instructed to proceed with the execution of the said works in accordance with the contract documents.

Your faithfully,

(Signature, name and title of signatory authorized
to sign on behalf of Employer)

Agreement Form

Agreement

This agreement, made the _____ day of _____ between _____ (name and address of Employer) [hereinafter called "the Employer] and _____ (name and address of contractor) hereinafter called "the Contractor" of the other part.

Whereas the Employer is desirous that the Contractor execute _____ (name and identification number of Contract) (hereinafter called "the Works") and the Employer has accepted the Bid by the Contractor for the execution and completion of such Works and the remedying of any defects therein, at a cost of Rs. _____

NOW THIS AGREEMENT WITNESSETH as follows:

1. In this Agreement, words and expression shall have the same meanings as are respectively assigned to them in the conditions of contract hereinafter referred to and they shall be deemed to form and be read and construed as part of this Agreement.
2. In consideration of the payments to be made by the Employer to the Contractor as hereinafter mentioned, the Contractor hereby covenants with the Employer to execute and complete the Works and remedy any defects therein in conformity in all aspects with the provisions of the contract.
3. The Employer hereby covenants to pay the Contractor in consideration of the execution and completion of the Works and the remedying the defects wherein Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
4. The following documents shall be deemed to form and be ready and construed as part of this Agreement viz.
 - i) Letter of Acceptance
 - ii) Notice to proceed with the works;
 - iii) Contractor's Bid
 - iv) Condition of Contract: General and Special
 - v) Contract Data
 - vi) Additional condition
 - vii) Drawings
 - viii) Bill of Quantities and
 - ix) Any other documents listed in the Contract Data as forming part of the Contract.

In witnessed whereto the parties there to have caused this Agreement to be executed the day and year first before written.

The Common Seal of _____
Was hereunto affixed in the presence of:

Signed, Sealed and Delivered by the said _____

in the presence of:

Binding Signature of Employer _____

Binding Signature of Contractor _____

UNDERTAKING

I, the undersigned do hereby undertake that our firm M/s _____
agree to abide by this bid for a period _____ days for the date fixed for receiving the same and it shall be
binding on us and may be accepted at any time before the expiration of that period.

(Signed by an Authorised Officer of the Firm)

Title of Officer

Name of Firm

DATE

SECTION-9
DRAWINGS

ADDITIONAL CONDITIONS

1. Item for which no rate or price have been entered in, will not be paid for by the employer when executed and shall be deemed covered by the other rates and prices in the bill quantities (Refer: ITB Clause 13.2 and conditions of contract Clause 43.3).
2. Units rate and prices shall be quoted by the bidder in Indian Rupee (ITB Clause 14.1).
3. Where there is a discrepancy between unit rate and the line item total resulting from multiplying the unit rate by quantity, the unit rate quoted shall govern (ITB clause 27.1(b)).
4. The agency to whom the work is allotted will have to produce original voucher for all quantities in lieu of purchase of bitumen, steel and cement from the original manufacture or the authorized dealer/distributors to the satisfaction of the Engineer-in-Charge for ascertaining the genuineness of material. Attested copy of such voucher will have to be submitted along with the bills.
5. **The documentary proof of procurement of cement & steel from the reputed source and test result from CRRRI or Sri Ram Test House, New Delhi will be produced by the agency.**

QUALITY CONTROL LAB:

7. The contractor shall have to provide a field laboratory fully equipped at work site before starting the execution of works for conducting all the relevant tests mentioned in the Haryana PWD specification subject to the approval of the Engineer-in-Charge-in-charge or his representative. The record of such tests is to be maintained in proper register duly signed by the Contractor or his representatives, which will become the property of the department. The Contractor will bear all the running expenses for conducting such tests. All the tests will be carried in the presence of S.D.E.-in-charge of the work. All the entries are to be signed by the contractor, S.D.E. and J.E.-in-charge.
8. The quality control tests which are carried out by the department and the material for such tests will be supplied by the contractor free of cost. In case the material is not found up to the requirement, the same will be rejected.
9. Contractor shall provide suitable measuring arrangement and leveling instruments latest quality duly approved by Engineer-in-Charge-in-charge at the site of work.
10. No extra payment on account of quality control measures shall be paid to the contractor.
11. The Engineer-in-Charge-in-charge at his discretion can get any type/Nos. of tests carried out any other approved laboratory for his satisfaction for which all the expenses incurred would be borne by the agency. The results so obtained from the laboratory would be acceptable and binding to the agency.
12. The Contractor shall be required to provide all such materials/equipment's at site to conduct field tests and to ensure that the quality of aggregate shall be according to the prescribed specification and no payment for material required for sample for such tests shall be made to him. In case, the material is not found up to mark, the same will be reject.
13. For cement, steel and similar other material, the essential tests are to be carried out at the manufacturer's plants or at laboratories other than the site laboratory, the cost of samples, testing and furnishing of test certificates shall be born by the contractor. He shall also furnish the test certificates to the Engineer-in-Charge.

PROFORMA FOR CEMENT/STEEL REGISTER
RECEIPT

<u>Date of Receipt</u>	<u>Qty. Received.</u>	<u>Progressive Total</u>	<u>Date of issue</u>
------------------------	-----------------------	--------------------------	----------------------

1.	2.	3.	4.
----	----	----	----

<u>Qty. of issued</u>	<u>Total issued.</u>	<u>Balance in hand.</u>	<u>Contractor's initial</u>
-----------------------	----------------------	-------------------------	-----------------------------

5.	6.	7.	8.
----	----	----	----

Daily comparison of issue with requirements

	Item of work for Which issued	App. Qty. of work done on each day.	Theoretical requirement for work done On each day.
--	----------------------------------	--	--

9.	10.	11.	12.
----	-----	-----	-----

<u>SDE/JE</u>	<u>Remarks</u> <u>Ex. Engineer-in-Charge.</u>
---------------	--

13.

14.

14. Tenderers are advised to visit the site sufficiently in advance of the date fixed for submission of the tender. A tenderer shall be deemed to have full knowledge of all the relevant document/samples and site etc. whether he inspects them or not.

15. The acceptance of the tender will rest with the Employer i.e. Executive Engineer Jag. Hr. PW(B&R) Deptt. Yamuna Nagar who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all the tenders received without assigning any reasons.

16. The Engineer-in-Charge shall have power to make any alteration/omission addition to or substitutions for the original specifications, drawing, designs and instructions that may appear to him to be necessary or advisable during the progress of the work and the Contractor shall be bound to carry out the work in accordance with any instructions which may be given to him in writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall not invalidate the contract, and any altered, additional or substituted work which the Contractor may be directed to do in the manner above specified as part of the work shall be carried out by the Contractor on the same terms & conditions in all respects on which he agreed to do the main work, and at the same rates as are specified in the tender for the main work.

17. And if the altered additional or substituted work includes any class of work, for which no rate is specified in the contract, than such class of work shall be carried out at the rates entered in the Haryana Schedule of rates plus ceiling premium subject to the same percentage above or below as per financial statement of the contract and if such class of work is not entered in the schedule of rates then the Contractor shall within seven days of the date of the receipt of the order to carry out the work inform the Engineer-in-Charge of the rate which it is his intention to charge for such class of work. If the Engineer-in-Charge-

in-charge does not agree this rate he shall by notice in writing be at liberty to cancel his order to carry out such class of work And arrange to carry it out in such manner as he may consider advisable provided always that if the contractor's shall commence work or incur any expenditure in regard there to before the rates shall have been determined lastly herein before mentioned, than and in such case he shall be entitled to be paid in respect of the work carried out or expenditure incurred by him prior to the date of determination of the rates as aforesaid according to such rate or rates as shall be fixed by the Engineer-in-Charge. In the event of a dispute the decision of Employer i.e. Superintending Engineer, Hr. PW(B&R) Deptt. Chandigarh shall be final.

18. The liquidated damages can be deferred/reduced/waived (whole or part) by the SE concerned for contract(s) upto Rs.1.00 cr., CE(Buildings) from Rs.1.00 cr. to Rs.10.0. cr. and E-In-C of Haryana PW(B&R) Deptt. for contract(s) above Rs.10.00 cr. This will be done on the written request of the contractor and written recommendations of EE/SE as the case may be.
19. Upon completion and before offering the work for acceptance, the contractor shall remove all false work, excavated and useless materials, rubbish, temporary building constructed by him and shall leave the site and adjacent area in a neat and clean condition to the entire satisfaction of the Engineer-in-Charge. The Engineer-in-Charge, reserves the option to take away any item of work or any part there of at any time during the currency of the contract and reallocate it to any other agency with due notice to the contractor without liability of any kind or payment of any compensation. Extra amount if incurred will be recovered from the agency.
20. The contractor has to make his own arrangements for water, bricks, wood and every item required directly or indirectly for completion of work.
21. No claim shall be entertained on account of increase in price of labour and material due to any cause whatsoever.
22. In case of emergency the Contractor shall be required to pay his labour every day and if this is not done, the Engineer-In-Charge i.e. the Executive Engineer Jag. Provl Division Hr. PW(B&R) Deptt. Yamuna Nagar will make the requisite payment and recover the same from the contractor.
23. Actual quantities of completed and accepted work shall only be paid.
24. No pits shall be dug by the contractor near the site of work or within Govt. land for taking out earth for use on the works. In case of default the pits so dug will be filled in by the department at the cost of the contractor plus fourteen percent departmental charges.
25. The rates to be quoted by the contractor shall be inclusive of octroi terminal tax, royalty, cess and all other taxes and charges. These are for complete work in all respects
26. The Contractor shall not be entitled for any payment on account of work done untill he signs the agreement.

27. Nothing extra shall be paid for any lead and if unless otherwise specified for any material required directly or indirectly and the rates to be given in the tender shall include all leads in the contract schedule.
28. The Contractor shall be responsible for any /all losses of material, damage done to unfinished work as a result of floods and other acts of God. The Govt. will not be responsible for any compensation as a result of such damage or loss to the Contractor and the Contractor shall be liable to set right such damage at his own cost to the satisfaction of the Engineer-in-Charge.
29. The royalty, sales tax, cess and any other taxes, if any shall be paid by the contractor direct to the respective department in accordance with their rules and regulations in force from time to time without intervention of the Public Works Department.
30. Amount of work may be increased or decreased and any item committed and substituted in accordance with the requirement of the department and no claim on this amount shall be entertained. **The contractor will have to complete the whole building as per architectural plans submitted by the Chief Architect Haryana.**
31. Contractor shall be responsible to provide to the entire satisfaction of the Engineer-in-Charge at his own expenses the following amenities for the labour employed by him.
 - (i) Suitable temporary huts accommodation.
 - (ii) Trench latrines, bathing enclosures platforms separately for men and women and their regular cleanliness.
 - (iii) Clean drinking water.

In the event of his failure to provide any or all of the amenities the same shall be provided by the Govt. and cost thereof shall be recovered from the contractor. Any dispute regarding above points shall be settled by the Engineer-in-Charge-in-charge and his decision shall be final.
32. The contractor shall be responsible for housing, sanitation and medical treatment of laborers employed by him and shall abide by all the rules and regulations made by Govt. in this behalf from time to time.
33. For Contractor's labour regulations, fair wage clause, and rules for protection of health and sanitation arrangements for workers employed by the public works department or its contractor's reference be made to chapter 7,8 and 9 respectively.
34. The jurisdiction of the Court will be at Jagadhri.
35. Apprentice Act- The Contractor shall comply with the provisions of the Apprentice Act, 1961 and the rules and orders issued there-under from time to time. If the Contractor fails to do so his failure will be breach of the contract the Employer i.e. Superintending Engineer, Chandigarh Circle Hr. PW(B&R) Deptt. Chandigarh may at his discretion cancel the contract. The Contractor shall also be liable for any pecuniary liability arising on account of any violation by him of the provision of the Act.

36. If during the execution of the work, the contractor will engage imported labour, he shall immediately inform the local health authorities entrusted.
37. Imported labour means Labour belonging to a state other than Haryana State.
38. All material left at site by the contractor for a period of more than one month after the completion of work shall become the property of the public works department and Contractor shall have no claim whatsoever for such material.
39. The Contractor shall maintain at site of work full details of specification of the work fixed by the Engineer-in-Charge and approved drawing of the work.
40. Nothing extra shall be paid to the Contractor for diversion of water in the channels stream if it becomes necessary for the execution and completion of the work.
41. The Contractor will not have any claim in case of delay by the Department for removal of tree or shifting, raising, removing of telegraph, telephone or electric lines (Over head of under ground) and other structure, if any, which comes in the way of the work.
42. The items rate should be quoted by the Contractor and no condition should be given. In case any condition is tendered this will be considered as null and void and only item rates quoted by the tenderer shall be accepted. In case any tenderer refuses to accept this his earnest money will be forfeited.
43. **Relation with Public Authorities:**

The Contractor shall comply with all legal orders and directions given from time to time by any local or public authorities and shall pay out of his own money the fees or charges to which he may be liable.
- 45(i) The contractor will be held strictly responsible to the true intent of the specification in regard to quality of materials, workmanship and the diligent execution of the contract.
- (ii) All materials and each part of detail of the work shall be subject at all times to inspection by the Engineer-in. Departmental Representative or other authorized subordinate who shall be furnished with reasonable facilities and assistance by the contractor for ascertaining whether or not the work as performed or the materials used are in accordance with the requirements and intent of the plans and specifications.
- (iii) The contractor shall furnish written information to the Engineer-in-Charge stating the original source of supply and dates of manufactures of all materials manufactured away from the actual site of work. The information shall be furnished at least two weeks (or such other period as may be directed by Engineer-in-Charge in advance of the incorporation of any such materials in the works.
- (iv) Any work done or materials used without supervision or inspection by the Engineer-in-Charge/Departmental Representative is liable to be ordered to be removed and replaced at the contractor's expenses.

- (v) If so directed the Contractor shall at any time before the acceptance of the work, remove or uncover such portion of the finished work as may be directed. After examination, the contractor shall restore the said portion of the work to the standards required as per specifications. The work shall not be considered to have been completed in accordance with the terms of the contract until the Engineer-in-Charge-in-charge shall have certified in writing that it has been completed to his satisfaction. No approval of materials or workmanship or approval of part of the work during the progress of execution shall bind the Engineer in any way or effect his power to reject the work when alleged to be completed or to suspend the issue of his certificate of completion until such alterations or modifications or reconstructions have been affected as shall enable him to certify that the work has been completed to his satisfaction.
- (vi) The inspection of the work or materials shall not relieve the Contractor any of his obligation to fulfill the terms of the contract as herein prescribed by the plans and specifications.
- (vii) Failure to reject any defective work or material will not in any way prevent later rejection when such defect is discovered or obligate the department to make final acceptance.
- 46. Canvassing in connection with a tender in any form renders the tender liable to rejection.
- 47. If there are varying or conflicting provisions made in any documents forming part to the contract the accepting authority shall be the decision authority with regarded to the intension of the documents.
- 48. If, however, the contractor seeks to some assistance from the department in connection with arranging water/electric connection from the public utility service authorities for the purpose of Govt. work such assistance only to the extent of writing a letter from the Engineer-in-Charge to the authority concerned for giving such connection may be provided. All charges etc. shall be borne by the contractor.
- 49. The contractor may, on application of the contractor, issue essentiality certificate for Diesel/Petrol (if it becomes a controlled commodity) required for materials to be used on the work but the department will not undertake any responsibility for the arrangement of such Petrol/Diesel, Non availability of any such materials will not absolve the contractor of his contractual obligation.

MAINTAINENCE-CUM-DEFECT LIABILITY PERIOD

- 50** The defect liability-cum-maintenance period shall be three years from the date of completion in case of original works. For maintenance and S/R works, defect liability period will be one year and repainting /white wash/snowcem/distempering will not be required. The date of completion shall be considered as the date certified by the Engineer-In-Charge.
- 50.1 The Engineer shall give notice to the contractor of any defects before the end of the effects Liability-cum-Maintenance Period. The Defects Liability-cum-Maintenance period shall be extended for as long as defects remain to be corrected.
- 50.2 The Contractor shall correct the notified Defect / Defects within the length of time as specified by the Engineer's, notice.
- 50.3 The contractor will be fully responsible for the quality and workmanship of the works executed by him. The liability on account of shortcomings in executed items found by any investigating agency during the defect liability period or afterwards shall be born by the agency.

- 50.4 The Contractor shall do the routine maintenance of building to the required standards in the manners as per Haryana PWD specifications latest edition, DNIT, agreement conditions and keep the whole building in defect free condition during defect liability period as defined above.
- 50.5 The routine maintenance standards shall meet the following minimum requirements to the entire satisfaction of Engineer-in-charge.:-
- i) Plaster work and flooring work to be repaired soon after these appear or brought to his notice either during contractor's monthly inspection or by the Engineer or otherwise. Repair shall be carried out in a manner which does not affect the aesthetics.
 - ii) Defective joinery such as door, window, cup-board shutters, chowkhats, wire gauge, glass panes, fitting, fixtures etc. to be rectified / replaced immediately after the defects appear.
 - iii) Any structural damage / fault / defect to be rectified to the satisfaction of Engineer-In-Charge as soon as the same appears.
 - iv) Defective or incomplete/improper white washing / colour washing, distempering, painting etc. to be rectified immediately on notice by the Engineer-in-charge.
 - v) All rain water pipes, sun-shades and the like components to be inspected every fortnightly and cleaned as and when required.
 - vi) Leakage of water of any kind in the building to be set right immediately on priority.
 - vii) All electrical / Public Health installations including wiring, pipelines etc. made in the building to be repaired / rectified / replaced as soon as any defect has appeared / notice.
 - viii) The agency shall make good all the items / works damaged during the repair being done by him and bring the same in original form.
 - ix) Any other maintenance operation required to keep the building use worthy at all the time during the maintenance period.
 - x) He shall maintain a register in the building for daily recording the defects, damages, shortcomings noticed by user and address the problem within three days or else he will approach the Engineer-in-charge for extension of this time.
 - xi) **Before the end of defect-cum-maintenance period is completed, painting, snowcem, white washing, distempering, Providing and fixing broken window panes, door /window fittings, Public Health fixtures, taps etc. of the whole building as per original work will be carried out by the contractor to the entire satisfaction of the Engineer-In-Charge and nothing extra will be paid.**
- 50.6 To fulfill the objectives laid down in above sub clauses, the Contractor shall undertake detailed inspection of the building at least once in a month. The Engineer-in-charge can reduce this frequency in case of emergency. The Contractor shall forward to the Engineer-in-charge the record of inspection and rectification every month. The contractor shall pay particular attention on the maintenance of building during rains and rainy season.
- 50.7 The Engineer may issue notice to the Contractor to carry out maintenance or remove defects, if any, notice in his inspection, or brought to his notice. The contractor shall remove the defects within the period specified in the notice and submit to the Engineer-in-charge a compliance report. By not giving notice, will not absolve the contractor from his responsibility.
- 50.8 In case the Contractor fails to make good the defects, the Executive Engineer may employ any other person to make good such defects and all expenses consequent and incidental there to shall be borne by the Contractor.
- 50.9 The contract shall not be considered as completed until a defect liability-cum-maintenance certificate has been signed by the Executive Engineer and delivered to the contractor stating that the works have been completed and maintained to his satisfaction. The defect liability-cum-maintenance certificate shall be given by the SE or the recommendations of XEN. **SE will send copy of such certificate to CE(Bldgs) alongwith CD.**

51. Department shall not be responsible for any depreciation in the value of securities, not for any loss of interest thereon.
52. There will be double lock system for the cement store. One Key of the lock will be with the representative of the department and other key of the lock will be with the agency.
53. **If the agency does not fill/quote the rates of any items then it will be considered as NIL and same will be executed by the agency free of cost and it will be contingent to work. The agency will have to give an undertaking on account of above, other wise earnest money will be forfeited; in addition, Engineer-in-Charge may also blacklist the agency.**

54. A **FOR EXCESS CONSUMPTION OF MATERIALS FROM THE THEORETICAL CONSUMPTION**

- (i) No Claim for Excess Consumption of material other than those specified shall be entertained by the department.

B. FOR SHORT CONSUMPTION OF CEMENT

- (i) Upto 5%, the recovery of cost of material thus saved shall be made from the contractor at the base price as applicable on the date of tender.
- (ii) Less consumption by more than 5% (i.e. above 5 %) the rates of items of work involved shall be reduced. If it is not possible to determine the exact items on which less material has been used, the cost of the material so saved shall be recovered from the contractor at double the issue rate. The Executive Engineer reserves the right to take any other deterrent action which he deems fit against the contractor. It shall be at the discretion of the department to determine whether the stability of the structure is affected adversely due to less consumption of materials and in case it is felt that it is likely to be so, the Executive Engineer-in-charge shall reject the work and the decision of Superintending Engineer in such matter shall be final.
55. No claim of any kind what-so-ever shall be entertained for any and all the losses or damages to the contractor due to the completion of the work getting delayed due to the failure or delay on the part of the public works department under the terms and conditions of the contract.
56. The contractor shall supply at his own cost and expenses all labour materials etc. for labour and checking of any portion of the work during construction. Whosoever required by the Engineer-in-Charge or his representative and nothing extra shall be paid for same.
57. **Occupation of Additional Lands:**
In case, when it becomes necessary for due fulfillment of the contract for the contractor to occupy land outside the P.W.D. limits the contractor shall make his own arrangement with the land owners and pay such amount, as may be mutually agreed upon by them.
58. No claim by the contractor for additional payment will be allowed on the ground of any misunderstanding or misapprehension in respect of any such matter or otherwise on the ground of any allegation or fact that incorrect information was given to him by any person whether in the employ of the Govt. or not or of the failure on his part to obtain correct information nor shall the contractor be relieved from any risk or obligations imposed on or undertaken by him under the contract on any such ground or on the ground that he did not or could not fore-see any matter which may in fact, effect or have affected the execution of the work.
59. During the absence on work of the Engineer-in-Charge he shall be represented by one of his subordinate whose duties are to watch and supervise the works, to test and examine any materials to be used or workmanship employed to ensure that the works are performed in conformity with the plans, estimates and specifications in all respects and to keep Engineer-in-charge informed of the progress of the works and the manner in which they are done. The Engineer-in-charge may from time to time delegate any of the powers and authorities vested in him to the departmental representative in writing.
60. The Departmental representative shall have no authority to alter or waive the provisions of plans and estimates and specifications or to relieve the contractor or any of his duties or obligations under the contract. He shall however, have the authority to inform the contractor in writing to replace any materials considered defective and to suspend, to do, or rectify the work improperly

performed or not according to plans and estimates or specifications in his judgment and the contractor shall comply.

61. Failure of the Departmental Representative to disapprove any work of materials shall not prejudice the power of the Engineer-in-Charge thereafter to disapprove such work or materials and to order the pulling down, removal or breaking up thereof. If the contractor shall be dissatisfied by reason of any decision of the Departmental representative, he shall be entitled to refer the matter to the Engineer-in-Charge. Who shall thereupon confirm or reverse such a decision.
62. The contractor shall also inform the Engineer-in-Charge in writing when any portion is ready for inspection giving him sufficient notice to enable him to inspect the same without retarding the further progress of the work.
63. Unless otherwise provided in the contract document materials such as rubble, gravel sand, murrum, kankar earth, soil, etc. obtained from excavation and materials obtained by dismantling any existing structures shall remain the property of the Government.
64. Any tress branches, bushes, crops etc. which may be required to be cut during the execution of the work shall be handed over to the Public Works Department or disposed of as directed.
65. The contractor will submit the design of temporary structure scaffolding to department in advance without any cost. The contractor will remain responsible for design and safety of scaffolding irrespective of approval by the Engineer-in Charge
66. The contractor shall use canal water for construction of building or water from any other sources as approved by the Engineer-in-Charge. Water should be got tested at regular intervals i.e. maximum of 2 (two) months from the laboratory approved by the Engineer-in-Charge and no extra cost will be paid for the same. Water to be used shall meet latest IS standard as per IS 456/other relevant codes.

CHAPTER-7
Contractor's Labour Regulation

1. Short Title

These regulations may be called Haryana Public Works Department Contractor's Labour Regulations.

2. Definition

In these regulations, unless otherwise expressed or indicated the following words and expressions shall have the meaning hereby assigned to them respectively that is to say :

- (1) Labour means workers employed by a Public Works Department contractors directly or indirectly through a sub-contractor or other persons of by an agent on his behalf.
- (2) Fair wages means, whether for item or place work, notified at the time of inviting tenders for the work and where such wages have not been so notified the wages prescribed by the Public Works, Department for the district in which the work is done.
- (3) "Wages" shall have the same meaning as defined in the payment of Wages Act 1936 and includes time and place rate wages.

3. Display of notice regarded wages etc.

The contractor shall before he commences his work on contract display and correctly maintain & continue to display and correctly in a clean and legible condition in conspicuous places on the work notice in English and in the Local Language spoken by the majority of the Workers giving the fair wages notified or prescribed by the Haryana Public Works Department and the hours of work for which such wages are earned.

4. Payment of Wages

- (i) Wages due to every worker be paid to him directly.
- (ii) All wages shall be paid in current coin or currency or in both.

5. Fixation of Wages Periods

- (i) The contractor shall fix the wage periods in respect of which the wages shall be payable.
- (ii) No wage period shall exceed one month.
- (iii) Wages of every workman employed on the contract shall be paid before the expiry of ten days after the last day of the wage period in respect of which the wages are payable.
- (iv) When the employment of any worker is terminated by or on behalf of the Contractor, the wages, earned by him shall be paid before the expiry of succeeding the one on which his employment is terminated.
- (v) All payment of wages shall be made on a working day.

6. Wages Book and Wages Slip etc.

- (i) The contractor shall maintain a wage book of each worker in such form as may be convenient but the same shall include the following particulars
 - (a) Rate of daily or monthly wages.
 - (b) Name of work on which employed.
 - (c) Total numbers of days worked during each wage period.
 - (d) Total amount payable for the work during each wage period.
 - (e) All deductions made from the wages with an indication in each case of the ground for which the deduction is made.
 - (f) Wages actually paid for each wage period.
- (ii) The contractor shall also maintain a wage slip for each worker employed on the work.
- (iii) The authority competent to accept the contract may grant an exemption from the maintenance of Wages book and Wage Slips to a contractor who in his opinion may not directly or indirectly employ more than 100 persons in the work.

7. Fines and deductions which may be made from wages

- (1) The wages of a worker shall be paid to him without any deduction of any kind except the following :
 - (a) Fines.
 - (b) Deductions for absence from duty i.e. from the place or places where by the terms of his employment he is required to work. The amount of deduction shall be in proportionate to the person for which he was absent.
 - (c) Deductions for damage to or loss of goods expressly entrusted to the employed person for custody or for loss of money for which he is required to account where such damage or loss is directly attributable to his neglect or default.
 - (d) Any other deductions which the PWD may from time to time allow.
- 2.) No fine shall be imposed on a worker and no deduction for damage or loss be made from his wages until the worker has been given an opportunity of showing cause against such fines or deductions.
- 3.) The total amount of fine which may be imposed in any one wage period on a worker shall not exceed an amount equal to 50 paise in a rupee of the wage payable to him in respect of that wage period.
- 4.) No fine imposed on any worker shall be recoverable from him by installments or after the expiry of 60 days from the date on which it was imposed.

8. Register of Fine etc.

- 1. The contractor shall maintain a register of fine and of all deductions for damage or loss such Register shall maintain the reason for which fine was imposed or deduction for damage or loss was made.

2. The contractor shall maintain, a list in English and local Indian Language clearly defining acts and commissions for which penalty of fine can be imposed. He shall display such list and maintain it in a clean and legible condition in conspicuous places on the work.

9.Preservation of Books

The wage book, the wage slips and the Register of lines, deductions required be maintained under these regulations shall be preserved for 12 months after the date of last entry made in them.

10.Power of Labour Welfare Officer to make Investigation of Enquiry

The Labour Welfare Officer or any person authorized by the Government on their behalf shall have power to make enquiries with a view to ascertaining and enforcing due and proper observance of the wage clause and provisions of their regulations. He shall investigate into any complaint regarding the default made by the Contractor or sub-Contractor in regard to such provisions.

11.Report of Labour Welfare Officer

The Labour Welfare Officer or any other person authorized aforesaid shall submit a report of the result of his investigations enquiry to the Executive Engineer concerned indicating the extent, if any, to which the default has been committed and the amount of fine recoverable in respect of the acts or commission and omission of the labourer with a note that necessary deduction from contractor's will be made and the wages and other dues be paid to the labourers concerned.

12. Appeal against the decision of Labour Welfare Officers

Any person aggrieved by the decision and recommendation of the Labour Welfare Officer or other person so authorized may appeal against decision to the Labour Commissioner but subject to such appeal the decision of the officer shall be final and binding upon the Contractor.

- 12A- No party shall be allowed to be represented by a lawyer during any investigation, enquiry appeal or any other proceedings under these regulations.

13. Inspection of Register

The contractor shall allow inspection of the Wage Book. Wage Slips to any of his workers or to his agent at a convenient time and place after due notice is received, or to the Labour Welfare Officer or any other person authorized by the Haryana Government in his behalf.

14. Submission of Returns

The contractor shall submit periodical as may be specified from time to time.

15. Amendment

The Haryana Government may, from time to time and to amend these regulations, the decision of the Labour Commissioner, Haryana Government or any other person authorized by the Haryana Government in that behalf shall be final.

-Sd-

Executive Engineer,
Jag. Provl. Divn. PWD B&R Br.
Yamuna Nagar.
Phone No 01732-237834
Email pwd-eepd-yamunanagar@hry.nic.in

CHAPTER-8
III-FAIR WAGES CLAUSES

FAIR WAGE CLAUSES

- (a) The Contractor shall pay not less than the fair wage to labourers engaged by him on the work. **EXAMINATION :-** Fair Wage' means wage whether for time of piece work notified from time to time for the area and where such wages have not been so notified the wages specified by the Public Works (B&R) Deptt. Haryana for the district in which the work is done.
- (b) The Contractor shall notwithstanding the provisions of any agreement to the contrary, caused to be paid fair wages to labour, indirectly engaged on the work including any labour engaged by his sub-contractors in connection with the said work, as if the labourers had been directly employed by him.
- (c) In respect of labour directly or indirectly employed on the works for the performances of the contractor's part on this agreement the contractor shall comply with or cause to be complied with the Haryana PWD Contractor's Labour's Regulations made by the Government from time to time in regard to payment of wages wage period deductions from wages recovery of wages not paid and deductions unauthorized made maintenance of wage register wage book, wage slip, publication of wages and other terms of employment inspection and submission of periodical returns and all other matters of a lime nature.
- (d) The Executive Engineer or Sub Divisional Engineer concerned shall have the rights to deduct, from the moneys due to the Contractor, any sum required or estimated to be required for making good the loss suffered by a worker or workers by reason of non-fulfillment of the conditions of the contract for benefit of the workers, non payment of wages or deductions made from his or their wages, which are not justified by terms of the contract for non observance of the regulations referred to in clause (c) above.
- (e) Vis-à-vis the Haryana Government, the Contractor shall be primarily liable for all payments to be made under and the observance of the regulations aforesaid without prejudice to his right to claim indemnity from his sub Contractors.
- (f) The regulations shall be deemed to be a part of this contract and any branch there shall be deemed to be branch of this contract.

Executive Engineer,
«Division» Yamuna Nagar
Phone : 01732-237834
Email:
pwd-cepd-yamunanagar@hry.nic.in

CHAPTER-9

RULES FOR PROTECTION OF HEALTH & SANITARY ARRANGEMENTS

Rules for the Protection of Health and Sanitary Arrangements for Workers Employed by the Haryana Public Works Department or its Contractors

The Contractor shall at his own expense provide or arrange for the provision of foot wear for any labour doing cement mixing work (the Contractor has undertaken to execute under this contract) to the satisfaction of the Engineer – in – charge and on his failure to do so Government shall be entitled to provide the same and recover the cost thereof from Contractor.

The Contractor shall submit by the 4th and 19th of every month to the Executive Engineer a true statement showing in respect of the second half of the proceeding month and the first half of the current month respectively (i) the number of labourers employed by him on the work (ii) their working hours (iii) the wages paid to them (iv) the accident that occurred during the said forthright showing the circumstances under which they happened and the extent of damage and injury caused by them and (v) the number of female workers who have been allowed Maternity benefit according to clause 19-F and the amount paid to them failing which the Contractor shall be liable to pay to Government a sum not exceeding Rs. 50/- for each default or materially incorrect statement. The decision of the Executive Engineer shall be final in deducting from any bill due to the contractor the amount levied as fine.

Maternity benefit for female workers employed by the Contractor, leave and pay during leave shall be regulated as follow: -

1. LEAVE (i) in case of delivery/maternity leave not exceeding 8 weeks (4 weeks up to and including the day of delivery and 4 weeks following that day) (ii) in case of miscarriage : up to 3 weeks from the date of miscarriage.
2. PAY (i) In case of delivery, leave pay during maternity leave will be at the rate of the woman's average daily earning calculated on the total wages earned on the day when full time work was done during a period of 3 months immediately preceding the date of which she gives notice that she expects to be confined or at the rate of Rs. 12/- per day which ever is greater.

(ii) In case of miscarriage, Leave pay at the rate of average daily earning calculated on the total wages earned on the days when full time work was done during a period of 3 months immediately preceding the date of such miscarriage.

(iii) Conditions for the grant of Maternity leave :- No Maternity leave benefit shall be admissible to a woman unless she produces a certificate of confinement and expected delivery within 4 weeks proceeding the date on she proceeds on leave.
3. FIRST AID (a) At every work place, there shall be maintained in readily accessible place first aid appliances including an adequate supply of sterilized dressing and cotton wools. The appliances shall be kept in good order and in large workplaces it shall be placed under the charge of a responsible person who shall be readily available during the working hours.

(b) All large work places where hospital facilities are not available within easy distance of the work, first aid post shall be established and be run by a trained compo under.
(c) Where large work places are remote from regular hospital an indoor ward shall be provided with one bed for every 250 employees.

(d) Where large work places are situated in cities, towns in their suburbs and no beds are considered necessary owing to the proximity of city or town hospitals a suitable transport shall be provided to facilitate removal of urgent cases to these hospitals.

At other work place, the conveyance facilities such as car shall be kept readily available to take injured or persons suddenly taken seriously ill, to the nearest hospital.

SCALES OF ACCOMMODATION IN LATRINES URINALS

These shall be provided within the precinct of every work places, Latrines and Urinals in an accessible place and the accommodation separately for each of them shall not be less than the following scales : -

No. of Shades

- (a) Where the number of persons does not exceed 502
- (b) Where the number of persons exceeding 50 but 3 does not exceeds 100
- (c) For every additional 100 3 per 100

In particulars cases the Executive Engineer shall have the powers to vary the scale where necessary.

Latrines and Urinals for women

If women are employed, separate latrines and urinals screamed from these for men and marked in vernacular in conspicuous letters 'FOR WOMEN ONLY' shall be provided on the scale laid in rules, Similarly those for men shall be marked 'FOR MEN ONLY' A poster showing the figures of a man and women shall also be exhibited at the entrance of latrine for each sex. There shall be adequate supply of water close to latrines.

LATRINES AND URINAL

Except in work places provided with flush latrines concerned with a water borne sewerages systems all latrines shall be provided with receptacies order earth system which shall be in working order and kept in strictly sanitary conditions. The receptacles shall be tarried inside and outside at least once a year.

The inside walls shall be constructed of masonry or some suitable heat resisting non absorbent material and shall be cement washed inside and outside at least once a year. The dates of cement shall be noted in register maintained for this purpose and kept available for inspection.

DISPOSAL OF EXCRETA

Unless otherwise aggranged for by the local sanitary authority arrangements for proper disposal and a sanitary of excreta by incineration at the work place shall be made by means of a suitable incineration approved by the Asstt. Director of Public Health or Municipal Medical Officer of Health, as the case may be, in whose jurisdiction the work place is situated. Alternately excreta may be disposed of by putting a layer of night soil at the bottom of pucca tank prepared for the purpose and covering it with 9 inches layers of earth for a fortnight when it will turn into a manure.

CRECHE:

At every work place these shall be provided free of cost two suitable sheds one main and the other for the use of labour. The height of the shelter shall not be less than eleven feet from the floor level to the lowest part of the roof.

PROVISION OR SHELTER DURING REST:

At every work place at which 50 or more women workers are ordinary employed, these two huts for use of children under the age of six years belonging to such women. One hut shall be used for infants "Games and to play" and the other as their bed room. The hut shall not be constructed on a lower standard then the following :-

- (i) Thatched roofs.
- (ii) Mud floors and walls.

- (iii) Plants spread over mud floor and covered with matting.

The huts shall be provided with suitable and sufficient opening for light and ventilations. There shall be adequate provision of sweepers to keep the place clean. There shall be two day attendant. Sanitary, utensils shall be provided to the satisfaction of Health Office of the area concerned. The use of the hut shall be restricted to children, their attendant and mothers of the children.

CANTEEN:

A cooked food canteen on a moderate scale shall be provided for the benefit of workers where over it is considered expedient.

GENERAL RULES AS TO SCAFFOLDS :

- (i) Suitable scaffolds shall be provided for all workmen for all works that cannot be safely done from a ladder or by other means.
- (ii) A scaffolds shall not be constructed taken down or substantially altered except.
 - (a) Under the supervision of a competent and responsible person, and
 - (b) As far as possible by competent workers possessing adequate experience in this kind of work.
- (c) All scaffolds and appliances connected there with and ladder shall :-
 1. be of sound material.
 2. be of adequate strength having regard to the load and strains to which they will be subjected and.
 3. be maintained in proper condition.
 4. scaffolds shall not be overloaded and so far as practicable, the load shall be evenly distributed.
 5. scaffolds shall be so constructed that no part there of can be displaced in on normal use.
 6. Before installing, lifting gear on scaffolds special precautions shall be taken to ensure the strength and stability of the scaffolds.
 7. scaffolds shall be periodically inspected by the competent person.
 8. before allowing a scaffold to be used by the workman, every care shall be taken to see whether the scaffolds have been erected by his workmen and steps taken to ensure that it complies fully with the requirement of the articles.
 9. Working platforms gangways and stairways shall.
 - (a) be so constructed that no part of the road is covered.
 - (b) Be so constructed and maintained, having regard to the prevailing condition as to reduce as for as practicable.
 - (c) Be kept free from any unnecessary obstruction.

- (d) In case of working platforms gangways place and stairways at a height exceeding that to be prescribed by a national laws and regulations :-
- (i) Every working platform and every gangway shall be closely boarded unless other adequate measures are taken to ensure safety.
- (ii) Every working platform and every gangway shall have adequate width, and.
Every opening in the floor of a building or in working platforms shall except for the time and to the extent required to allow the access of persons or the transport or shifting of material be provided with suitable means to prevent the fall of persons or materials.

When persons are employed on a roof where there is a danger of falling from a height exceeding that to be prescribed by national laws of regulations suitable precautions shall be a taken to prevent the fall of persons or materials.

Suitable precautions shall be taken to prevent persons being struck by articles which might fall from scaffolds or other working places.

1. Soft means of access shall be provided to all working platforms an other working places.
2. Every place where work is carried on the means approach there to shall be adequately lighted.
3. Every ladder shall be securely fixed of such length as to provide secure hand held and foot at every position at which it is used.
4. Adequate precautions shall be taken to prevent danger from electrical equipment.
5. No material on the site shall be so stacked or placed as to cause danger to any person.

GENERAL RULES AS TO SAFETY EQUIPMENT AND FIRST AID

- (1) All necessary personal safety equipment shall be kept and available for use of the persons employed on the site be maintained in condition suitable for immediate use.
- (2) The worker shall be required to use the equipment thus provided and the employed shall take adequate steps to ensure proper use of the equipment by these concerned.

Adequate provision shall be made for prompt first aid treatment of all injuries likely to be sustained during the course of the work.

EXPLANATORY NOTES

1. The above rates are for complete work including cost of all materials, labour, tools and plants and water etc. unless or otherwise specified.
2. All other items covered by the Haryana PWD schedule of rates 1988, 2nd edition corrected upto date and got carried out, if any will be paid for as per Haryana PWD schedule of rates 1988, 2nd edition corrected upto date subject to the accepted tendered Premium / abatement given by the contractor for similar item of relevant chapter.
3. All clauses and notes given in the Haryana PWD schedule of rates 1988 2nd edition with upto date correction slips issued upto the date of tender shall be applicable to all above items wherever necessary.
4. The description, rates, units, etc. of above schedule shall be corrected as per Haryana PWD schedule of rate 1988, 2nd edition in case of any error or omission.
5. Chapter numbers with items referred to above are of Haryana PWD schedule of rates 1988 2nd edition, corrected upto date.
6. The whole work shall be carried out strictly in accordance with the Haryana PWD specifications book 1990 latest edition as applicable to Haryana State with upto date correction slips.
7. No premium shall be payable on the items which are not provided in the Haryana PWD schedule of rates 1988, 2nd edition, corrected-up-to-date.
8. Samples of all building materials, doors and windows, fittings and other articles required for use on the work shall be got approved from the Engineer-in-Charge, Articles manufactured by firms of repute, approved by the Engineer-in-Charge shall only be used. Only articles classified, as First Quality by the manufactures shall be used. Articles which are not First quality shall be rejected by the Engineer-in-Charge. Preference shall be given to those articles, which bear I.S.I. certification mark. In case articles bearing ISI certification mark are not available, the quality of samples brought by the contractor shall be judged by the standards laid down in the relevant ISI specifications. All materials and articles brought by the contractor to the site of work for use shall confirm to the samples approved, which shall be preserved till the completion of work. Final decision to reject any material shall rest with the Engineer-in-Charge.
9. The contractor shall provide suitable measuring arrangements at site for checking of various articles brought by him to ensure mixing in specified proportions.
10. The contractor shall provide such recesses, hole, openings etc. as directed by Engineer-in-Charge as required for the Electrical / sanitary work and nothing shall be payable on this account.
11. Thickness of RCC shall be measured and paid for structural sizes designed.
12. Steel used in supports, spacers and for hooks and overlaps, which are not, approved i.e. which are not provided according to the drawing or the instructions of Engineer-in-Charge shall not be measured for payment.
13. Where there is a provision for flush door shutters, only doors as bear the ISI certification marks and arranged from manufacturer of good repute like Green, Duro, Jwala, Ujala, True wood, Black Cobra shall be accepted. In case flush door shutters bearing ISI certification marks are not available in the market, flush door shutters confirming to ISI specifications and arranged from manufacturer

- of good repute shall only be accepted. They should be water proof, termite proof and have a guarantee for 10 years for any defect liability.
14. Steel butt hinges shall strictly conform to Indian standard specification, IS-1341-1970 (Latest edition) and dimensions given in table 2 for medium weight cold rolled mild steel butt hinges of the above specifications Hinges shall be of good workmanship and manufactured by the firm of good repute.
 15. Analysis of rates for non-schedule / non agreement items i.e. items which are not provided in the Notice Inviting Tender / Haryana PWD Schedule of Rates, 1988 2nd editions corrected upto date shall be payable as per actual lowest market rates from the recognized public market suitable to the executing division and wages of labour as applicable at the time of execution of work, plus admissible contractors profit and over head charge. For such items of materials the contractor shall be required to produce original vouchers which shall be subjected to verification by the Engineer-in-Charge. The rates for non-schedule items shall be approved by the competent authority as recognized in the departmental financial rules in existence at the time of approval.
 16. First Quality glazed/ceramic/vitrified tiles of reputed manufactures such as Kajaria, RAK, NITCO, Naveen to be supplied by the Deptt. or arranged by the contractor.
 17. The Tender with the condition regarding steel work to be done at labour rates shall be considered invalid and rejected straightway.
 18. The quantities of all items given in the Schedule are tentative. These can be increased or decreased as per working Architectural drawings/structurals drawings & nothing extra shall be paid.
 19. For quality control, the contractor shall be required to use cement concrete mix giving a minimum cube strength as may be prescribed in the relevant structural drawings of work. For cement concrete and cement mortar work and other items the test should be regularly carried out as per procedure laid down in relevant I.S.I. & other codes at the expense of the contractor. The rates provided in the H.S.R. 1988 2nd edition included the cost of such testing.
 20. Irrespective of what is stated in para 6 of General Rules of Haryana P.W.D. schedule of rates, 1988 2nd edition no carriage of cement, steel, bricks and water or any other type or material shall be admissible irrespective of any lead involved.
 21. All the flooring like terrazzo, Kotah stone or marble flooring should be granite finished. No extra rate shall be paid on this account to the contractor
 22. Where-ever brick work or earth filling/embankment work is to be executed, the same has to be executed in accordance with the provision in the Fly Ash Notification dated 14.9.99 & 27.8.2003 i.e. by using Fly Ash brick and filling/embankment constn. by Pond Ash/Fly Ash as specified in the aforesaid notification after getting the design approved from Engineer-in-Charge. Only I.S.I. marked factory manufactured flush door shutter ply and block board should be used, where ever required.
 23. In case factory manufactured items, the contractor will get the name of manufacturers approved form deptt. and a warranty of 5 years certificate in favour of Engineer-in-Charge in charge. In case of door shutters the type of wood used shall also be given by the manufacturer. The agency shall produced a certificate that door & window shutters fixed at site are actually factory manufactured –in case agency fails to do so the rate for the same shall be paid for site manufactured shutters as per HSR 17.30 & 17.31 of HSR 1988 2nd edition.
 24. The agency will provide 2 Nos. boards of size 4' X 2½' at the site of work intimating the details of the project otherwise deduction will be made from the first running bill of the Agency @ Rs 15000/- per board.
 25. Contractor will use coarse aggregate (all type of stone grit) and course sand i.e. stone dust (Zone IInd as per IS code). The material should confirming to the latest IS specification.
 26. Regular and monthly quality control test as per frequency as per IS code specification / PWD specification is to be done by the Contractor at his own cost and submit the result to the Engineer-in-Charge regularly and in case if he fails to do the same, Engineer-in-Charge will got conduct all quality control test as per frequency for any reputed lab & amount of the same will be recovered for the agency. Beside this Engineer-in-Charge will carry out their own quality control test and also will engage IIIrd party quality control agency for proper quality control work and charges of this will be borne by the Govt.
 27. All aluminum fittings for doors and windows shall be of 'Classic' or equivalent make confirming to I.S. Specifications as approved by the Engineer-in-Charge.

DETAIL NOTICE INVITING TENDER FOR THE CONSTRUCTION OF PROPOSED BUILDING OF AYUSH WING IN EXISTING CIVIL HOSPITAL AT JAGADHRI IN YAMUNA NAGAR DISTRICT

Amt. Cost Rs. 8.20 lacs

Date of Tender :

**Earnest Money : Rs.
Rs.**

Time Limit:

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
1	Earth work in excavation in foundations, trenches etc., in all kinds of soils, not exceeding 2 metres depth including dressing of bottom and sides of trenches, stacking the excavated soil, clear from the edge of excavation and subsequent filling around masonry, in 15 cm layers with compaction, including disposal of all surplus soil, as directed within a lead of 30 metres. (HSR 6.6)	31.26 Cum		Cum (Per cubic metre)
2	Cement concrete 1 : 5 : 10 with brick ballast 40 mm nominal size in foundation & plinth (HSR 10.34)	9.37 Cum		Cum (Per cubic metre)
3	First class brick work laid in cement sand mortar 1:6 in foundation and plinth. (HSR 11.2)	18.16 Cum		Cum (Per cubic metre)
4	C.CONCRETE 1:1-1/2: 3with stone aggregate 20 mm nominal size for reinforced concrete work in footings, strips, foundations, beams, rafts, pedestals and approach slabs of bridges etc., excluding steel reinforcement, but including Centering and shuttering, laid in position, complete in all respects (HSR 10.90+10.95a) For work upto 1.50 Metres below ground level .	2.76 Cum		Cum (Per cubic metre)
5	Damp proof course 40mm thick of cement concrete 1:2:4 using stone aggregate with 2 coats of bitumen 20/30 penetration at 1.65 kg per sqm laid hot and sanded. (HSR 10.114)	10.44 Sqm.		Sqm. (Per square metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
6	First class brick work laid in cement sand mortar 1:6 in first storey upto 4 meters above plinth level. (HSR 11.7)	30.62 Cum		Cum (Per cubic metre)
7	Half brick Masonry (a) 11.43cm thick brick wall laid in cement sand mortar 1:4 in super structure. (HSR 11.48a)	24.24 Sqm.		Sqm. (Per square metre)
8	Cement concrete 1:1-1/2:3 with stone aggregate 20 mm nominal size for reinforced concrete work for walls exceeding 20 cm thickness (straight and curved) beams, girders, stairs, columns, (square or rectangular) battens and lintels etc., excluding steel reinforcement but including centring and shuttering, laid in position, complete in all respects. (HSR 10.86 + 10.95 (a)).	1.50 Cum		Cum (Per cubic metre)
9	C.CONCRETE 1:1½:3 with stone aggregate 20 mm nominal size for reinforced concrete work IN SHELVES excluding steel reinforcement, but including centering and shuttering, laid in position, complete in all respects. [HSR 10.81 + 10.90 (a)] a) 1st storey	0.94 Cum		Cum (Per cubic metre)
10	Cement Concrete 1:1-1/2:3 with stone aggregate 20 mm nominal size for reinforced concrete work in slabs with inclination not exceeding 25 degree with horizontal excluding steel reinforcement, but including centring and shuttering, laid in position, complete in all respects.(HSR 10.82 +10.95 (a)) a) 1st storey	9.32 Cum		Cum (Per cubic metre)
11	Fe-500 EQR TMT steel bars for RCC,works, where not included in the completed rate of RCC including bending, binding and placing in position complete (HSR 18.22)	14.34 Qtl.		Qtl. (Per quintal)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
12	Terracing consisting of tiles 22.86 x 11.43 cm x 3.81cm laid over 87.50 mm mud filling on a layer of 25mm mud plaster and an other layer of mud mortar for laying the tiles, including two coats of bitumen laid hot at 1.65kg/sqm on top of RCC slab including grouting with cement sand mortar 1:3 and top surface to the left clean (HSR 13.13)	63.49 Sqm.		Sqm. (Per square metre)
13	Base course of floors consisting of 100mm thick cement concrete 1:8:16 and 100 mm sand or stone filling. (HSR 14.1)	57.32 Sqm.		Sqm. (Per square metre)
14	Plastering on under side of ceiling 10mm thick cement plaster 1:3 (HSR 15.51)	67.48 Sqm.		Sqm. (Per square metre)
15	15mm thick cement plaster 1:5on the rough side of single or half brick wall. (HSR 15.11).	135.24 Sqm.		Sqm. (Per square metre)
16	12mm thick cement plaster 1:5 (HSR 15.6).	171.93 Sqm.		Sqm. (Per square metre)
17	Pressed steel sheet frames (chowkats), consisting of 2mm thick steel sheet of the specified section, including iron lugs (hold fasts), iron hinges, conforming to P.W.D. specifications, including bolts for fixing stops, lock notch, provision for receiving tower bolts, and finished with one coat of ready mixed paint red lead non-setting primer, of approved quality, fixed in position including the cost of cement concrete 1:3:6 for filling in the frame, and cement concrete 1:3:6 for lugs complete. (HSR 18.34) - c (c) Door and window frame of size 127mm x 50mm with 40mm wide double rebate.	139.18 Mtr.		Mtr. (Per Metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
18	<p>Factory manufactured solid flush door shutters with black board core as per IS. No. 1659-1969 bonded with water proof type phenol formaldehyde synthetic resin,hot-pressed conforming to I.S. 2202 part I and II, fixed in position , including iron hinges,screws, chocks/cleats and stops, etc. (excluding the cost of any fittings other than specified above, but including labour for fixing the same in position):- [HSR 17.93 (a) (iii)] a-iii) commercial veneering with vertical grains or cross bands and face veneer on both sides commercial facing with laminated core and lipped edges:- of make green,century, orchid, Euro(iii) 35mm thick.</p>	14.74 Sq.m.		Sq.m. (Per square metre)
19	<p>Factory manufactured paneled door or glazed window, shutters of commercial hardwood such as hollock, champ, chikrassy and chaplash, etc. (non-coniferous timber other than teak, conforming to I.S. specification No. 1003, Kiln seasoned) with 100mm wide vertical styles, 150mm wide lock rail 200mm wide bottom rail, and 100mm wide other rails, with panels of 15mm thick, tongued and grooved of commercial hard wood and including cost of iron hinges, screws, chock/cleats, stops nails etc, complete fixed in position (excluding the cost of any fittings, other than specified above but including labour for fixing the same in position . (HSR 17.90) a a) 30mm thick.</p>	23.42 Sq.m.		Sq.m. (Per square metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
20	Factory manufactured wire gauze door and window shutters of commercial hardwood such as hollock, champ, chikrassy and chaplash, etc. (non-coniferous timber other than teak, conforming to I.S. specification No. 1003, Kiln seasoned) with 100mm wide vertical styles, 150mm wide lock iron 200mm wide bottom rail, and wire gauge of 140G or 120G designation including cost of iron hinges, screws, chock/cleats, stops nails etc, complete fixed in position (excluding the cost of any fittings, other than specified above but including labour for fixing the same in position. [HSR 17.92) (i) - 30mm thick]	32.97 Sq.m.		Sqm. (Per square metre)
21	Cost of aluminium fitting complete for doors and windows such as tower bolts, handles etc. and screw for these fittings (excluding sliding bolt) [HSR 17.72) (a)] (a) for single leaf shutter.	71.13 Sq.m.		Sqm. (Per square metre)
22	Supplying and fixing hydraulic door closer I.S.I mark with necessary screws etc. complete - I.S.I designation no III (HSR 17.82 c) size of door 851mmx1000mm	5 Nos.		Each (Per numbers)
23	Providing and fixing sliding bolt with nuts and screws etc., Complete - Aluminium [HSR 17.83 (b) (i)].- (i) Size 300mm x 16mm	7 Nos.		Each (Per numbers)
24	Providing and laying average 6mm thick POP Coating on walls, Ceiling, beams and lintel etc. complete in all respects as approved by the Engineer-in-Charge.(HSR 13.94)	218.38 Sq.m.		Sqm. (Per square metre)
25	Distampering with washable oil bound distemper (of approved manufacture) two coats over one priming coat on new work (HSR 16.58)	218.38 Sq.m.		Sqm. (Per square metre)
26	Preparation of plastered surfaces for distempering including sand papering the surface, applying filling with approved quality filler, consisting of plaster of paris and chalk mitti including finishing the surface to the required finish complete. (HSR 16.51)	156.26 Sq.m.		Sqm. (Per square metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
27	Providing two coats of exterior acrylic emulsion paint 2nd quality. [HSR 16.79) (a)]	156.26 Sqm.		Sqm. (Per square metre)
28	Preparation of ply wood surface for painting including sand papering the surface & applying filling with approved quality filler consisting of white lead, linseed oil, varnish & chalk mitti including finishing the surface to required finish complete (HSR 16.1)	171.72 Sqm.		Sqm. (Per square metre)
29	Applying pink primer or aluminium priming coat on wood work including preparation of surface, knotting & stopping etc. (HSR 16.2)	171.72 Sqm.		Sqm. (Per square metre)
30	Applying priming coat with metal primer on new steel or iron work including preparation of surface. (HSR 16.9)	23.41 Sqm.		Sqm. (Per square metre)
31	Painting two coats excluding priming coat with synthetic enamel paint in all shades on new wood work or metallic or plastered or concrete surfaces to give an even shade (HSR 16.3)	195.13 Sqm.		Sqm. (Per square metre)
32	Cement concrete 1:2:4 gola 10 cm x 10 cm quadrant along junction of roof with parapet wall finished smooth, where specially specified.(HSR 13.64)	35.36 Mtr.		Mtr. (Per Metre)
33	Top Khurra 0.6 m x 0.6 m for rain water pipe in 25mm thick cement concrete 1:2:4 over 50mm thick cement concrete 1:8:16 (HSR 13.50)	2 Nos.		Each (Per numbers)
34	Providing and fixing PVC Rain water pipe 6Kg. Pressure of ISI mark in cement mortar during masonry work. [HSR 13.89 (a)] a) 100mm dia PVC pipe 6 Kg. Pressure.	8.00 Mtr.		Mtr. (Per Metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
35	Providing and fixing PVC Bend ISI mark [HSR 13.90 (a)] a) 100mm dia PVC Bend	2 Nos.		Each (Per numbers)
36	Bottom Khurra on ground 1.2 m 0.6 m consisting of birck on edge laid in cement mortar 1:3 over 75mm cement contrete 1:8:16 including 12mm thick cement plaster 1:3 (HSR 13.57)	2 Nos.		Each (Per numbers)
37	Kotah stone flooring minimum 25mm thick, in any pattern as Specified over 20 mm th. Base of cement coarse sand mortar 1:3 laid & jointed with neat cement slurry mixed with pigment to match the shade of stone including rubbing and polishing.(HSR 14.62)	28.48 Sqm.		Sqm. (Per square metre)
38	Terrazzo topping rubbed and polished to a granolithic finish under layer 34mm thick cement concrete 1:2:4 and top layer as specified below:- a) with grey cement: ii) 43mm thick with top layer 9mm thick with white marble Makrana/Narnaul chipping of size above 4mm but upto 7mm laid in cement marble powder mix in the ratio of 3:1 (3 parts of cement and one part of marble powder) by weight inproportion of 4:7 (4 parts of cement marble powder mix : 7 parts of white marble chips) by volume complete. [14.25 (a) (ii)]	28.85 Sqm.		Sqm. (Per square metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
39	Laying and fixing vitrified / ceramic / glazed tiles of any size of approved make in skirting/ dado, pillars, wall facing, laid in any pattern as specified over base of 12mm thick cement coarse sand mortar 1:3 and jointed with white cement slurry mixed with pigment to match the shade of tiles. (Tiles shall be supplied by the Department) (HSR 14.94)	60.73 Sqm.		Sqm. (Per square metre)
40	Terazzo skirting or dedo on wall face rubbed and polished to a granolithic finish under layer, 12mm thick cement coarse sand plaster 1:3 and top layer as specified below:- (H.S.R. 14.26 (a) (i) (a-i) With grey cement (i) 18mm thick with top layer 6mm thick with white marble Makrana/ Narnaul chipping of size above 1mm but upto 4mm laid in cement marble powder mix in the ratio of 3:1 (3 parts of cement and one part of marble powder) by weight in proportion of 4:7 (4 parts of cement marble powder mix :7 parts of white	2.79 Sqm.		Sqm. (Per square metre)
41	Wrought iron and mild steel (using angles, flats, square bars, tees and channels) ladders, grills, grating frames, window guards, iron doors openable or fixed stair case or parapet or any other type of railing, gates and tree guards etc., including cost of screws and welding rods or bolts and nuts complete fixed in position. (HSR 18.12)	5.78 Qtl.		Qtl. (Per quintal)
	PUBLIC HEALTH AMENITIES			

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
1	Constructing brick masonry inspection chamber sizes as given below upto 0.60 mtr. average depth in cement mortar 1:5 lime concrete with 40 percent lime mortar 2:3 in foundation cement concrete 1:2:4 benching 12mm thick cement concrete 1:2 with a floating coat of 1mm thick of neat cement R.C.C. 1:2:4 slab 100mm thick / C.C. topping, 50mm thick with 455 mm x 455mm x 455mm x 610mm inside light duty C.I. inspection chamber cover and frame weight as per I.S.I. specification painted with 3 coats of black bitumastic superior paint complete as per standard design.(HSR 29.84)			
	a) Size 450mmx450mm inside (with 455 mm x 455mm cover and fame light duty single seal weighing 20 kg with C.C. topping).	3 Nos.		Each (Per numbers)
2	Providing and fixing in position best Indian make Indian type orrisa or Orya water closet suite complete with 100mm HCI trap other ecessary fittings including cost of 8 Litrs Cap. PVC cistern complete. (N.S.)	1 No.		Each (Per numbers)
3	Prov & fixing in position best Indian make European type water closet suit with non concealed inlcuding cost of 8 litrs cap. PVC Cistern complete. (N.S.)	1 No.		Each (Per numbers)
4	Extra for providing and fixing 32mm dia G.I. /C.P. Flush pipe complete with accessories instead of 32mm dia, galvanised telescopic flush pipe with clips (as required by Engineer-in-Charge). (HSR 30.15) a) 32mm dia G.I. flush pipe.	1 No.		Each (Per numbers)
5	Extra for providing and fixing 20mm Dia C.P. Brass over flow pipe complete with accessories instead of 20mm dia. G.I. over flow pipe complete (as approved by the Engineer-in-Charge). (HSR 30.18)	1 No.		Each (Per numbers)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
6	Providing and fixing in position best Indian make (ordinary) lavatory suites consisting of:- Lavatory in VITREOUS CHINAWARE size as given below ((to the approval of the Engineer-in-Charge) including china plug for tap hole where necessary; R.S. or C.I. BRACKETS for building into wall including painting; 32mm C.P. BRASS WASTE WITH C.P. brass chain and rubber plug; 15mm C.P. BRASS SCREW DOWN PILLAR TAP WITH jamnuts or coupling best design (as approved by the Engineer-in-Charge) ALL FITTINGS BEST INDIAN MAKE and; to the approval of the Engineer-in-Charge. ALL brass work chromium plated and COMPLETE in all respects INCLUDING cutting and MAKING GOOD THE WALLS FLOORS AND PAINTING OF FITTINGS ETC. [HSR 30.41 (iv)] White : iv) Size 550mm x 400mm with one no. Tap	4 Nos.		Each (Per numbers)
7	Providing & fixing in position best quality stainless steel sinks with complete fittings as fully as required. (N.S.)	1 No.		Each (Per numbers)
8	Providing & fixing in position best Indian make towel rails fixed in with rawlplugs embedded in walls with C.P. brass screws. Complete in all respect including cutting and making good the walls etc. [HSR 30.68 (a) (ii)] a-ii) 225MM DIA C.P. BRASS ADJUSTABLE - 600mm long	4 Nos.		Each (Per numbers)
9	Providing and fixing in position glass shelf fixed in with rawal plugs with C.P.brass sorews complete including cutting and making good and walls etc.[HSR 30.69](a)(i)] a-i) With C.P. brass brackets and guard rail - 600mm x 125mm	4 Nos.		Each (Per numbers)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
10	Providing and fixing in position best Indian make soap dish fixed into wall C.P. brass screws and complete in all respect including cutting and making good the walls etc. [HSR 30.70 (a) (i)] a-i) C.P. brass:- Soap dish large	4 Nos.		Each (Per numbers)
11	Providing & fixing in position best Indian make bevelled edge 5.5 thick mirror mounted on asbestos sheet ground fixed in position by means of 4 Nos. chromium plated brass screws and washers over rubber washers and rawl plug embedded in the wall or chromium plated brass clamps with C.P. brass screw (as required by the Engineer-in-charge) complete including cutting and making good the walls etc. [HSR 30.71) (a) (ii)] a-ii) INDIAN MAKE - 550mm x 400mm	4 Nos.		Each (Per numbers)
12	Providing & fixing in position 15mm i/d C.P. brass Bib cocks of best quality. (as required by the Engineer-in-Charge). [HSR 30.75 (b)] b) Bib coak sparrow with Permixon and flange.	9 Nos.		Each (Per numbers)
13	Providing and fixing in position HCI soil waste vent or antisiphonage pipes to ISI specification of ELC manufacture of any other reputed firm including cutting and wastage etc. and making good to its original condition but excluding cost of lead jointing (HSR 30.84)			
	a)100mm internal diameter	13 Mtr.		Mtr. (Per Metre)
	b)75mm internal diameter	22 Mtr.		Mtr. (Per Metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
14	Providing lead caulked joints to HCI pipes and specials confirming to ISI specifications of ELC manufacture or any other reputed firm including cost of lead yarn, fuel and tools etc. (HSR 30.87)			
	a)100mm internal diameter – (1.13 kg.)	8 Nos.		Each (Per numbers)
	b)75mm internal diameter – (0.91 kg.)	15 Nos.		Each (Per numbers)
15	Providing and fixing HCI floor traps ISI marked of the self cleaning design with C.P. brass hinged grating with frame with or without vent arm and including cement concrete 1:2:4 under and around the floor trap where required upto floor level complete in all respect including cutting and making good the walls and floors, etc., minimum depth of water should be 150mm with a minimum seal of 50mm. (HSR 30.89)			
	b) with 75mm i/d	8 Nos.		Each (Per numbers)
16	Cutting charge in brick wall in cement or floor for embedding G.I. or H.C. pipe lines and making good the same to its original condition. [HSR 30.95 (b)]			
	b) Size 150mm x 150mm	15 Mtr.		Mtr. (Per Metre)
17	Providing and fixing in position automatic brass ball valves in tanks. (HSR 30.110) a) With copper balls - iii) 25 mm internal diameter	2 Nos.		Each (Per numbers)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
18	Providing and fixing in position gully traps fixed in cement concrete 1:4:8 complte with HCL grating 150mmx150mm cast iron cover weighing approximately 7.26 kg. and frame clear opening 300mm x 300mm and outside size 330mm x 330mm and chamber including cost of all brick work in cement mortar 1:5 cement concrete 1:8:16 in foundations, and cement concrete 1:2:4 in coping around C.I. cover and frame etc. with three coats of black bitumastic superior paint of approved manufacture on all C.I. work as per standard design, minimum depth of water should be 150mm with a minimum seal 50mm. (HSR 30.114)			
	b) 100mm internal diameter HCI gully trap	4 Nos.		Each (Per numbers)
	ELECTRICAL INSTALLATION INTERNAL			
1	Wiring in 1.5 sqmm PVC insulated copper conductor cable in 1.6 mm thick conduit pipe. (HSR 31.36)			
(i) b	Fan Point- Medium.	6 Nos.		Each (Per numbers)
(ii) a	Light Point- Short.	12 Nos.		Each (Per numbers)
(ii) b	Light Point- Medium	5 Nos.		Each (Per numbers)
(ii) c	Light Point- Long	10 Nos.		Each (Per numbers)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
(vii)	3 pin 5 amp. Plug point including earthing the 3rd pin etc.			
c)	Long point	6 Nos.		Each (Per numbers)
viii	3 pin 15 amp. Plug point with 4 amp. PVC insulated copper conductor cable including earthing the 3rd pin etc.			
c)	Long point	3 Nos.		Each (Per numbers)
2	Supply and erection of PVC unsheathed copper conductor cable single core 1100 volts grade in pipe of suitable size excluding cost and erection of pipe. (HSR 31.40)			
i)	Cable size 1.5 sqm(3/0.81 mm)	70 Mtr.		Mtr. (Per Metre)
iii)	Cable size 4 sqm (7/0.85 mm)	40 Mtr.		Mtr. (Per Metre)
iv)	Cable size 6 sqm (7/1.05 mm)	6 Mtr.		Mtr. (Per Metre)
(a)	Main Switches			

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
3	Supply and erection of metal clad switches / B.D.Bs with rag bolts on wall or on existing angle iron board / pedestal including bonding to earth and necessary connections. (HSR 31.12-A)			
(iv)	Double pole switch 16 amp. 415 Volts Cat-B,	2 Nos.		Each (Per numbers)
(v)	Double pole switch 32 amp. 415 Volts Cat-B,	1 No.		Each (Per numbers)
4	Supply and erection of M.S. angle iron frame duly welded for housing M.S. sheet & main switches etc. on it, fixed on wall by means of suitable size of rag bolts with cement concrete, duly painted with three coats of approved paint including one coat of red oxide. (HSR 31.13)			
(ii)	Size 40 mm x 40 mm x 6 mm.	6 Mtr.		Mtr. (Per Metre)
5	M.S.Sheet .			
(i)	Supply and erection of 3 mm thick mild steel sheet duly welded on existing M.S. angle iron frame for fixing the main switches etc. as required, duly painted with three coats of approved paint including one coat of red oxide. (HSR 31.14)	0.504 Sqm.		Sqm. (Per square metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
6	Supply and erection of sheet steel enclosures 2 pole / 3 pole with earth plug and socket suitable for incorporating single pole / triple pole MCB on wall / on existing pedestal complete with necessary connections etc. (HSR 31.15)			
(ii)	S.P.N. enclosure for single pole MCB 20 amp.	1 No.		Each (Per numbers)
7	Supply and erection of blanking sheet in existing distribution board. (HSR 31.16)	2 Nos.		Each (Per numbers)
(L)	Miniature Circuit Breaker and Isolator.			
8	Supply and erection of miniature circuit breaker / isolator 240 /415 V in the existing distribution board including making necessary connections. (HSR 31.17)			
(a)	Miniature circuit breakers of 9 KA breaking capacity.			
(ii)	SP MCB 6 amp. to 32 amp.(Single pole)	8 Nos.		Each (Per numbers)
9	Supply and erection of Fittings and Accessories. (HSR 31.18)			
(xi)	Bakelite angle / straight button holder large size.	17 Nos.		Each (Per numbers)
(xxiv)	Erection only of 1 x 40 watts or 2 x 40 watts 1220 mm long / 1x20 watts or 2x20 watts, 610 mm long fluorescent tube fittings directly on wall including necessary connection with 0.75 sqmm (24/0.20 mm) PVC copper flexible cable for connecting the tube with the adjacent light point.	4 Nos.		Each (Per numbers)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
(xx)	Supply and erection of rectangular bulk head fitting of size 17 cm x 14 cm, aluminium casted with aluminium colour outside and white stove enamelled inside/complete with guard, glass etc. secured by brass screws suitable upto 100 watts lamp with B.C. lamp holder but without lamp.	6 Nos.		Each (Per numbers)
(xxvi)	Supply and erection of hexagonal M.S. box 1.60 mm thick having each side 8 cms, 7.5 cms deep, top covered with M.S. lid by means of screws including 10mm dia 30cm long mild steel rod made into suitable suspension hook and erected in RCC slab for erection of fan, the bottom covered with 3mm thick bakelite sheet with suitable holes, material required to complete the job.	6 Nos.		Each (Per numbers)
10 (O)	Erection and carriage of fans. (HSR 31.20)			
(i)	Erection of ceiling fan complete with necessary earthing of fan and regulator including carriage from local railway station /goods transport /PWD store to the site of work.	6 Nos.		Each (Per numbers)
(P)	Pipe Laying.			
11	Supply and erection of pipe for wiring purposes including bends inspection boxes etc. where necessary and painting as required. (HSR 31.21)			
(xxi)	Heavy guage welded conduit pipe 20mm dia 1.60mm thickness flushed.	35 Mtr.		Mtr. (Per Metre)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
(xxvii)	Galvanised iron flexible pipe complete with socket nipples and checknuts etc. at both ends (upto length of one metre.)			
(b)	Size 20 mm dia.	3 Mtr.		Mtr. (Per Metre)
12	(Q) Earthing (HSR 31.22)			
(i)	Earthing with GI earth pipe 4.5 m long and 40 mm dia with masonry enclosures on the top etc. as required.	2 Nos.		Each (Per numbers)
(ii)	Extra for using salt and charcoal / coke for pipe earth electrode as required.	2 Nos.		Each (Per numbers)
(xii)	Pdg. and laying earth connections from earth electrode with 4.00 mm dia G.I. wire in 15 mm dia G.I. pipe from earth electrode as required .	20 Mtr.		Mtr. (Per Metre)
13	Miscellaneous . (HSR 31.35-iii)			
(X) (iii)	Supply and erection of caution notice plate in three languages	3 Job		Job (Per Job)

Sr. No.	Description	Qty.	Rate	Unit
			Rate to be quoted by agency	
14	Supply and erection of double door sheet steel enclosure distribution board suitable for MCBs and ELCBs etc. recessed in wall including bonding to earth with all labour and material required to complete the job in all respect upto the entire satisfaction of the Engineer-in-Charge of the work. (HSR 31.41)			
i)	4-way, SP&N (Horizontal)	2 Nos.		Each (Per numbers)
ii)	8-way, SP&N (Horizontal)	1 No.		Each (Per numbers)