

CYP IAPT Import File Definition v1.0

Email: CORCiapt@annafreud.org

Associated Documents

1. CYP IAPT Dataset Specification v1.1

Revision History

2 nd March 2012	v1.0	First release
----------------------------	------	---------------

Table of Contents

Table of Contents.....	2
Introduction	3
Supported File Format.....	3
CSV (Comma Delimited).....	3
Delivery via HTTPS	3
File Definitions.....	5
Column Types.....	5
Demographic File	9
Filename Convention	9
Demographic Field Definitions	9
Period of Contact File	10
Filename Convention	10
Period of Contact Field Definitions	11
Event File	13
Filename Convention	13
Event Field Definitions	13
Individual Questionnaire Files.....	16
Filename Conventions	16
Common Field Definitions	17
EET Questionnaire Type Field Definitions.....	18
SDQ Questionnaire Type Field Definitions.....	19
RCADS Questionnaire Type Field Definitions	21
HON Questionnaire Type Field Definitions.....	24
DEP Questionnaire Type Field Definitions	25
RGAD Questionnaire Type Field Definitions	26
SA Questionnaire Type Field Definitions.....	27
SP Questionnaire Type Field Definitions.....	28
PANIC Questionnaire Type Field Definitions.....	29
OCD Questionnaire Type Field Definitions.....	30
IES Questionnaire Type Field Definitions.....	31
MAMSC Questionnaire Type Field Definitions	32
ODDP Questionnaire Type Field Definitions	33
GAD Questionnaire Type Field Definitions.....	34
PHQ Questionnaire Type Field Definitions	35
RMQ Questionnaire Type Field Definitions	36
SFQ Questionnaire Type Field Definitions	37
ESQ Questionnaire Type Field Definitions	38
SDQFUP Questionnaire Type Field Definitions.....	39
CSRS Questionnaire Type Field Definitions.....	41
CORS Questionnaire Type Field Definitions	42
CGAS Questionnaire Type Field Definitions.....	43
GOALS Questionnaire Type Field Definitions	44

PROBDES Questionnaire Type Field Definitions	45
MED Questionnaire Type Field Definitions	47

Introduction

The CYP IAPT file import process has been devised for service providers to provide CYP IAPT with information which will be used for analysis purposes. With thanks to Kian Ryan and Tom Patterson (Click Databases), Natalie Bryant (MegaNexus) and Andy Fugard (CAMHS EBPU/CORC)

Supported File Format

CSV (Comma Delimited)

Comma delimited files are the required file format for delivery.

CSV files should have the following attributes:

- CSV Files should use a windows-style line termination (CR+LF)
- CSV Files should quote strings also containing commas, e.g.,
 “this, is an acceptable string”
 this, is not
- CSV Files should use a date format of “yyyy-MM-dd”.
- CSV Files should have a header row containing field names (see definitions).
- CSV Files should be encoded as UTF-8.

Delivery via HTTPS

Each Service will have a designated Data Manager with a user account that has access to the Drop Box. The Data Manager will upload the Service’s data in the form of a .zip file via a secure encrypted connection to the Drop Box. The .zip file will contain all the Service’s data as CSV files. Each of these CSV files will follow the file name conventions outlined later in this document.

The Drop Box area will maintain a record of all uploads and their validation status (Pending, Fail or Pass). As the files are processed, their validation status will be updated. In this records area, the Data Manager will be able view a list of the CSV files that comprises an uploaded zip file. To

view an individual CSV file, the entire zipped file can be downloaded to the Data Manager's computer desktop.

File Definitions

Column Types

Type	Description	Range	Example
String	A collection of numbers and letters.		This is a string
Integer	A whole number	-2^{31} to $2^{31}-1$	42
Decimal	Number to two decimal places		4.02
Date	Date in the format yyyy-MM-dd		2012-01-31
Time	Time in the format HH:MM		10:30

Unless otherwise stated, all columns defined in the file definition are required.

Data Submission Periods

Quarter	Dates	Submission window
Q1 2012	January – March	1–15 April 2012
Q2 2012 (Q1 refresh)	April – June	1–15 July 2012
Q3 2012 (Q2 refresh)	July – September	1–15 October 2012
Q4 2012 (Q3 refresh)	October – December	1– 15 January 2013
Q1 2013 (Q4 refresh)	January – March	1– 15 April 2013

Data Submission File Sets


A Data Submission File Set is a set of CYP IAPT data files packaged to form a single submission of data.

A data submission file set will contain any records that have either been created (inserted) during the Data Submission Period, or which have been amended (edited) during the Data Submission Period.

There are four types of file which make up a complete Data Submission File Set:

Hierarchy	File Prefix	Data Submission File Type	Parent File
1	DEM	Demographic File	
2	POC	Period of Contact	Demographic File
3	EVENT	Event File	Period of Contact File
4	QUES	Individual Questionnaire Files	Event Files

The figure below illustrates the data hierarchy for someone who has had two periods of contact and a series of events for each:



A Data Submission File Set may contain one or more Data Submission Files.

The extraction is performed in a hierarchical manner, whereby each Data Submission File must be backed by its corresponding “Parent” file where applicable. As such:

- Each questionnaire record submitted in a QUES file type must also be submitted with an entry in an associated Event (EVENT) file, period of contact file (POC), and Demographic (DEM) file.
- Each Event record submitted in an EVENT file type must be submitted with an entry in an associated period of contact file (POC), and Demographic (DEM) file.
- Each Period of Contact record submitted in a POC file type must be submitted with an entry in an associated Demographic (DEM) file.
- Each Demographic (DEM) record submitted will not have an associated parent as it is at the top of the file hierarchy.

Consider a young person, John Smith (this is a slightly contrived example to illustrate the principles):

- John's demographic record is added 14th March. This is a newly inserted demographic (DEM) record for Q1 and should be extracted and submitted in April.
- A Period of Contact record is subsequently added on 1st April (Q2). This is a newly inserted Period of Contact (POC) record and should be extracted and submitted in July for the Q2 reporting period. This POC record must be submitted with the corresponding DEM record, even if the DEM record itself was not amended.
- An Event record and an SDQ questionnaire are completed 1st July (Q3). The following records must be returned in October for Q3 reporting:

QUES_SDQ: The new SDQ questionnaire record

EVENT: The parent event record relating to the completed questionnaire

POC: The parent POC record relating to the event

DEM: The parent demographic record relating to the Period of Contact.

Demographic File

The Demographic file contains the patient-level data records. This file has no “Parent” file and can therefore be submitted on its own if necessary. There must only be one Demographic File submitted per Data Submission File Set.

Filename Convention

File names will take the form: **DEM_[service]_[yyyymmdd].csv** where:

[service] is the service centre number of the originating service centre.

[yyyymmdd] is the date the file was created in the form year, month, date. E.g. 20120131 (31st January 2012)

Mandatory fields are indicated with a “Y”. If data in any mandatory fields is missing, then the entire file will be rejected.

Data submitted in Fields marked Updatable “N” will **not** be updated following subsequent submissions of changed data. In other words, the first submitted value will be retained for these fields.

Refer to the CYP IAPT Data Specification for detail of valid values and value descriptions.

Demographic Field Definitions

Field	Type	Size	Mandatory	Updateable
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)	N
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (ONLY if NHS_ID not present)	N
SERVICE_ID	String	50	Y (ONLY if NHS_ID not present)	N
DOB	Date		Y	N
GENDER	Integer		Y	N
ETHNICITY	String	3		

Period of Contact File

The Period of Contact file contains Period of Contact data for each patient. One patient may have multiple Episodes of Care. This file must be submitted with a corresponding Demographic file containing a related patient record for each Period of Contact record. There should only be one Period of Contact File submitted per Data Submission File Set.

Filename Convention

File names will take the form: **POC_[service]_[yyyymmdd].csv** where:

[service] is the service centre number of the originating service centre.

[yyyymmdd] is the date the file was created in the form year, month, date. E.g. 20120131 (31st January 2012)

Mandatory fields are indicated with a “Y”. If data in any mandatory fields is missing, then the entire file will be rejected.

Data submitted in Fields marked Updatable “N” will **not** be updated following subsequent submissions of changed data. In other words, the first submitted value will be retained for these fields.

Refer to the CYP IAPT Data Specification for detail of valid values and value descriptions.

Period of Contact Field Definitions

Field	Type	Size	Mandatory	Updateable
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)	N
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)	N
SERVICE_ID	String	50	Y	N
PERIOD_OF_CONTACT_START	String	50	Y	N
TEAM_ID	String	50		N
LAC	Integer		Y	
YOUNG_CARER	Integer		Y	
LDISABILITY	Integer		Y	
PHYSICAL	Integer		Y	
DEVELOPMENTAL	Integer		Y	
NEUROLOGICAL	Integer		Y	
CURRENT_PROTECT_PLAN	Integer		Y	
CHILD_IN_NEED	Integer		Y	
REFUGEE_ASYLUM	Integer		Y	
EXPERIENCE_OF_WAR	Integer		Y	
CONTEXT_FAMILY_AND_HOME	Integer		Y	
CONTEXT_SCHOOL_AND_WORK	Integer		Y	
CONTEXT_WIDER_COMMUNITY	Integer		Y	
CASE_CLOSURE_STATUS	Integer		Y	
PERIOD_OF_CONTACT_END_DATE	Date			
CASE_CLOSURE_REASON	String	3		
POSTCODE	String	50		
SERVICE_COLLAB_ID	String	50		
GP_PRACTICE_CODE	String	50		

GP_PRACTICE_POSTCODE	String	50		
LOCAL_AUTHORITY	String	50		
CONSENT_OBTAINED_FOR_SECONDARY_USES	Integer		Y	
REFERRAL_DATED	Date			
REFERRAL_RECEIVED	Date			
REFERRAL_SOURCE	String	3		
CAMHS_ACTION	String	3		
GOALS_DESCRIPTION_1_COMPLETED_BY	String	3		
GOALS_DESCRIPTION_2_COMPLETED_BY	String	3		
GOALS_DESCRIPTION_3_COMPLETED_BY	String	3		
GOALS_DESCRIPTION_1	String	1000		
GOALS_DESCRIPTION_2	String	1000		
GOALS_DESCRIPTION_3	String	1000		

Event File

The Event File contains individual contact (event) data for each patient Period of Contact. One patient may have multiple Events within a Period of Contact. This file must be submitted with a corresponding Period of Contact file containing a related Period of Contact record. There should only be one Event File submitted per Data Submission File Set.

Filename Convention

File names will take the form: **EVENT_[service]_[yyyymmdd].csv** where:

[service] is the service centre number of the originating service centre.

[yyyymmdd] is the date the file was created in the form year, month, date. E.g. 20110131 (31st January 2011)

Mandatory fields are indicated with a “Y”. If data in any mandatory fields is missing, then the entire file will be rejected.

Data submitted in Fields marked Updatable “N” will **not** be updated following subsequent submissions of changed data. In other words, the first submitted value will be retained for these fields.

Refer to the Data Specification for detail of valid values and value descriptions.

Event Field Definitions

Field	Type	Size	Mandatory	Updateable
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)	N
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)	N
SERVICE_ID	String	50	Y	N
PERIOD_OF_CONTACT_START	Date		Y	N
EVENT_DATE	Date		Y	N
EVENT_TIME	Time		Y	N
EVENT_TYPE	Integer		Y	N
COMPLETION_POINT	Integer		Y	N
APPT_ATTENDED	Integer			
NURSING_PROF	Integer			

MEDICAL_PROF	Integer		
PSYCHOLOGY_PROF	Integer		
PRIMARY_MENTAL_HEALTH_PROF	Integer		
CHILD_ADOLESCENT_PSYCH_PROF	Integer		
FAMILY_THERAPY_PROF	Integer		
COUNSELLING_PROF	Integer		
OCCUPATIONAL_THERAPY_PROF	Integer		
SOCIAL_WORK_PROF	Integer		
OTHER_THERAPY_QUALIFIED_PROF	Integer		
CREATIVE_THERAPY_PROF	Integer		
EDUCATIONAL_PSYCH_PROF	Integer		
EDUCATION_OTHER_PROF	Integer		
OTHER_QUALIFIED_STAFF	Integer		
OTHER_UNQUALIFIED_STAFF	Integer		
PRACTITIONER_1_ID	String	50	
PRACTITIONER_1_IAPT_TRAINED	Integer		
PRACTITIONER_2_ID	String	50	
PRACTITIONER_2_IAPT_TRAINED	Integer		
PRACTITIONER_3_ID	String	50	
PRACTITIONER_3_IAPT_TRAINED	Integer		
YOUNG_PERSON_ATTENDED	Integer		
CAREGIVER_ATTENDED	Integer		
OTHER_CYP_GROUPWORK_ATTENDED	Integer		
OTHER_CAREGIVER_GROUPWORK_ATTENDED	Integer		
OTHER_GROUPWORK_ATTENDED	Integer		
KEY_CRISIS	Integer		
MEASURES_GIVEN	Integer		

CARER_MEASURE_REFUSE	Integer			
CYP_MEASURE_REFUSE	Integer			
INTERPERSONAL_THERAPY	Integer			
COG_BEH_THERAPY	Integer			
MULTIMODAL_INTEGRATED_THERAPY	Integer			
BRIEF_SOLUTION_FOCUSSED_THERAPY	Integer			
PSYCHODYNAMIC_THERAPY	Integer			
PSYCHOANALYTIC_THERAPY	Integer			
DIALECTICAL_BEH_THERAPY	Integer			
MULTI_SYSTEMIC_THERAPY	Integer			
GROUP_THERAPY	Integer			
FAMILY_SYSTEMIC_THERAPY	Integer			
EMDR	Integer			
FAMILY_WORK	Integer			
CREATIVE_THERAPIES	Integer			
PHARMA_ADVICE	Integer			
PARENT_TRAINING	Integer			
PARENT_OTHER	Integer			
NEUROPSYCH	Integer			
COUNSELLING	Integer			
CHILD_PSYCHOTHERAPY	Integer			
OTHER_THERAPY	Integer			

Individual Questionnaire Files

Individual Questionnaire Files contain questionnaire data for each patient Event. One patient may have multiple Questionnaire Files within an Event. Each Individual Questionnaire File must be submitted with a corresponding Event file containing a related Event record. There should only be one Individual Questionnaire File submitted per Questionnaire Type in a Data Submission File Set.

Individual questionnaire files are a composite of common fields defined here, and unique fields defined in the CYP IAPT Data Specification. Questionnaire files are unique to the questionnaire type, and should not mix multiple questionnaire type responses in a single file.

Filename Conventions

File names will take the form: **QUES_[code]_[service]_[yyyymmdd].csv** where:

[code] is the code allocated to the given questionnaire type.

[service] is the service centre number of the originating service centre.

[yyyymmdd] is the date the file was created in the form year, month, date. E.g. 20120131 (31st January 2012)

Questionnaire Types

The following questionnaire types are available for submission:

Questionnaire Code	Questionnaire Name	Sample File Name
EET	Education, Employment or Training	QUES_EET_1_20120131.csv
SDQ	Strengths and Difficulties Questionnaire	QUES_SDQ_1_20120131.csv
HON	Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA)	QUES_HON_1_20120131.csv
RCADS	Revised Child Anxiety and Depression Scale Complete (RCADS)	QUES_RCADS_1_20120131.csv
DEP	Depression Subscale of Revised Child Anxiety and Depression Scale (DEP)	QUES_DEP_1_20120131.csv
RGAD	Generalized Anxiety Disorder Subscale of Revised Child Anxiety and Depression Scale (GAD) for Anxious generally (Generalized anxiety)	QUES_RGAD_1_20120131.csv
SA	Separation Anxiety Subscale of Revised Child Anxiety and Depression (SA) for Anxious away from home (Separation anxiety)	QUES_SA_1_20120131.csv
SP	Social Phobia Subscale of Revised Child Anxiety and Depression (SP)	QUES_SP_1_20120131.csv
PANIC	Panic Subscale of Revised Child Anxiety and Depression (PANIC)	QUES_PANIC_1_20120131.csv
OCD	Obsessive Compulsive Disorder Subscale of Revised Child Anxiety and Depression (OCD) for Compelled to do or think things (OCD)	QUES_OCD_1_20120131.csv
IES	Impact of Events Scale (IES) for Disturbed by traumatic event (PTSD)	QUES_IES_1_20120131.csv
MAMSC	MAMS (Conduct problems)	QUES_MAMSC_1_20120131.csv

ODDP	ODD (Parent)	QUES_ODDP_1_20120131.csv
GAD	GAD-7 Anxiety	QUES_GAD_1_20120131.csv
PHQ	PHQ-9 Depression	QUES_PHQ_1_20120131.csv
RMQ	Regular Monitoring Impact Questionnaire	QUES_RMQ_1_20120131.csv
SFQ	Session Feedback Questionnaire (SFQ)	QUES_SFQ_1_20120131.csv
ESQ	Experience of Service Questionnaire	QUES_ESQ_1_20120131.csv
SDQFUP	Strengths and Difficulties Questionnaire (Follow Up version)	QUES_SDQFUP_1_20120131.csv
CSRS	Child Session Rating Scale (CSRS)	QUES_CSRS_1_20120131.csv
CORS	Child Outcome Rating Scale (CORS)	QUES_CORS_1_20120131.csv
CGAS	Children's Global Assessment Scale (CGAS)	QUES_CGAS_1_20120131.csv
GOALS	Goals Based Outcomes (GBOs)	QUES_GOALS_1_20120131.csv
PROBDES	Problem Descriptions	QUES_PROBDES_1_20120131.csv
MED	Medication	QUES_MED_1_20120131.csv

Common Field Definitions

The following field definitions are common to **all** questionnaire files types and are **mandatory**. Additional fields are required for each questionnaire type, for each question response.

Mandatory fields are indicated with a "Y". If data in any mandatory fields is missing, then the entire file will be rejected.

Refer to the Data Specification for detail of valid values and value descriptions.

	Field	Type	Size	Mandatory
	NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
	SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
	SERVICE_ID	String	50	Y
	PERIOD_OF_CONTACT_START	Date		Y
	EVENT_DATE	Date		Y
	EVENT_TIME	Time		Y

EET Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
EET_QUESTIONNAIRE_VERSION	String	3	Y
EET_COMPLETED_BY	String	4	Y
EET_ATTENDANCE	Integer		Y
EET_ATTAINMENT	Integer		Y

SDQ Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
SDQ_ASS_QUESTIONNAIRE_VERSION	String	3	Y
SDQ_ASS_COMPLETED_BY	String	4	Y
SDQ_ASS_CONSIDERATE	Integer		
SDQ_ASS_RESTLESS	Integer		
SDQ_ASS_ACHES	Integer		
SDQ_ASS_SHARES	Integer		
SDQ_ASS_TEMPERS	Integer		
SDQ_ASS_SOLITARY	Integer		
SDQ_ASS_OBEDIENT	Integer		
SDQ_ASS_WORRIES	Integer		
SDQ_ASS_HELPFUL	Integer		
SDQ_ASS_FIDGETY	Integer		
SDQ_ASS_FRIEND	Integer		
SDQ_ASS_FIGHTS	Integer		
SDQ_ASS_UNHAPPY	Integer		
SDQ_ASS_POPULAR	Integer		
SDQ_ASS_DISTRACTIBLE	Integer		
SDQ_ASS_CLINGY	Integer		
SDQ_ASS_KIND	Integer		

	SDQ_ASS_LIESORCHEATS	Integer		
	SDQ_ASS_VICTIMIZED	Integer		
	SDQ_ASS_VOLUNTEERS	Integer		
	SDQ_ASS_REFLECTIVE	Integer		
	SDQ_ASS_STEALS	Integer		
	SDQ_ASS_BETTERWITHADULTS	Integer		
	SDQ_ASS_FEARS	Integer		
	SDQ_ASS_ATTENTION	Integer		
	SDQ_ASS_PROBLEM	Integer		
	SDQ_ASS_DURATION	Integer		
	SDQ_ASS_DISTRESS	Integer		
	SDQ_ASS_HOMELIFE	Integer		
	SDQ_ASS_FRIENDSHIP	Integer		
	SDQ_ASS_LEARNING	Integer		
	SDQ_ASS_LEISURE	Integer		
	SDQ_ASS_BURDEN	Integer		

RCADS Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
RCADS_QUESTIONNAIRE_VERSION	String	3	Y
RCADS_COMPLETED_BY	String	4	Y
RCADS_1	Integer		
RCADS_2	Integer		
RCADS_3	Integer		
RCADS_4	Integer		
RCADS_5	Integer		
RCADS_6	Integer		
RCADS_7	Integer		
RCADS_8	Integer		
RCADS_9	Integer		
RCADS_10	Integer		
RCADS_11	Integer		
RCADS_12	Integer		
RCADS_13	Integer		
RCADS_14	Integer		
RCADS_15	Integer		
RCADS_16	Integer		
RCADS_17	Integer		

RCADS_18	Integer		
RCADS_19	Integer		
RCADS_20	Integer		
RCADS_21	Integer		
RCADS_22	Integer		
RCADS_23	Integer		
RCADS_24	Integer		
RCADS_25	Integer		
RCADS_26	Integer		
RCADS_27	Integer		
RCADS_28	Integer		
RCADS_29	Integer		
RCADS_30	Integer		
RCADS_31	Integer		
RCADS_32	Integer		
RCADS_33	Integer		
RCADS_34	Integer		
RCADS_35	Integer		
RCADS_36	Integer		
RCADS_37	Integer		
RCADS_38	Integer		
RCADS_39	Integer		
RCADS_40	Integer		
RCADS_41	Integer		
RCADS_42	Integer		
RCADS_43	Integer		
RCADS_44	Integer		

	RCADS_45	Integer		
	RCADS_46	Integer		
	RCADS_47	Integer		

HON Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
HON_QUESTIONNAIRE_VERSION	String	3	Y
HON_COMPLETED_BY	String	4	Y
HON_01	Integer		
HON_02	Integer		
HON_03	Integer		
HON_04	Integer		
HON_05	Integer		
HON_06	Integer		
HON_07	Integer		
HON_08	Integer		
HON_09	Integer		
HON_10	Integer		
HON_11	Integer		
HON_12	Integer		
HON_13	Integer		
HON_B1	Integer		
HON_B2	Integer		

DEP Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
DEP_QUESTIONNAIRE_VERSION	String	3	Y
DEP_COMPLETED_BY	String	4	Y
DEP_01	Integer		
DEP_02	Integer		
DEP_03	Integer		
DEP_04	Integer		
DEP_05	Integer		
DEP_06	Integer		
DEP_07	Integer		
DEP_08	Integer		
DEP_09	Integer		
DEP_10	Integer		

RGAD Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
RGAD_QUESTIONNAIRE_VERSION	String	3	Y
RGAD_COMPLETED_BY	String	4	Y
RGAD_01	Integer		
RGAD_02	Integer		
RGAD_03	Integer		
RGAD_04	Integer		
RGAD_05	Integer		
RGAD_06	Integer		

SA Questionnaire Type Field Definitions

	Field	Type	Size	Mandatory
	NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
	SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
	SERVICE_ID	String	50	Y
	PERIOD_OF_CONTACT_START	Date		Y
	EVENT_DATE	Date		Y
	EVENT_TIME	Time		Y
	SA_QUESTIONNAIRE_VERSION	String	3	Y
	SA_COMPLETED_BY	String	4	Y
	SA_01	Integer		
	SA_02	Integer		
	SA_03	Integer		
	SA_04	Integer		
	SA_05	Integer		
	SA_06	Integer		
	SA_07	Integer		

SP Questionnaire Type Field Definitions

	Field	Type	Size	Mandatory
	NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
	SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
	SERVICE_ID	String	50	Y
	PERIOD_OF_CONTACT_START	Date		Y
	EVENT_DATE	Date		Y
	EVENT_TIME	Time		Y
	SP_QUESTIONNAIRE_VERSION	String	3	Y
	SP_COMPLETED_BY	String	4	Y
	SP_01	Integer		
	SP_02	Integer		
	SP_03	Integer		
	SP_04	Integer		
	SP_05	Integer		
	SP_06	Integer		
	SP_07	Integer		
	SP_08	Integer		
	SP_09	Integer		

PANIC Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
PANIC_QUESTIONNAIRE_VERSION	String	3	Y
PANIC_COMPLETED_BY	String	4	Y
PANIC_01	Integer		
PANIC_02	Integer		
PANIC_03	Integer		
PANIC_04	Integer		
PANIC_05	Integer		
PANIC_06	Integer		
PANIC_07	Integer		
PANIC_08	Integer		
PANIC_09	Integer		

OCD Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
OCD_QUESTIONNAIRE_VERSION	String	3	Y
OCD_COMPLETED_BY	String	4	Y
OCD_01	Integer		
OCD_02	Integer		
OCD_03	Integer		
OCD_04	Integer		
OCD_05	Integer		
OCD_06	Integer		

IES Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
IES_QUESTIONNAIRE_VERSION	String	3	Y
IES_COMPLETED_BY	String	4	Y
IES_01	Integer		
IES_02	Integer		
IES_03	Integer		
IES_04	Integer		
IES_05	Integer		
IES_06	Integer		
IES_07	Integer		
IES_08	Integer		

MAMSC Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
MAMSC_QUESTIONNAIRE_VERSION	String	3	Y
MAMSC_COMPLETED_BY	String	4	Y
MAMSC_1	Integer		
MAMSC_2	Integer		
MAMSC_3	Integer		
MAMSC_4	Integer		
MAMSC_5	Integer		
MAMSC_6	Integer		
MAMSC_7	Integer		

ODDP Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
ODDP_QUESTIONNAIRE_VERSION	String	3	Y
ODDP_COMPLETED_BY	String	4	Y
ODDP_1	Integer		
ODDP_2	Integer		
ODDP_3	Integer		
ODDP_4	Integer		
ODDP_5	Integer		
ODDP_6	Integer		
ODDP_7	Integer		
ODDP_8	Integer		

GAD Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
GAD_QUESTIONNAIRE_VERSION	String	3	Y
GAD_COMPLETED_BY	String	4	Y
GAD_1	Integer		
GAD_2	Integer		
GAD_3	Integer		
GAD_4	Integer		
GAD_5	Integer		
GAD_6	Integer		
GAD_7	Integer		
GAD_DIFFICULTY	Integer		

PHQ Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
PHQ_QUESTIONNAIRE_VERSION	String	3	Y
PHQ_COMPLETED_BY	String	4	Y
PHQ_1	Integer		
PHQ_2	Integer		
PHQ_3	Integer		
PHQ_4	Integer		
PHQ_5	Integer		
PHQ_6	Integer		
PHQ_7	Integer		
PHQ_8	Integer		
PHQ_9	Integer		

RMQ Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
RMQ_QUESTIONNAIRE_VERSION	String	3	Y
RMQ_COMPLETED_BY	String	4	Y
RMQ_PROBLEMIMPROVE	Integer		
RMQ_NOWCOPING	Integer		
RMQ_UPSET_DISTRESS	Integer		
RMQ_INTERFERING_HOME	Integer		
RMQ_INTERFERING_FRIENDSHIPS	Integer		
RMQ_INTERFERING_LEARN_WORK	Integer		
RMQ_INTERFERING_LEISURE	Integer		
RMQ_FUTURE	Integer		

SFQ Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
SFQ_QUESTIONNAIRE_VERSION	String	3	Y
SFQ_COMPLETED_BY	String	4	Y
SFQ_01	Integer		
SFQ_02	Integer		
SFQ_03	Integer		
SFQ_04	Integer		

ESQ Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
ESQ_QUESTIONNAIRE_VERSION	String	3	Y
ESQ_COMPLETED_BY	String	4	Y
ESQ_1	Integer		
ESQ_2	Integer		
ESQ_3	Integer		
ESQ_4	Integer		
ESQ_5	Integer		
ESQ_6	Integer		
ESQ_7	Integer		
ESQ_8	Integer		
ESQ_9	Integer		
ESQ_10	Integer		
ESQ_11	Integer		
ESQ_12	Integer		

SDQFUP Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
SDQ_FUP_QUESTIONNAIRE_VERSION	String	3	Y
SDQ_FUP_COMPLETED_BY	String	4	Y
SDQ_FUP_CONSIDERATE	Integer		
SDQ_FUP_RESTLESS	Integer		
SDQ_FUP_ACHES	Integer		
SDQ_FUP_SHARES	Integer		
SDQ_FUP_TEMPERS	Integer		
SDQ_FUP_SOLITARY	Integer		
SDQ_FUP_OBEDIENT	Integer		
SDQ_FUP_WORRIES	Integer		
SDQ_FUP_HELPFUL	Integer		
SDQ_FUP_FIDGETY	Integer		
SDQ_FUP_FRIEND	Integer		
SDQ_FUP_FIGHTS	Integer		
SDQ_FUP_UNHAPPY	Integer		
SDQ_FUP_POPULAR	Integer		
SDQ_FUP_DISTRACTIBLE	Integer		
SDQ_FUP_CLINGY	Integer		
SDQ_FUP_KIND	Integer		

	SDQ_FUP_LIESORCHEATS	Integer		
	SDQ_FUP_VICTIMIZED	Integer		
	SDQ_FUP_VOLUNTEERS	Integer		
	SDQ_FUP_REFLECTIVE	Integer		
	SDQ_FUP_STEALS	Integer		
	SDQ_FUP_BETTERWITHADULTS	Integer		
	SDQ_FUP_FEARS	Integer		
	SDQ_FUP_ATTENTION	Integer		
	SDQ_FUP_PROBLEMIMPROVE	Integer		
	SDQ_FUP_HELPFULCLINIC	Integer		
	SDQ_FUP_PROBLEM	Integer		
	SDQ_FUP_DISTRESS	Integer		
	SDQ_FUP_HOMELIFE	Integer		
	SDQ_FUP_FRIENDSHIP	Integer		
	SDQ_FUP_LEARNING	Integer		
	SDQ_FUP_LEISURE	Integer		
	SDQ_FUP_BURDEN	Integer		

CSRS Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
CSRS_QUESTIONNAIRE_VERSION	String	3	Y
CSRS_COMPLETED_BY	String	4	Y
CSRS_1	Decimal		
CSRS_2	Decimal		
CSRS_3	Decimal		
CSRS_4	Decimal		

CORS Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
CORS_QUESTIONNAIRE_VERSION	String	3	Y
CORS_COMPLETED_BY	String	4	Y
CORS_1	Decimal		
CORS_2	Decimal		
CORS_3	Decimal		
CORS_4	Decimal		

CGAS Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
CGAS_QUESTIONNAIRE_VERSION	String	3	Y
CGAS_COMPLETED_BY	String	4	Y
CGAS	Integer		

GOALS Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
GOALS_QUESTIONNAIRE_VERSION	String	3	Y
GOALS_SCORE_1	Integer		
GOALS_SCORE_2	Integer		
GOALS_SCORE_3	Integer		
GOALS_SCORE_1_COMPLETED_BY	Text	50	
GOALS_SCORE_2_COMPLETED_BY	Text	50	
GOALS_SCORE_3_COMPLETED_BY	Text	50	

PROBDES Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
PROBLEM_DESCRIPTION_QUESTIONNAIRE_VERSION	String	3	Y
PROBLEM_DESCRIPTION_COMPLETED_BY	String	4	Y
PROBLEM_DESCRIPTION_UPDATE_TYPE	Integer		
DEPRESSION_LOW_MOOD	Integer		
OUT_OF_CONTROL	Integer		
ANXIOUS_AWAY_HOME	Integer		
ANXIOUS_SOCIAL	Integer		
ANXIOUS_GENERALLY	Integer		
TRAUMATIC_EVENT	Integer		
COMPELLED_TO_DO_OR_THINK	Integer		
PANIC_DISORDER	Integer		
AVOIDS_GOING_OUT	Integer		
AVOIDS_SPECIFIC_THINGS	Integer		
ADHD_TROUBLE_CONCENTRATING	Integer		
EATING_PROBLEMS	Integer		
GENDER_DISCOMFORT	Integer		
SEVERE_INTER_PERSONAL_DIFFICULTIES	Integer		
ATTACHMENT_DIFFICULTIES	Integer		

	TOILET_PROBLEMS	Integer		
	PSYCHOSIS	Integer		
	SELF_HARMING	Integer		
	SUBSTANCE_ABUSING	Integer		
	HABIT_PROBLEMS	Integer		
	SELECTIVE_MUTISM	Integer		
	CARER_MANAGEMENT_DIFFICULTY	Integer		
	FAMILY_RELATIONSHIP_PROBLEMS	Integer		

MED Questionnaire Type Field Definitions

Field	Type	Size	Mandatory
NHS_ID	String	12	Y (If SERVICE_ALLOCATED_PATIENT_ID not present)
SERVICE_ALLOCATED_PATIENT_ID	String	50	Y (If NHS_ID not present)
SERVICE_ID	String	50	Y
PERIOD_OF_CONTACT_START	Date		Y
EVENT_DATE	Date		Y
EVENT_TIME	Time		Y
MED_QUESTIONNAIRE_VERSION	String	3	Y
MED_COMPLETED_BY	String	4	Y
MED_UPDATE_TYPE	Integer		
MED_HYPNOTICS	Integer		
MED_ANXIOLYTICS	Integer		
MED_BARBITURATES	Integer		
MED_ANTIPSYCHOTIC	Integer		
MED_ANTIPSYCHOTIC_DEPOT_INJ	Integer		
MED_ANTIMANIC	Integer		
MED_TRICYCLIC_ANTIDEPRESSANT	Integer		
MED_MONOAMINE_OXIDASE_INHIBITORS	Integer		
MED_SSRI	Integer		
MED_OTHER_ANTIDEPRESSANT	Integer		
MED_ATOMOXETINE	Integer		
MED_DEXAMFETAMINE_SULPHATE	Integer		
MED_METHYLPHENIDATE_HYDROCHLORIDE	Integer		
MED_MODAFINIL	Integer		

	MED_NICOTINE	Integer		
	MED_OTHER	Integer		