

Buckeye Valley Local School District Immunization Record

Student Name: _____ Date of Birth: _____ School Building: _____
 ORC 3313.671 requires all pupils enrolled in Pre-School through grade 12 to have on file in their school's office WRITTEN PROOF of required immunizations. Pupils who are not in compliance are to be excluded from school attendance NO LATER THAN FOURTEEN DAYS after admission.

Vaccines	Fall 2015 Immunization Requirements for Child Care/Head Start and Pre-Schools	Fall 2015 Immunization Requirements for School	Dates of Immunization
DTaP/DTP/DT Diphtheria, Tetanus, Pertussis	4 doses of DTaP, DTP or DT or any combination.	Kindergarten 4 or more of DTaP or DT, or any combination. If all 4 doses were given before the 4 th birthday, a 5 th dose is required. If the 4 th dose was administered at least six months after the 3 rd dose, and on or after the 4 th birthday, a 5 th dose is not required.* Grades 1-12 4 or more of DTaP or DT, or any combination. 3 doses of Td or a combination of Td and Tdap is the minimum acceptable for children age 7 and up. Grades 7-12 1 dose of Tdap vaccine must be administered prior to entry.**	#1 _/_/_ #2 _/_/_ #3 _/_/_ #4 _/_/_ #5 _/_/_ #6 _/_/_
Polio	3 doses of OPV or IPV or any combination of OPV or IPV.	K-5 3 or more doses of IPV. The FINAL dose must be administered on or after the 4 th birthday regardless of the number of previous doses. If a combination of OPV and IPV was received, 4 doses of either vaccine are required.*** Grades 6-12 3 or more doses of IPV or OPV. If the 3 rd dose of either series was received prior to the 4 th birthday, a 4 th dose is required; If a combination of OPV and IPV was received, 4 doses of either vaccine are required.	#1 _/_/_ #2 _/_/_ #3 _/_/_ #4 _/_/_
MMR Measles, Mumps, Rubella	1 dose of MMR administered on or after the 1st birthday.	K-12 2 doses of MMR. Dose 1 must be administered on or after the 1st birthday. The 2nd dose must be administered at least 28 days after dose 1.	#1 _/_/_ #2 _/_/_
Hib Haemophilus Influenza Type b	3 or 4 doses depending on the vaccine type and the age when the child began the 1st dose and the last dose is after 12 months or 1 dose if given on or after 15 months of age.	None	#1 _/_/_ #2 _/_/_ #3 _/_/_ #4 _/_/_
HEP B Hepatitis B	3 doses of hepatitis B	K-12 3 doses of hepatitis B. The second dose must be administered at least 28 days after the first dose. The third dose must be given at least 16 weeks after the first dose and at least 8 weeks after the second dose. The last dose in the series (third or fourth dose) must not be administered before age 24 weeks.	#1 _/_/_ #2 _/_/_ #3 _/_/_
Varicella (Chickenpox)	1 dose of Varicella administered on or after the first birthday.	K-5 2 doses of Varicella vaccine must be administered prior to entry. Dose 1 must be administered on or after the first birthday. The second dose should be administered at least three months after dose one; however, if the second dose is administered at least 28 days after first dose, it is considered valid. Grade 6-9 1 dose of Varicella vaccine must be administered on or after the first birthday.	#1 _/_/_ #2 _/_/_

Physician's Signature _____ Phone Number _____ Date _____
 Notes:

- *Recommended DTaP or DT minimum intervals for Kindergarten students: four (4) weeks between doses 1-2 and 2-3; six (6) month minimum intervals between doses 3-4 and 4-5. If a fifth dose is administered prior to the 4th birthday, a sixth dose is recommended, but not required.
- Vaccine doses administered ≤ 4 days before the minimum interval or age are valid (grace period). Doses administered ≥ 5 days earlier than the minimum interval or age are not valid doses and should be repeated as age-appropriate. If MMR and Varicella are not given on the same day, the doses must be separated by at least 28 days with no grace period.
- **Pupils who received one dose of Tdap as part of the initial series are not required to receive another dose. For students in 10th or 11th grades, one dose of Td (Tetanus and diphtheria) is acceptable. Tdap can be given regardless of the interval since the last tetanus – or diphtheria-toxoid containing vaccine.

Buckeye Valley Local School District Immunization Record

- ***The final polio dose in the IPV series must be administered at age 4 or older with at least six months between the final and previous dose.

2/9/2015