

Session # Four – Outline for Today

1. Some general announcements
2. Quiz #3 - review of question #16
3. About Z-scores and their use
4. More measures of dispersion including building a box plot
5. Assorted problems, including quiz
6. Discuss "Out of Class Project"
7. Hand-out Excel functions paper
8. Using Excel 2010 for histograms
9. Linear Correlation, ch. 4 begun

General Points of Information

Excel #1 due at session #6, 12 Feb

- http://faculty.harford.edu/faculty/dschwank/Stat216/lectures/main_lecture_spring2015.htm
- linked instructions, sample, raw data
- Expectations: HCC faculty webpages

An "opportunity" at every class in many forms: class solo work, InterActMath, group projects

3 Measures of Central Tendency

Mean – sum the data values, divide by number of data points

Mode – most frequently occurring

Median – arrange in order, count to the middle

Measures of Dispersion in Data

Range - difference between HI & LO
Variance - average squared deviation about the mean
Standard Deviation - square root of variance (for both population & sample)

Examples of dispersion

- First five papers from quiz #3 M/C
- #3.2.10, page 151, find σ^2 and σ

Use of Empirical Rule (fig 13, p 149)

- #3.2.32, Manufacturing bolts

4

Measures of Position Definitions

z-Score Definition: the distance data value is from the mean expressed in terms of standard deviations

Is a "unitless" measure

For a "standard normal curve"

- Mean of zero
- Standard Deviation of one

5

Measures of Position Definitions

z-score equals [(data value minus mean) divided by standard deviation]

- Population z-score
- Sample z-score

z-score purpose is to provide a way to "compare apples and oranges"

- by converting variables with different centers and/or spreads
- to variables with the same center (0) and spread (1).

6

Measures of Position Definitions

z-scores are used to compare who or what is “relatively better” (or worse) than the other data points

Round z-score to two decimal places

Problem 3.4.6, p171, birth weights

Problem 3.4.8, p171, women vs men

7

More Measures of Dispersion

Percentiles - the percentage of observations that are above and below a certain point (k^{th} percentile of the data divides the lower $k\%$ from the upper $(1-k)\%$)

- Divide into 100 parts, so 99 percentiles exist
- “P sub k”
- Use to give relative standing of data

8

More Measures of Dispersion

Quartiles – divides the data into four equal parts, the percentiles at 25%, 50%, & 75%, aka Q_1 , Q_2 , & Q_3

- Four parts, so three percentiles exist
- “Q sub one, two, or three”
- Q_2 is the median of the data
- Q_1 is the median of the lower half
- Q_3 is the median of the upper half

Example of Super Bowl Scores

- Mean and Mode
- Percentiles at 50%, 25% and 75%

9

Numerically summarizing data

Five number summaries

Interquartile range ($Q_3 - Q_1$) is resistant to extreme values

Compute five number summary

Min value | Q_1 | M | Q_3 | max value

Summary of formulas on p182-183

10

Numerically summarizing data - Constructing a Box Plot

Will use the five number summary to create another graph

Will compute IQR and "fences"

Will plot the data on horizontal axis

Quick glance summarizes data

11

More Measures of Dispersion

Upper and lower fences (first find 1.5 times interquartile range)

- Lower fence = $Q_1 - 1.5(IQR)$
- Upper fence = $Q_3 + 1.5(IQR)$

Boxplot - shows Q_1 , Q_2 , Q_3 , data between the fences, plus outliers

See pictures: Figure 22, page 177

Example: Super Bowl Score (continued)

12

Building a Box Plot – part 1

1. Calculate interquartile range (IQR)
2. Compute lower & upper fence
 - Lower fence = $Q_1 - 1.5(IQR)$
 - Upper fence = $Q_3 + 1.5(IQR)$
3. Draw scale then mark Q_1 and Q_3
4. Box in Q_1 to Q_3 then mark M

13

Building a Box Plot – part 2

5. Temporarily mark fences with brackets
6. Draw line from Q_1 to smallest value inside the lower fence and a line from Q_3 to largest value inside the upper fence
7. Put * for all values outside of the fences
8. Erase brackets

14


Box Plot Examples: Super Bowl & Quiz

Quiz data from Tuesday, for #1-15:
How many students got this number of questions correct:

15 → 4	7 → 0
14 → 4	6 → 1
13 → 7	5 → 1
12 → 8	4 → 0
11 → 4	3 → 1
10 → 9	2 → 0
9 → 6	1 → 0
8 → 3	0 → 0

15

Note: there are 48 data points total (no TC)



Box Plot Examples: Quiz #3 M/C

Descriptive Data

- Mean = 11.0
- Std Dev (population) = 2.6
- Range = 12.0

Five Number Summary

- Min = 3.0
- Q1 = 9.5
- Median = 11.0
- Q3 = 13.0
- Max = 15.0

For Box Plot

- IQR = 3.5
- Lower fence = 4.3
- Upper fence = 18.3

Distribution based on Boxplot

Symmetric

- median near center of box
- horizontal lines about same length

Skewed Right / Positive Skew

- median towards left of box
- right line much longer than left line

Skewed Left / Negative Skew

- median towards right of box
- left line much longer than right line

Which measure best to report?

Symmetric distribution

- Mean
- Standard Deviation

Skewed distribution

- Median
- Interquartile Range

19

Self Quiz

When can the mean and the median be about equal?

In the 2010 census conducted by the U.S. Census Bureau, two average household incomes were reported: \$41,349 and \$55,263. One of these averages is the mean and the other is the median. Which is which and why?

20

Self Quiz

The U.S. Department of Housing and Urban Development (HUD) uses the median to report the average price of a home in the United States.

Why do they do that?

21

Self Quiz

A histogram of a set of data indicates that the distribution of the data is skewed right.

Which measure of central tendency will be larger, the mean or the median?

Why?

22

Self Quiz

If a data set contains 10,000 values arranged in increasing order, where is the median located?

Matching: (parameter; statistic)

- _____ is a descriptive measure of a population
- _____ is a descriptive measure of a sample.

23

Self Quiz

A data set will always have exactly one mode. (true or false)

If the number of observations, n , is odd; then the median, M , is the value calculated by the formula $M=(n+1)/2$

24

Self Quiz

Find the Sample Mean:
20, 13, 4, 8, 10

Find the Sample Mean:
83, 65, 91, 87, 84

Find the Population Mean:
3, 6, 10, 12, 14

25

Self Quiz

The median for the given list of six data values is 26.5.

7, 12, 21, __, 41, 50

What is the missing value?

26

Self Quiz

The following data represent the monthly cell phone bill for the cell phone for six randomly selected months.

\$35.34	\$42.09	\$39.43
\$38.93	\$43.39	\$49.26

Compute the mean, median, and mode cell phone bill.

27

Self Quiz

Heather and Bill go to the store to purchase nuts, but can not decide among peanuts, cashews, or almonds. They agree to create a mix. They bought 2.5 pounds of peanuts for \$1.30 per pound, 4 pounds of cashews for \$4.50 per pound, and 2 pounds of almonds for \$3.75 per pound. Determine the price per pound of the mix.

28

End Self Quiz, Start Instructor's Quiz

Any questions about chapter three?

Quiz #4 details:

- 15 Multiple Guess questions
- No "long" calculations
- Closed notes, closed book
- Individual effort only
- Calculator may be used (although can do entire quiz without)
- 15 minute time limit enforced

29

Out of Class Project

The purpose of this project is to gather some original data and analyze it, using the methods discussed in the first four chapters of the textbook.

Preliminary summary: covering objectives 1 & 2, due at class #6 (one week) total of 2 - 4 sentences

30

Out of Class Project

Objective is a written report describing:

1. What the question to be answered is
2. The type of sampling used and why
3. A summary of the raw data
4. The statistical analysis of that data
5. A summary of what that analysis actually means
6. Conclusion(s) / answers to the original question.

31

Project Sample Questions (select 1)

Are there really less than 50% peanuts in mixed nuts bags?

What are the average tips at the restaurant by person and shift?

Do different branches in the organization have different technical report preparation times?

What reasons are there for children to stop attending after-school care?

32

Project Sample Questions (select 1)

How many hours per week does a full time student spend working a part-time job?

Are there differences in cell phone minutes used by classmates?

Show examples of good analysis

Final report due class #10 - 3 weeks

33

To be starting into Chapter 4

- Explanatory variables
- Response variable
- Scatter diagrams
- Linear regression

But first . . .

34

Microsoft Excel 2010 = Spreadsheet

- Available in Library & Math Center
- Four technology assignments (50)
- Problems from text: work both ways
- Excel terms: rows, columns, cells
- Enter text or data or formulas
- Software can do the calculations

35

Looking at Excel Technology

- Frequency Tables and Histograms
(needed for Excel assignment #1)
- Measures of Central Tendency
(as we have just done in Chapter 3)
- Graph / Chart types
(needed for out-of-class project)
- Linear Regression
(not required for now)

36

Looking at Excel Technology

- Excel as a "spreadsheet"
 - Cells in rows and columns
 - Words, numbers, or formulas in cells
- Example of Greenhouse Gas #2.T.2
 - Organize data into a table
 - Formulas for sum and divisions
 - Make into a pie chart
- Example of Super Bowl Margins
 - Organize data into a table
 - Calculate point margins and sort ↓

37

Still Looking at Excel Technology - 1

- Excel / Technology #1 assignment due in one week (next Thursday)
- Problem #1 based on Page 96, Section 2.2.31 (a) to (e) & 2.3.15
 - Get raw data: book, CD, website
 - Create a "bin" for \$30,000 and up by \$6000 class widths
 - Use Excel create frequency table
 - Lower and Upper Class Limits
 - Frequency, Relative Frequency
 - Cumulative Freq, Relative Cum. Freq

38

Still Looking at Excel Technology - 2

- Excel / Technology #1 assignment due in one week (next Thursday)
- Continuing with Problem #1 based on Page 96, #2.2.31 and #2.3.15
 - Insert Excel formulas to sum rows & columns plus do divisions for relative, cumulative, & rel cum freq
 - Use Excel to create freq histogram
 - Use an open cell or insert a text box to answer part (e)

39

Still Looking at Excel Technology - 3

Excel / Technology #1 assignment due in one week (next Thursday)

Problem #2 based on Page 108, Section 2.3, #21 (a), (b), (c), & (e)

- Get raw data: book, CD, website
- Create "bins" for stocks with a class width of 10, beginning at minus 20
- Use Excel create frequency table for both consumer and energy stocks

40

Still Looking at Excel Technology - 4

Excel / Technology #1 assignment due in one week (next Thursday)

Continuing with Problem #2 based on Page 108, Section 2.3, #21

- Use Excel to create frequency "histogram" for both types of stocks
- Copy and paste histograms then change chart type to line chart for frequency polygons and ogives
- Use an open cell or insert a text box to answer part (e)

41

Creating Histograms with Excel

To create a histogram:

- Must first install Data Analysis pack
- All Library, Tutor Center, A-223, and A-258 computers have it already,
- Use Microsoft Office Button/Excel Options/Add-Ins/Analysis ToolPak/OK

Excel calls "lower class limit" a "bin"
Enter lower class limits manually

42

Creating Histograms with Excel

- Raw data into Excel
- Sort to get idea for class limits
- Use data/data analysis/histogram
- Enter data array and bin
- Select options for output
- Make histogram look presentable
- Complete frequency table
- Example of Chocolate Chips #2.R.7

43

Still Looking at Excel Technology - 5

Problem #3 is 3.R.1 on Page 183

- Use Excel for descriptive statistics

Problem #4 based on Page 242, Section 4.4, #7 (b), (d), and (e)

- Use Excel to create relative frequency marginal distribution table
- Use Excel to create a conditional distribution table
- Use Excel to insert a side-by-side column graph of the conditional distribution table

44

Excel Projects in Statistics

CD icon in text means raw data in an Excel format is available

Four Excel "technology" assignments throughout semester

First submission preferred by email with Excel file attached (by paper)

Future assignments will have mandatory electronic submission

Grading increasingly stringent to "business quality" standards

45

Definitions (starting into Chapter 4)

explanatory variables = factors =
variable whose value can not be
explained = independent variable
= predictor variable = X-axis
number

response variable = variable of
interest = variable whose value
can be explained = dependent
variable = Y-axis number

46

Build a Scatter Diagram

Use data on page 201-2, problem #27
Height versus Head Circumference

- | | |
|------------------|-------------------|
| 1. 27.75 // 17.5 | 7. 26.5 // 17.3 |
| 2. 24.5 // 17.1 | 8. 27.0 // 17.5 |
| 3. 25.5 // 17.1 | 9. 26.75 // 17.3 |
| 4. 26 // 17.3 | 10. 26.75 // 17.5 |
| 5. 25 // 16.9 | 11. 27.5 // 17.5 |
| 6. 27.75 // 17.6 | |

47

Linear Correlation

Measure of the strength of linear
relations between two quantitative
variables

Represented by Greek letter "rho" r

48

Linear Correlation

Equals sum for all i of

$$\left[\frac{(x_i - \bar{x})}{\text{sample standard deviation of } x} \right]$$

Times $\left[\frac{(y_i - \bar{y})}{\text{sample standard deviation of } y} \right]$

All divided by (number of individuals in the sample minus 1)

49

Properties of Linear Cor Coefficient

Always between -1 and +1

The closer to +1 the stronger the positive linear relationship

The closer to -1 the stronger the negative linear relationship

Close to zero means little linear relation between the two variables

Is a "unitless" measure

50

Linear Correlation

Sample problem to work by hand (1)

x	2	3	5	6	6
y	5.7	5.2	2.8	1.9	2.2

Step 1: create table with five columns

Step 2: for both x and y, calculate mean and standard deviation

51

Linear Correlation

Sample problem to work by hand (2)

Step 3: compute $(x_i - \text{mean}_x) / s_x$

Step 4: compute $(y_i - \text{mean}_y) / s_y$

Step 5: (step 3) times (step 4)

52

Linear Correlation

Sample problem to work by hand (3)

Step 6: (step 5) divided by $(n-1)$

Step 7: examine (step 6) to determine degree of linear correlation

53

Finding a Linear Equation

Recall: you already know a method to find linear equations

Point-slope method

- use two points to find slope
- then one point to find y intercept

Example

54

Notes of the day

We have finished the first three chapters, so be sure to have all these suggested problems worked

Use weekend to think of a project

Start on Excel Project #1

- Use Math Center to help M/W/F/S
- Use group statistics sessions T/R in Aberdeen Hall Computer Labs

56

Other Notes of the Day

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

56

Other Notes of the Day

- 7.
- 8.
- 9.
- 10.
- 11.
- 12.

57
