

# WELL CONSTRUCTION DETAILS AND ABANDONMENT FORM

FIELD REPRESENTATIVE: \_\_\_\_\_ DIMENSIONS OF SECURITY CASING: \_\_\_\_\_

DRILLING CONTRACTOR: \_\_\_\_\_ TYPE OF FILTER PACK: \_\_\_\_\_

DRILLING TECHNIQUE: \_\_\_\_\_ GRADIATION: \_\_\_\_\_

AUGER SIZE AND TYPE: \_\_\_\_\_ AMOUNT OF FILTER PACK USED: \_\_\_\_\_

BOREHOLE IDENTIFICATION: \_\_\_\_\_ TYPE OF CEMENT: \_\_\_\_\_

BOREHOLE DIAMETER: \_\_\_\_\_ AMOUNT CEMENT USED: \_\_\_\_\_

WELL IDENTIFICATION: \_\_\_\_\_ GROUT MATERIALS USED: \_\_\_\_\_

WELL CONSTRUCTION START DATE: \_\_\_\_\_ TYPE OF BENTONITE: \_\_\_\_\_

WELL CONSTRUCTION FINISH DATE: \_\_\_\_\_ AMOUNT BENTONITE USED: \_\_\_\_\_

SCREEN MATERIAL: \_\_\_\_\_ TYPE OF WELL CAP: \_\_\_\_\_

SCREEN DIAMETER: \_\_\_\_\_ TYPE OF END CAP: \_\_\_\_\_


STRATUM-SCREENED INTERVAL (FT): \_\_\_\_\_ COMMENTS: \_\_\_\_\_

SCREEN SLOT SIZE: \_\_\_\_\_

CASING MATERIAL: \_\_\_\_\_

CASING DIAMETER: \_\_\_\_\_

SPECIAL CONDITIONS  
(describe and draw)



NOT TO SCALE

INSTALLED BY: \_\_\_\_\_ INSTALLATION OBSERVED BY: \_\_\_\_\_

DISCREPANCIES: \_\_\_\_\_

PROJECT NAME: \_\_\_\_\_ PROJECT #: \_\_\_\_\_