

Lindon City 964 West Center Lindon, UT 84663 801-796-7954 Application Date:

Permit Number:

LAND DISTURBANCE PERMIT

Project Name:						Priority Site
Project Address:						
Owner's Name			Contact Person:			
Phone Number:			Email			
Contractor's			Address: Contact			
Name:			Person:			
Phone Number:			Email			
			Address:			
SWPPP contact's						
name:				1		
Phone Number:			Email Address:			
UPDES Permit		Effective Date:	Aduress:		Expiration Date:	Τ
Number:		Enective Date.			Expiration Date.	
Purpose and size						
of the proposed						
land						
disturbance:						
Please provide the fol						
			rea greater than	1 acre o	r are part of a common	n plan of development;
	use the State of Utah SWPPP template)					
Small Site SWPPP drawing (11"x17") and BMPs						
Copies of any Federal or State permits required for the project. (E.g. wetlands, stream alteration, dewatering, etc.)						
SWPPP Sign Requirements						
The permittee must post a sign $(3' \times 4')$ within 7 days of the issue date on this permit near the main entrance to the project						
containing the SWPPP map, current NOI and the Lindon City Land Disturbance Permit. See attached detail.						
For sites that are part of a common plan of development or smaller than 1 acre, the sign must be 18" x 24" and must include						
the following text (letters must be 2" tall and red in color):						
<u>SWPPP</u> Storm Water Pollution Prevention Plan						
A Utah Pollutant Discharge elimination System (UPDES) permit covers this construction site.						
If any non-storm water discharge or severe vehicle tracking occurs please call "Place responsible party # here".						
Lindon City Public Works 801-796-7954.						
• Droporty corrects or disturbance limits must be clearly marked before construction beside						
 Property corners or disturbance limits must be clearly marked before construction begins. Applicant shell maintain all storm water management control massures according to the URDES Construction Concrel. 						
 Applicant shall maintain all storm water management control measures according to the UPDES Construction General Permit, SWPPP and Lindon City codes. 						
 Notice of Violation- Pursuant to Sec. 13.23.220 of Lindon City Code, failure to comply with the SWPPP requirements, the 						
• Notice of violation- Pursuant to Sec. 13.23.220 of Lindon City Code, failure to comply with the SwPPP requirements, the UPDES Permit or any City Code may result in a notice of violation. The City will order compliance by a verbal or written						
notice of violation to the responsible person. Such notice may be in the form of a citation or a stop work order.						

In consideration for the granting of a Land Disturbance Permit by Lindon City, the applicant hereby promises;

- 1. to perform the work applied for in a professional manner and in conformity with ordinances of Lindon City and
- to be round the work applied for in a professional manner and in conformity with ordinances of Endon City and
 to defend indemnify and hold harmless the City of Lindon, its officers, agents and employees from any and all costs,
 - 2. to defend indemnity and hold narmiess the City of Lindon, its officers, agents and employees from any and all costs, damages and liabilities which may accrue or be claimed to accrue by reason of any work performed under a permit issued pursuant to this application.



Lindon City 946 West Center Lindon, UT 84663 801-796-7954

□ Priority Site

LAND DISTURBANCE PERMIT

Permit Number:

Internal Use Only					
This land disturbance permit grants you permission to conduct the following activities:					
	Clearing and grubbing				Right of way improvements
	Placing of fill material				Stock pile materials
	Excavation and back fill of	of utilities	5		other:
This land disturbance permit is good for					
	30 Days (\$100)		3 Months (\$150)		6 Months (\$300)
	1 Year (\$500)		Additional Months (\$35/M	Mo.)	Total Amount Paid: <u>N/A</u>
Start Date: Expiration Date:					
1100033					

SWPPP Sign- The permittee must post the SWPPP sign within 7 days of the issue date of this permit near the main entrance to the project.

Property corners or disturbance limits must be clearly marked before construction begins.

Applicant shall maintain all storm water management control measures according to the UPDES CGP, SWPPP and Lindon City codes.

Notice of Violation- Pursuant to Sec13.23.260 of Lindon City Code, failure to comply with the SWPPP requirements, the UPDES Permit, Lindon's City Land Disturbance Permit or any City Code may result in a notice of violation. The City will order compliance by a Verbal or written notice of violation to the responsible person. Such notice may be in the form of a citation or a stop work order.

In consideration for the granting of a Land Disturbance Permit by Lindon City, the applicant, hereby promises to perform the work applied for in a professional manner and in conformity with ordinances of Lindon City.



Lindon City 946 West Center Lindon, UT 84663 801-796-7954

NOT Date:	

Permit Number: _____

LAND DISTURBANCE PERMIT NOTICE OF TERMINATION

Permit Termination: After final stabilization of the site is achieved, according to the definition of the UPDES permit, the Land Disturbance Permit Applicant shall submit the applicable documentation checked bellow:

To be filled out by Lindon Personnel			
	Lindon City Land Disturbance Permit Notice of Termination;		
	As-built plans and written certification by a registered professional engineer licensed to practice in the State of Utah that the structural post-construction BMPs have been installed in accordance with the approved plan;		
	Copy of the UPDES NOT. The UPDES NOT that is sent to the State needs to be accompanied by the UPDES Storm Water Inspection Form filled out by the Lindon City SWPPP Inspector certifying that the site meets the "Final Stabilization" requirements; and		
	Operation and maintenance agreement describing the maintenance schedule of the post construction BMPs as required on the Lindon City Code 13.23.200 (3) Maintenance Agreement.		

To be filled out by Applicant

Project Name:	
Project Address:	
Applicant Name: (as it appears on the LDP)	
Phone Number:	
Address:	
City:	State:

Best Management Practices (BMP) BMP REQUIREMENTS ARE SUBJECT TO CHANGE

BMPs are defined as "structural and nonstructural practices proven effective in sediment and erosion control and management of surface runoff into waters of the State." Eroding soils and surface water runoff transports pollutants, sediment, and nutrients into local rivers, streams, lakes and aquifers.

Certain construction activities may cause more pollution if not properly managed. Not all BMPs will apply to every construction site; however, all of the suggested BMPs should be considered.

The City may change any BMP regulation or requirement, if at any time, the City determines a BMP regulation or requirement to be ineffective and/or an additional BMP measure is deemed applicable. The City will notify project proponents of any changes to BMP regulations or requirements.

Special Consideration BMPs

Washout/collection area:

If it is necessary, the permittee will provide a concrete washout area on-site, designate specific washout areas and design facilities to handle anticipated washout water. Location of washout must be shown on the site map. Washout areas should also be provided for stucco, dry wall and paint operations. Because washout areas can be a source of pollutants from leaks or spills. All washout waste must be removed from the lot and properly disposed of upon completion of construction.

Perimeter control:

Installing perimeter controls such as sediment barriers, silt fences, construction barriers, dikes, disturbance limit markers or any combination of such measures shall be used. Perimeter controls shall be installed prior to land grading.

Silt fence:

Should be used where: sheet and rill erosion would occur; protection of adjacent property or areas beyond the limits of grading; a barrier between any soil disturbance area and hard surfaces draining to a storm drain or water body, neighboring properties, sensitive areas, etc.

Off-site sediment tracking:

Prevent sediment from being tracked off-site by stabilizing a construction entrance/exit. A rock tracking pad can reduce the amount of mud transported onto paved roads by vehicles.

Clean up of building sites:

Building sites should be cleaned on a regular basis. Materials should be secured on the site to prevent the blowing of debris and garbage. The permittee shall leave the site in a clean condition upon completion of construction.

BMPs to consider while designing your project

Erosion Controls

Chemical Stabilization Dust Control Geo Textiles/Rolled Erosion Control Products (RECP) Gradient Terraces Mulching/Bonder Fiber Matrix (BFM) Rip Rap Seeding/Re-vegetation Sodding Soil Retention

Sediment Controls

Brush Barrier Compost Filter Berms Compost filter Socks Sediment Basin and Rock Dams Fiber Rolls Filter Berms Construction Entrances Sediment Traps

Good Housekeeping

Street Cleaning Stockpiling Materials Sanitary Waste Soul Roughening/Tracking Temporary Slope Drain Temporary Stream Crossings Wind Fences and Sand Fences Check Dams Grass-lined Channels Permanent Slop Diversions Temporary Diversion Dikes

Silt Fence Inlet Protection Sediment filters and Sediment Chambers Straw or Hay Bales Vegetated Buffers Curb cut back Dewatering

Materials Storage Construction Debris Containment and Removal Small site SWPPP notes

- 1. Tracking pad will be built using 1-2.5"- fractured rock as soon as foundation is back filled. All vehicles will enter the site at this point
- 2. Installing a 3" curb cut back on the park strip from property line to property line as soon as foundation is back filled will assist in eliminating runoff.
- 3. Portable toilet must be placed, properly anchored, behind the sidewalk or 12' away from curb or edge of asphalt.
- 4. Concrete wash out. Designate area and train sub-contactors to wash concrete, stucco and paint in the wash out area.
- 5. If using a concrete pump truck, a water tight container will be placed under the hopper to catch concrete spills and wash out water.
- 6. Sediment bags. Place bags in the gutter near the down stream property line and protect inlets near the construction site.
- 7. Silt fence to be installed perpendicular to the down hill slopes.
- 8. If necessary, a perimeter control fence will be installed around the project to channel access to the site through the tracking pad.
- 9. Dumpster. Garbage must be contained and removed regularly
- 10. Street sweeping. Street and gutters will be swept at the end of the work day or as needed.

SWPPP Sign Must Contain Following Information

Sign must be 3'X4' Placed near Entrance of Projects Over 1 Acre

SWPPP Storm Water Pollution Prevention Plan A Utah Pollutant Discharge Elimination System (UPDES) permit covers this construction site, If any Non-Storm water discharge or severe vehicle tracking occurs please call "Place responsible party # here". Lindon City Public Works 801-796-7954

Project Name:

SWPPP Location:

SWPPP Contact:

Paste SWPPP Map Here NOI Page 1 Here NOI Page 2 Here

Land Disturbance Permit Page 2 Here