#### Invacare eForms

# For additional information, visit www.invacare.com/eForms

Customer Service: 800-333-6900 Fax: 800-678-4682 To order Literature: 800-828-6282



Invacare eForms offer new functionality!

www.invacare.com

Invacare is pleased to offer you an upgraded solution to your ordering process. Our enhanced order forms allow you to fill out a form electronically, print and fax the form, save and email\* it to Customer Service, or maintain the business practices that work for you today. The format has been revised to reveal a cleaner look with electronic selection and input functions.

\*Saving and emailing the eForms is available with Acrobat Professional software

### If you are using Adobe Reader

- View and download all forms
- Save blank versions of the forms to your desktop
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service

**Please note:** The 'Email' button at the end of the form will not work with Adobe Reader. The 'Email' button will only work while using Adobe Acrobat Professional.

#### If you are using Adobe Acrobat Professional

- View and download all forms
- Save blank AND completed versions of the forms to maintain electronic records
- Complete forms electronically
- Print blank or completed forms
- Fax completed forms to Customer Service
- **Email** completed forms to Customer Service by using the 'Email' button at the end of the form.

For information on downloading Adobe Reader for free, or puchasing Adobe Acrobat Professional, please visit www.adobe.com.

Price List and Order Form

www.invacare.com


Customer Service: 800-333-6900 Fax: 800-678-4682 To order literature: 800-828-6282



## TRANSACTION TYPE:

							IIVA	INSACI	ION TILE.		
							$\circ$	Order	Quote		
Date		Α	Account #	<b>‡</b>						P.O. #	
											Country
										Zip Code	Country
Contact	Name _							Comment	ts		
								Spe	ecial Note		
											appropriate billing codes when
submittir	ig ciaims	to the N	redicare	Program	and sno	uia cons	uit an ato	orney or our	ner advisor to discuss sp	pecific situations in further de	etaii.
		FRA	AME	SELE	CTIC	ONS			SEAT WII	ОТН	
RAM	E TYP	E							○ W12		
TA4			Adineta	ble Digic	l Frama		\$2 150	.00 K0005	○ W/12	Not available on Tapered From	
( ) IA4	Al	ullilliulli	Aujusta	ole Kigic	i France.	••••••	\$2,139	.00 K0005	○ W13	Not available on Tapered Fron	No Charge t Ends.
FRAM	Е МО	DIFIC	CATIO	NS					○ W14	14" Wide	No Charge
○ TFE	Та	pered Fr	ont End				No	Charge	○ W15	15" Wide	No Charge
O VFE	"\	" Front	End				No	Charge	○ W16		
	"V	" front en	d 1" large	r footplate	e than Tap	ered Fron	t End.		○ W17		
		~							○ W18		No Charge
		Seat	Width a	nd Dept	h Availa	bility			○ W19		
Depth			1.611	1.50	1011	1011	2011	2211	○ W20 ○ W21		\$300.00 E2201 \$300.00 E2201
Width	14"	15"	16"	17"	18"	19"	20"	22"	○ W21 ○ W22		\$300.00 E2201 \$300.00 E2201
12"	X	S	S	S	S	S	S	S	( W22	22 Wide	
13"	X	S	S	S	S	S	S	S		SEAT DE	рти
14"	X	X	X	X	X	S	S	S	SEAT DEI		1 111
15"	X	X	X	X	X	S	S	S	_		N. Cl
								-	○ D14 ○ D15		
16"	X	X	X	X	X	X	S	S	OD13	•	No ChargeNo Charge
17"	X	X	X	X	X	X	S	S	○ D10		
18"	X	X	X	X	X	X	S	S	OD17	-	
19"	S	S	X	X	X	X	S	S	OD19	1	
								<del>                                     </del>	O D20	•	\$300.00 K2203
20"	S	S	X	X	X	X	X	X	C 722	Only available with W20, W21,	
21"	S	S	S	S	X	X	X	X	O D22	22" Deep Only available with W20, W21,	
22"	S	S	S	S	X	X	X	X		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	zes availa ailable tl		pecials of	nly.						FORK OP	ΓIONS
			•						SUSPENS	ION (SOFR ADD 1" TO S	SELECTED FSTF and RSTF)
									SOFR	LSS Front and Rear Suspe LSS Front and Rear Suspension and Frog Legs® Inc and are many	
									SUSPENS	SION SETTING	Clear
										Soft Setting (Max. User W	eight 160 lbs.) No Charge
									SET300		Veight 300 lbs.) Standard users 100 - 300 lbs. Must select SOFR

NOTE: All specifications and dimensions are approximate. For the most current pricing information, go to www.invacare.com/homecare.



# SEAT-TO-FLOOR HEIGHT SELECTIONS FRONT SEAT-TO-FLOOR HEIGHT

◯ FSTF17	Front STF Height 17" (18" with SOFR) No Charge
	Not available with 6" casters.
○ FSTF18	Front STF Height 18" (19" with SOFR) No Charge
◯ FSTF19	Front STF Height 19" (20" with SOFR) No Charge
○ FSTF20	Front STF Height 20" (21" with SOFR) No Charge
○ FSTF21	Front STF Height 21" (22" with SOFR) No Charge

Front Seat-To-Floor Heights*					
Caster Size					
3", 4", 5"	17"	18"	19"	20"	21"
<b>6"</b> 18" 19" 20" 21"					
*Typical dump is 1" Refer to Rear Seat-To-Floor Range chart for restrictions					

#### **REAR SEAT-TO-FLOOR HEIGHT**

CR145	14 1/2" (15 1/2" with SOFR option)	. No Charge
R15	15" (16" with SOFR option)	. No Charge
C R155	15 1/2" (16 1/2" with SOFR option)	. No Charge
	16" (17" with SOFR option)	. No Charge
C R165	16 1/2" (17 1/2" with SOFR option)	. No Charge
○R17	17" (18" with SOFR option)	. No Charge
	17 1/2" (18 1/2" with SOFR option)	. No Charge
○ RR18	18" (19" with SOFR option)	. No Charge
C R185	18 1/2" (19 1/2" with SOFR option)	. No Charge
○ RR19	19" (20" with SOFR option)	. No Charge
○R195	19 1/2" (20 1/2" with SOFR option)	. No Charge
	20" (21" with SOFR option)	. No Charge

Rear Seat-To-Floor Range*					
		Rear Wheels			
	22"	24" **	26"		
17 FSTS	14.5" - 16"	15.5" - 17"	N/A		
18 FSTS	14.5" - 17"	15.5" - 17"	16.5" - 18"		
19 FSTS	14.5" - 18"	15.5" - 18"	16.5" - 18"		
20 FSTS	14.5" - 19"	15.5" - 19"	16.5" - 19"		
21 FSTS	N/A	15.5" - 20"	16.5" - 20"		

<sup>\*</sup>SOFR selection raises RSTF range by 1"

<sup>\*\*</sup>For 25" Spingery Spox Wheels, use 24" rear seat to floor height

Knee-to-Heel Range				
Front Seat-to-Floor				
17"	11 1/4" - 16 1/4"			
18"	12 1/4" - 17 1/4"			
19"	13 1/4" - 18 1/4"			
20"	14 1/4" - 19 1/4"			
21"	15 1/4" - 20 1/4"			

# **ARM SELECTION**

ARM TYP	E (PAIR)	Clear
	Swingaway Padded Arms	. No Charge
TAF	T-Arms, Adjustable Height Full Length Rigid side guards included with T-Arms.	\$225.00 Е0973
○ TAD	T-Arms, Adjustable Height Desk Length Rigid side guards included with T-Arms.	\$225.00 E0973
T - ARM I	IEIGHT	Clear
C L6-10 C H8-14	Low Range 6" - 10" (T - Arm Height) High Range 8" - 14" (T - Arm Height)	_

Arm Heights Top of Seat Rail to Top of Armrest					
T-Arms					
Low	6" - 10"	Adjustable in .5" Increments			
High 8" - 14" Adjustable in 1" Incr		Adjustable in 1" Increments			
Swingaway					
Standard 9" - 11" Adjustable in 1" Increments					

# **BACK SELECTION**

	211011 0222 01101				
FOLD DOWN BACK					
○ FLDWN	Fold-Down Back	No Charge			
BACK TY 3/4" tube telesc  BACK101- BACK101- BACK121- BACK1418		No Charge No Charge No Charge No Charge No Charge No Charge \$30.00			
PH1620	Adj. Ht. Back with Push Handles (14" - 10")				
BACK RI	GIDIZER BAR	Clear			
○ WELD ○ BLTON	Welded				
CAS	STER AND WHEEL SELECTION	ON			
CASTER	OPTIONS (PAIR)				
○ AT900 ○ 41DC ○ 51DC ○ 61DC	3" Roller Blades	. No Charge . No Charge . No Charge			
	Not available with 22" wheels or FLOSF.				

# WHEEL OPTIONS (PAIR)

WHEEL C	PTIONS (PAIR)
◯ 22COM	22" Composite Wheels
C 24COM7	24" Composite - 7 Spoke Wheels
22SP	22" Spoke Wheel
	Available with PNEU, or PNEUFF, PRIMO and KIKB tires.  24" Spoke Wheel
○ 26SP	Spoke wheels come standard with dome, quick release button axle.  26" Spoke Wheel
◯ 559TS	559 Turbot Spoke
○ SPIN24	24" Spinergy* Spox Wheels
C SPIN25	Choose spoke color below.  25" Spinergy* Spox Wheels
○ SPIN26	26" Spinergy* Spox Wheels
○ SPLX24	24" Spinergy* LX Wheels
○ SPLX25	25" Spinergy® LX Wheels
○FN1624	Available with PRIMO, CF123 (except 3SCF) tires.  24" Sun* Fusion 16 Spoke Wheels
0.231.02.7	FN1624 available with PNEU, PRIMO, KIKB, CRF123. Omit Rear Wheel option selected-chair will be built for 24" wheels.
○FN1625	25" Sun* Fusion 16 Spoke Wheels
○FN1626	26" Sun® Fusion 16 Spoke Wheels
	FN1626 available with PNEU, PRIMO, CRF123. Omit Rear Wheel option selected-chair will be built for 24" wheels.
24HPS	24" High Performance Spoke Wheels
◯ 26HPS	26" High Performance Spoke Wheels
◯3SCF	Considered a 24" diameter wheel.  559 Three Spoke Composite Wheels
◯ 24KNOB	24" Spoke Wheels for Knobby Tires
CL8701	Omit Rear Wheels
SPINERG	Y SPOKE COLOR Clear
○ SPCY	Yellow
○ SPCBK	Black Standard
○ SPCW	White No Charge
	Red No Charge
0 21 022	Blue
	TIONS (PAIR)
O PNEU	Pneumatic Tires
PNEUFF	Flat Free Inserts (pair) \$65.00 E2213
○ URETH ○ PRIMO	Urethane (Treaded) Tires
CRF123	Schwalbe* 1" Flat-Resistant Non-Marking Pneu \$90.00
CKI 123	The Schwalbe tire is a black high pressure pneumatic tire that is non-marking and includes a Smart Guard® puncture resistant layer. Schwable tire is only available with a 24SP, 26SP, 24HPS, 26HP, SPIN24, SPIN25, SPIN26.
○ KIKB	KIK* - Black Tires\$60.00

NOTE: All specifications and dimensions are approximate. For the most current pricing information, go to www.invacare.com/homecare.

II A NIDDII	A OPTIONS (PAID) Clear	☐ C00	0° Camber Angle	No Charo
HANDRIN	M OPTIONS (PAIR)	C03	3° Camber Angle	_
○ ALUMPC	Aluminum Anodized Handrims Standard	C06	6° Camber Angle	-
○ A1512K	Not available with 3SCF wheels, 24KNOB Black Plastic Coated Handrims	C09	9° Camber Angle	_
() AIJIZK	Not available with 3SCF, SPIN24, SPIN25, SPIN26 24KNOB, SPLX24,	C12	12° Camber Angle	-
AT1224-8	SPLX25, FN1624, FN1625, FN1626. Plastic Coated with 8 Oblique Projections\$240.00	ADDITIO	NAL CAMBER INSERT	
0	Available with 24COM7, 24SP, 24HPS.	☐ AC00	0° Camber Angle	\$75.0
( ) AT1225-8	Plastic Coated with 8 Vertical Projections	AC03	3° Camber Angle	
○ AT1225-12	2 Plastic Coated with 12 Vertical Projections	AC06	6° Camber Angle	
-	Available with 24COM7.	AC09	9° Camber Angle	
○ NFSDLT	Natural-Fit LT Handrims Standard Grip \$325.00	AC12	12° Camber Angle	\$75.0
O NFSPLT	Not available with 22COM, 22SP, 3SCF, 24KNOB and 559TS wheels.  Natural-Fit LT Handrims Super Grip\$370.00  Not available with 22COM, 22SP, 3SCF, 24KNOB and 559TS wheels.	ADDITIO	NAL DUAL CAMBER INSERT	
NFITSD	Natural-Fit Handrims Standard Grip	AC00	0° Camber Angle	\$75.0
Ommob	Not available with 22COM, 22SP, 3SCF, 24KNOB and 559TS wheels.	AC03	3° Camber Angle	\$75.0
○ NFITSP	Natural-Fit Handrims Super Grip\$340.00	AC06	6° Camber Angle	
	Not available with 22COM, 22SP, 3SCF, 24KNOB and 559TS wheels.	AC09	9° Camber Angle	\$75.0
MOUNTIN	G HANDRIMS (SPOKE WHEEL ONLY) Clear	AC12	12° Camber Angle	\$75.0
○ IN	Mounting Inside Handrim No Charge	CAMBEI	R INSERT RELEASE TYPE	Clea
OUT	Decrease overall width by 3/4"  Mounting Outside Handring Standard	○ NAB	Nut and Bolt	Standard
~	Mounting Outside Handrim Standard	○ QRL	Quick Release Lever	\$30.00 кол
WHEEL L	OCKS (PAIR)			
○ A1598 ○ 9691	Hill Holder - Clamp-On Wheel Locks		FRAME FINISH	
A1567	Pull To Lock Clamp-On Wheel Locks	FRAME (	COLORS	
∩ HUMW	Hideaway Undermount Wheel Locks	24P	Wet Black	No Charg
C L8704	Omit Wheel Locks Less \$10.00	29P	White Snow	No Charg
		60P	Silver Metallic	No Charg
	Overall Width by Camber Angle		Black Prism	No Charg
Wheel Type	0° 3° 6° 9° 12°		Midnight Blue	
Spoke	6 3/4" 8" 10" 12 1/4" 14 1/4"	116P	Sunkissed Orange	No Charge
Composite	7" 8 1/4" 10 1/4" 12 1/2' 14 1/2"		Tangerine Red	No Charg
	ant above to the seat width to obtain the overall width at its		Sunny Yellow	No Charg
widest point.	The decree to the seas want to comment the cream when the	○ 61P	Electric Red	No Charg
			Bubblegum Pink	No Charg
		120P	Grape Madness	No Charg
	CAMBER OPTIONS	62P	Electric Blue	No Charg
CAMBED	INSERT TYPE Clear	○ 127P	Grasshopper Green	
_	INSERT THE	Ö	Touch Up Paint	\$20.0
SINGLE	Single Camber Standard		Touch up paint is not available in all colors.	
( DUAL	Dual Camber		Touch Up Color	
	INSERT (MUST CHOOSE 2 W/DUAL CAMBER)	Discontinu	ed frame colors are available through our spec C-070109030544	cials department.
actory set to lo	ower camber angle.  O° Camber No Charge			
	over camber angle.         0° Camber		DOCITIONING CTD A DC	
C00	0° Camber		POSITIONING STRAPS	
C00 C03	0° CamberNo Charge3° CamberNo Charge6° CamberNo Charge9° CamberNo Charge	SEAT PO	POSITIONING STRAPS SITIONING STRAPS (EACH)	Clea
Factory set to lo C00 C03 C06	0° CamberNo Charge3° CamberNo Charge6° CamberNo Charge	SEAT PO		Clea

NOTE: All specifications and dimensions are approximate. For the most current pricing information, go to www.invacare.com/homecare.

#### **ACCESSORIES**

#### **BACK ACCESSORIES** BACKPACK Back Pack ......\$50.00 ADJTENS Adjustable Tension Back Upholstery ...... \$125.00 K0108 Push Handles (Quick Release) (pair) ...... \$79.00 1490 Not available with AT99 arms. L8601 Omit Back Upholstery ...... Less \$10.00 SEAT ACCESSORIES L8651 Omit Seat Upholstery ...... Less \$10.00 SP-01 MISCELLANEOUS ACCESSORIES A1576 A1573 Quad Release Axles (pair) ...... \$89.00 K0108 Not available with SPIN24, SPIN25, SPIN26. A1307 Spoke Protectors (For 20",22",24",26") ...... \$90.00 K0065 1724 A1209 Tire Pump .......\$32.00 3421 3/4" To 1" Clamp Assembly ...... \$21.00 Use for attaching accessories to wheelchair. Attaches 3/4' tube to 1" tube. ARM ACCESSORIES (PAIR) A1571 1671-LGH Quad Rigid Side Guards, Large ...... \$122.00 K0108 1671NR Non-Removable Fold Dn Side Guards ...... \$95.00 K0108 Not available with AT99 Arms

#### FRONT RIGGING OPTIONS

#### FOOTPLATE OPTIONS

C AT5041 C RGDTUE	, E	
FOOTRE	ST/LEGREST ACCESSORIES	
FRMPR FRMPR BASROLL	K ChairArmor Black Neoprene Frame Protect B ChairArmor Blue Neoprene Frame Protect R ChairArmor Red Neoprene Frame Protect ER Basketball Roller	tors \$65.00 ors \$65.00 \$39.00
	<b>SEATING</b>	
For additional	G CUSHION SELECTION information (size availability, additional seating op 027 Rehab Seating and Positioning Products price	
C EC	Absolute Cushion	\$104.00 E2601
☐ ITSG	InTouch <sup>™</sup> Stabilite <sup>™</sup> Gentle Contour	\$320.00 E2607
◯ ITSM	InTouch Stabilite Max Contour	\$320.00 E2605
	InTouch Flovair™ Gentle Contour	\$390.00 E2607
○ ITFM	InTouch Flovair Max Contour	\$390.00 E2607

For additional seating needs please refer to the following: Invacare Matrx Seating Series Price List Form 11-036. To order any of the following products with your chair, please contact Invacare Customer Service.

CUSHIONS				
Model Number	Product Name			
Weight Limit MA-VI Invacare recommends all wheelcha	irs be fitted to the consumer under			
the guidance post a healthcare professional, knowledge the particular				
limitations of the product				
FT	Matrx Flotech			

BACKS			
Model Number	Product Name		
MPB-V	Matrx PB		
MPBD	Matrx PB Deep		
PBE	Matrx Elite		
EDB	Matrx Elite Deep		

#### **Basic Chair Includes**


- · Aluminum Adjustable Rigid Frame
- Tapered or "V" Front End
- Seat Widths (W12 W19)
- Seat Depth (D14 D19)
- Seat-To-Floor Height Selection
- · Fold Down Back
- Adjustable Height Back without Push Handles
- Back Rigidizer Bar (WELD or BLTON)
- Frame Finish
- Caster Options (AT900, 51DC or 61DC)
- Wheel Options (22COM, 24COM7, 22SP or 24SP)
- URETH Urethane (treaded) Tires
- ALUMPC Aluminum Anodized Handrims
- Camber Inserts (SINGLE or DUAL)
- Camber Angle (C00, C03, C06 or C12)
- Fold Over Back Upholstery
- Quick Release Axles
- Wheel Locks (9691 or A1567)
- RGDTUB 1 Piece Tubular Footplate

Comments	3	

Specifications			
Frame Style	Rigid		
Seat Width	12" – 22"		
Seat Depth	14" – 22"		
Overall Width	18 3/4" - 36 1/2"		
Adjustable Height Back	8" - 20" (See Back Adjustment Category)		
Adjustable Angle Back	-15°, -10°, -5°, 0°, 5°		
Camber Angles	0°, 3°, 6°, 9°, 12°		
Tubing Sizes	1" Aluminum		
Weight Limit	300 lbs.		
Weight of Chair	14 1/2 lbs (15x16 without rear wheels and accessories)		
Warranty	Lifetime on frame		

Available Through Our Specials Department			
3" Depth Adjustable Frame (Longer Frame w/Back Canes Set Forward)	SM-030402084259		
Caster Swivel Locks	SM-020924112851		
Flip Up Footplates	C-031216093246		
One Arm Drive - 0° Camber	SM-010912031703		
Amputee Attachment (Longer Frame w/Back Canes Set Forward)	SM-020924110810		
Frog Legs® Front Suspension Forks Only	SM-030728042707		

All specials are subject to final approval. Some special quotes are not compatible for all frame configurations. Please contact Customer Service for details and prices.



# NOTE: All specifications and dimensions are approximate. For the most current pricing information, go to www.invacare.com/homecare.



Invacare Corporation
USA
One Invacare Way
Elyria, OH USA
44035-4190
800-333-6900

www.invacare.com

©2013 Invacare Corporation

All rights reserved. Trademarks are identified by the symbols  $^{TM}$  and  $^{\circledR}$ . All trademarks are owned by or licensed to Invacare Corporation unless otherwise noted. Specifications and prices are subject to change without notification.