

## **Asset List 3/1/08**

**GDX Automotive  
1455 Boul Industriel  
Magog, Quebec, Canada**

**GDx Automotive  
1455 Boul Industriel  
Magog, Quebec, Canada**

Item #	Qty.	Effective Date:
<b><u>Molding</u></b>		
1	1-	Cannon model HE 120 RIM injection molding system (1995) S/N 95-088 with pump system and temperature control system
2	1-	Rotary Transfer Machine; with Exhaust Ducting; (Maintenance #TABL25)
4	1-	Finishing Station; <b>(Note: Mercedes Dedicated - MACH07 - B251/W251/X164 Side Window RH Number F6-512-40 Platform MACH02 (Mercedes B251/W251/X164 Side Window LH F6-513-40 Platform)</b> (Maintenance #MACH01/MACH02); with Gravity Roller Conveyor; 12" x 20'; (2) Digital Scale Platform Scales;
6	1-	Cold Jet Model 250-FP Mold Chiller, S/N 082, (1997); (Maintenance #MACP03)
7	1-	Paint Booth; with Ducting; 6'W x 3'T x 30"D
8	1-	Pyradia Model 90T06P048030024HMXOY Oven, S/N 2006-06-20580-1, (2006); (Maintenance #FOUR108); Maximum Temperature 375°C
9	1-	Ferromatik Milacron Model K250-400-V-S/2F 250 Ton Vertical Injection Molding Press, S/N 551024, (1996); (Maintenance #PRES206); with 2-Station Rotary Platforms; with (2) Hopper Feeds and Vacuum Loaders; (Not In Use At Time of Inspection); Ferromatic Milacron Model IQT6 CNC; Graco Model Therm-O-Flo Hot Melt Tank, S/N 121304003; National Bolt Equipment (Maintenance #DEP001) Dust Collector with Kongsil Model RF20 Vacuum Loader and Hopper Feed
14	1-	Ferromatik Milacron Model K250-S 250 Ton CNC Injection

Item #	Qty.	Effective Date:
		Molding Press, S/N 550055, (1997); (Maintenance #PRES208); with Hopper Feed and Vacuum Loader; National Bold Equipment Model 29-900/189 Hydraulic Tilt Table, S/N 986184-1-1 (Maintenance #BASC02); Novatec Model MPC-50 Dryer; with Hopper and Vacuum Loader, S/N 14-083-1884 (Maintenance #SECH02); Josef Neureder Unloading Robot (Maintenance #HAND01) (3) Orientech Axium Plastic Slat Conveyors (Maintenance #CONV131) (2) Remak Temperature Regulators, (Maintenance #REGU05 & REGU09)
15	1-	Ferromatik Milacron Model K250-S Press, S/N 550056, (1997); (Maintenance #PRES209); with Hopper Feed and Vacuum Loader; (Maintenance #CONV132) (2) Ornitech Plastic Slot Conveyor, S/N 3122M2 7-1/2" x 25'
16	1-	Ferromatik Milacron Model K250-S 250 Ton CNC Horizontal Injection Molding Machine, S/N 55054, (1997); (Maintenance #PRES210); with Hopper Feed and Vacuum Loader; Yaskawa Model Motoman UP165 Pick & Place Robot; with Yaskawa Model ERCR-UP165-RB10 Power Supply, S/N BY6237-4051-6 (2004); (2) Reo Model Reovibmts442 Vibratory Bowl Feeders; (2) Olentech Model Axium Slotted Infeed Conveyors; with Gravity Roller Conveyor; Cumberland (Maintenance #GRAN087) Model 10X12 Grinder, S/N CG0250-99520; (4) Olentech Model Axium Plastic Slot Take-Off Conveyors; Size 2-1/2" x 25' ; (2) Spaltemp Temperature Regulators (Maintenance #REGU26 & REGU36)
17	1-	Ferromatik Milacron Model K250-S 250 Ton CNC Horizontal Injection Molding Machine, S/N 550057, (1997); (Maintenance #PRES211); with Hopper Feed and Vacuum Loader; Cumberland (Maintenance #GRAN07) Model 10X12 Grinder, S/N CG0250-99519; Busch RAO100-E506-1002 Vacuum Pump, S/N #E32624, 5-hp; Roller Infeed Conveyor, 12" x 20"; Spaltemp Temperature Regulator (Maintenance #REGU25)
19	1-	Material Delivery System; To Include: (1) Nucom Blowers, 10-hp, Maintenance Number Maintenance Number #POMP06 (1) Material Storage Hopper

Item #	Qty.	Effective Date:
		(1) Nortec Model AFE Humidifier S/N 619479AFE002 (2001) Maintenance Number #HUMI01 (-) Nortec Model AFE Humidifier, S/N 619479AFE001 Maintenance Number #HUMI02
20	1-	Mcquay Model WHR080EA27-ER10 Mezzanine Mounted Chiller, S/N STNU99030026; Maintenance Number #CHIL01; with Handling Systems Portable Hoist; 1-Ton Capacity with Chain Hoist; Mezzanine
21	1-	Kolckner Model 968.2502 250 Ton Vertical Injection Molding Press, S/N 20.2818, (1994); Maintenance Number #PRES15
22	1-	REP Model V47Y106 250 Ton Vertical Rubber Injection Molding Press, S/N V47 Y106 983 335, (1998); Maintenance Number #PRES67; with Maintenance Number #DEM010 GM Mold Slide Extractor; (2000), S/N 67090001
23	1-	REP Model V47Y10S 250 Ton Vertical Rubber Injection Molding Press, S/N V47Y10S96362540, (1997); Maintenance Number #PRES60; with Maintenance Number #DEM004 Thona Mold Slide Extractor; (1998), S/N 22603004
24	1-	REP Model V47Y10S 250 Ton Vertical Rubber Injection Molding Press, S/N V47Y10S96362541; Maintenance Number #PRES59; with Thona Mold Slide Extractor, S/N 22603004 (1998);
25	1-	REP Model V47Y10S 250 Ton Vertical Rubber Injection Molding Press, S/N V47Y10S00473800, (2000); Maintenance Number #PRES10; with Rep Intelinject Control;
29	1-	Maplan Model MTF1500/250 250 Ton Vertical Rubber Injection Molding Press, S/N 1180212-01, (1999); Maintenance Number #PRES70
31	1-	REP Model M46E1 250 Ton Vertical Rubber Injection Molding Press, S/N 466E1603 No.3, (1986); Maintenance Number #PRES14; Maryland Model M1000 Series Light

Item #	Qty.	Effective Date:
		Curtain
32	1-	REP Model M36EL 250 Ton Vertical Rubber Injection Molding Press, (1986); Maintenance Number #PRES054; Maryland M1000 Series Light Curtain
33	1-	REP Model M466EI 250 Ton Vertical Rubber Injection Molding Press, S/N 466E1603 No. 1; Maintenance Number #PRES56; with Maryland M1000 Series Light Curtain;
34	1-	Coating System; Maintenance Number #SYSP047, To Include: <ul style="list-style-type: none"> <li>(-) Maintenance Number #FOUR150 Oven; with Metal Mesh Conveyor 12" x Approximately 30'</li> <li>(2) Coating Station with (2) Pressure Parts;</li> <li>(1) Concept Model G-1000 Ultrasonic Generator</li> <li>(-) Maintenance Number #FOUR151 Pass Through Oven; with Blow-Off Section; with Metal Mesh Conveyor 12" x Approximately 40'</li> <li>(-) Allen-Bradley Model Panel 550 System Operator Console</li> </ul>
35	1-	REP Model B664EID 10,296-Kilograms Vertical Rubber Injection Molding Press, S/N 664EID9139 No.1127, (1992); Maintenance Number #PRES12; with Rep Model Rep Intelinject Control;
36	1-	REP Model B66 400 Ton Vertical Rubber Injection Molding Press, S/N 662506/4, (1985); Maintenance Number #PRES52
37	1-	REP Model B66EI 400 Ton Vertical Rubber Injection Molding Press, S/N 664EI601/3, (1985); Maintenance Number #PRES51
38	1-	REP Model B6652000 400 Ton Vertical Rubber Injection Molding Press, S/N 6624061, (1984); Maintenance Number #PRES53
39	1-	Cober Pass Through Oven; Maintenance Number #FCR001; with Metal Slotted Conveyor; with Pneumatic Parts Remover; Maintenance Number #DM007 (Parts

---

Item #	Qty.	Effective Date:
		Remover Dedicated to GM)
40	1-	REP Model 66/2000 400 Ton Vertical Rubber Injection Molding Press, S/N 662505/4, (1985); Maintenance Number #PRES13
41	1-	REP Model V68Y20W 400 Ton Vertical 4-Post Hydraulic Rubber Injection Molding Press, S/N V68Y20W02514410, (2002); Maintenance Number #PRES168
43	1-	Custom Mold Slide Extractor; Maintenance Number #DEM002 (Not In Service At Time Of Inspection)
44	1-	Custom Mold Slide Extractor; Maintenance Number #DM006; (Not In Service At Time Of Inspection)
45	2-	Custom Ring Inserters; Maintenance Number #RIGN02 & RIGN03; (Not In Service At Time Of Inspection) Each Value: \$100
46	1-	Cumberland Model 10 X 12 Grinder, S/N GC0250-99521; with 10" x 12" Opening; Maintenance Number #GRAN09

**General Plant**

47	1-	Busch Model RC0160-B032-1012 Vacuum Pump, S/N C9899, 7-1/2 hp; (Maintenance #POPO3)
48	1-	Kone Cranes 10 Ton Overhead Bridge Crane, S/N 7765; (Maintenance #CRAN01); with Electric Cable Hoist Approximately 40' Span x 270' Travel
49	1-	Compressed Air Delivery System; To Include: <ul style="list-style-type: none"><li>(-) Sullair Model LS20 100SH/A/KT Rotary Screw Compressor, S/N 003-144103, (Maintenance Number #COMP13)</li><li>(-) Airtec Model SC500 Compressed Air Dryer; Model C50D-D01723, (Maintenance Number #ASSE12)</li><li>(-) Sullair Model LS-20S Rotary Screw Air Compressor, 150-hp (Maintenance Number #COMP07)</li><li>(-) Hankison Model HPR750 Compressed Air Dryer, S/N H750B57504202007 (Maintenance Number</li></ul>

Item #	Qty.	Effective Date:
		#ASSE07) (2) Graco Vertical Steel Compressed Air Storage Tanks
50	1-	Trash Compactor; Maintenance Number #DECH05
51	1-	Raymond Model 101T-F40L Electric Walk Behind Lift Pallet Truck, S/N 101-94-04020; with Carney Battery Handling; Battery Changer; Model BT2424, S/N 6140T-1
52	1-	Wolftec Model WLP-150 Pallet Stretch Wrapper, S/N 3120-1-200; Maintenance Number #EMBA10; with Rotary Platform; Approximately 60"D
55	1-	Spaltech Oil Circulating Temperature Control System; Maintenance Number #REGU23
56	1-	Spaltech Oil Circulating Temperature Control System; Maintenance Number #REGU37
57	1-	Spaltech Model D-24124X Oil Circulating Temperature Control System, S/N 98-11-967
59	1-	Wolftec Model WHP-100 Pallet Stretch Wrapper, S/N 0196-1122; Maintenance Number #EMBA04; with Rotary Platform Approximately 60"D
60	1-	Wolftec Model WHP-150 Pallet Stretch Wrapper, S/N 2970-1-1201; Maintenance Number #EMBA09; with Rotary Platform; 52" x 52"; Note: the last two wolftec's also had 52" x 52" Platforms;
61	5-	Jadever Model LAC-3016 Digital Platform Scales, S/N 4081811; S/N 4014891; S/N 4052329; S/N 4081808; and S/N 4052326; Maintenance Number #BALA05; BALA48; BALA62; BALA11; BALA61 Each Value: \$250
62	1-	Tennant Model 5700XP Walk Behind Floor Scrubber; Maintenance Number #PAOP01
63	1-	Lot of Miscellaneous Equipment Throughout Plant To Include:

Item #	Qty.	Effective Date:
--------	------	-----------------

Hand Trucks, Portable Self Dumping Trash Hoppers; Double End Grinders; Drum Trucks; Pedestal Fans; Shelving; Pallet Trucks; Pallet Racking; Shop Vacuums; Pumps; Storage Cabinets for Flammable Materials; Safety Ladders; Conveyors; Portable Conveyor Carts; etc;

**Rolling Stock**

- |    |    |  |
|----|----|--|
| 64 | 1- | Toyota Model 7FGCU25 LPG Forklift Truck, S/N 66331; 4,900-Lb. Capacity; 3-Stage Mast; 189" Maximum Lift; Overhead Guard; Cushion Tires; Side Shifter, (Maintenance #LIFT11)              |
| 65 | 1- | Caterpillar Model NSP22 Electric Walk Behind Pallet Truck, S/N 1NSP15199   |
| 66 | 1- | Toyota Model 6FBRE16 Electric Reach-Type Forklift Truck, S/N 32192; 3,200-Lb. Capacity; 3-Stage Mast; 217-Maximum Lift; Overhead Guard; Cushion Tires, (Maintenance Number #LIFT19)      |
| 67 | 1- | Toyota Model 5FGC20 LPG Forklift Truck, S/N 5FGCU25-80841; Maintenance Number #LIFT006; 3,750-Lb. Capacity; 3-Stage Mast; 185" Maximum Lift; Overhead Guard; Cushion Tires; Side Shifter |
| 68 | 1- | Yale Model SQ77364 3,000-Lb. Capacity Electric Forklift Truck, S/N ESC030G4S083; Maintenance Number #LIFT10; 2-Stage Mast; 178" Maximum Lift; Overhead Guard                             |
| 69 | 1- | Prime-Mover Model PMX Electric Walk-Behind Pallet Truck, S/N PMX0044907  |
| 70 | 1- | Toyota Model 42-6FGCU25 LPG Forklift Truck, S/N 64539; Maintenance Number #LIFT17; 4,920-Lb. Capacity; 3-Stage Mast; 189" Maximum Lift; Overhead Guard; Cushion Tires; Side Shifter      |

**Maintenance**

- |    |    |   |
|----|----|---|
| 74 | 1- | Lincoln Model Precision Tig 275 275-Amp Arc Welding |
|----|----|---|



Item #	Qty.	Effective Date:
		Power Source; Maintenance Number #SOUD02
75	1-	International Surface Technologies Model ECAB-26-DB-13 Abrasive Blast Cabinet, S/N MS-20A1-0340, (2003)
76	1-	King Industrial Vertical Milling Machine; Maintenance Number #FRAI154; (Not In Service At Time Of Inspection)
78	1-	Equipment and Maintenance Room, To Include: <ul style="list-style-type: none"> <li>(-) Master Craft Model 55-6729-2 9" Vertical Band Saw, S/N W063551</li> <li>(-) Limpco H-Frame Hydraulic Press</li> <li>(-) Delta 6" Belt/9" Belt Disc Grinder Model 31-659C, S/N P0106</li> <li>(-) Maintenance Number #PERC06 King Model KC-30FC Floor Drill Press, S/N 1154894 (2004)</li> <li>(-) Maintenance Number #SOUD14 Lincoln Model Wire-Matic 225 Wire Feeder</li> <li>(-) Metal Table with (2) Table Mounted Vises</li> <li>(-) Gorbel Post Mounted Jib Crane 1-Ton Capacity x 12' with CM Electric Chain Hoist</li> <li>(-) Double End Grinders; Work Tables; Tool Boxes; etc.</li> <li>(-) Maintenance Number #MELU15 Mastercraft 14" Chop Saw</li> </ul>

**Quality Assurance**

79	1-	Cincinnati Sub-Zero Temperature Chamber; Maintenance Number #CHAM007
80	1-	Thermotron Model OV12-DD Two Door Oven, S/N 23992; with Digital Temperature Control; Single Pin Chart Recorder
81	1-	Mitutoyo 24" Comparator; Maintenance Number #SHAD08; with Mitutoyo XYDRO; Enclosure
82	1-	Yomato Model DX600 Drying Oven, S/N A990008
83	1-	Tru-Stone Model GrayB 48" x 72" x 9" Granite Surface Plate, S/N 29150; with Stand

Item #	Qty.	Effective Date:
84	1-	Newing-Hall Engraving Machine, S/N CX02660-3320, (2001); With Apex Advance Motion Controller
<b><u>BMW</u></b>		
86	1-	Priming Station #3; <b>(Note: BMW Dedicated);</b> (Maintenance #STAT03); (2) Josef Neudreder Pick & Place Robots; (2) Yasnac Motoman SK16 Gluing Place Robots; with Yasnac Model MRC Control with Remote Control; Heraeus Model EW50 Oven, S/N 97-7-851 (1997); Infeed and Take-Up Conveyor Systems; Fume Exhaust System with Ducting; H-P Products Model 560 Central Vacuum Cleaner, S/N 044K3341; (2) Bosch Model BT20' Operating Panels; Graco Model 23649 Pressure Pots Series G01A; Pressure; Pot;
<b><u>GM - GMX-211</u></b>		
87	1-	Priming Station #4; (Maintenance Number #STAT04); with (2) Yasnac Model Motoman SK120 with Pick & Place Robots, with Yasnac Model MRC Control & Remote Control; (2) Yasnac Model SK16 Gluing Robots with Control and Remote Control; H-P Products Model 560 Central Vacuum Cleaner, S/N 044KK339; (Maintenance Number #FOUR104) Conceptromec Model 2001 Oven; Fume Exhaust System with Ducting; Infeed and Exhaust Conveyor; Graco Model 236149 Series J01A Pressure Parts; Graco Model 236157 Series F98A Pressure Pots; Dedicated - GM - GMX-211 Platform
<b><u>Mercedes - V-251/W/X-64</u></b>		
88	1-	Priming Station #1 (Sponge) Robotic Station; <b>(Note: Mercedes Dedicated - V-251/W-251/X-64 Platforms);</b> (Maintenance #STAT01); with (2) Motoman SK16 Gluing Robots; (2) Bosh Mueller Model SK16 Robots; Bosh Mueller CH Model BT20 Operator Console; Yasmac Model MRC Robot Power Supplies; with Remote Operator Console; Model Vacuflow Model 560 Dust Collector; Power Roller Conveyors; Enclosure;