

Clinical Care Guidelines Protocol Review #2

Name:	Date:
-------	-------

At what heart rate should the following pediatric patients be Synchronized Cardioverted?

Infants:
Children:

Give 6 contraindications of the CPAP

1
2
3
4
5
6

What is the action of Adenocard and where in the heart does it work?

--

Below are several medications listed by their generic name, please give the trade name (note the first example)

Generic Name	Trade Name
Example: Diazepam	Example: Valium
Cordarone	
Ipratropium Bromide	
Amidate	
Trandate	
Anectine	

Give 3 contraindications of the King Airway Device

1
2
3

What is the GCS of this patient?

Opens eyes to verbal =
Verbal response is confused =
Localizes to pain =
Total GCS =

What weight (in kg) must the following patients be for the EZ IO procedure? Also include the alternate site(s) for each if the Tibia is not available

Pediatric -	kg	(Alternate site):
Adult -	kg	(Alternate site):

How much Glucagon would you administer to a hypoglycemic 3 year old?

--

What should follow the defibrillation of a patient in V. Fib?

--

“IN YOUR OWN WORDS”

Discussion: In the Clinical Care Guidelines two “pressors” are utilized when working a Pulseless V. Tach or V. Fib code. Name the two pressors and explain how each works differently to increase a patient’s chance of survival.
