

Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quot	ted \$0.00					
Mfg Part #	Qty.	Description	Telco Cost	Total		MSRP
		IP Office Power Demo				
	Ask	Badger for details			_	
		IP Office 500v2 System				
		wards compatible to the IP500. It has 4 card slots into which all exis				
		were introduced with R6.0. The IP500v2 requires the presence of a sits feature key. The IP500v2 operates in IP Office Mode as well as)	
700476005		/2 Control Unit	IF FARTNER® V	\$ -	-	650.00
				'	•	
700289770	* Powe	er Lead USA (one required for each IP500 base module)		\$ -	\$	15.00
	<u> </u>	Avaya Extended Warranty Options (R6 & above)				
263143	IPO(R	6 & higher) Essential Edition PARTNER Version (2 Year)		\$ -		
263148	IPO (R	26 & higher) Essential Edition PARTNER Version (4 Year)		\$ -		
263140	IPO (R	26 & higher) Essential System Package (2 Year)		\$ -		
263145	IPO (R	86& higher) Essential System Package (4 Year)		\$ -		
263141	IPO (R	6& higher) Preferred System Package (2 Year)		\$ -		
263146	IPO (R	86 & higher) Preferred System Package (4 Year)		\$ -		
263142	IPO (R	6 & higher) Advanced System Package (2 Year)		\$ -		
263147	IPO (R	26 & higher) Advanced System Package (4 Year)		\$ -		
		Internal Base Cards				
	IP500\	/2 Combination Card ATM - supports 4 analog trunks, 6 digital				
700470040		s, 2 analog stations, 10 VCM channels (Max 2 per system on				
700476013		IPO or PARTNER Version). Note: the Combination Card does not		\$ -	\$	600.00
	come	with any IP Phone License & will not support internal daughter card.				
700213440	One IS	SDN cable (red)		\$ -	— _{\$}	4.80
		/2 EXTN Card ETR 6 (supports up to 6 PARTNER ETR phones-			- '	
		8 ETR phones). Includes 2 power failure ports if Uni Trunk card is				
700476039		ed on this card. Only supported in Essential Edition-PARTNER		\$ -	\$	500.00
		n mode. (Max 3 per system). Also required for 3920 Wireless & to				
		nalog phones.				
		Expansion Card 4-port -Adds 4 expansion ports.Comes with 4 connection cables. (must go in far right slot and <i>will not</i> accept a				
700472889	•	ter card) Required for more than 8 expansion modules. Enables 4		\$ -	\$	990.00
	•	exp. modules - up to 12 total.				
700431778		Analog Phone 2 Card (max 4) - this card also accepts (1) 500 trunk		\$ -	— \$	250.00
100431110		ter card (IPO or PARTNER Version)		Ψ -	[‡]	∠50.00
700417231		Analog Phone 8 Card (max 4) - this card also accepts (1) 500 trunk ter card (IPO or PARTNER Version)		\$ -	\$	990.00
		Digital Station 8 Card (max 3) - this card also accepts (1) 500 trunk				
700417330		ter card - 4400 series are not supported on this card (IPO or		\$ -	\$	550.00
. 00 1 17 000	•	NER Version).		~	Ψ	550.00



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

> Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted

\$0.00 Mfg Part # Description **Telco Cost Total** Qty. MSRP IP500 Digital Station 8 Card for NORTEL digital phones. Also required for 700500758 \$ \$ 550.00 T7406E Wireless. IP500 VCM 32 Card - equipped with 32 channels. Comes with 12 Avaya 700417389 IP Phone licenses enabled. This card also accepts (1) 500 trunk daughter \$ \$ 900.00 card. (required for SCN & IP Phones). IP500 VCM 64 Card - equipped with 64 channels. Comes with 12 Avaya IP Phone licenses enabled. This card also accepts (1) 500 trunk daughter 700417397 \$ 1.300.00 card. (required for SCN & IP Phones). IPO R8.0+ C110 UC Module - internal base card (does not 700501442 support daughter card). Equipped with 4 ports VMPRO & \$ 2,995.00 OneX Portal. Internal Daughter Cards IP500 Trunk Daughter Analog 4 Uni - supports analog loop-start trunks & 1 analog v.32 modem (max 4) - can be added to any 500 DS card, 500 700417405 \$ 400.00 Analog phone base card or 500 VCM card. IP500 Trunk Daughter T1/PRI Uni Single (up to 24 T1 channels) 8 default 700417439 \$ 950.00 channels IP500 Trunk Daughter T1/PRI Uni Dual (up to 48 T1 channels) 16 default 700417462 \$ 1,590.00 channels **External Expansion Modules** 700449473 IP500 External Expansion Module (Trunk) Analog 16-power lead req. \$ 2,500.00 700449499 IP500 External Expansion Module (Digital Station) 16-power lead req. \$ 2,291.00 IP500 External Expansion Module for up to 16 NORTEL Digital Phones 700500699 \$ 2,291.00 700426216 IP500 External Expansion Module (Digital Station) 30-power lead req. \$ 3,770.00 700500698 IP500 External Expansion Module for up to 30 NORTEL Digital Phones \$ 3,770.00 IP500 External Expansion Module (Phone 16 - 16 Analog Station Ports) \$ 700449507 2,651.00 power lead required IP500 External Expansion Module (Phone 30 - 30 Analog Station Ports) \$ 700426224 3,995.00 power lead required * Power Lead USA (one required for each IP500 External Expansion 700289770 \$ \$ 15.00 Module) (Required) System SD (Secure Digital) Card for each IPO System IP500V2 System SD Card for IP Office Mode (U-LAW) system software/firmare, system configuration, license keys, comes with 2 700479710 \$ 50.00 ports of Essential Edition voicemail. (R8 Essential License 267786 is required for IPO Mode). IP500V2 System SD Card for PARTNER® - system software/firmare, 700479728 system configuration, license keys, come with 2 ports Essential \$ 50.00 Edition voicemail (PARTNER Version can grow up to 100 extensions).



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted \$0.00 Mfg Part # Qty. Telco Cost Description **Total MSRP** IP500v2 System Licenses IPO R8+ Essential Edition License (required for IP 267786 \$ \$ 495.00 Office Mode) 269480 **IPO R8+ Preferred Edition Voicemail (4 ports)** \$ 1,895.00 IPO R8+ Mobile to Power User Upgrade 5 (must have 267802 \$ 260.00 \$ **Preferred Edition)** IPO R8+ Office Worker to Power User Upgrade 5 (must \$ 267803 \$ 215.50 have Preferred Edition) Rack & Wall Mounting Brackets 700429202 IP500 Rack Mounting Kit (for 19" rack) \$ 60.00 700430150 IP500 Wall Mounting Kit-fits on IP500 Control Unit only as a stand alone \$ \$ 39.00 IP500 Wall Mounting Kit v2 (NEW) with cable management - designed for \$ 700500923 75.00 \$ expansion modules 8.0 UPGRADE LICENSES If upgrading a previous release of IP500v1 & IP500v2 to IPO R8.0: (For new installations no upgrade license is required on the IP500V2 platform or the Essential Edition - PARTNER Version systems) \$ 267792 IPO License Upgrade R8.0 \$ 199.00 IPO License (R6 & higher) Essential Edition - adds 2 channels (IP500V2 only) 2 Embedded VM ports & 15 hours of storage 229423 \$ \$ 400.00 are already enabled by default; this license increases capacity to 4 ports & 20 hours of storage or a max of 6 ports & 25 hours of storage. IPO Preferred Edition (R5 & R6 & R7)- (formerly VM Pro) This system license enables 4 VoiceMail Pro ports together with Meet Me 171991 Conferencing and Automatic Internal & External Call Recording \$ 2,395.00 capabilities. The existing VMPRO 4 ports license can be purchased to add increments of 4 ports up to the max of 40 ports IP500.



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted

Mfr. Dort #		Description	Talas Cast	Tatal		 MCDD
Mfg Part #	Qty.	Description	Telco Cost	Total		MSRP
229424		IPO License (R6 and higher) Advanced Edition - This license can be added to the Preferred Edition License to enable Customer Service enhancements. It contains the Customer Call Reporter application-including 1 supervisor (for real-time & historic reporting), Interactive Voice Response (IVR) with external databases, 8 ports of Text-to-Speech (TTS)-allows database queries using IVR to be read over the phone, Visual Basic Scripting and ContactStore Call Recording Llbrary (for search & replay of call recordings). (Dell PowerEdgeT110 Tower Server with Windows 2003 or 2008 Standard Edition required).		\$	-	\$ 2,295.00
Extra Options	For A	dvanced Edition				
187166		VMPro Recordings Administrators (R5 & higher): To support ContactStore in a SCN, IP Offices other than the central IPO require either their own Adv Edition license or this license		\$	-	\$ 1,500.00
182303		VMPro TTS (R7 & older) (Generic): This legacy license enables use of TTS facilities using 3rd party TTS software with VMPRO. 1 License per simultaneous instance of TTS usage. For IPO R6 this license is no longer used for user email reading. The IPO Adv Edition license also enables 8 ports of generic TTS.		\$	-	\$ 400.00
Customer Servi	ice Age	ent License:				
		se is concurrent and is allocated on a first-come, first-served basis. Note: Al CR Supervisor License is required as a prerequisite for this license to be valid			ense	
217650		Customer Service Agent (R5 & higher) RFA 1		\$	-	\$ 359.00
217651		Customer Service Agent (R5 & higher) RFA 5		\$	-	\$ 1,795.00
217653		Customer Service Agent (R5 & higher) RFA 20		\$	-	\$ 7,180.00
Customer Servi	ice Su	pervisor License:_				
CCR Supervisor (t		nse is concurrent and is allocated on a first-com, first-served basis). Note: A r Legacy CCR Supervisor License is required as a prerequisite for this license		on System Lic	ense	
229442		IPO License (R6 & higher) Customer Service Supervisor 1-enables 1 Supervisor account & 1 Wallboard account (Max 30 each)		\$	-	\$ 429.00
IP Office 500V	/2 Sys	tem Licenses				
205650		Multisite Voice Networking (R5 & higher) -adds 4 LIC (used with IP500 & IP500V2 to enable support for SCN, QSIG and H323 IP trunks) Note: You need a VCM Channel for every Networking Channel		\$	-	\$ 695.00
215180		IP500 License T1 (R5 & higher) add 2 channels		\$	-	\$ 190.00
215181		IP500 License T1 (R5 & higher) add 8 channels		\$	-	\$ 730.00
215182		IP500 License T1 (R5 & higher) add 32 channels (dual only)		\$		\$ 2,750.00
171988		CTI Activation key enabling CTI Link Pro functionality		\$	-	\$ 630.00
177466		TAPI WAV enables 4 addt'l ports voice processing (requires CTI Link RFA)		\$	-	\$ 2,025.00
202967		IPO Lic SIP Trunk (R5 & higher) RFA 1		\$	-	\$ 75.00



Quotation IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total			MSRP
202968		IPO Lic SIP Trunk (R5 & higher) RFA 5		\$	-	\$	340.00
202969		IPO Lic SIP Trunk (R5 & higher) RFA 10		\$	-	\$	640.00
202970		IPO Lic SIP Trunk (R5 & higher) RFA 20		\$	-	\$	1,200.00
182303		Voicemail Pro TTS (R5 & higher) (Generic) 8-port License:		\$	-	\$	400.00
182301		IPO SEC VPN (R5 & higher) RFA - enables the IPO to initiate & terminate IPSec and Ls	TP tunnels	\$	-	\$	500.00
VoiceMail Pro	Addit	ional Ports					
174459		VoiceMail Pro (R5 & higher) RFA 2- adds 2 ports		\$	-	\$	1,795.00
174460		VoiceMail Pro (R5 & higher) RFA 4- adds 4 ports		\$	-	\$	2,875.00
174461		VoiceMail Pro (R5 & higher) RFA 8- adds 8 ports		\$	-	\$	5,495.00
174462		VoiceMail Pro (R5 & higher) RFA 16- adds 16 ports		\$	-	\$	9,995.00
VMPRO Unifie	d Mes	saging Service (UMS) replaces IMS in R4.2					
217880		VMPRO UMS (R5 & higher) License - 1 User		\$	-	\$	62.00
217881		VMPRO UMS (R5 & higher) License - 5 User		\$	-	\$	279.00
217883		VMPRO UMS (R5 & higher) License - 20 User		\$	-	\$	903.96
IP Office 500V	'2 Use	r Licences NOTE: if using one-X Portal a Windows 2003 or 2	2008 Server is	required			
Office Worker F	Profile I	License					
one-X Portal for	IP Offic	e- Standard Mode (no telecommuter features) and UMS Web Service	ces. Note: Window	ws 2003 or 2008	3		
Server required if using	ng one-X	Portal					
229438		IPO License (R7 & older) Office Worker 1		\$	-	\$	99.00
229439		IPO License (R7 &older) Office Worker 5		\$	-	\$	445.50
229440		IPO License (R7 & older) Office Worker 20		\$	-	\$	1,584.00
Malaila Maradaan		M - 1"	5 (1.5 00			
		e: Mobility Features and TTS for Email Reading. For IP Office Release 8.0 a uisite Windows 2003 or 2008 Server required if using one-X Portal	ind nigher, a Prefe	erred Edition			
229434	piereq	IPO License (R7 & older) Mobile Worker 1		\$	-	\$	89.00
229435		IPO License (R7 & older) Mobile Worker 5		\$	_	φ \$	401.00
229436		IPO License (R7 & older) Mobile Worker 20		\$	_	φ \$	1,424.00
	2001.0	ne-X Portal for IP Office -Standard Mode with Telecommuter option UM	C Web Comisses			Ψ	1,424.00
		Phone. Notes: The UMS function will not work without the Preferred Edition					
Server required if u			Licerise. Williadw	3 2003 01 200	,,,		
229430		IPO License (R6 & higher) Teleworker 1		\$	_	\$	149.00
229431		IPO License (R6 & higher) Teleworker 5		\$	-	\$	671.00
229432		IPO License (R6 & higher) Teleworker 20		\$	-	\$	2,384.00
Power User Lic	ense.	same additional services as for Teleworker and Mobile Worker are enabled f	or the user in the	configuration	nlue	•	·
		Phone. License has to be applied to a particular user to be valid. Note: Win		•	•		
if using one-X Port					-		
229426		IPO License (R7 & older) Power User 1		\$	-	\$	169.00
229427		IPO License (R7 & older) Power User 5		\$	-	\$	761.00
229428		IPO License (R7 & older) Power User 20		\$	-	\$	2,704.00



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

> Contact Valid Thru:

email address

Quoted By: City, State, Zip

T-/ 10 /		#0.00		Quotec	. .	
Total Quot		\$0.00	T-1 0 1	T-4 :		MCDD
Mfg Part #	Qty.	Description	Telco Cost	Total		MSRP
		Targeted at operators/receptionists and provides a visual PC interface for caperator console. Additional licenses can be added for up to 4 SoftConsoles in				
be applied to a pa		·	unning at any tim	e. License n	as to	
171987	tioalar a	Receptionist (R5 & higher) RFA 1		\$	_	\$ 599.0
		icense: A Windows PC application that allows IP Office users to control their telepho	ne through their PC.	(also included	l in	
Power User & Telev	orker lice	enses) Phone Manager Pro (R5 & higher) RFA for one user		\$	_	\$ 110.0
				•		
		ense: On IP500 and IP500V2 systems, these license addt'l Avaya IP Phor	ies. This includes	s all 1600, 46	00,	
	CI, DEC	CT R4, T3 IP, Spectralink and VPN phones supported by IPO R6 & higher.		<u></u>		¢ 75.00
229444		IPO License (R6 & higher) AV IP Endpoint 1		\$		\$ 75.00
229445		IPO License (R6 & higher) AV IP Endpoint 5		\$		\$ 350.00
229447		IPO License (R6 & higher) AV IP Endpoint 20 License: These licenses are used for support of non-Avaya IP phones inc		\$		\$ 1,245.0
reserved for a part called the IP End-	ticular ph	If phone registration. If no licenses are available the phone will not be able to none using the Reserve 3rd Party IP Endpoint License setting in each IP extense.		se was previ		
174956		IP400 IP Endpoint (R6 & higher) for 1 License		\$	-	\$ 169.0
174957		IP400 IP Endpoint (R6 & higher) for 5 Licenses		\$	-	\$ 799.0
174958		IP400 IP Endpoint (R6 & higher) for 10 Licenses		\$	-	\$ 1,499.0
174959		IP400 IP Endpoint (R6 & higher) for 20 Licenses		\$	-	\$ 2,899.0
174960		IP400 IP Endpoint (R6 & higher) for 50 Licenses		\$	-	\$ 6,899.0
Software on L	JSB Fla	ash Drives required for installation & programming				
USB Flash Drive		User/Admin/VMPro R8.0 on USB Flash Drive (required for installation & progr	amming)	\$	-	
		GoldX Cat 5e Patch Panels (Cat 6 also available)				
	A	lso both Cat 5e & Cat 6 Patch Cables & Crossover Cables	available			
GXN-C5EP12		12 Port Vertical Mount Patch Panel on 110 Block		\$	_	
GNX-C5EPA12R		12 Port Rack Mount (no hinge) Patch Panel		\$	-	
GXN-C5EPA24		24 Port Rack Mount with Hinge Patch Panel		\$	-	
GXN-C5EPA48		48 Port Rack Mount (no hinge) Patch Panel		\$	-	
GXN-PDT110		Punch Down Tool with 110D Blades used to seat wires into a 110 block		\$	_	
PC505		5 Ft. Patch Cable CAT5e RJ-45 (black, blue, green, gray, purple, orange, red, white or yellow		\$	-	
PC507		7 FT. Patch Cable CAT5e RJ-45 (black, blue, green, gray, purple, orange, red, white or yellow		\$	-	
405788100		Loop Current Attenuator(must be between 23 & 25 milliamps on each analog line)		\$	_	
		IP Office Telephone Series				
1400 Series D	igital f	or both IPO and IP PARTNER® Version modes				
700469927		1403 Digital 3-button (IP Office only) 2-way speakerphone		\$	-	\$ 129.0
				-		



Quotation IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

> Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total			MSRP
700469851		1408 Digital 8-button (wall mount kits optional) 2-way speakerphone		\$	-	\$	199.00
700469869		1416 Digital 16-button (wall mount kits optional) 2-way speakerphone		\$	-	\$	249.00
700469968		(DBM32) Button Module for 1416 Phone (up to 3 on 1416) 1151D1 Power Supply (700434897) & Power Lead (700289770) Required.		\$	-	\$	149.00
1600 Series IF	Tele	phones - (not supported IP PARTNER® Version)					
700458524		1603SW-i (black) IP Phone R6 only - Power Supply(700451230) or 1603 PoE adapter(700415607) required. Each sold seperately.		\$	-	\$	189.00
700476849		1603i (black) IP Phone R6 only - Power Supply(700451230) or 1603 PoE adapter(700415607) required. Each sold seperately.		\$	-	\$	139.00
700458532		1608i (black) IP Phone R6 only - Power Supply(700451230) or optional POE switch required. Sold seperately (wall mount kits optional)		\$	-	\$	249.00
700458540		1616i (black) IP Phone R6 only- Power Supply(700451230) or optional POE switch required. Sold seperately (wall mount kits optional)		\$	-	\$	299.00
700415573		(BM32) 32 Button BLF/Speed Dial Module for 1616 only. (Max 3 per 1616 & Max 32 per IPO system). Power Supply (700434897) required & Power Lead (700289770).		\$	-	\$	149.00
		CAT5 Ethernet Cord (10ft) (black) - required for 1600 series phones					
700415623		1608 / 1408 Wall Mount Kit - includes 1 ft Ethernet cord & screws		\$	-	\$	15.00
700415631		1616 / 1416 Wall Mount Kit - includes 1 ft Ethernet cord & screws		\$	-	\$	15.00
700415656		1616 / 1416 Desi paper labels (qty 50)		\$	-	_ \$	35.00
700415672		1616 / 1416 Plastic covers that go over Desi labels (qty 20)		\$	-	_ \$	10.00
700415607		1603 PoE adapter-fits inside 1603 wedge stand to add PoE capabilities. No wall plug needed		\$	-	\$	27.50
700451230		Power Supply for 1600 IP Phones		\$	-	<u></u> \$	9.00
700383821		1600 Series 25' Handset Cord		\$	-	\$	5.75
5400 Series D	igital	Telephones (not supported IP PARTNER Version)					
700381981		5402 Basic Digital DCP (Dark Gray) listen-only speakerphone (RoHS Compliant)		\$	-	\$	150.00
700382005		5410 Mid-Level Digital DCP (Dark Gray) 2-way speakerphone (RoHS Compliant)		\$	-	\$	320.00
700381627		5420 High-Performance Digital DCP (Dark Gray) 2-way speakerphone (RoHS Compliant)		\$	-	\$	390.00
Telephone Ac	cesso	ries					
00102-SOF		Self-Adhesive Mounting Shoulder Rest - Charcoal by SoftTalk (Artistic)		\$	-	\$	11.50
00601-SOF		Self-Adhesive Mounting Shoulder Rest - Black by SoftTalk (Artistic)		\$	-	\$	6.35
GCHA444012FDG		12' Handset Cord - Medium Gray		\$	-	\$	2.55
GCHA444025FDG		25' Handset Cord - Medium Gray		\$	-	_ \$	4.35



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

> Contact Valid Thru:

email address

Quoted By: City, State, Zip

T-(10 1	1	\$0.00		Quotot	. _ J.	
Total Quot		\$0.00				
Mfg Part #	Qty.	Description	Telco Cost	Total		MSRP
700381817		EU24- 24 addt'l busy lamp.feature buttons expansion unit (Max 1 per phone, 8 per system) works on 5420 & 5621 - If connected to the Digital 5420 you will also need the 1151D1 Power Supply & Power Lead - (When the EU24 is connected to the IP5621 you do not need the seperate PS & PL).		\$	-	\$ 245.00
700434897		1151D1 Terminal Power Supply w/CAT5 (Required for IP Sets without PoE, EU24's, DBM32's, BM32's, BM12's, SMB24's). Power Lead (700289770) also required - must be purchased separately.		\$	-	\$ 30.00
700289770		Power Lead - Required with 1151D1 Terminal Power Supply		\$	-	\$ 15.00
9500 Series D	igital ((Paperless) Supported on both IP PARTNER Version & IPO Version (IP500v2 chasis o	nly).		
		7.0 IP500v1 chasis the 9404 & 9408 Digital sets are supported (
700500206		9504 Digital (NEW for R7.0) Up to 12 programmable keys, 2 way speakerphone. (optional wall mt kit 700383375)		\$	-	\$ 265.00
700500207		9508 Digital (NEW for R7.0) Up to 24 programmable keys, Full Duplex speakerphone (supports up to (3) BM12-button expansion modules). (p.s. 700434897 & p.l. 700289770 required when using BM12 on phone). Optional wall mt kit 700383375		\$	-	\$ 365.00
9600 Series IF	(Pape	erless) Not supported on IP PARTNER Version				
700480585		9608 IP deskphone Up to 24 programmable keys, Full Duplex speakerphone (supports up to (3) BM12-button expansion modules) (requires 700500725 IP Phone Single PT PoE Power Injector & 405362641 Power Lead or Class 2 PoE device).		\$	-	\$ 299.00
700461197		9620L (black & white display) IP Phone (black) - Designed for everyday telephone user, up to 12 feature buttons, headset compatible, no USB adapter, no gigabit, desk or wall mount with optional wall mount adapter (requires p.s. 700434897 & p.l. 700289770) or PoE		\$	-	\$ 524.00
700461205		9620C (color display) Gigabit IP Phone (black) - Same features as 9620L plus USB adapter & one expansion module interface that will support Gigabit Ethernet adapter (requires p.s. 700434897 & p.l. 700289770) or PoE. Optional wall mt 700383375		\$	-	\$ 628.00
700383870		9620 Wedge Stand (replaces default flip stand) places phone in a more horizontal position on desk.		\$	-	\$ 18.00
700383375		9504, 9508, 9620, 9608 & 9611 Wall Mount Kit		\$	_	\$ 20.00
700480601		9621G IP Deskphone				\$ 590.00
700405673		9630G		\$	-	\$ 864.00
700383920		9640 (color display) IP Phone (black) - Designed for Essential user, up to 24 feature buttons, headset compatible, desk or wall mount optional (requires p.s. 700434897 & p.l. 700289770) or PoE		\$	-	\$ 936.00



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted

Mfg Part #	Qty.	Description Description	Telco Cost	Total			MSRP
700419195		9640G (color display) Gigabit IP Phone (black) - Designed for Essential user, up to 24 feature buttons, headset compatible, Gigabit Ethernet adapter, desk or wall mount optional (requires p.s. 700434897 & p.l. 700289770) or PoE		\$	-	\$	1,074.00
700480627		9641G IP Deskphone		\$	-	\$	675.00
700383938		9650		\$	-	\$	726.00
700461213		9650C (color display) IP Phone (black) - Same features as 9650 (requires p.s. 700434897 & p.l. 700289770) or PoE		\$	-	\$	936.00
700383383		9630, 9640, 9650 Wall Mount Adapter		\$	-	\$	21.50
700462518		SMB 24 Button Expansion Module supported on 9630G, 9640, 9640G, 9650 & 9650C - provides 24 addt'l programmable buttons (max of 3 are supported per phone & 42 per system) p.s. 700434897 & p.l. 700289770 required.		\$	-	\$	215.00
700480643		BM12 Button Expansion Module supported on 9508, 9608 & 9641 - provides 12 addt'l programmable buttons in 2 pages for 24 features. (max of 3 supported per phone, 32 per system) p.s. 700434897 & p.l. 700289770 required.		\$	-	\$	180.00
700500727		Button Module 12 Replacement Stand		\$	-	\$	15.00
700500725		IP Phone Single PT PoE Injector (NEW R7.0) Power Injector for 9608, 9621G and 9641G phone. (required to power these IP sets unless a PoE switch is going to be use) injector power lead (405362641) required.		\$	-	\$	38.00
405362641		PoE Injector Power Lead		\$	-	\$	23.00
700500726		Replacement Stand for IP9608 / 9611G		\$	-	_ \$	15.00
700383789		Bluetooth Adapter for 9600 series - allows Bluetooth communications devices such as headsets to interoperate with 9600 Series phones (except the 9620L). It requires a seperate "Wedge stand." The adapter allows highly mobile workers to use the same Bluethooth headset with their 9600 Deskphone as they use with their cell phone.		\$	-	\$	95.00
700383771		Gig Ethernet Adapter for 9600 - can be fully integrated into a wedge stand of the 9600 phones & provides a transparent upgrade option if customer decides to install Gigabit Ethernet at a later date. Requires a separate "Wedge stand"		\$	-	- \$ -	150.00
700383888		Wedge stand for 9630, 9640 & 9650 (replaces default flip stand that comes standard with phones) - places phone in a more horizontal position on desk)		\$	-	\$	20.00



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted \$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total			MSRP
700434897		1151D1 Terminal Power Supply w/CAT5 (Required for IP Sets without PoE, EU24's & DBM32's). Power Lead (700289770) also required - must be purchased separately.		\$	-	\$	30.00
700289770		Power Lead - Required with 1151D1 Terminal Power Supply		\$	-	\$	15.00
Netgear (PoE) E	thern	et Switches to power telephones (eliminates individual power s	upplies) & VPN	Routers			
GS108P-100NAS		ProSafe 8-port 10/100/1000 Gigabit Switch with 4-port PoE		\$	-	\$	225.00
GS110TP-100NAS		ProSafe 8-port Gigabit PoE Smart Switch with 2 Gigabit Fiber SFP		\$	-	\$	275.00
FS728TP-100NAS		ProSafe 24 Port 10/100 Smart Switch with POE w/4 Gigabit Fiber SFP		\$	-	. \$	540.00
FVS336G		Netgear FVS336G-200NAS - ProSafe Dual WAN Gigabit Firewall with SSL & IPsec VPN		\$	-	\$	361.25
Avaya Wireles	s Tele	ephones (3920 supported in IP PARTNER® Version only -	requires ETR	Module)			
		DECT Wireless phones available - call Badger for separate price quote (715.672.4200)					
CS6419		ATT/Vtech CS6419 - Cordless DECT 1.9GHz Digital with Ca	<mark>ller ID, Silver/</mark> I	\$	-	\$	19.95
		T7406E 2.4 GHz Digital Cordless Telephone (Full Pack)					
NT8B45AAAP		c/w Cordless Handset and Wall Base-antenna (Nortel		\$	-	\$	655.00
		DS8 Module required 700500758) IPO Mode only.				_	
NT8B45AAAQ		T7406E 2.4 GHz Digital Cordless Telephone (Half Pack)		\$	_	\$	440.00
11100-10/1/10		c/w Cordless Handset only		Ψ		- Ψ	440.00
NT8B45AL		NT8B45AL - T7406E Handset Field Firmware Upgrade Jig		\$	_	\$	210.00
		(needed to upgrade hanset firmware)		T		-	
700471121		3920 Wireless Telephone - headset compatible (requires ETR Module)		\$	_	\$	499.00
700501142		3920 Wireless Repeater		\$	-	\$	299.00
700501144		3920 Wireless Telephone & Repeater (requires ETR Module)		\$	-	\$	649.00
		<u>Plantronics Headsets</u>					
64336-31		Supra-Monaural/one ear cushion (noise canceling also available)		\$	-	_ \$	84.00
64337-31		Supra - Binaural/two ear cushions (noise canceling also available)		\$	-	_ \$	110.00
84693-01		CS540 Wireless DECT Monaural Convertible Headset		\$	-	_ \$	319.95
83545-01		W710 SAVI over the head monaural		\$	-	_ \$	399.95
83544-01		W720 SAVI over the head binaural		\$	-	- \$	421.95
83542-01		W740 SAVI 3 in 1 Convertible		\$	-	\$	379.95
38734-11		APV-63 Cable for Avaya CS540, W710, W720, W740. may be used in place of the HL-10 Handset lifter for remote answer		\$	-	\$	79.95
60961-35		HL-10 Handset Lifter for one-touch, remote call-answering		\$	-	\$	79.95
49323-44		HIC Adapter Cable - w/disconnect, for connecting corded headsets directly to Avaya phones. 1400/5400 & 5600/9500 sets		\$	-	\$ -	45.00



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

> Valid Thru: Contact

email address

City, State, Zip Quoted By:

Total Quot	ted	\$0.00		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,		
Mfg Part #	Qty.	Description	Telco Cost	Total			MSRP
72442-41	•	HIS Adapter Cable - w/disconnect, for connecting corded		\$	_	\$	45.00
		headsets directly to Avaya phones. 9600/1600 sets		,		= `	
		Hospitality Solutions					
8004		Aastra 8004 single line - flash key, redial key, mute, messaging waiting indicator, desk or wall mount. High quality basic telephone well suited for hotels, hospital and universities.		\$	-	\$	41.99
Aegis-P08 (80002-black)		SciTec single line; volume control, data port, msg wtg lt - Wall Mount Kit/Back Plate sold separately		\$	-	\$	23.63
Aegis-P08 (80001-ash)		SciTec single line; volume control, data port, msg wtg lt - Wall Mount Kit/Back Plate sold separately		\$	-	\$	23.63
Aegis-3 (80302 Black)		SciTec single line; 3 programmable feature keys, volume control, data port, msg wtg lt, flash, redial, hold keysn (black or ash) - Wall Mount Kit/Back Plate sold separately		\$	-	\$	30.38
P99001 (Ash)		Wall Mount Kit/Back Plate for Aegis Sets (Ash)		\$	-	\$	3.00
P99002 (Black)		Wall Mount Kit/Back Plate for Aegis Sets (Black)		\$	-	\$	3.00
DV4		DuVoice DV4 4 Port VM & Auto Attendant, 1 Port Fax & Unified Messaging, 2,000 hours of storage, 225 mailboxes - uses 5 analog station ports from IPO, Monitor required (CTI RFA 171988 required).		\$	-	\$	3,173.00
DV2004		DuVoice DV2004 4 port voice, 1 port fax, 2,000 hr, 10,000 mailboxes XP based VM & UM - uses 5 analog station ports from IPO, Monitor required (CTI RFA 171988 required).		\$	-	\$	4,624.00
DV2008		DuVoice DV2008 8 port voice, 1port fax, 2,000 hr, 10,000 mailboxes XP based VM & UM - uses 9 analog station ports from IPO, Monitor required (CTI RFA 171988 required).		\$	-	\$	6,379.00
171988		Avaya CTI Pro License required for DuVoice call control on all IPO systems		\$	-	\$	630.00
LINK- HOSP		Hospitality PMS Interface for existing Brand X PMS		\$	-	\$	1,620.00
INN-DESK		Web enabled guest administration module		\$	-	- \$	1,316.00
DVSS4		Extended Software Support from DuVoice for 4 port systems (total of 15 mor	nths)	\$	-	- \$	400.00
PreProg		Preprogramming Package: DuVoice gathers data, programs system, and provides remote admin. training (4 & 8 port systems)		\$	-	\$	900.00
CA-PWL250		ProfitWatch Lite - Hospitality Call Acctg for up to 250 rooms		\$	-	\$	1,181.00
CA-MP100		ProfitWatch Standalone - Hospitality Call Acctg up to 100 rooms		\$	-	_ \$	1,925.00
		eCAS Call Accounting Software (Veramark) - not compatit	ble with DuV	<u>'oice</u>			
700435597		eCAS for Avaya IPO SMB Bundle up to 50 users(single site)-requires server		\$	-	\$	695.00
90S006002		eCAS for Avaya IPO SMB Bundleup to 250 users(single site)-requires server		\$	-	\$	995.00
700423353		eCAS for Avaya IPO up to 250 users (w/5-sites) - requires server		\$	-	\$	3,075.00
700208929		eCAS Training Webinar (per session) for end-user		\$		\$	500.00
		<u>Music on Hold Devices</u>					
On Hold Msg		Bishop On-Hold Customized Messaging Productions Available - call Badger	for pricing	-		_	



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To: Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted

Mfg Part #	Qty.	Description	Telco Cost	Total			MSRP
		ITW Linx Surge Protectors					
M8COM-60		Protects 8 AC outlets, 4 CO Lines (DSL ready), One T1, line, one ethernet line		\$	-	- \$	156.00
GRM0600		RACK MOUNT Protects 8 outlets		\$	-	\$	135.00
RM-M8COM-15		RACK MOUNT Protects 8 outlets, (one) LAN & T1 line, 4 phone or DSL line	S	\$	-	\$	290.00
M8KSU-60		towerMAX 8 KSU Base Unit - protects 8 AC outlets		\$	-	\$	84.00
M4KSU		towerMAX 4 KSU Base Unit - protects 4 AC power outlets		\$	-	_ \$	64.40
MCO8110		towerMAX CO/8-110 protects up to 8 CO/DSL lines or 8 T/R sets		\$	-	\$	84.00
MDS25		towerMAX DS/25 Module - protects 25 Digital Stations		\$	-	\$	250.00
MCO25-60		towerMAX CO/25 Module- protects 25 CO lines		\$	-	\$	322.00
MCO4x4-60		towerMAX CO/4x4 Module- protects 4 CO/DSL lines or 4 T/R sets		\$	-	_ \$	72.00
		Xtreme Power Conversion UPS Systems					
90000416		XST-600 600VA/360W Standby Tower UPS (includes USB Port, Communications Cable and Shutdown Software) 2 yr. warranty, \$25K load protection		\$	-	\$	91.00
90000418		XST-800 800VA/480W Standby Tower UPS (includes USB Port, Communications Cable and Shutdown Software) 2 yr. warranty, \$25K load protection		\$	-	\$	115.00
90000108		XVT-600 600VA/360W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection		\$	-	\$	145.00
90000109		XVT-800 800VA/480W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection		\$	-	\$	170.00
90000110		XVT-1200 1200VA/720W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection		\$	-	\$	255.00
90000112		XVT-1500 1500VA/900W Line-Interactive AVR Tower UPS 2 yr. warranty, \$25K load protection		\$	-	\$	295.00
90000100		NXRT-1000 1000VA On-Line UPS, 2U (1000VA/700W) 3 yr. warranty \$50K load protection		\$	-	\$	719.00
90000101		NXRT-1500 1500VA On-Line UPS, 2U (1500VA/1050W) 3 yr. warranty \$50K load protection		\$	-	\$	979.00
90000104		NXRT-2000 2000VA On-Line UPS, 3U (2000VA/1400W) 3 yr. warranty, \$50K load proctection		\$	-	\$	1,289.00
		Other Items					
IP DECT		3720 & 3725 Wireless IP DECT, base stations & licenses (pricing available upon request) not supported in Essential Edition-PARTNER® Version					
Bogen		Customized Loudspeaking Paging (pricing available upon request)				_	
TAMB2		Telephone Access Module - interfaces a tel system with a paging system to allow paging annoucements to be made from any telephone. Updated version of the UPAM. Works with IP Office or IP PARTNER Version. Requires power supply (mfg#PRS2403)		\$	-	\$	248.00
PRS2403		Power Supply - required for Telephone Access Module (TAMB2)		\$	-	_ \$	41.80



Quotation

IPO Template R8.0 (4-24-12)

Quote Name:

Quote Date:

Quoted To:

Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted

Mfg Part #	Qty.	Description Description	Telco Cost	Total			MSRP
PA-2A (Viking)		PA-2A Multi-Line Loud Ringer and Paging Amplifier-comes with 1 horn - can add 2 addt'l horns (no UPAM required) requires analog station port or analog trunk port from IPO. Provides talk path		\$	-	\$	188.00
25AE (Viking)		25AE weather proof horn - works with PA-2A Amplifier (can add up to 2 horns on the paging Amplifier)		\$	-	\$	28.00
35AE (Viking)		35AE - 8 OHM Ceiling Speaker with volume control		\$	-	\$	32.00
408466555		Bogen Door Phone with Speaker - connect a telephone extension to the system so visitors can call a preprogrammed extension by pressing the call button. (ETR port required). Flush Mount, weatherproof		\$	-	\$	229.00
408466563		Bogen Door Phone Control with Speaker - unlocks doors, gates, etc (requires trunk position). Flush Mount, weatherproof		\$	-	\$	600.00
Tech Help		Technical Support for Remote Programming Options (call Badger for price	ng)				
2200-16200-001		Polycom SoundStation 2EX conference speakerphone (mics sold separately) - requires an analog (T&R) station port from the IPO		\$	-	\$	729.00
2200-07800-160		Polycom SoundStation 2W/EX Conference system - Wireless/Expandable requires an analog (T&R) station port from the IPO $$		\$	-	\$	939.00
2200-16155-001		Polycom Mics for SoundStation 2EX Conference System - 1 Pair		\$	-	\$	209.00
700501532		AVAYA B179 SIP-BASED CONFERENCE PHONE. Its clear, natural sound comes from OmniSound 2.0, Avaya's patented wideband audio technology. Ideal for large conference rooms up to 320 square foot. It can accommodate expansion microphones, an external wireless headset and a PA system. 5-way conference calls, SD call recording, built in bridge function, phonebook, conference guide, PoE, with IPO R8.0 the B179 supports G.722 HD Voice. (Requires IP Endpoint License) Power Supply is included or PoE Switch can be purchased seperately.		\$	-	\$	1,300.00
RMC40002		Rack mount Server/ raid1 Mirrored Hard Drives, 2-300GB SATA 7200rpm, Intel E5300 Dual Core Proc with Windows 7 - (2.6GHz), 1GB DDR2 RAM(2x512MB), , DVD-RW, 10/100 Ethernet, PCI Express x16-1, USB keyboard & USB optical mouse. (Manager & VMPRO installed)		\$	-		
Dell T110 Server		Dell PowerEdgeT110 Tower Server & Keyboard Dual Core Intel Pentium E2180-2.0GHz, 800MHz, 1MB cache, 2GB DDR2 RAM at 667MHz with Windows 2008 Standard Edition SP2, (Manager and VMPRO or another application installed). Recommended for larger applications, networking, or running multiple applications.		\$	-		
RMC40001		Rack Mount Server Intel E5300 dual core proc with - 2.6GHz, Windows 7 premium, 1GB DDR2 RAM (2x512MB), 300GB SATA 7200rpm, comes w/USB keyboard, USB optical mouse. (Manager & VMPRO installed)		\$	-	<u>.</u>	



Badger Communications Corporation 408 6th Ave. West

IPO Template R8.0 (4-24-12)

Durand, WI 54736 (715) 672-4200 Phone **Quote Name:**

Quote Date:

Quotation

Quoted To:

Company

Contact Valid Thru:

email address

City, State, Zip Quoted By:

Total Quoted

\$0.00

Mfg Part #	Qty.	Description	Telco Cost	Total		MSRP
Dell Optiplex 390 PC		Dell Optiplex 390 PC Desktop & Keyboard with Windows 7 built-in, (Manager & VMPRO installed). Dell Dual Core Pentium E2180-2.0GHz, 800MHz, 1MB cache, 1GB DDR2 RAM at 677MHz (recommended for 200 users & less).		\$	-	
PC Monitor		17" PC Flat Panel Monitor		\$	-	
			Subtotal	\$	-	
			TOTAL	\$	_	

NOTES:

NOTE: CO Lines will not ring on analog stations in IP PARTNER Version without an ETR Module