

CARLETON-STUART -- MAGNALUBE-G GREASES - GREASE,GENERAL PURPOSE
MATERIAL SAFETY DATA SHEET
CARLETON-STUART AS OF January 1999
NSN: 9150008238047
Manufacturer's CAGE: 60111
Part No. Indicator: A
Part Number/Trade Name: MAGNALUBE-G GREASES

=====
General Information
=====

Item Name: GREASE,GENERAL PURPOSE
Company's Name: CARLETON-STUART CORPORATION
Company's Street: 13-02 44TH AVENUE
Company's City: LONG ISLAND CITY
Company's State: NY
Company's Country: US
Company's Zip Code: 11101-6990
Company's Emerg Ph #: 718-482-4488/718-482-4431
Company's Info Ph #: 718-482-4433
Distributor/Vendor # 1: BARNES GROUP INC BOWMAN DISTRIBUTION DIV
Distributor/Vendor # 1 Cage: 05573
Record No. For Safety Entry: 003
Tot Safety Entries This Stk#: 006
Status: SE
Date MSDS Prepared: 01JUN90
Safety Data Review Date: 28FEB92
Supply Item Manager: CX
MSDS Preparer's Name: KERBY SAUNDERS
MSDS Serial Number: BHBTQ
Specification Number: MIL-G-23549
Hazard Characteristic Code: V6
Unit Of Issue: CN
Unit Of Issue Container Qty: 35 POUNDS
Type Of Container: CAN
Net Unit Weight: 35 POUNDS

=====
Ingredients/Identity Information
=====

Proprietary: NO
Ingredient: HYDROFINISHED,SOLVENT REFINED PARAFFINIC PETROLEUM OIL
Ingredient Sequence Number: 01
NIOSH (RTECS) Number: 1004751HS
Other Recommended Limit: NOT ESTABLISHED

Proprietary: NO
Ingredient: ORGANIC POLYUREA THICKENER.
Ingredient Sequence Number: 02
NIOSH (RTECS) Number: 1004751OP

Proprietary: NO
Ingredient: TEFLON (TETRAFLUORO ETHYLENE POLYMER)
Ingredient Sequence Number: 03
NIOSH (RTECS) Number: KX4025000
CAS Number: 116-14-3
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED
Other Recommended Limit: NOT ESTABLISHED

=====
Physical/Chemical Characteristics
=====

Appearance And Odor: SMOOTH TEXTURED GREASE; GREEN COLOR; SLIGHT ODOR
Boiling Point: UNKNOWN
Melting Point: UNKNOWN
Vapor Pressure (MM Hg/70 F): UNKNOWN
Vapor Density (Air=1): UNKNOWN
Specific Gravity: UNKNOWN
Decomposition Temperature: UNKNOWN
Evaporation Rate And Ref: UNKNOWN
Solubility In Water: NEGLIGIBLE
Corrosion Rate (IPY): UNKNOWN
=====

=====
Fire and Explosion Hazard Data
=====

Extinguishing Media: USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.
Special Fire Fighting Proc: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A
FULL FACED SELF CONTAINED BREATHING APPARATUS IN + PRESSURE MODE. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire And Expl Hazrds: CARBON MONOXIDE AND CARBON DIOXIDE
=====

=====
Reactivity Data
=====

Stability: YES
Cond To Avoid (Stability): HEAT, OPEN FLAMES
Materials To Avoid: NONE IDENTIFIED
Hazardous Decomp Products: CARBON MONOXIDE, CARBON DIOXIDE AND OTHER
HARMFUL COMPOUNDS
Hazardous Poly Occur: NO
=====

=====
Health Hazard Data
=====

LD50-LC50 Mixture: LD50 (ORAL RAT) IS > 10,000 MG/KG
Route Of Entry - Inhalation: YES
Route Of Entry - Skin: YES
Route Of Entry - Ingestion: NO
Health Haz Acute And Chronic: ACUTE- EYE/SKIN: NO SIGNIFICANT IRRITATION
EXPECTED. INHALATION: NONE EXPECTED UNDER NORMAL CONDITIONS OF USE.
INGESTION: EXPECTED TO BE RELATIVELY NON-TOXIC. CHRONIC- NONE KNOWN.
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Signs/Symptoms Of Overexp: NO SIGNIFICANT IRRITATION EXPECTED.
Med Cond Aggravated By Exp: PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY
BE MORE SUSCEPTIBLE TO THE EFFECTS OF THE SUBSTANCE.
Emergency/First Aid Proc: GET MEDICAL HELP IF SYMPTOMS PERSIST.
INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES,
HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. INGESTION: IF A LARGE
AMOUNT IS SWALLOWED, INDUCE VOMITING AND GET MEDICAL ATTENTION.
=====

=====
Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: CONTAIN AND REMOVE BY MECHANICAL MEANS.
Waste Disposal Method: DISPOSE OF IN COMPLIANCE WITH ALL APPLICABLE LOCAL,
STATE AND FEDERAL LAWS AND REGULATIONS. RCRA EMERGENCY NUMBER: 800-
424-9346.

Precautions-Handling/Storing: STORAGE-STORE IN COOL, DRY VENTILATED PLACE AWAY FROM HEAT, FLAME & STRONG OXIDANTS.
Other Precautions: WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE.

Control Measures

Respiratory Protection: NON REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS.
Ventilation: MECHANICAL VENTILATION. (EXPLOSION-PROOF)
Protective Gloves: IMPERVIOUS
Eye Protection: CHEMICAL SPLASH GOGGLES/SAFETY GOGGLES
Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Transportation Data

Trans Data Review Date: 89299
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
AFI PSN Code: ZZZ
AFI Prop. Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Disposal Data

Label Data

Label Required: YES
Technical Review Date: 28FEB92
MFR Label Number: UNKNOWN
Label Status: F
Common Name: MAGNALUBE-G GREASES
Signal Word: CAUTION!
Acute Health Hazard-Slight: X
Contact Hazard-Slight: X
Fire Hazard-Slight: X
Reactivity Hazard-None: X
Special Hazard Precautions: ACUTE- EYE/SKIN: NO SIGNIFICANT IRRITATION EXPECTED. INHALATION: NONE EXPECTED UNDER NORMAL CONDITIONS OF USE. INGESTION: EXPECTED TO BE RELATIVELY NON-TOXIC. CHRONIC- NONE KNOWN.
STORAGE-STORE IN COOL, DRY VENTILATED PLACE AWAY FROM HEAT, FLAME & STRONG REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & WATER. INGESTION: IF A LARGE AMOUNT IS SWALLOWED, INDUCE VOMITING AND GET MEDICAL ATTENTION.
Protect Eye: Y
Label Name: CARLETON-STUART CORPORATION
Label Street: 13-02 44TH AVENUE
Label City: LONG ISLAND CITY
Label State: NY

Label Zip Code: 11101-6990

Label Country: US

Label Emergency Number: 718-482-4488/718-482-4431