## References

- Szreter SRS. The genesis of the Registrar General's social classification of occupations. Br J Sociol 1984;35:522–46.
- [2] Black. DHSS, Inequalities in Health, report of a research working group, London: DHSS, 1980.
- [3] Atkinson AB. *Measuring inequality and differing social judgements*. London: London School of Economics; 1989.
- [4] Bowling A. *Measuring health: a review of quality of life measurement scales*, 2nd ed. Buckingham: Open University Press; 1997.
- [5] Wilkin D, Hallam L and Doggett M-A. Measures of need and outcome for primary care. Oxford: Oxford University Press; 1992.
- [6] Morris R and Carstairs V. Which deprivation? a comparison of selected deprivation indexes. J Public Health Med 1991;13(4):318–26.
- [7] Kunst AE and Mackenbach JP. *Measuring socio-economic inequalities in health*. Geneva: WHO; 1995.
- [8] Valkonen T, et al. Socioeconomic mortality differences in Finland 1981–90. Helsinki: Statistics Finland; 1993.
- [9] Wagstaff A, Paci P and Doorslaer E. On the measurement of inequalities in health. Social Sci Med 1991;33:545–57.
- [10] Blaxter M. Self-definition of health status and consulting rates in primary care. Quarterly J Social Affairs 1985;I(2):131–71.
- [11] MacIntyre S. The patterning of health by social position in contemporary Britain: directions for sociological research. *Social Sci Med* 1986;23(4):393–415.
- [12] Hechter M. Internal colonialism: the Celtic fringe in British national development. NJ Transaction: New Brunswick; 1975 (1999 originally published in 1975).
- [13] Harrison L, Carr-Hill R and Sutton M. Consumption and harm: drinking patterns of the Irish, the English and the Irish in England. *Alcohol Alcoholism* 1993;28(6):715–23.
- Balarajan R, Balsa L. Mortality amongst immigrants in England and Wales 1979–83.
  In: Britten M, editor. *Mortality and geography. A review in the mid nineteen eighties*. OPCS Series, DS8, No. 9, London: HMSO; 1990.
- [15] Britten M. Mortality and geography: a review in the mid ninety eighties. OPCS Series, DS8, No.9, London: HMSO; 1990.
- [16] Raleigh VS and Balarajan R. Suicide and self-burning among Indians and West-Indians in England and Wales. Br J Psychiatry 1992;161:365–8.
- [17] Bartley M, Blane D and Davey Smith G. Introduction. Beyond the Black Report. In: Bartley M, Blane D, Davey Smith G, editors. *The sociology of health inequalities*. Oxford: Blackwell; 1998. p. 1–16.
- [18] Wilkinson RG. Unhealthy Societies: The afflictions of inequality. London: Routledge; 1996.
- [19] Fox AJ and Goldblatt PO. Socio-demographic mortality differentials: longitudinal study 1971–75. OPCS, Series LS No. 1, London: HMSO; 1982.
- [20] Kitagawa EM and Hauser PM. *Differential mortality in the US: a study in socioeconomic epidemiology*. Cambridge, MA: Harvard University Press; 1973.
- [21] Carr-Hill RA. Whither (research on) unemployment. In: Roberts B, Gallie D, Finnegan R, editors. *New approaches to economic life*. Manchester: Manchester University Press; 1985.
- [22] Hussmanns R, Mehran F and Verma V. Surveys of economically active population, employment, unemployment and underemployment – an ILO manual on concepts and methods. Geneva: International Labour Office; 1990.
- [23] Sorrentino C. International comparisons of unemployment indicators. *Monthly Labour Rev* 1993;116:3–24.

- [24] Stevenson THC. The vital statistics of wealth and poverty. *J R Stat Soc* 1928;*XCI*:207–30.
- [25] Dale A and March C. The 1991 census user's guide. London: HMSO; 1993.
- [26] Marang-van de Mheen PJ, Davey Smith G, Hart CL and Gunning-Schepers LJ. Socioeconomic differentials in mortality among men within Great Britain: time trends and contributory causes. *J Epidemiol Community Health* 1998;52(4):214–8.
- [27] Davey Smith G, Hart C, Hole D, MacKinnon P, Gillis C, Watt G, Blane D and Hawthorne V. Education and occupational social class: which is the more important indicator of morality risk? *J Epidemiol Community Health* 1998;52(3):153–60.
- [28] Barnett E, Armstrong DL and Casper ML. Social class and premature mortality among men: a method for state-based surveillance. Am J Public Health 1997;87(9):1521–5.
- [29] Gregorio DI, Walsh SJ and Paturzo D. The effects of occupation-based social position on mortality in a large American cohort. Am J Public Health 1997;87(9):1472–5.
- [30] Drever F, Whitehead M and Roden M. Current patterns and trends in male mortality by social class (based on occupation). *Population Trends* 1996;*Winter*(86):15–20.
- [31] Harding S. Social class differences in mortality of men: recent evidence from the OPCS longitudinal study. Office of Population Censuses and Surveys. *Population Trends* 1995;Summer(80):31–7.
- [32] Minder CE and Beer-Porizek V. Cancer mortality of Swiss men by occupation, 1979–1982. *Scand J Work Environ Health* 1992;*18*(Suppl 3):1–27.
- [33] Marmot MG, Davey Smith G, Stanfield S, Patel C, North F, Head J, White L, Brunner E, Feeney A. Health inequalities among British civil servants: The Whitehall II study. Lancet 1991;337:1387–93.
- [34] Hadden WC. Annotation: the use of educational attainment as an indicator of socioeconomic position. Am J Public Health 1996;86(11):1525–6.
- [35] Sorlie PD, Backlund E and Keller JB. US mortality by economic, demographic, and social characteristics: the national longitudinal mortality study. *Am J Public Health* 1995;85(7):949–56.
- [36] Leclerc A, Pietri F, Boitel L, Chastang JF, Carval P, Blondet M. Level of education, lifestyle, and morbidity in two groups of white collar workers. *J Epidemiol Community Health* 1992;46(4):403–8.
- [37] Winkleby MA, Fortmann SP and Barrat DC. Social class disparities in risk factors for disease – 8 year prevalence patterns by level of education. *Prevent Med* 1990;19(1):1–12.
- [38] Kaufman JS, Long AE, Liao Y, Cooper RS and McGee DL. The relation between income and mortality in US blacks and whites. *Epidemiology* 1998;9(2):147–55.
- [39] Lundberg O and Fritzell J. Income distribution, income change and health: on the importance of absolute and relative income for health status in Sweden. WHO Regional Publications. European Series 1994;54:37–58, discussion 123–128.
- [40] Wannamethee SG and Shaper AG. Socioeconomic status within social class and mortality: a prospective study in middle-aged British men. Int J Epidemiol 1997;26:532–41.
- [41] Massey DS. The age of extremes: concentrated affluence and poverty in the twentyfirst century. *Demography* 1996;33(4):395–412, discussion, 413–416.
- [42] Hart N. Inequalities in health: the individual versus the environment. J R Stat Soc 1986;149(3):228–46, Series A (General).
- [43] Helmert U and Shea S. Social inequalities and health status in Western Germany. *Public Health* 1994;108(5):341–56.
- [44] Faggiano F, Zanetti R and Costa G. Cancer risk and social inequalities in Italy. *J Epidemiol Community Health* 1994;48(5):447–52.
- [45] Hart CL, Smith GD and Blane D. Social mobility and 21 year mortality in a cohort of Scottish men. *Social Sci Med* 1998;47(8):1121–30.

References

- [46] Power C and Mathews S. Origins of health inequalities in a national population sample. *Lancet* 1997;350:1584–9.
- [47] West P. Unhealthy societies: the afflictions of inequality. Comment on Wilkinson 1996. Sociol Health 1997;19(5):668–70.
- [48] Smith GD, Hart C, Blane D, Gillis C and Hawthorne V. Lifetime socioeconomic position and mortality: prospective observational study. *Br Med J* 1997;314:547–52.
- [49] Wannamethee SG, Whincup PH, Shaper G and Walker M. Influence of fathers' social class on cardiovascular disease in middle-aged men. *Lancet* 1996;348(9037): 1259–63.
- [50] Wilkinson RG. Commentary: Income inequality summarises the health burden of individual relative deprivation. Br Med J 1997;314:1724–7.
- [51] Judge K. Income distribution and life expectancy: a critical appraisal. Br Med J 1995;311:1282–5.
- [52] Robert SA. Community-level socioeconomic status effects on adult health. J Health Soc Behav 1998;39(1):18–37.
- [53] Hayward MD, Pienta AM and McLaughlin DK. Inequality in men's mortality: the socioeconomic status gradient and geographic context. J Health Soc Behav 1997;38(4):313–30.
- [54] Diez-Roux AV, Nieto FJ, Muntaner C, Tyroler HA, Comstock GW, Shahar E, Cooper LS, Watson RL and Szklo M. Neighborhood environments and coronary heart disease: a multilevel analysis. Am J Epidemiol 1997;146(1):48–63.
- [55] Woodward M. Small area statistics as markers for personal social status in the Scottish heart health studies. J Epidemiol Community Health 1996;50(5):570–6.
- [56] Kaplan GA. People and places: contrasting perspectives on the association between social class and health. *Int J Health Services* 1996;26(3):507–19.
- [57] Hyndman JC, Holman CD, Hockey RL, Donovan RJ, Corti B, Rivera J. Misclassification of social disadvantage based on geographical areas: comparison of postcode and collector's district analyses. *Int J Epidemiol* 1995;24(1):165–76.
- [58] Starrin B, Hagquist C, Larsson G and Svensson PG. Community types, socioeconomic structure and IHD mortality – a contextual analysis based on Swedish aggregate data. *Social Sci Med* 1993;36(12):1569–78.
- [59] Humphreys K, Carr-Hill R. Area variations in health outcomes: artefact or ecology. Int J Epidemiol 1991;20(1):251–8.
- [60] Krieger N. Women and social class: a methodological study comparing individual, household, and census measures as predictors of black/white differences in reproductive history. *J Epidemiol Community Health* 1991;45(1):35–42.
- [61] Logue EE and Jarjoura D. Modeling heart disease mortality with census tract rates and social class mixtures. Social Sci Med 1990;31:545–50.
- [62] Kawachi I and Kennedy BP. Socioeconomic determinants of health: Health and social cohesion: why care about income inequality? *Br Med J* 1997;314(7086):1037–41.
- [63] Ostergren PO, Lindbladh E, Isacsson SO, Odeberg H and Svensson SE. Social network, social support and the concept of control – a qualitative study concerning the validity of certain stressor measures used in quantitative social epidemiology. *Scand J Social Med* 1995;23(2):95–102.
- [64] Arber S. Class, paid employment and family roles: making sense of structural disadvantage, gender and health status. *Social Sci Med* 1991;32(4):425–36.
- [65] Marmot MG, Bosma H, Hemingway H, Brunner E and Stansfeld S. Contribution of job control and other risk factors to social variations in coronary heart disaease incidence. *Lancet* 1997;350:235–9.
- [66] Wickrama KA, Lorenz FO, Conger RD, Matthews L and Elder Jr GH. Linking occupational conditions to physical health through marital, social, and intrapersonal processes. J Health Soc Behav 1997;38(4):363–75.

- [67] Smith GD and Harding S. Is control at work the key to socioeconomic gradients in mortality? *Lancet* 1997;350(9088):1369–70, [Letter].
- [68] Benzeval M, Judge K and Smaje C. Beyond class, race and ethnicity: deprivation and health in Britain. *Health Services Res* 1995;30(1 Pt 2):163–77.
- [69] Thomas VG. Using feminist and social structural analysis to focus on the health of poor women. Women Health 1994;22(1):1–15.
- [70] McCarron PG, Smith GD and Womersley JJ. Deprivation and mortality in Glasgow: changes from 1980 to 1992. Br Med J 1994;309(6967):1481–2.
- [71] Sloggett A and Joshi H. Higher mortality in deprived areas community or personal disadvantage. Br Med J 1994;309:1470–4.
- [72] Black D. Deprivation and health. Br Med J 1993;307(6919):1630-1.
- [73] Charlton BG. Social deprivation and health. Wealth redistribution has its price. Br Med J 1993;307(6917):1499.
- [74] Carstairs V and Morris R. Deprivation and health in Scotland. *Health Bull* 1990; *48*(4):162–75.
- [75] Novak T. The class analysis of poverty: a response to Erik Olin Wright. *Int J Health Services* 1996;26(1):187–95.
- [76] Bartley M and Owen C. Relation between socioeconomic status, employment and health during economic change, 1973–93. *Br Med J* 1996;313:445–9.
- [77] Masterson-Allen S and Brown P. Public reaction to toxic waste contamination: analysis of a social movement. *Int J Health Services* 1990;20(3):485–500.
- [78] Kerr NL. Applied perspectives on social and temporal dilemmas an introduction. Social Behav 1990;5(4):201–5.
- [79] Hoggart R, A local habitation. Life and times, vol. 1. London: Chatto and Windus; 1988, pp. 1918–1940.
- [80] Cochrane R. The social creation of mental illness. London: Longman; 1983.
- [81] Fanning DM. Families in flats. Br Med J 1967;4(516):382-6.
- [82] Jephcott P. Homes in high flats. Edinburgh: Oliver and Boyd; 1971.
- [83] Kasl SV. Strategies of research on economic instability and health. Psychol Med 1982;12:637–49.
- [84] Marsh A. *Home sweet home?: the impact of poor housing on health*. Bristol: Policy Press; 1999.
- [85] Smith SJ and Mallinson S. The problem with social housing: discretion, accountability and the welfare ideal. *Policy Politics* 1996;24(4):339–58.
- [86] Montgomery SM, Bartley MJ, Cook DG and Wadsworth ME. Health and social precursors of unemployment in young men in Great Britain. J Epidemiol Community Health 1996;50(4):415–22.
- [87] Strachan DP and Elton RA. Relationship between respiratory morbidity and the home environment. *Family Practitioner* 1986;3:137–42.
- [88] Platt-Mills TAE and Chapman MD. Dust mites: immunology, allergic disease and environmental control. *J Allergy Clin Immunol* 1987;80(6):755–75.
- [89] Burr ML, Mullins J, Merrett TG and Stott NC. Indoor moulds and asthma. J Royal Soc Health 1988;108(3):99–101.
- [90] Platt SD, Martin CJ, Hunt SM and Lewis CW. Damp housing, mould growth and symptomatic health state. *Br Med J* 1989;298:1673–8.
- [91] Hyndman SJ. Housing, dampness and health amongst British Bengalis in East London. *Social Sci Med* 1990;*30*(1):131–41.
- [92] Dales RE, Burnett R and Zwanenburg H. Adverse health effects among adults exposed to home dampness and molds. Am Rev Respir Disease 1991;143(3):505–9.
- [93] Sporik R and Platts-Mills TA. Epidemiology of dust-mite-related disease. Exp Appl Acarology 1992;16(1-2):141-51.

- [94] Packer CJ, Fowle SE and Stuart-Brown S. Damp housing and adult health: results from a lifestyle study in Worcester, England. J Epidemiol Community Health 1994; 48(6):555–9.
- [95] Spengler J, Neas L, Nakai S, Dockery D, Speizer F, Ware J and Raizenne M. Respiratory symptoms and housing characteristics. *Int J Indoor Air Quality Climate* 1994;4(2):72–82.
- [96] Verhoeff AP, van Strien RT, van Wijnen JH and Brunekreef B. Damp housing and childhood respiratory symptoms: the role of sensitization to dust mites and molds. *Am J Epidemiol* 1995;141(2):103–10.
- [97] Hopton J and Hunt S. The health effects of improvement to housing: a longitudinal study. *Housing Studies* 1996;*11*(2):271–86.
- [98] Williamson IJ, Martin CJ, McGill G, Monie RD and Fennerty AG. Damp housing and asthma: a case-control study. *Thorax* 1997;52(3):229–34.
- [99] Weitzman M, Gortmaker S and Sobol A. Racial, social, and environmental risks for childhood asthma. *Am J Diseases Children* 1990;144(11):1189–94.
- [100] Rona RJ and Chinn S. Lung function, respiratory illness, and passive smoking in British primary school children. *Thorax* 1993;48(1):21–5.
- [101] Cook DG and Strachan DP. Health effects of passive smoking. 3. Parental smoking and prevalence of respiratory symptoms and asthma in school age children. *Thorax* 1997;52(12):1081–94.
- [102] Ashmore JP, Krewski D, Zielinski JM, Jiang H, Semenciw R, Band PR. First analysis of mortality and occupational radiation exposure based on the national dose registry of Canada. Am J Epidemiol 1998;148(6):564–74.
- [103] Collins KJ. Low indoor temperatures and mortality of the elderly. *Age Ageing* 1986;*15*(4):212–20.
- [104] Blackman T, Melaugh M, Evason E and Woods R. Housing and health a case study of two areas in West Belfast. J Social Policy 1989;18(1):1–26.
- [105] Strachan DP and Sanders CH. Damp housing and childhood asthma respiratory effects of indoor air temperature and relative humidity. *J Epidemiol Community Health* 1989;43:7–14.
- [106] Collins KJ. Cold-and heat-related illnesses in the indoor environment. In: Burridge R, Ormandy D, editors. Unhealthy housing: research, remedies and reform. London: E and FN Spon; 1993.
- [107] Shanks N and Smith SJ. Public policy and the health of homeless people. *Policy Politics* 1992;20(1):35–46.
- [108] Bines W (1994) *The health of single homeless people* Centre for Housing Policy, University of York Discussion Paper no. 9.
- [109] Conway J and Cole-Hamilton I. *Prescription for poor health: the crisis for homeless families*. London: London Food Commission; Maternity Alliance; SHAC; Shelter; 1988.
- [110] Cloke P, Milbourne P, and Thomas C. (1994). *Lifestyles in rural England*. Rural Development Commission, Rural Research Report 18.
- [111] McLaughlin BP. The rhetoric and the reality of rural disadvantage. *J Rural Studies* 1986;2:291–307.
- [112] Mason S, Taylor R. *Tackling deprivation in rural areas: effective use of charity funding*. Cirencester: ACRE; 1990.
- [113] Cloke PJ. An index of rurality of England and Wales. Regional Studies 1977; II: 31-46.
- [114] Office of population censuses and surveys, *Occupational mortality: decennial supplement 1979–80, 1982–83, Great Britain.* London: HMSO; 1986.
- [115] Moscovice, IS. (1996). Rural health networks: concepts, cases, and public policy. Office of Rural Health Policy, University of Minnesota. Rockville, MD; Health Resources and Services Administration, U.S. Dept. of Health and Human Services.
- [116] Lewis G, Booth M. Regional differences in mental health in Great Britain. J Epidemiol Community Health 1992;46(6):608–11.

- [117] Durkheim E. Suicide: a study in sociology. London: Routledge Paul and Kegan; 1897.
- [118] Bordieu P. The forms of capital. In: Richardson J G, editor. Handbook of theory and research for the sociology of education. New York: Greenwood; 1985. p. 241–358.
- [119] Portes A. Social capital: its origins and applications in modern sociology. Ann Rev Sociol 1998;24:1–24.
- [120] Putnam RD. *Making democracy work: Civic traditions in modern Italy*. Princeton, NJ: Princeton University Press; 1993.
- [121] Putnam RD. Bowling alone: America's declining social capital. *Journal Democracy* 1995;6:65–78.
- [122] Lowry P E. (1992). Trade, development and social capability: an empirical analysis. University of Maryland, PhD thesis.
- [123] Bordieu P, Wacquant L. Invitation to Reflexive Sociology. Chicago: Chicago University Press; 1992.
- [124] Sampson RJ, Raudenbush SW and Earls F. Neighbourhoods and violent crime: a multilevel study of collective efficacy. *Science* 1997;277:918–24.
- [125] Runyan DK, Hunter WM, Socolar RR, Amaya-Jackson L, English D, Landsverk J and Dubowitz H, et al. Children who prosper in unfavourable environments: the relationship to social capital. *Paediatrics* 1998;101(1):12–18.
- [126] Hunter A. The loss of community: an empirical test through replication. *Am Sociological Rev* 1975;40:537–52.
- [127] Riger S and Lavrakas PJ. Community ties: patterns of attachment and social interaction in urban neighbourhoods. Am J Community Psychology 1981;9:55–66.
- [128] Unger D and Wandersmann A. Neighboring and its role in block organization: an exploratory report. Am J Community Psychology 1983;11:291–300.
- [129] Buckner JC. The development of an instrument to measure neighbourhood cohesion. *Am J Community Psychology* 1988;16:771–91.
- [130] Perkins DD, Florin P, Rich RC, et al. Participation and the social and physical environment of neighbourhood blocks: crime and community context. Am J Community Psychology 1990;18:83–115.
- [131] Unger D and Wundersmann A. The importance of neighbours: the social cognitive and affective components of neighbouring. *Am J Community Psychology* 1985; 13:139–69.
- [132] Lochner K, Kawachi I and Kennedy BP. Social capital: a guide to its measurement. *Health Place* 1999;5:259–70.
- [133] Whitley E, Gunnell DJ, Dorling S and Davey Smith G. Ecological study of social fragmentation, pverty and suicide. *BMJ* 1999; 319:1034–1037.
- [134] Campbell C, Wood R and Kelly M (1999). Social capital and Health Education Authority. http://www.had-online.org.uk/downloads/pdfs/socialcapital health.pdf.
- [135] Boreham C, Twisk J, Neville C, Savage M, Murray L and Gallagher A. Associations between physical fitness and activity patterns during adolescence and cardiovascular risk factors in young adulthood: the Northern Ireland Young Hearts Project. Int J Sports Med 2002;23(Suppl 1):S22–6.
- [136] Cox BD, Blaxter M and Buckle ALJ, et al. *The health and lifestyle survey*. London: Health Promotion Research Trust; 1987.
- [137] Gaffey WR. A critique of the standardised mortality ratio. *J Occup Med* 1976;18:157–60.
- [138] Inskip H, Beral V and Fraser P, et al. Methods for age-adjustment of rates. Stat Med 1983;2:455–66.
- [139] Prior L. Making sense of mortality. Sociol Health Illness 1985;7(2):220-35.
- [140] Online: www.data-archive.ac.uk The labour force survey, data archive, University of Essex.
- [141] Wade DT. *Measurement in neurological rehabilitation*. Oxford: Oxford University Press; 1992.

## References

- [142] McDowell I and Newell C. *Measuring health: a guide to rating scales and questionnaires*. Oxford: Oxford University Press; 1996, (and earlier editions).
- [143] Bowling A. *Measuring disease: a review of disease-specific quality of life measurement scales*, 2nd ed. Buckingham: Open University Press; 2001.
- [144] Mahoney FL and Barthel DW. Functional evaluation; the Barthel index. *Maryland State Med* 1965;14:61–5.
- [145] Jette AM and Denisten OL. Inter-observer reliability of a functional status assessment instrument. *J Chronic Dis* 1978;31:573–80.
- [146] Bergner M, Bobbitt RA, Kressel A, Pollard WE, Gilson BS and Morris JR. The Sickness Impact Profile: conceptual formulation and methodology for the development of a health status measure. *Int J Health Services* 1976;6:393–415.
- [147] Patrick DL and Peach H. *Disablement in the community*. Oxford: Oxford University Press; 1989.
- [148] Peach H, Green S, Locker D, Darby S and Patrick DL. Evaluation of a postal screening questionnaire to identify the physically disabled. *Int Rehabil Med* 1980;2:189–93.
- [149] Fries JF, Spitz PW, Kraines RG and Holman HR. Measurement of patient outcome in arthritis. *Arthritis Rheumatism* 1980;17:137–45.
- [150] Leavitt F, Garron DC. Validity of a back pain classification scale for detecting psychological disturbanceas measured by the MMPI. J Clin Psychology 1980;36:186–9.
- [151] Meenan RF and Mason JH. AIMS2 users' guide. Boston, MA: Boston University School of Medicine, Department of Public Health; 1990.
- [152] Zung WWK. The self-rating pain and distress scale. *Psychosomatics* 1983;24:887–94.
- [153] Kahn RL, Goldfarb AI and Pollack M, et al. Brief objective measures for the determination of mental status in the aged. Am J Psychiatry 1960;117:326–8.
- [154] Gurland B, Kuriansky J, Sharpe L, Simon R, Stiller P and Birkett P. The comprehensive assessment and referral evaluation (CARE)-rationale, development and reliability. *Int J Ageing Human Dev* 1977;8(1):9–42.
- [155] Copeland JRM, Kelleher MH and Kellet JM, et al. A semi-structured clinical interview for the assessment of diagnosis and mental state in the elderly: the geriatric mental state test. Schedule 1: development and reliability. *Psychol Med* 1976;16:89–99.
- [156] Pfeiffer. A short psychiatric evaluation schedule: A new 15 item monotonic scale indicative of functional psychiatric disorder (abstract). *The Gerontologist* 1975;15:34.
- [157] Pfeiffer E, editor. Multidimensional functional assessment: the OARS methodology. A manual. Durham, N. Carolina: Duke University, Center for the Study of Aging and Human Development; 1975.
- [158] Ebmeier KP, Beson JAO and Eagles JN, et al. Continuing care of the demented elderly in Inverurie. *Health Bull* 1988;46:32–41.
- [159] Wilson LA and Brass W. Cognitive Functioning: Brief assessment of the mental state in geriatric domiciliary practice: the usefulness of the mental status questionnaire. *Age Ageing* 1973;2:92–101.
- [160] Hodgkinson HM. Evaluation of a mental test score for assessment of mental impairment in the elderly. *Age Ageing* 1972;1:233–8.
- [161] Carroll BJ and Feinberg M and Smouse PE, et al. The Carroll rating scale for depression. I. Development, reliability and validation. *Br J Psychiatry* 1981;138:194–200.
- [162] Hamilton M. Development of a rating scale for primary depressive illness. Br J Soc Clin Psychiatry 1967;6:278–96.
- [163] Goldberg DP. General health questionnaire current diagnosable psychiatric disorders. London: Oxford University Press; 1972.
- [164] Beck AT, Ward CH, Mendelson M, Mock J and Erbaugh J. An instrument for measuring depression. Arch Gen Psychiatry 1961;4:61–571.

- [165] Zung WWK. A self rating depression scale. Arch Gen Psychiatry 1965;12:63-70.
- [166] Ware JE, Johnson SA, Davies-Avery A and Brook RH. Conceptualisation and measurement of health for adults in the health insurance study. Mental health, vol. 3. Santa Monica, CA: Rand Corporation; 1979.
- [167] Katz MM and Lyerly SS. Methods for measuring adjustment and social behaviour in the community: 1. Rationale, description, discriminative validity and scale development. *Psychological Reports* 1963;13:503–35, Monograph, (Suppl.).
- [168] Feeny D, Barr RD and Furlong W, et al. Quality of life of the treatment process in paediatric oncology: an approach to measurment. In: Osoba D, editor. *Effect of cancer* on quality of life. Boston, MA: CRC Press; 1991.
- [169] Rakos RF, Grodek MV and Mack KK. The impact of a self-administered behavioral intervention program on pediatric asthma. J Psychosomatic Res 1985;29(1):101–8.
- [170] Usherwood TP, Scrimgeour A and Barber JH. Questionnaire to measure perceived symptoms and disability in asthma. *Arch Disease Childhood* 1990;65(7):779–81.
- [171] Medical outcomes trust. (1993). Medical outcomes trust instruments. Medical outcomes trust bulletin, 1:1. MOT: Boston, MA
- [172] Aaronson NK. The EORTC QLC-C30: a quality of life instrument for use in international clinical trials in oncology (abstract). Qual Life Res 1993;2:51.
- [173] Aaronson NK, Bullinger M and Ahmedzai S. A modular approach to quality of life assessment in cancer clinical trials. *Recent Results Cancer Res* 1988;111:231–49.
- [174] Sprangers MAG, Cull A and Bjordal K, et al. The European organisation for research and treatment of cancer approach to quality of life assessment: guidelines for developing questionnaire modules. *Qual Life Res* 1993;2:287–95.
- [175] de Haes JCGM, van Ostrom MA and Welvaart K. The effect of radical and conserving surgery on the quality of life of early breast cancer patients. *Eur J Surg Oncol* 1986;12:337–42.
- [176] Fayers PM and Jones DR. Measuring and analysing quality of life in cancer clinical trials: a review. Stat Med 1983;2:429–46.
- [177] Schipper H, Clinch J, McMurray A and Levitt M. Measuring the quality of life of cancer patients: The functional living index – cancer: Development and validation. J Clin Oncol 1984;2:472–83.
- [178] Ganz PA, Schag CAC and Kahn B, et al. The CARES: a generic measure of health related quality of life for patients with cancer. *Qual Life Res* 1992;1:19–29.
- [179] Selby P. Measurment of the quality of life: The particular problems of patients with cancer. In: Hopkins A, editor. *Measures of the quality of life*. London: Royal College of Physicians; 1992.
- [180] Padilla GV, Mishel MH and Grant MM. Uncertainty, appraisal and quality of life. Qual Life Res 1992a;1:155–65.
- [181] Padilla GV, Grant MM and Ferrell B. Nursing research into quality of life. Qual Life Res 1992b;1:341–8.
- [182] Hyland ME, Finnis S and Irvine SH. A scale for assessing quality of life in adult asthma sufferers. J Psychosomatic Res 1991;35:99–110.
- [183] Marks GB, Dunn SM and Woolcock AJ. A scale for the measurement of quality of life in adults with asthma. *J Clin Epidemiol* 1992;45:461–72.
- [184] Bone M, et al. Health expectancy and its uses. London: HMSO; 1995.
- [185] Williams A. Science or marketing? A commentary on 'World Health at 2000'. Health Economics 2001;10:93–100.
- [186] Kind P and Rosser R. A scale of valuations of states of illness; is there a social consensus? Int J Epidemiol 1978;7(4):347–58.
- [187] Carr-Hill RA. Health related quality of life measurement Euro style. *Health Policy* 1992;20(3):321–8, discussion 329–332.
- [188] Blaxter M. Health and lifestyle. London: Tavistock/Routledge; 1990.

- [189] Wright (1986). Age, sex an health: a summary of findings from the York Health Evaluation Survey. University of York, Centre for Health Economics, Discussion Paper 15.
- [190] Gordon D and Forrest R. People and places 2: social and economic distinctions in England. Bristol: SAUS; 1995.
- [191] Mack J and Lansley S. Poor Britain. London: George Allen and Unwin; 1985.
- [192] Carr-Hill R. (1994). *Measuring resource inadequacy*. In mission report for World Bank, Ivory Coast, (mimeo).
- [193] Lee P, Murie A and Gordon D. Area measures of deprivation: a study of current methods and best practices in the identification of poor areas in Great Britain. Birmingham: University of Birmingham; 1995.
- [194] Nunnally. Psychometric theory, 2nd ed. New York: McGraw Hill; 1978.
- [195] Streiner DL and Norman GR. Health measurement scales a practical guide to their development and use. Oxford: Oxford University Press; 1995.
- [196] Nunnally. Introduction to psychological measurement (a major revision of tests and measurements). New York: McGraw Hill; 1970.
- [197] O'Reilly, D. (2000). Standard indicators of deprivation: do they disadvantage older people? Unpublished ms.
- [198] Jones IL and Cameron D. Social class analysis an embarrassment to epidemiology. Community Med 1984;6:37–46.
- [199] Gordon D. Census based deprivation indexes: their weighting and validation. *J Epidemiol Community Health* 1995;49(Suppl. 2):S39–S44.
- [200] Kearns A, Gibb K and Mackay D. Area deprivation in Scotland: a new assessment. Urban Studies 2000;37(9):1535–60.
- [201] Townsend. Deprivation. J Social Policy 1987;16:124-46.
- [202] Townsend P, Philimore P and Beattie A. *Health and deprivation: inequality and the North*. London: Croom Helm; 1988.
- [203] Carstairs V and Morris R. Deprivation and Mortality: an alternative to social class? Community Med 1989a;11(3):210–9.
- [204] Carstairs V and Morris R. Deprivation: explaining difference in mortality between Scotland and England and Wales. *Br Med J* 1989b;299:886–9.
- [205] Carstairs V and Morris R. Deprivation and health in Scotland. Aberdeen: Aberdeen University Press; 1991.
- [206] Saunders J. Weighted census-based deprivation indexes: their use in small areas. *J Public Health Med* 1998;20(3):253–60.
- [207] Aveyard P, Manaseki S and Chambers J. The relationship between mean birth weight and poverty using the Townsend deprivation score and the Super Profile classification system. *Public Health* 2002;116(6):308–14.
- [208] Hays RD and Hadorn D. Responsiveness to change: an aspect of validity. Qual Life Res 1992;1(1):73–5.
- [209] Jenkinson C. Quality of life measurement: does it have a place in routine clinical assessment? *J Psychosomatic Res* 1994;38(5):377–81.
- [210] Goldthorpe J. Women and class analysis: a reply to the replies. *Sociology* 1984;18:491-9.
- [211] Townsend P, Phillimore P and Beattie A. Inequalities in health in the northern region. Report to Nth RHA, Bristol: Bristol University; 1986.
- [212] SeptEtzioni A and Lehman EW. Some dangers in 'valid' social measurement. *Ann Am Acad Political Social Sci* 1967;1967:1–15.
- [213] Townsend P and Davidson N. *Inequalities in health: the Black Report*. London: Penguin; 1982.
- [214] Bebbington A (1996) Synthetic estimation methods for resource allocation formulae. University of Kent at Canterbury. Personal Social Services Research Unit: Discussion Paper1203/3

- [215] Turvey K. (1995). Needs based planning. Use of information from individual assessments to develop population estimates of need and use of resources. University of Kent at Canterbury. Personal Social Services Research Unit: Discussion Paper no 1136.
- [216] Dixon P and Carr-Hill R. The NHS and its customers II. Customer feedback surveys an introduction to survey methods. Centre for health economics. York: Centre for Health Economics; 1989.
- [217] Illsley R. Occupational class, selection and the production of inequalities in health. *Quarterly J Social Affairs* 1986;2(2):151–65.
- [218] Carr-Hill R. The measurement of inequities in health: lessons from the British experience. *Social Sci Med* 1990;*31*:393–404.
- [219] Le Grand J. *Inequalities in health: the human capital approach*. Welfare state programme pamphlet no. 1, London: London School of Economics; 1985.
- [220] Brown MC. Using Gini-style indexes to evaluate the spatial patterns of health practitioners: theoretical considerations and an application based on Alberta data. *Social Sci Med* 1994;38(9):1243–56.
- [221] Wilkinson RG. Commentary: Income inequality summarises the health burden of individual relative deprivation. *Br Med J* 1997;314:1724–7.
- [222] Murray GD. Promoting good research practice. *Statistical Methods Med Res* 2000;9(1):17–24.
- [223] Preston SH, et al. Effect of industrialisation and urbanisation on mortality in developed countries. Solicited Papers 2. IUSSP 19th International Population Conference; 1981.
- [224] Pamuk ER. Social class and inequality in mortality from 1921 to 1972 in England and Wales. *Population Studies* 1985;39:17–31.
- [225] Department of Health and Social Security (DHSS), *Inequalities in health. The Black Report*. London: HMSO; 1980.
- [226] Scanlan, J. (2002). The misunderstood relationship between declining mortality and increasing racial and social disparities in mortality rates. Presented at "Making a Difference: Is the Health Gap Widening?" Oslo Conference, Oslo, Norway, May14, 2001.
- [227] Koskinen S. Time trends in cause-specific mortality by occupational class in England and Wales. Proceedings of IUSSP Conference at Florence, Florence: IUSSP; June 1988, pp. 1–41.
- [228] Illsley R. Social class and selection and class differences in relation to stillbirths and infant deaths. *Br Med J* 1955;*ii*:1520.
- [229] Stern J. Social mobility and the interpretation of social class mortality differentials. *J Social Policy* 1983;12(1):27–49.
- [230] Wadsworth MEJ. Serious illness in childhood and its association with later-life achievement. In: Wilkinson RG, editor. *Class and health: research and longitudinal data*. London: Tavistock; 1986.
- [231] Cochrane AL, St Leger AS and Moore F. Health Service 'input' and mortality 'output' in developed countries. J Epidemiol Community Health 1978;32:200–5.
- [232] Barker DJP and Osmond C. Infant mortality, childhood nutrition, and ischemic heart disease in England and Wales. *Lancet* 1986a;1(8489):1077–81.
- [233] Barker DJP and Osmond C. Childhood respiratory infection and adult chronic bronchitis in England and Wales. *Br Med J* 1986b;293:1271–5.
- [234] Barker DJP and Osmond C. Inequalities in health in Britain: specific explanations in three Lancashire towns. *Br Med J* 1987;294:749–52.
- [235] Moser KA, Fox AJ and Jones DR. Unemployment and mortality in the OPCS longitudinal study. In: Wilkinson RG, editor. *Class and health*. London: Tavistock; 1986, research and longitudinal data.

- [236] Warr P. Twelve questions about unemployment and health. In: Roberts B, Finnegan R, Gallie D, editors. *New approaches to economic life*. Manchester: Manchester University Press; 1985.
- [237] Desplanques G. Mortality and activity: some aspects. Paper to Second European Science Foundation Workshop on inequalities in health, London: City University; 1985.
- [238] Part IlKawachi I and Kennedy BP. Income inequality and health: pathways and mechanisms. *Health Services Res* 1999;34(1):215–27.
- [239] Elstad JI. The psycho-social perspective on social inequalities in health. *Sociol Health Illness* 1998;20(5):598–618.
- [240] Nettleton S and Burrows R. Mortgage debt, insecure home ownership and health: an exploratory analysis. In: Bartley M, Blane D, Davey Smith G, editors. *The sociology of health inequalities*. Oxford: Blackwell; 1998. p. 171–92.
- [241] Perry HM and Roccella EJ. Conference report on stroke mortality in the southeastern United States. *Hypertension* 1998;31(6):1206–15.
- [242] Woodward A and Boffetta P. Environmental exposure, social class, and cancer risk. *IARC Sci Pub* 1997;138:361–7.
- [243] Brown P. Race, class, and environmental health: a review and systematization of the literature. *Environ Res* 1995;69(1):15–30.
- [244] Soliman MR, Derosa CT, Mielke HW and Bota K. Hazardous wastes, hazardous materials and environmental health inequity. *Toxicol Ind Health* 1993;9(5):901–12.
- [245] Calderon RL, Johnson CC, Craun GF and Dufour AP. Health risks from contaminated water: do class and race matter? *Toxicol Ind Health* 1993;9(5):879–900.
- [246] Sexton K, Gong Jr H, Bailar JC, Ford JG, Gold DR, Lambert WE and Utell MJ. Air pollution health risks: do class and race matter? *Toxicol Ind Health* 1993;9(5):843–78.
- [247] Montgomery LE and Carter-Pokras O. Health status by social class and/or minority status: implications for environmental equity research. *Toxicol Ind Health* 1993;9(5):729–73.
- [248] Suadicani P, Hein HO and Gyntelberg F. Do physical and chemical working conditions explain the association of social class with ischaemic heart disease? *Atherosclerosis* 1995;113(1):63–9.
- [249] Boffetta P, Kogevinas M, Westerholm P and Saracci R. Exposure to occupational carcinogens and social class differences in cancer occurrence. *IARC Sci Pub* 1997;138:331–41.
- [250] Moller H and Tonnesen H. Alcohol drinking, social class and cancer. IARC Sci Pub 1997;138:251–63.
- [251] Stellman SD and Resnicow K. Tobacco smoking, cancer and social class. IARC Sci Pub 1997;138:229–50.
- [252] Hemmingsson T, Lundberg I, Romelsjo A and Alfredsson L. Alcoholism in social classes and occupations in Sweden. Int J Epidemiol 1997;26(3):584–91.
- [253] Blane D, Hart CL, Davey Smith G, Gillis CR, Hole DJ, Hawthorne VM. Association of cardiovascular disease risk factors with socioeconomic position during childhood and during adulthood. *Br Med J Clin Res Ed* 1996;313(7070):1434–8.
- [254] Lowry R, Kann L, Collins JL and Kolbe LJ. The effect of socioeconomic status on chronic disease risk behaviors among US adolescents. J Am Med Assoc 1996; 276(10):792-7.
- [255] Blank N and Diderichsen F. Inequalities in health: the interaction between socioeconomic and personal circumstances. *Public Health* 1996;110(3):157–62.
- [256] Westin S. Mortality associated with wines, beers and spirits study confounded by lack of correction for social class. *Br Med J* 1995;311(7013):1167.
- [257] McGue M. The democracy of the genes. Nature 1997;388(6641):417-8.
- [258] Krieger N and Sidney S. Racial discrimination and blood pressure: the CARDIA Study of young black and white adults. Am J Public Health 1996;86(10):1370–8.
- [259] Brunner E. Stress and the biology of inequality. Br Med J 1997;314(7092):1472-5.

- [260] Auvinen A and Karjalainen S. Possible explanations for social class differences in cancer patient survival. *IARC Sci Pub* 1997;138:377–97.
- [261] Gergen P. Social class and asthma distinguishing between the disease and the diagnosis. Am J Public Health 1996;86(10):1361–2.
- [262] Cartwright A. Social class differences in health and care in the year before death. *J Epidemiol Community Health* 1992;46(1):54–7.
- [263] Bartley M and Plewis I. Does health-selective mobility account for socioeconomic differences in health? Evidence from England and Wales, 1971 to 1991. J Health Soc Behav 1997;38(4):376–86.
- [264] Rahkonen O, Arber S and Lahelma E. Health-related social mobility: a comparison of currently employed men and women in Britain and Finland. *Scand J Social Med* 1997;25(2):83–92.
- [265] Stronks K, van de Mheen H, van den Bos J and Mackenbach JP. The interrelationship between income, health and employment status. *Int J Epidemiol* 1997;26(3):592–600.
- [266] Wallace RD. Inner-city disease and the public health of the suburbs: the sociogeographic dispersion of point-source infection. *Environment Planning* 1993;25(12):1707–24.
- [267] Rodgers B and Mann SL. Rethinking the analysis of intergenerational social mobility, social class, mental illness and social mobility – a comment on John W. Fox's "Social class, mental illness, and social mobility". J Health Social Behav 1993;34:165–72.
- [268] West P. Rethinking the health selection explanation for health inequalities. Social Sci Med 1991;32:373–84.
- [269] Popkin BM, Siega-Riz AM and Haines PS. A comparison of dietary trends among racial and socioeconomic groups in the United States. *New Engl J Med* 1996;335(10):716–20.
- [270] Smith GD and Brunner E. Socio-economic differentials in health: the role of nutrition. *Proceedings of the Nutrition Society* 1997;56(1A):75–90.
- [271] Power C and Hertzman C. Social and biological pathways linking early life and adult disease. Br Med Bull 1997;53(1):210–21.
- [272] Nilsson PM, Moller L and Ostergren PO. Social class and cardiovascular disease-an update. Scand J Social Med 1995;23(1):3–8.
- [273] Lasker JN, Egolf BP and Wolf S. Community social change and mortality. Social Sci Med 1994;39(1):53–62.
- [274] Sclar ED. Community economic structure and individual well-being: a look behind the statistics. *Int J Health Services* 1980;10(4):563–79.
- [275] Armstrong D, Barnett E, Casper M and Wing S. Community occupational structure, medical and economic resources, and coronary mortality among U.S. blacks and whites, 1980–1988. Ann Epidemiol 1998;8(3):184–91.
- [276] Wing S, Dargent-Molina P, Casper M, Riggan W, Hayes CG, Tyroler HA. Changing association between community occupational structure and ischaemic heart disease mortality in the United States. *Lancet* 1987;2(8567):1067–70.
- [277] Casper M, Wing S and Strogatz D. Variation in the magnitude of black-white differences in stroke mortality by community occupational structure. J Epidemiol Community Health 1991;45(4):302–6.
- [278] Schoenbaum M and Waidmann T. Race, socioeconomic status and health: accounting for race differences in health. J Gerontol 1997;52(Spec No: 61–73):61–73.
- [279] Lillie-Blanton M, Parsons PE, Gayle H and Dievler A. Racial differences in health: not just black and white, but shades of gray. *Annual Rev Public Health* 1996;17:411–48.
- [280] Lillie-Blanton M and Laveist T. Race/ethnicity, the social environment, and health. Social Sci Med 1996;43(1):83–91.
- [281] Bird ST. Separate black and white infant mortality models: differences in the importance of structural varables. *Social Sci Med* 1995;41(11):1507–12.
- [282] Navarro V. Race or class or race and class: growing mortality differentials in the United States. Int J Health Services 1991;21(2):229–35.

194