

UNWANTED CHEMICALS

DO NOT MIX INCOMPATIBLE CHEMICALS INTO THIS CONTAINER

LIST ALL MATERIALS BY NAME	PERCENT
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
TOTAL QUANTITY	100%
NAME AND PHONE NO.	DEPT.
DATE CONTAINER STARTED	
BUILDING AND ROOM	

Corrosive

If corrosive, list pH _____

Water Reactive

Air Reactive

Oxidizer

Flammable

(<140 F is Flammable)

Toxic

Signature: _____

MATERIAL HAS BEEN PROPERLY IDENTIFIED, LISTED, AND PREPARED FOR SAFE HANDLING

UNWANTED CHEMICALS

DO NOT MIX INCOMPATIBLE CHEMICALS INTO THIS CONTAINER

LIST ALL MATERIALS BY NAME	PERCENT
1.	
2.	
3.	
4.	
5.	
6.	
7.	
8.	
TOTAL QUANTITY	100%
NAME AND PHONE NO.	DEPT.
DATE CONTAINER STARTED	
BUILDING AND ROOM	

Corrosive

If corrosive, list pH _____

Water Reactive

Air Reactive

Oxidizer

Flammable

(<140 F is Flammable)

Toxic

Signature: _____

MATERIAL HAS BEEN PROPERLY IDENTIFIED, LISTED, AND PREPARED FOR SAFE HANDLING