## Dick Schwanke 13 September 2012

#### Session # Four – Outline for Today

- 1. Quiz #3 review of question #16
- 2. About Z-scores and their use
- 3. More measures of dispersion including building a box plot
- 4. Assorted problems, including quiz
- 5. Discuss "Out of Class Project"
- 6. Using Excel 2010 for histograms
- 7. Linear Correlation, ch. 4 begun

#### 3 Measures of Central Tendency

Mean – sum the data values, divide by number of data points

Mode - most frequently occurring

Median – arrange in order, count to the middle

#### Measures of Dispersion in Data

## Dick Schwanke 13 September 2012

#### Measures of Position Definitions

z-Score Definition: the distance the data value is from the mean, expressed in terms of standard deviations

Is a "unitless" measure

For a "standard normal curve" Mean of zero

Standard Deviation of one

#### Measures of Position Definitions

z-score equals [(data value minus mean) divided by standard deviation]

z-score purpose is to provide a way to "compare apples and oranges"

by converting variables with different centers and/or spreads

to variables with the same center (0) and spread (1).

#### More Measures of Dispersion

Percentiles - the percentage of observations that are above and below a certain point Quartiles - percentiles at 25%, 50% and 75%, aka Q<sub>1</sub>, Q<sub>2</sub>, & Q<sub>3</sub> Example of Super Bowl Scores Mean and Mode Percentiles at 50%, 25% and 75%

## Dick Schwanke 13 September 2012

#### Numerically summarizing data

Five number summaries

Interquartile range  $(Q_3 - Q_1)$  is resistant to extreme values

Compute five number summary

Min value | Q<sub>1</sub> | M | Q<sub>3</sub> | max value

Summary of formulas on p182-183

#### Numerically summarizing data -Constructing a Box Plot

Will use the five number summary to create another graph
Will compute IQR and "fences"
Will plot the data on horizontal axis
Quick glance summarizes data

#### More Measures of Dispersion

Upper and lower fences (first find 1.5 times interquartile range) Lower fence =  $Q_1 - 1.5(IQR)$ Upper fence -  $Q_3 + 1.5(IQR)$ Boxplot - shows  $Q_1, Q_2, Q_3$ , data between the fences, plus outliers See pictures: Figure 22, page 177 Example: Super Bowl Score (continued)


# Dick Schwanke 13 September 2012


#### Eullding a Box Plot – part 1

- 1. Calculate interquartile range (IQR)
- 2. Compute lower & upper fence
  Lower fence = Q<sub>1</sub> 1.5 (IQR)
  Upper fence = Q<sub>3</sub> + 1.5 (IQR)
- 3. Draw scale then mark  $Q_1$  and  $Q_3$
- 4. Box in  $Q_1$  to  $Q_3$  then mark M

#### **Building a Box Plot – part 2**

- Temporarily mark fences with brackets
- 6. Draw line from  $Q_1$  to smallest value inside the lower fence and a line from  $Q_3$  to largest value inside the upper fence
- 7. Put \* for all values outside of the fences
- 8. Erase brackets





## Dick Schwanke 13 September 2012

#### Distribution based on Boxplot

#### Symmetric

median near center of box
horizontal lines about same length
Skewed Right / Positive Skew
median towards left of box
right line much longer than left line
Skewed Left / Negative Skew
median towards right of box
left line much longer than right line

#### Which measure best to report?

Symmetric distribution Mean Standard Deviation

Skewed distribution Median Interquartile Range

#### Self Quiz

When can the mean and the median be about equal?

In the 2010 census conducted by the U.S. Census Bureau, two average household incomes were reported: \$41,349 and \$55,263. One of these averages is the mean and the other is the median. Which is which and why?

# Dick Schwanke 13 September 2012

#### Self Quiz

The U.S. Department of Housing and Urban Development (HUD) uses the median to report the average price of a home in the United States.

Why do they do that?

#### Self Quiz

A histogram of a set of data indicates that the distribution of the data is skewed right.

Which measure of central tendency will be larger, the mean or the median?

Why?

#### Self Quiz

If a data set contains 10,000 values arranged in increasing order, where is the median located?

Matching: (parameter; statistic)

is a descriptive measure of a population

• is a descriptive measure of a sample.

# Dick Schwanke 13 September 2012

#### Self Quiz

A data set will always have exactly one mode. (true or false)

If the number of observations, n, is odd; then the median, M, is the <u>value</u> calculated by the formula M=(n+1)/2

#### <mark>Sel</mark>f Quiz

Find the Sample Mean: 20, 13, 4, 8, 10 Find the Sample Mean: 83, 65, 91, 87, 84 Find the Population Mean: 3, 6, 10, 12, 14

#### Self Quiz

The median for the given list of six data values is 26.5.

What is the missing value?


# Dick Schwanke 13 September 2012

#### Self Quiz

The following data represent the monthly cell phone bill for the cell phone for six randomly selected months.

\$35.34 \$38.93	\$42.09 \$43.39	\$39.43 \$49.26

Compute the mean, median, and mode cell phone bill.



#### Self Quiz

Heather and Bill go to the store to purchase nuts, but can not decide among peanuts, cashews, or almonds. They agree to create a mix. They bought 2.5 pounds of peanuts for \$1.30 per pound, 4 pounds of cashews for \$4.50 per pound, and 2 pounds of almonds for \$3.75 per pound. Determine the price per pound of the mix.

#### End Self Quiz, Start Instructor's Quiz

Any questions about chapter three?

#### Quiz #4 details:

- □15 Multiple Guess questions
- ■No "long" calculations
- Closed notes, closed book
- Individual effort only
- Calculator may be used
- (although can do entire quiz without)
- **1**5 minute time limit enforced

## Dick Schwanke 13 September 2012

#### Out of Class Project

The purpose of this project is to gather some original data and analyze it, using the methods discussed in the first four chapters of the textbook.

Preliminary summary: covering objectives 1 & 2, due at class #6 (one week) total of 2 - 4 sentences

#### Out of Class Project

Objective is a written report describing:

- 1. What the question to be answered is
- 2. The type of sampling used and why
- 3. A summary of the raw data
- 4. The statistical analysis of that data
- 5. A summary of what that analysis actually means
- 6. Conclusion(s) / answers to the original question.

#### Project Sample Questions (select 1)

Are there really less than 50% peanuts in mixed nuts bags?

- Does leg length matter in 40 yard dash times for the HCC baseball team?
- Do different branches in the organization have different technical report preparation times?

## Dick Schwanke 13 September 2012

#### Project Sample Questions (select 1)

How many hours per week does a full time student spend working a part-time job?

Are there differences in cell phone minutes used by classmates?

Show examples of good analysis Final report due class #10, 4 Oct 12

#### To be starting into Chapter 4

Explanatory variables

Response variable

Scatter diagrams

Linear regression

But first . . .

#### Microsoft Excel 2010 = Spreadsheet

Available in Library & Math Center Three technology assignments (50) Problems from text: work both ways Excel terms: rows, columns, cells Enter text or data or formulas Software can do the calculations

## Dick Schwanke 13 September 2012

#### Looking at Excel Technology

Frequency Tables and Histograms (needed for Excel assignment #1) Measures of Central Tendency (as we have just done in Chapter 3) Graph / Chart types (needed for out-of-class project) Linear Regression (not required for now)

#### Looking at Excel Technology

Excel as a "spreadsheet" Cells in rows and columns Words, numbers, or formulas in cells Example of Greenhouse Gas #2.T.2 Organize data into a table □ Formulas for sum and divisions □ Make into a pie chart Example of Super Bowl Margins Organize data into a table Calculate point margins and sort 1

#### Still Looking at Excel Technology - 1

Excel / Technology #1 assignment due in one week (next Thursday) Problem #1 based on Page 96, Section 2.2.31 (a) to (e) & 2.3.15 Get raw data: book, CD, website Create a "bin" for \$30,000 and up by \$6000 class widths Use Excel create frequency table Lower and Upper Class Limits
 Frequency, Relative Frequency
 Cumulative Freq, Relative Cum. Freq

### Dick Schwanke 13 September 2012

#### Still Looking at Excel Technology - 2

Excel / Technology #1 assignment due in one week (next Thursday) Continuing with Problem #1 based on Page 96, #2.2.31 and #2.3.15 Insert Excel formulas to sum rows & columns plus do divisions for relative, cumulative, & rel cum freq Use Excel to create freq histogram Use an open cell or insert a text box to answer part (e)

#### Still Looking at Excel Technology - 3

Excel / Technology #1 assignment due in one week (next Thursday)
Problem #2 based on Page 108, Section 2.3, #21(a) to (e), plus two
Get raw data: book, CD, website
Create "bins" for stocks with a class width of 10, beginning at minus 20
Use Excel create frequency table for both consumer and energy stocks

#### Still Looking at Excel Technology - 4

Excel / Technology #1 assignment due in one week (next Thursday) Continuing with Problem #2 based on Page 108, Section 2.3, #21 Use Excel to create frequency "histogram" for both types of stocks Copy and paste histograms then change chart type to line chart for frequency polygons and ogives Use an open cell or insert a text box to answer part (e)

## Dick Schwanke 13 September 2012

#### Creating Histograms with Excel

To create a histogram:

 Must first install Data Analysis pack
 All Library and Math Center computers have it already,
 Use Microsoft Office Button/Excel Options/Add-Ins/Analysis ToolPak/OK

Excel calls "lower class limit" a "bin" Enter lower class limits manually

#### Creating Histograms with Excel

Raw data into Excel Sort to get idea for class limits Use data/data analysis/histogram Enter data array and bin Select options for output Make histogram look presentable Complete frequency table Example of Chocolate Chips #2.R.7

#### Excel Projects in Statistics

CD icon in text means raw data in an Excel format is available Three Excel "technology" assignments throughout semester First submission by paper or by email with Excel file attached Future assignments will have mandatory electronic submission Grading increasingly stringent to "business quality" standards

# Dick Schwanke 13 September 2012

#### Definitions (starting into Chapter 4)

explanatory variables = factors = variable whose value can not be explained = independent variable = predictor variable = X-axis number

response variable = variable of interest = variable whose value can be explained = dependent variable = Y-axis number

# Build a Scatter Diagram Use data on page 202, problem #27 Height versus Head Circumference 1. 27.75 // 17.5 7. 26.5 // 17.3 2. 24.5 // 17.1 8. 27.0 // 17.5 3. 25.5 // 17.1 9. 26.75 // 17.3 4. 26 // 17.3 10. 26.75 // 17.5

5. 25 //16.9 11. 27.5 // 17.5 6. 27.75 // 17.6

#### Linear Correlation

Measure of the strength of linear relations between two quantitative variables

Represented by Greek letter "rho" r

# Dick Schwanke 13 September 2012

#### Linear Correlation

Equals sum for all *i* of

[(x sub *i* minus x bar divided by sample standard deviation of x)

Times (y sub *i* minus y bar divided by sample standard deviation of y)]

All divided by (number of individuals in the sample minus 1)

#### Properties of Linear Cor Coefficient

Always between -1 and +1

The closer to +1 the stronger the positive linear relationship

The closer to -1 the stronger the negative linear relationship


Close to zero means little linear relation between the two variables

Is a "unitless" measure

# Linear Correlation Sample problem to work by hand (1) x 2 3 5 6 6 y 5.7 5.2 2.8 1.9 2.2

Step 1: create table with five columns

Step 2: for both x and y, calculate mean and standard deviation



## Dick Schwanke 13 September 2012

#### Linear Correlation

Sample problem to work by hand (2)

Step 3: compute  $(x_i-mean_x / s_x)$ 

Step 4: compute  $(y_i-mean_y / s_y)$ 

Step 5: (step 3) times (step 4)

#### Linear Correlation

Sample problem to work by hand (3)

Step 6: (step 5) divided by (n-1)

Step 7: examime (step 6) to determine degree of linear correlation

#### Finding a Linear Equation

Recall: you already know a method to find linear equations

Point-slope method

□use two points to find slope

then one point to find y intercept

Example