| MATERIAL | SAFE | ΓΥ ΟΛ | ATA | SH | IEE' | T | | |
|--|--|--|---------------|-------------|----------|-----------|------------|------|
| SECTION 1 - PROL | DUCT AND C | COMPAN | / IDEN | ITIFICA | TION | | | |
| PRODUCT NAME: MycoDyne | | | | | | | | |
| GENERAL USE: Restoration Coating | | | | | | | | |
| PRODUCT DESCRIPTION: Light amber, slightly alk | aline liquid. | | | | | | | |
| | | | | | | | | |
| MANUFACTURER'S NAME | | | | | | | 1 of 4 | |
| Protective Coatings Group ADDRESS (NUMBER, STREET, P.O. BOX) | | SUPERSEDES: New TELEPHONE NUMBER FOR INFORMATION | | | | | | |
| 5587 Commonwealth Avenue | | (904) 378-8693 | | | | | | |
| (CITY, STATE AND ZIP CODE) Jacksonville, FL 32254 | COUNTRY USA | EMERGENCY TELEPHONE NUMBER Infotrac (800) 535-8053 Outside USA (352) 323-3500 | | | | | | |
| DISTRIBUTOR'S NAME | 034 | | 00) 333-8 | | | (332) 323 | 5-3300 | |
| Same | | | | | | | | |
| ADDRESS (NUMBER, STREET, P.O. BOX) | | TELEPHON | IE NUMBE | ER FOR IN | IFORMA | FION | | |
| (CITY, STATE AND ZIP CODE) | COUNTRY | EMERGEN | CY TELEF | PHONE NU | JMBER | | | |
| SECTION | 2 - HAZARD | OUS ING | REDIEI | NTS | | | | |
| | | % | | A PEL | ACGI | H TWA | SARA | RQ |
| HAZARDOUS COMPONENTS | CAS # | (by weight) | PPM | MG/M3 | PPM | MG/M3 | TITLE III | LBS |
| Proprietary Ingredient A (*, a) | Not specified | 3 - 7 | | | | 1* | | |
| Proprietary Ingredient B (a) | Not specified | 1 - 5 | no | t establish | ned | | | |
| Proprietary Ingredient C (a) | Not specified | 1 - 5 | no | t establish | ned | | | |
| (*) The ACGIH Threshold Limit Value (TLV) has not been e therefore the limits described have been established as guid (a) The specific product is not identified due to "Trade Secr calling the emergency information number listed above. Re | delines by the manufa et" status. In emerge | acturer. ency situations fi | urther inforr | mation may | | | | |
| EMERGENCY OVERVIEW | 3 - HAZARD | | | | | | | |
| Alkaline liquid, prolonged contact may cause skin & e None. R-Phrases - Not classified | eye irritation. Inges | ation may caus | e gastric (| aistress. F | azaro sy | mdois for | tnis produ | ct - |
| POTENTIAL HEALTH EFFECTS INHALATION: Inhalation of mists or vapors may cau | se irritation to uppe | er respiratory t | ract and n | nucous me | embranes | | | |
| SKIN: Contact with skin may cause irritation, dermat | itis. | | | | | | | |
| EYES: Contact with eyes may cause pain and irritation | on. | | | | | | | |
| INGESTION: Irritating to digestive tract; may cause g | gastric distress, sto | mach pains. | | | | | | |
| CARCINOGENICITY | NTP? | No | IARC MO | NOGRAPHS? | No | OSHA F | REGULATED? | No |

| MATERIAL SAFETY DATA SHEET | | | | | | |
|--|--|------------------|--|--|--|--|
| PRODUCT NAME: Myco Dyne May 7, 2004 | | Page 2 of 4 | | | | |
| | I 4 - FIRST AID MEASURES | | | | | |
| | ash mouth and nasal passages with water repeatedly; if breathing diffic | culties persist | | | | |
| attention. | NOT attempt to neutralize with chemical agents; if irritation persists, se | | | | | |
| EYES: Remove contact lenses. Immediately flush eye attention immediately. | es for 15 minutes in clear running water while holding eyelids open; see | ek medical | | | | |
| INGESTION: Drink large quantities of water or milk; Do | O NOT induce vomiting; seek medical attention immediately. | | | | | |
| SECTION 5 | - FIRE FIGHTING MEASURES | | | | | |
| FLASH POINT (METHOD USED) | FLAMMABLE LIMITS LEL: Not applicable UEL: | Not applicable | | | | |
| Non-flammable | AUTOIGNITION TEMPERATURE: Not determined NFPA C | | | | | |
| GENERAL HAZARDS: Product is alkaline. Products c monoxide. | f combustion include compounds of carbon, hydrogen and oxygen, inc | luding carbon | | | | |
| EXTINGUISHING MEDIA Carbon dioxide, water, water fog, dry chemical, chem | ical foam | | | | | |
| FIRE FIGHTING PROCEDURES Keep containers cool with water spray to prevent con Material is alkaline and will irritate the eyes if product | tainer rupture due to steam buildup; floor will become slippery if materi | ial is released. | | | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS None | is anowed to directly contact the eyes. | | | | | |
| HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes, oxides of carbon | | | | | | |
| SECTION 6 - ENVI | RONMENTAL RELEASE MEASURES | | | | | |
| | SED OR SPILLED: Material is alkaline and will irritate the eyes if process of sewer. Large spills - confine spill, soak up with approved absorbent, sewer. | | | | | |
| SECTION | 7-HANDLING AND STORAGE | | | | | |
| | TORAGE: Keep container closed when not in use; protect containers | from abuse; | | | | |
| protect from extreme temperatures. Keep this and othe | er chemicals out of reach of children. | | | | | |
| SECTION & EXDOSUD | E CONTROLS / PERSONAL PROTECTION | | | | | |
| ENGINEERING CONTROLS | L CONTINULOT FENSOINAL FAUTEUTION | | | | | |
| The use of local exhaust ventilation is recommended. | Use corrosion-resistant ventilation equipment. | | | | | |
| PERSONAL PROTECTION: | | | | | | |
| RESPIRATORY PROTECTION (SPECIFY TYPE): No | ne required while threshold limits (Section 2) are kept below maximum d respirator must be worn. Refer to 29 CFR 1910.134 or European Sta | | | | | |
| PROTECTIVE GLOVES: Neoprene or rubber gloves w | vith cuffs. | | | | | |
| EYE PROTECTION: Goggles with side shields; safety | | | | | | |
| | Coveralls, apron, or other equipment should be worn to minimize skin | contact. | | | | |
| WORK / HYGIENIC PRACTICES: Practice safe workplace habits. Minimize body contact with this, as well as all chemicals in general. | | | | | | |

| MATERIAL SAFETY DATA SHEET | | | | | | | |
|--|---|------------------|--------------------------------|------------------------------|--|--|--|
| PRODUCT NAME: Myco Dyne May 7, 2004 | | | | Page 3 of 4 | | | |
| SECTION 9 - PHYS | SICAL AND | CHEMIC | AL PROPERTIES | | | | |
| VAPOR PRESSURE (MM Hg) | | | NSITY (AIR = 1) | ····· | | | |
| 17 mm Hg @ 20 ° C < 1 | | | | | | | |
| SPECIFIC GRAVITY (WATER = 1) | EVAPORATION RATE (WATER = 1) | | | | | | |
| 1.106 | | <1 | | | | | |
| SOLUBILITY IN WATER | | FREEZING | | | | | |
| Appreciable (> 95%) 32°F (0° C) pH APPEARANCE AND ODOR | | | | | | | |
| Approximately 11.0 Light amber liquid, practically odorless | | | | | | | |
| BOILING POINT PHYSICAL STATE | | | | | | | |
| 212°F (100° C) | Liquid VOLATILE ORGANIC COMPOUNDS (Total VOC's) | | | | | | |
| VISCOSITY Like that of water | | None | JRGANIC COMPOUNDS (10 | otal VOC'S) | | | |
| SECTION 10 | - STARILI | | FACTIVITY | | | | |
| STABILITY UNSTABLE: | | | | <u></u> | | | |
| STABILITY ONSTABLE. STABLE: | xxx | | nperatures, keep from freezing | | | | |
| INCOMPATIBILITY (MATERIALS TO AVOID): | 7000 | | nporutaroo, koop nom noozing | | | | |
| Strong oxidizers, strong acids | | | | | | | |
| HAZARDOUS DECOMPOSITION OR BYPRODUCTS: | | | if handled and stored properly | /. In case of a fire, oxides | | | |
| of carbon and lithium, hydrocarbons, fumes, and smoke HAZARDOUS POLYMERIZATION MAY OCCUR: | e may be produc | CONDITIONS | | | | | |
| HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: | xxx | None | | | | | |
| SECTION 11- | | | FORMATION | | | | |
| | 1 | 1 | LD50 of Ingredient | LC50 of Ingredient | | | |
| Hazardous Ingredients | % | CAS # | (Specify Species and Route) | (Specify Species) | | | |
| Proprietary Ingredient A (*, a) | 3 - 7 | Not specified | 16,540 mg / kg Oral - rat | Not established | | | |
| Proprietary Ingredient B (a) | 1 - 5 | Not specified | 7460 mg / kg Oral - rat | Not established | | | |
| Proprietary Ingredient C (a) | 1 - 5 | Not specified | Not established | Not established | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| SECTION 12 | - ECOLOC | GICAL INFO | ORMATION | L | | | |
| No data are available on the adverse effects of this mat | | | | vailable. Based on the | | | |
| chemical composition of this product it is assumed that | | | | | | | |
| in limited quantities. However, such treatment should b | | | | | | | |
| in this mixture are classified as a Marine Pollutant. | | | | | | | |
| | | | | | | | |
| SECTION 13 | - DISPOSA | AL CONSIL | DERATIONS | | | | |
| WASTE DISPOSAL METHOD: Dispose of in accordance | ce with Local, S | tate, and Feder | al Regulations. Refer to "40 (| CFR Protection of | | | |
| Environment Parts 260 - 299" for complete waste dispe | | | | | | | |
| Environmental Protection Agency before disposing of any chemicals. | | | | | | | |
| | | | | | | | |
| SECTION 14 - TRANSPORT INFORMATION | | | | | | | |
| PROPER SHIPPING NAME: Not Regulated | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | HAZARD CLASS / Pack Group: None / None IATA HAZARD CLASS / Pack Group: None | | | | | | |
| REFERENCE: Not Applicable IMDG HAZARD CLASS: None IDENTIFICATION NUMBER: None RID/ADR Dangerous Goods Code: None | | | | | | | |
| IDENTIFICATION NUMBER: None RID/ADR Dangerous Goods Code: None LABEL: None Required Canadian TDG Class / Division: None | | | | | | | |
| HAZARD SYMBOLS: None | | | | | | | |
| Note: Transportation information provided is for referen | | | | | | | |
| Canadian TDG, and United Nations TDG information m | nanuals for detail | iled regulations | and exceptions covering spec | cific container sizes, | | | |
| packaging materials and methods of shipping. | | | | | | | |

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Myco Dyne

May 7, 2004

SECTION 15 - REGULATORY INFORMATION

TSCA (Toxic substance Control Act)

All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50.

SARA TITLE III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories None

313 Reportable Ingredients:

None

CERCLA (Comprehensive Response Compensation and Liability Act)

None

CPR (Canadian Controlled Products Regulations)

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

IDL (Canadian Ingredient Disclosure List)

Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 2.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL or NDSL and may or may not be listed in Section 2 of this document. Only ingredients classified as "hazardous" are listed in Section 2 unless otherwise indicated.

EINECS (European Inventory of Existing Commercial Chemical Substances)

Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances.

EC Risk Phrases Not classified

EC Safety Phrases

S24/25 Avoid contact with skin and eyes S28 After contact with skin, wash immediately with plenty of soap and water.

SECTION 16 - OTHER INFORMATION

| No specific | notes. |
|-------------|--------|
|-------------|--------|

| HMIS HAZARD RATINGS | | HEALTH | 1 | 0 = INSIGNIFICANT | 3 = HIGH | | |
|--|---|--|--|--|---|--|--|
| | | FLAMMABILITY | 0 | 1 = SLIGHT | 4 = EXTREME | | |
| | | REACTIVITY | 0 | 2 = MODERATE | | | |
| | PERS | SONAL PROTECTIVE EQU | JIPMENT C | Safety Glasses, Glove | es, Apron | | |
| REVISION SUMMARY: | | This MSDS has been revised in the following sections: No changes | | | | | |
| MS | SDS Prepared by: | | Base, Inc. | | | | |
| | | P.O. Box 5604 | | | | | |
| | | Lakeland, FL 33807 | | | | | |
| | | (863) 644 - 3298 v | www.compdatal | base.com | | | |
| The information contained herein is believ manufacturer of the product and manufact applicable and suited to the circumstances reasonable safety procedures are not adhe of this material even if reasonable safety described in Section 1. | urers of the compon of use. Vendor as red to as stipulated i procedures are follow | ents of the product. Users sumes no responsibility fo n the data sheet. Furtherm | s are advised to r injury to vender ore, vendor assu ing this product | confirm in advance of ne e or third persons proxima mes no responsibility for should be directed to the r | ed that information is current, itely caused by the material if injury caused by abnormal use | | |