

UNISYS

Global Industries

**Louisiana Medicaid
Management Information Systems
(LA MMIS)
Vendor Specifications Document
for the
Medicaid Eligibility Verification System
(MEVS)**

28 May, 2007

**Version 1.5
EDI-VSD-LA-MEVS**

Prepared by:
Unisys Corporation
600 Lynnhaven Parkway, Suite 101
Virginia Beach, Virginia 23452

This page intentionally left blank.

Title: Louisiana Medicaid Management Information Systems (LA MMIS) Vendor Specifications Document for the Medicaid Eligibility Verification System (MEVS)
Number: EDI-VSD-LA-MEVS
Issued: December 8, 2005
Recertified:
Supersedes: Version 1.3 dated March 29, 2006
Contact: Neill Alford

Approved: Neill Alford, EDI Solutions Group Manager

Signature

Date

**LOUISIANA MEDICAID
MANAGEMENT INFORMATION SYSTEMS (LA MMIS)
VENDOR SPECIFICATIONS DOCUMENT FOR THE
MEDICAID ELIGIBILITY VERIFICATION SYSTEM (MEVS)**

UNISYS CORPORATION

Table of Contents

1.0	INTRODUCTION	1-5
2.0	ELIGIBILITY VERIFICATION OVERVIEW	2-1
3.0	MEVS VENDOR QUALIFICATION REQUIREMENTS	3-1
4.0	MEVS OPERATIONS SERVICES AND PROCEDURES	4-1
4.1	Registration Form Information	4-2
4.2	Telecommunications Vendor Contract	4-4
5.0	MEVS VENDOR COMMUNICATIONS SPECIFICATIONS	5-1
5.1	Requirements for Network Connections	5-1
5.2	Physical Connection	5-1
5.3	TCP Connections	5-1
5.4	Transaction Processing	5-2
5.5	Claim/Request/Response Formatting	5-3
5.6	Default Response Formats	5-3
5.7	Coordination with Unisys	5-4
6.0	MEVS ANSI ELIGIBILITY TRANSACTION SPECIFICATIONS	6-1
6.1	270 MAPPING	6-1
7.0	DATA ELEMENTS CROSSWALK.....	7-1
7.1	MEVS Input Data Structure (270 Transaction)	7-1
7.2	MEVS Output Data Structure (271 Transaction)	7-2
8.0	MEVS EDIT (REJECT) CODES CROSSWALK.....	8-1
8.1	MEVS Edit (Reject) Codes Crosswalk.....	8-1
9.0	DISPLAY OF MEVS INFORMATION.....	9-1
9.1	Personal computer (pc) software screens.....	9-1
9.2	MEVS Main Menu Screen.....	9-2
9.3	Recipient Eligibility Information Request	9-3
9.4	Recipient Eligibility Information Response.....	9-4
9.5	Recipient Eligibility Information Response (continued)	9-6
9.6	Recipient Eligibility Information Response – TPL Optional Display	9-7
9.7	Recipient Eligibility Information Response – TPL Optional Display (continued)....	9-8
9.8	Recipient Eligibility Information Response – Lock-In Optional Display.....	9-9

9.9	Recipient Eligibility Information Response – HMO Optional Display	9-10
9.10	Recipient Eligibility Information Response – Community Care Optional Display	9-11
9.11	Recipient Eligibility Information Response – Service Limit Optional Display	9-12
9.12	POS DEVICE SCREENS	9-13
10.0	MEVS VENDOR TESTING REQUIREMENTS	10-1
10.1	Testing Objectives	10-1
10.2	Confidentiality During Application Testing	10-1
11.0	MARKETING.....	11-1
11.1	Provider Information Available To Vendors	11-1
11.2	Vendor Marketing Material Approval	11-1
12.0	PROBLEM RESOLUTION.....	12-1
12.1	MEVS Availability	12-1
12.2	Problem Escalation Procedures	12-1
13.0	GLOSSARY	13-1
14.0	CONTACT INFORMATION.....	14-1

REVISION HISTORY

CONTROLLED COPIES ISSUED BY: EDI Solutions Group

<u>Revision</u>	<u>Revision Description</u>	<u>Approval</u>	<u>Date</u>
1.0	Initial Release	N. Alford	04/11/2003
1.1	Updates made for work associated with PR2902.	N. Alford	08/06/2004
1.2	Updates made for work associated with PRs 2915 and 2916	N. Alford	08/31/2004
1.3	Updates made for work associated with CRs 2957 and 2958	N. Alford	03/29/2006
1.4	Updates made for NPI (CR2974)	N. Alford	04/17/2007
1.4	Updates related to DHH Core Team Comments for NPI.	C. Daniel	05/08/2007
1.4	Deleted references to version 3040.	N. Alford, K. Olson	05/18/2007
1.5	Updated Sections 1.0, 11.2 and 13.0 per DHH Core Team request.	C. Daniel	5/28/2007

1.0 INTRODUCTION

The Unisys Louisiana Medicaid Management Information System provides access to Medicaid recipient eligibility information, via software and equipment provided by commercial network vendors, for Medicaid service providers to verify eligibility information in a real time environment. The Medicaid Eligibility Verification System (MEVS) is available in conjunction with plastic Medicaid eligibility cards. The plastic Medicaid eligibility cards do not contain a readily visible expiration date thus making it necessary to verify eligibility at the time of service. The Medicaid recipient through periods of ineligibility will retain the plastic Medicaid eligibility cards. It is expected that should the Medicaid recipient again become eligible for Medicaid services the same Medicaid eligibility card will be used to verify eligibility. The Department of Health and Hospitals (DHH) will replace the card only in the event that it is lost, stolen, or damaged beyond reasonable usefulness.

Important Note: Plastic ID cards issued to Family Planning Waiver recipients should not be retained and used for regular Medicaid services. If the individual becomes eligible for services other than those reimbursed by the Family Planning Waiver, they will be issued the standard plastic Medicaid card.

Network vendors are provided specifications for the communications interface protocol and transaction formats. Network vendor software will allow a provider to make an eligibility inquiry and receive an eligibility response using the ANSI ASC X.12 EDI Health Care Eligibility/Benefit Inquiry transaction set 270 for eligibility inquiries and set 271 for the responses to the eligibility inquiries.

Network vendors are expected to provide a variety of interface devices from which the Medicaid provider can chose. These interfaces are expected to include PC based software access, POS devices, magnetic card reader devices, and terminals.

The MEVS system will support eligibility information including basic eligibility, service limits, provider lock-in information, and Third Party Liability (TPL) information. TPL information will include carrier name, policy and group numbers, and scopes of coverage.

The MEVS system augments an automated voice response system and a web based system to provide rapid, up-to-date eligibility information to the Medicaid provider thereby enabling the provider to file claims accurately and quickly.

2.0 ELIGIBILITY VERIFICATION OVERVIEW

The MEVS system is designed to be a multi-faceted product that provides: convenient retrieval of eligibility information, a more complete medical perspective of the recipient, and payor information that will allow more effective billing. The verification process expedites reimbursement, reduces claim denials, and restricts the occurrence of fraud. A significant advantage to providers is the availability of MEVS: 24 hours a day, six days a week, with the seventh day available 20 hours (except the time needed each day for file updates and system maintenance).

In order to assist the provider community with eligibility verification responsibility, a principle objective of MEVS is to provide a system that is quick, easy to understand and use, and one that can be easily integrated into a variety of office environments. A joint effort between Unisys and commercial network vendors is required to accomplish this goal. Unisys provides technical, operational, and professional services to establish the environment required to process eligibility verification inquiries from vendors who market their services to individual providers. Network vendors are provided with interface protocol and transaction format specifications supported by MEVS. Vendor software must allow a provider to submit inquiry transactions and receive transaction response information through a personal computer, Web application or special point-of-service (POS) devices. The information may be presented as a formatted screen (PC or web) or a paper printout (similar to an adding machine tape) on point-of-service devices. Commercial network vendors must obtain authorization from Unisys and DHH allowing them to provide MEVS services to the provider community. It is the responsibility of the provider to choose and establish an agreement with an authorized commercial network vendor for MEVS services. Unisys provides a list of authorized vendors to the provider community.

The Medicaid Eligibility Verification System, through an interface to MMIS managed care, third-party liability, service limitations, recipient and provider components, provides a more complete medical perspective of the recipient, and payor information that will allow more effective billing. The following outline summarizes the eligibility verification information available.

- Recipient Eligibility Verification
 - ◆ Recipient Demographic Information
 - ◆ Provider Authorization Information
 - ◆ Recipient Program Coverage
 - Presumptive Eligibility
 - Illegal Aliens
 - Outpatient Tuberculosis
 - Etc.
- Restricted Services Information
 - ◆ Waiver Participation

- ◆ Service limits
- ◆ Lock-In information (physician and pharmacy)
- ◆ Hospice
- Managed Care information
 - ◆ HMO (Health Maintenance Organization information)
 - ◆ CC (Community Care information)
- Payor Information
 - ◆ Medicaid
 - ◆ TPL (Third Party Liability information)
 - ◆ Medicare Eligible
 - ◆ Spenddown.


3.0 MEVS VENDOR QUALIFICATION REQUIREMENTS

Each telecommunications network vendor must meet the following specifications and criteria prior to being granted authorization to provide Eligibility Verification services:

1. Prospective vendor must obtain a Vendor ID from Unisys.
2. Prospective vendor must sign a telecommunications contract with Unisys.
3. Vendor must comply with communications specifications (section 5).

4.0 MEVS OPERATIONS SERVICES AND PROCEDURES

The process for becoming a Louisiana MEVS vendor is depicted in the following graphic:



4.1 Registration Form Information

The vendor registration form notifies Unisys that a vendor wants to become an authorized Louisiana MEVS vendor and offer MEVS services to the provider community. A business contact is requested for contract negotiations, etc. A project contact is requested for the dissemination of information regarding new options, changing requirements, scheduled downtime, vendor conferences, etc. A technical contact may also be listed. The Technical Specifications Information section requests the following information to enable appropriate scheduling:

- Whether a new or existing telecommunications line to Unisys Western Regional Service Center is to be used for the Louisiana project
- Whether an existing telecommunications line upgrade is planned.

It should be noted that submittal of the vendor registration form is not a guarantee that the submitting vendor shall be accepted by the state authority and/or Unisys. This is not a commitment to contract with the vendor for the requested services. Submittal of the vendor registration form in no way obligates the state or Unisys regarding the submittal of transactions through the DHH MEVS program.

Please mail the Vendor Registration form to:

Unisys
United Plaza Blvd Ste 300
Baton Rouge
Louisiana
70809
United States
Attn: Gloria Gardner

Vendor Registration Form

VENDOR REGISTRATION FORM				
Name of Vendor			Vendor Proc. ID	
Mailing Address of Vendor				
City			State	Zip
Phone Number			FAX Number	
LIST OF CONTACTS				
Name (Business Contact)			Phone/FAX	
Address		City/State/zip		
Name (Project Manager)			Phone/FAX	
Address		City/State/zip		
Name (Technical Contact)			Phone/FAX	
Address		City/State/zip		
TECHNICAL SPECIFICATIONS INFORMATION				
Marketing & Research Provider Information Requested:			Yes:	No:
Signature (Project Manager)				

4.2 Telecommunications Vendor Contract

The Louisiana telecommunications contract is being revised to ensure compliance with the Health Insurance Portability and Accountability Act (HIPAA).

Direct questions concerning Vendor Contract status to:

Unisys

Kermit Patty:

Phone: (225) 216-6241

Fax Number: (225) 924-6179

E-Mail Address: Kermit.Patty@Unisys.com

5.0 MEVS VENDOR COMMUNICATIONS SPECIFICATIONS

The following paragraphs describe the Vendor Communications Specifications.

5.1 Requirements for Network Connections

This section describes the requirements for network switches to be able to send (Pharmacy) POS, Claim Status Inquiries (CSI), and Medicaid Eligibility Verification System (MEVS) transactions to Unisys. Unisys supports connections via TCP/IP only.

The first section addresses the physical connection into the Unisys systems.

The second section addresses the network parameters that must be established to enable communications. A preferred set of parameters is described along with the possible variations that can be accommodated.

The third section addresses the establishment of a connection to Unisys and the transmission of transactions.

The fourth section addresses the formatting requirements for the transactions and responses.

5.2 Physical Connection

The network vendor must provide the data line into the Unisys facility in Salt Lake City, UT along with the terminating CSU/DSU and Ethernet Router as appropriate to the line service. In addition, a transceiver and/or cable from the Router to the patch panel are required. The cable must terminate in an RJ45 (CAT 5 UTP recommended). The length of the cable will need to be coordinated with Unisys prior to installation.

CSU/DSUs and Router must include rack-mounting hardware for a standard 19" electronics rack.

Note, the telco DEMARC is located in a separate room approximately 600 feet from the rack housing the CSU/DSU. The connection between the DEMARC and the rack will be provided by Unisys. Standard phone wiring will be used unless special arrangements are established prior to installation.

5.3 TCP Connections

The Vendor/provider is responsible for all IP addressing space up to, but not including the Ethernet interface on the Unisys side of the Router. Unisys will provide the specific Ethernet IP address at Unisys unless otherwise negotiated; and the Vendor's interface will be connected to a non-secure Ethernet DMZ. Routing protocols such as RIP will not be enabled, static routes will be used. Testing with a temporary IP address may be accommodated.

Generally, four virtual connections can be established via TCP. Unisys will assign the specific port number. No other TCP port or IP protocol should be used.

5.4 Transaction Processing

The number of connections to Unisys is limited to ensure that all networks are provided equitable service. Normally, networks are limited to eight connections to each Unisys machine. Since machines can process multiple states, this does not equate to eight connections per state. Each connection can process transactions for all POS/MEVS/CSI systems on the machine. We do not designate connections for any specific application.

POS, CSI and MEVS transactions and responses are handled by each connection. Once the connection is established, it is normally left connected and transactions are processed when sent. The connection should only be disconnected under error conditions. Each connection can handle multiple simultaneous transactions. The responses will be returned when processing is completed.

Once transmission of a transaction has been initiated, all packets for that transaction must be transmitted before sending packets from any other transaction. Likewise, Unisys will send all packets for a response together. Packets from different responses will not be intermingled. All Unisys processing is performed in stream mode. Packets are constructed for convenience in transmission only. The envelope described in the following section provides an EOT flag to identify the end of each transaction and response.

Because of the nature of streams processing, responses will not always be contained in separate packets. The size of the response packets is such that the start of the following response may be in the same packet as the termination of the preceding response. The EOT flag must be scanned to properly locate the end of the responses.

Unisys supports two types of connections: single-threaded and multi-threaded. In a single-threaded connection, once a transaction is received, we will not accept any additional transactions on that connection until the response has been returned. All transactions in the single-threaded connections have a timeout response. If, for some reason, Unisys is unable to process a transaction within the timeout period, a timeout response is returned at the end of the timeout period. Timeouts for POS claims are normally 15 seconds for each prescription. For example, a claim with three (3) prescriptions will have a timeout response sent after 45 seconds. Timeouts for MEVS requests are 12 seconds. Under some situations, the timeout response for transactions may be 60 seconds. The timeout numbers vary slightly between states.

For a multi-threaded connection, transactions can be submitted at any time. You do not need to wait until the previous response is returned. However, the order of responses may be different than the order the transactions were received. The returned envelope can be used to associate the response with the transaction. Timeouts for processing are similar to those for single-threaded except that not all timeouts will result in system unavailable responses. There are conditions where no response will be provided.

If a vendor/provider choose to timeout the line earlier than our timeout response and reestablish the connection, you may encounter a situation where we will not startup another connection until

the first connection has completely dropped. This will not occur until after the timeout period has completed and the connection itself has timed out. As a result, there may be periods where you will not be able to immediately reestablish the connection. We recommend that you wait until the timeout message has been received, or set your timeouts to beyond 48 seconds for POS claims and 12 seconds for MEVS requests. Also note, that when a multi-thread connection is dropped, any transactions that have been received, but not responded to will be effectively lost since there are no longer any way to return the response. The transactions will be processed.

5.5 Claim/Request/Response Formatting

All POS and MEVS transactions and responses must be placed in envelopes. The data in the envelope, transaction, and response will be sent using the ASCII character set. Transactions submitted by the network switches to Unisys must be in the following envelope:

1. A 16-byte header must be prefixed to each NCPDP/MEVS/CSI transaction.
2. The first three (3) bytes of the header must be a network switch identifier. The value of the identifier will be assigned by Unisys.
3. The next six (6) bytes should contain a transaction identifier containing any combination of the characters 0-9, A-Z, and a-z, or they must contain all zeros. The network switch to match the response with the corresponding request uses this transaction identifier. This is necessary since multiple claims are processed in parallel and the responses are not necessarily returned in the same order the requests were received. If a network switch does not use this transaction identifier, the network switch will have to wait for the response to a transaction before sending the next transaction.
4. The next seven (7) bytes must be spaces, as denoted from the March 10 issue of the Federal Register contains a correction notice for the Modifications to Transactions and Code Sets regulation published on February 20. The notice fixes some significant errors in the February 20 publication.
5. An End Of Transmission (EOT) flag consisting of a single byte with the binary value 00000100 must terminate each NCPDP/MEVS/CSI transaction, which are decimal 04.

The response to a transaction will be returned in the same envelope. The response will be prefixed with the header that was received with the transaction. If a network switch requires variations in the response header, they must be negotiated with Unisys prior to installation.

5.6 Default Response Formats

There are situations where Unisys will not be able to process the transaction. In those situations, a default response will be returned in the received envelope. The format of this response is as follows:

ERRORMMISnnnnneeeeeee 9

Where nnnn is a four-digit message identifier that identifies the reason the claim was not processed; eeeeeee is a seven-digit sequence number that identifies the transaction within the Unisys systems. There are nine spaces after the sequence number.

The message identifiers currently in use are:

- MEVS - An error occurred while processing a MEVS transaction
- 0001 - Application is not currently active
- 0002 - Application is not currently active
- 0003 - Application is not currently active
- 0004 - Network ID in envelope is not correct
- 0005 - Unable to respond within required time limits
- 0006 - Application is not authorized
- 0010 - Cannot determine the appropriate application
- 0011 - Default response not defined for this application.

5.7 Coordination with Unisys

The contact point for coordination of the line parameters and connections is Kermit Patty.

Unisys
Kermit Patty:
Phone: (225) 216-6241
Fax Number: (225) 924-6179
E-Mail Address: Kermit.Patty@Unisys.com

The contact point for line installation is Scott Totman, (801) 594-5929.

6.0 MEVS ANSI ELIGIBILITY TRANSACTION SPECIFICATIONS

6.1 270 MAPPING

The primary input to the LMMIS MEVS application is the ANSI 270 transaction in X12 version 4010 (with addenda) format, for Eligibility request. A description of the format is provided below in Table 6-1.1, *Eligibility Inquiry (270) Data Elements*.

Table 6-1.1. Eligibility Inquiry (270) Data Elements

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
INTERCHANGE CONTROL HEADER			
Author Info Qualifier ISA01 DED I01	2/2 ID	M	Constant of “00”
Author Information ISA02 DED I02	10/10 AN	M	Not meaningful, spaces or zeroes
Security Info Qualifier ISA03 DED I03	2/2 ID	M	Constant of “00”
Security Information ISA04 DED I04	10/10 ID	M	To identify the security information about the interchange sender or the data in the interchange Not meaningful, spaces or zeroes
Interchange ID Qualifier ISA05 DED I05	2/2 ID	M	Constant of ZZ
Interchange Sender ID ISA06 DED I06	15/15 AN	M	Variable – Vendor ID
Interchange ID Qualifier ISA07 DED I05	2/2 ID	M	Constant of ZZ

HIPAA –270 Data Element	SIZE/ MIN- MAX	MAND/ OPT.	NOTES
Interchange Receiver ID ISA08 DED I07	15/15 AN	M	610551 (BIN Number)
Interchange Date ISA09 DED I08	6/6 DT	M	YYMMDD format
Interchange Time ISA10 DED I09	4/4 TM	M	HHMM format
Interchange Control Standards Identifier ISA11 DED I10	1/1 ID	M	Constant of “U”
Interchange Control Version Number ISA12 DED I11	5/5 ID	M	Constant of “00401”
Interchange Control Number ISA13 DED I12	9/9 N0	M	Must match IEA02
Acknowledgment Requested ISA14 DED I13	1/1 ID	M	0 – No Acknowledgment Requested 1 – Interchange Acknowledgment Requested
Usage Indicator ISA15 DED I14	1/1 ID	M	P - Production Data T – Test Data
Component Element Separator ISA16 DED I15	1/1 ID	M	This field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator. Value is ASCII character <us>.
FUNCTIONAL GROUP HEADER		M	

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Functional Identifier code GS01 DED 479	2/2 ID	M	Constant of “HS” - 270
Application Sender’s Code GS02 DED 142	2/15 AN	M	Code identifying party sending transmission Vendor ID, minimum first three characters of current transaction submissions
Application Receiver’s Code GS03 DED 124	2/15 AN	M	Code identifying party receiving transmission ‘610551’
Date GS04 DED 373	8/8 DT	M	CCYYMMDD format
Time GS05 DED 337	4/8 TM	M	HHMM format
Group Control Number GS06 DED 28	1/9 N0	M	Must match GE02. Assigned number originated and maintained by the sender
Responsible Agency Code GS07 DED 455	1/2 ID	M	Constant of “X” – Accredited Standards Committee X12
Version/Release/Industry Identifier Code GS08 DED 480	1/12 AN	M	Constant of “004010X092A1”
TRANSACTION SET HEADER		M	*****
Transaction Set Identifier Code ST01 DED 143	3/3 ID	M	Constant of “270“ - Eligibility, Coverage or Benefit inquiry

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Transaction Set Control Number ST02 DED 329	4/9 AN	M	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set. Must match SE02.
BEGINNING OF HIERARCHICAL TRANSACTION		M	*****
Hierarchical Structure Code BHT01 DED 1005	4/4 ID	M	Constant of “0022” – Information Source, Information Receiver, Subscriber, Dependent
Transaction Set Purpose Code BHT02 DED 353	2/2 ID	M	Constant of “13” - Request
Reference Identification BHT03 DED 127	1/30 AN	O	Number assigned by the originator to identify the transaction within the originator’s business application system
Date BHT04 DED 373	8/8 DT	M	Transaction Set Creation Date in format CCYYMMDD
Time BHT05 DED 337	4/8 TM	M	Transaction Set Creation Time in format HHMM
INFORMATION SOURCE LEVEL		M	*****
Hierarchical Level Loop 2000A HL01 DED 628	1/12 AN	M	Constant of “1” - Hierarchical ID Number
Hierarchical Level Code HL03 DED 735	1/2 ID	M	Constant “20” – Information Source

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Hierarchical Child Code HL04 DED 736	1/1 ID	M	Constant “1” – Additional Subordinate HL Data Segment in this Hierarchical structure
INFORMATION SOURCE NAME		M	*****
Entity Identifier Code Loop 2100A NM101 DED 98	2/3 ID	M	Constant of “PR” Payor
Entity Type Qualifier Loop 2100A NM102 DED 1065	1/1 ID	M	Constant of “2” Non-Person Entity
Name Last or Organization Name Loop 2100A NM103 DED 1035	1/35 AN	O	Constant of “UNISYS LAMMIS”
Identification Code Qualifier Loop 2100A NM108 DED 66	1/2 ID	M	Constant of “PI” Payor identification
Identification Code Loop 2100A NM109 DED 67	2/80 AN	M	Constant of ‘610551’ (BIN number)
INFORMATION RECEIVER LEVEL		M	*****
Hierarchical ID Number Loop 2000B HL01	1/12 AN	M	Constant of “2” - Hierarchical ID Number

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Hierarchical Parent ID Number HL02	1/12 AN	M	Identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate. Constant “1”.
Hierarchical Level Code HL03	1/2 ID	M	Constant “21” – Information Receiver
Hierarchical Child Code HL04	1/1 ID	M	Constant “1” – Additional Subordinate HL Data Segment in this Hierarchical structure
INFORMATION RECEIVER NAME (PROVIDER)		M	*****
Entity Identifier Code Loop 2100B NM101 DED 98	2/3 ID	M	Constant of “1P” Provider
Entity Type Qualifier Loop 2100B NM102 DED 1065	1/1 ID	M	“1” Person “2” Non-person entity
Name Last or Organization Name Loop 2100B NM103 DED 1035	1/35 AN	O	Last name, if person Organization name if non-person entity (Not used)
Name First Loop 2100B NM104 DED 1036	1/25 AN	O	First name, if NM102 is “1” (not used)
Name Middle Loop 2100B NM105 DED 1037	1/25 AN	O	Middle name, if NM102 is “1” (not used)
Name Suffix Loop 2100B NM107 DED 1039	1/10 AN	O	Use only if NM102 is “1”; example “SR”, “JR” or “III” (not used)

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Identification Code Qualifier Loop 2100B NM108 DED 66	1/2 ID	M	“SV” Service Provider Number (for atypical providers. May be used by any provider prior to DHH compliance date for NPI) “XX” National Provider ID (NPI)
Identification Code Loop 2100B NM109 DED 67	2/80 AN	M	Identification Code - Provider Number or NPI
INFORMATION RECEIVER ADDITIONAL INFORMATION (PROVIDER)		O	*****
Reference Identification Qualifier Loop 2100B REF01 DED 128	2/3 ID	M	“1D” – Medicaid Provider Number
Reference Identification Loop 2100B REF02 DED 127	1/30 AN	M	Seven character Medicaid ID (to be used only when NPI + Taxonomy Code or NPI + Zip Code do not point to a unique Medicaid ID)
INFORMATION RECEIVER CITY/STATE/ZIP CODE (PROVIDER)		O	*****
City Name Loop 2100B N401 DED 19	2/30 AN	M	City Name

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
State or Province Code Loop 2100B N402 DED 156	2/2 ID	M	Two character State Code
Postal Code Loop 2100B N403 DED 116	3/15 ID	M	Nine digit Zip Code
INFORMATION RECEIVER CONTACT INFORMATION (PROVIDER)		O	*****
Provider Code Loop 2100B PRV01 DED 1221	1/3 ID	M	“SB” Submitting
Reference Identification Qualifier Loop 2100B PRV02 DED 128	2/3 ID	M	“ZZ” Health Care Provider Taxonomy Code
Reference Identification Loop 2100B PRV03 DED 127	1/30 AN	M	Provider Taxonomy Code
SUBSCRIBER LEVEL		M	*****
Hierarchical ID Number Loop 2000C HL01	1/12 AN	M	Constant of “3” - Hierarchical ID Number

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Hierarchical Parent ID Number Loop 2000C HL02	1/12 AN	M	Identifies the Hierarchical ID number of the HL segment to which the current HL segment is subordinate. Constant of “2”
Hierarchical Level Code Loop 2000C HL03	1/2 ID	M	Constant “22” – Subscriber
Hierarchical Child Code Loop 2000C HL04	1/1 ID	M	“0” – No Subordinate HL Segment in this Hierarchical structure
SUBSCRIBER TRACE NUMBER		M	*****
Trace Type Code Loop 2000C TRN01 DED 481	1/2 ID	M	Constant “1” Current Transaction Trace Numbers
Reference Identification Loop 2000C TRN02 DED 127	1/30 AN	M	Vendor trace number is currently submitted in the transaction envelope. If it is present in the 270, it must be returned in the 271. The current format is a three-character vendor ID followed by a 6 digit tracking number.
Originating Company Identifier Loop 2000C TRN03 DED 509	10/10 AN	M	Identifies an organization. User assigned number must begin with 9.
SUBSCRIBER NAME		M	*****
Entity Identifier Code Loop 2100C NM101 DED 98	2/3 ID	M	Constant “IL” Insured or Subscriber

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Entity Type Qualifier Loop 2100C NM102 1065	1/1 ID	M	Constant “1” Person
Name Last or Organization Name Loop 2100C NM103 DED 1035	1/35 AN	O	Last name required if access method includes recipient name
Name First Loop 2100C NM104 DED 1036	1/25 AN	O	First name required if access method includes recipient name
Name Middle Loop 2100C NM105 DED 1037	1/25 AN	O	Middle name, if NM102 is “1”
Name Suffix Loop 2100C NM107 DED 1039	1/10 AN	O	Use only if NM102 is “1”; example “SR”, “JR” or “III”
Identification Code Qualifier Loop 2100C NM108 DED 66	1/2 ID	O	When access method includes recipient ID Constant ‘MI’ Member Identification Number
Identification Code Loop 2100C NM109 DED 67	2/80 AN	O	Recipient ID
SUBSCRIBER ADDITIONAL IDENTIFICATION – SSN		O	*****

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Reference Identification Qualifier Loop 2100C REF01 DED 128	2/3 ID	M	When access method includes SSN Constant “SY“ Social Security Number
Reference Identification Loop 2100C REF02 DED 127	1/30 AN	M	Recipient SSN = Reference Identification
SUBSCRIBER ADDITIONAL IDENTIFICATION – Card Control Number		O	*****
Reference Identification Qualifier Loop 2100C REF01 DED 128	2/3 ID	M	When access method includes Card Control Number Constant “HJ” – Identity Card Number
Reference Identification Loop 2100C REF02 DED 127	1/30 AN	M	Card Control Number = reference identification
SUBSCRIBER DEMOGRAPHIC INFORMATION - DOB		O	*****
Date Time Period Format Qualifier Loop 2100C DMG01 DED 1250	2/3 ID	M	When access method includes Date of Birth Constant “D8” date format CCYYMMDD

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Date Time Period Loop 2100C DMG02 DED 1251	1/35	M	Recipient Date of Birth = date time period CCYYMMDD format
SUBSCRIBER DATE - DOS		O	***** The current date of the processing system will be used as the subscriber DOS if this segment is not received. Switch vendors may choose to default to the current date and send this segment if the information is not received from the provider.
Date/Time Qualifier Loop 2100C DTP01 DED 374	3/3 ID	M	Date of Service is specified for all access methods (eligibility inquiries). Constant “472” Service
Date Time Period Format Qualifier Loop 2100C DTP02 DED 1250	2/3 ID	M	Constant “D8”
Date Time Period Loop 2100C DTP03 DED 1251	1/35	M	Date of Service expressed in format CCYYMMDD
SUBSCRIBER ELIGIBILITY INFORMATION		O	*****
Service type code Loop 2110C EQ01 DED 1365	1/2 ID	M	Service Type Code = ‘30’ - Generic Eligibility request
TRANSACTION SET TRAILER		M	*****

HIPAA –270 Data Element	SIZE/ MIN-MAX	MAND/ OPT.	NOTES
Number of Included Segments SE01 DED 96	1/10 N0	M	Total number of segments included in a transaction set including the ST and SE segments
Transaction Set Control Number SE02 DED 329	4/9 AN	M	Must match ST02
FUNCTIONAL GROUP TRAILER		M	*****
Number of Transaction Sets Included GE01	1/6 N0	M	Total number of transaction sets in the functional group or interchange group terminated by the trailer containing this data element
Group Control Number GE02	1/9 N0	M	Assigned number originated and maintained by the sender. Must match GS06.
INTERCHANGE CONTROL TRAILER		M	*****
Number of Included Functional Groups IEA01 DED I16	1/5 N0	M	Constant of “1”
Interchange Control Number IEA02 DED I12	9/9 N0	M	A control number assigned by the interchange sender

6.2 271 MAPPING

The primary output of the LMMIS MEVS application is an ANSI X12 version 4010 (with addenda) 271 transaction. A description of the format is provided below in Table 6.2-1, *Eligibility Output (271) Data Elements*.

Table 6.2-1. Eligibility Output (271) Data Elements

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
INTERCHANGE CONTROL HEADER		M	*****
Author Info Qualifier ISA01 DED I01	2/2 ID	M	Constant of “00”
Author Information ISA02 DED I02	10/10 AN	M	Not meaningful, zeroes or spaces
Security Info Qualifier ISA03 DED I03	2/2 ID	M	Constant of “00”
Security Information ISA04 DED I04	10/10 ID	M	To identify the security information about the interchange sender or the data in the interchange Not meaningful, zeroes or spaces
Interchange ID Qualifier ISA05 DED I05	2/2 ID	M	Constant of ZZ
Interchange Sender ID ISA06 DED I06	15/15 AN	M	610551 BIN Number
Interchange ID Qualifier ISA07 DED I05	2/2 ID	M	Constant of ZZ
Interchange Receiver ID ISA08 DED I07	15/15 AN	M	Variable - Vendor ID
Interchange Date ISA09 DED I08	6/6 DT	M	YYMMDD format
Interchange Time ISA10 DED I09	4/4 TM	M	HHMM format
Interchange Control Standards Identifier ISA11 DED I10	1/1 ID	M	Constant of “U”
Interchange Control	5/5	M	Constant of “00401”

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Version Number ISA12 DED I11	ID		
Interchange Control Number ISA13 DED I12	9/9 N0	M	Must match IEA02
Acknowledgment Requested ISA14 DED I13	1/1 ID	M	0 – No Acknowledgment Requested 1 – Interchange Acknowledgment Requested
Usage Indicator ISA15 DED I14	1/1 ID	M	P - Production Data T – Test Data
Component Element Separator ISA16 DED I15	1/1 ID	M	ASCII character <us>
FUNCTIONAL GROUP HEADER		M	*****
Functional Identifier code GS01 DED 479	2/2 ID	M	Constant of “HB” – 271
Application Sender’s Code GS02 DED 142	2/15 AN	M	Code identifying party sending transmission 610551 BIN Number
Application Receiver’s Code GS03 DED 124	2/15 AN	M	Code identifying party receiving transmission Vendor ID
Date GS04 DED 373	8/8 DT	M	CCYYMMDD format
Time	4/8	M	HHMM format

HIPAA – 271 DATA ELEMENT	SIZE MIN/MAX	MAND /OPT.	NOTES
GS05 DED 337	TM		
Group Control Number GS06 DED 28	1/9 N0	M	Must match GE02. Assigned number originated and maintained by the sender
Responsible Agency Code GS07 DED 455	1/2 ID	M	Constant of “X” – Accredited Standards Committee X12
Version/Release/ Industry Identifier Code GS08 DED 480	1/12 AN	M	Constant of “004010X092A1”
TRANSACTION SET HEADER		M	*****
Transaction Set Identifier Code ST01 DED 143	3/3 ID	M	Constant of “271“ Eligibility, Coverage or Benefit information
Transaction Set Control Number ST02 DED 329	4/9 AN	M	Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set. Must match SE02.
BEGINNING OF HIERARCHICAL TRANSACTION		M	*****
Hierarchical Structure	4/4	M	Constant of “0022” – Information Source,

HIPAA – 271 DATA ELEMENT	SIZE MIN/MAX	MAND /OPT.	NOTES
Code BHT01 DED 1005	ID		Information Receiver, Subscriber, Dependent
Transaction Set Purpose Code BHT02 DED 353	2/2 ID	M	Constant of “11” – Response
Reference Identification BHT03 DED 127	1/30 AN	O	Number assigned by the originator to identify the transaction within the originator’s business application system. Must match BHT03 in the 270.
Date BHT04 DED 373	8/8 DT	M	Transaction Set Creation Date, in CCYYMMDD format
Time BHT05 DED 337	4/8 TM	M	Transaction Set Creation Time, in HHMM format
INFORMATION SOURCE LEVEL – HIERARCHICAL LEVEL		M	*****
Hierarchical Identification Number Loop 2000A HL01 DED 628	1/12 AN	M	Constant of “1” - Hierarchical ID Number
Hierarchical Level Code HL03 Loop 2000A	1/2 ID	M	Constant “20” – Information Source

HIPAA – 271 DATA ELEMENT	SIZE MIN/MAX	MAND /OPT.	NOTES
DED 735			
Hierarchical Child Code HL04 Loop 2000A DED 736	1/1 ID	M	Constant “1” – Additional Subordinate HL Data Segment in this Hierarchical structure
REQUEST VALIDATION		O	*****
Yes/No Condition or Response Code Loop 2000A AAA01 DED 1073	1/1 ID	M	<p>This segment will be returned when the system or application is not able to process the transaction.</p> <p>Constant “N” Use this code to indicate that the request or an element in the request is not valid. The transaction has been rejected as identified by the code in AAA03.</p> <p>Constant “Y” Use this code to indicate that the request is valid, however the transaction has been rejected as identified by the code in AAA03.</p>
Reject Reason Code Loop 2000A AAA03 DED 901	2/2 ID	M	“42” Unable to Respond at Current Time
Follow-up Action Code Loop 2000A AAA04 DED 889	1/1 ID	M	<p>Use this code to instruct the recipient of the 271 about what action needs to be taken, if any, based on the validity code and the reject reason code (if applicable).</p> <p>“N” - Resubmission Not Allowed</p> <p>“C” – Please Correct and Resubmit</p> <p>“P” – Please Resubmit Original Transaction</p>

HIPAA – 271 DATA ELEMENT	SIZE MIN/MAX	MAND /OPT.	NOTES
Yes/No Condition or Response Code Loop 2000A AAA01 DED 1073	1/1 ID	M	This segment will be returned when the system or application is not able to process the transaction. Constant “N” Use this code to indicate that the request or an element in the request is not valid. The transaction has been rejected as identified by the code in AAA03. Constant “Y” Use this code to indicate that the request is valid, however the transaction has been rejected as identified by the code in AAA03.
INFORMATION SOURCE NAME		M	*****
Entity Identifier Code Loop 2100A NM101 DED 98	2/3 ID	M	Constant “PR “Payor
Entity Type Qualifier Loop 2100A NM102 DED 1065	1/1 ID	M	Constant “2” Non-Person Entity
Name Last or Organization Name Loop 2100A NM103 DED 1035	1/35 AN	M	Constant “UNISYS LAMMIS”
Identification Code Qualifier	1/2 ID	M	Constant “PI “ Payor Identification

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Loop 2100A NM108 DED 66			
Identification Code Loop 2100A NM109 DED 67	2/80 AN	M	Constant of '610551' BIN number
REQUEST VALIDATION		O	Use this segment to indicate problems in processing the transaction specifically related to the information source data contained in the original 270 transaction's information source name loop (Loop 2100A) or to indicate that the information source itself is experiencing system problems.
Yes/No Condition or Response Code Loop 2100A AAA01 DED 1073	1/1 ID	M	Information will be sent in this section when a transaction is received from an unauthorized vendor. Constant "Y" - Yes
Reject Reason Code Loop 2100A AAA03 DED 901	2/2 ID	M	Constant "79" Invalid Participant Identification: Error in GS02
Follow-up Action Code Loop 2100A AAA04 DED 889	1/1 ID	M	"N " - Resubmission Not Allowed "C" – Please correct and resubmit
INQUIRING			

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
PROVIDER INFORMATION			
INFORMATION RECEIVER LEVEL		M	*****
Hierarchical Level Loop 2000B HL01 DED 628	1/12 AN	M	Constant of “2” - Hierarchical ID Number
Hierarchical Level Loop 2000B HL02 DED 734	1/12 AN	M	Constant “1”
INFORMATION RECEIVER NAME		M	*****
Entity Identifier Code Loop 2100B NM101 DED 98	2/3 ID	M	Constant “1P” Provider
Type Qualifier Loop 2100B NM102 DED 1065	1/1 ID	M	“1” Person “2” Non-Person Entity
Name Last or Organization Name NM103 DED 1035	1/35 AN	M	Provider’s Last Name or Organization Name

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Name First NM104 DED 1036	1/25 AN	O	Use if NM102 is “1”
Name Middle NM105 DED 1037	1/25 AN	O	Use if NM102 is “1”
Name Suffix NM107 DED 1039	1/10 AN	O	Use if NM102 is “1”
Identification Code Qualifier Loop 2100B NM108 DED 66	1/2 ID	M	“SV” - Service Provider (for atypical providers. May be used by any provider prior to DHH compliance date for NPI) “XX” – NPI .
Identification Code Loop 2100B NM109 DED 67	2/80 AN	M	LMMIS Provider ID = Provider Number, or NPI
INFORMATION RECEIVER ADDITIONAL IDENTIFICATION – PROVIDER PHONE NUMBER		O	***** *****
Reference Identification Qualifier Loop 2100B REF01 DED 128	2/3 ID	M	Used to return the provider phone number Constant “EO” – Submitter Identification Number

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Reference Identification Loop 2100B REF02 DED 127	1/30 AN	M	Provider Phone Number
INFORMATION RECEIVER ADDITIONAL IDENTIFICATION – PROVIDER TAXONOMY CODE		O	***** *****
Reference Identification Qualifier Loop 2100B REF01 DED 128	2/3 ID	M	“JD” – User Identification
Reference Identification Loop 2100B REF02 DED 127	1/30 AN	M	Taxonomy Code or Zip Code
INFORMATION RECEIVER ADDITIONAL IDENTIFICATION – PROVIDER MEDICAID ID		O	***** *****
Reference Identification Qualifier Loop 2100B	2/3 ID	M	“1D” – Medicaid Provider Number

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
REF01 DED 128			
Reference Identification Loop 2100B REF02 DED 127	1/30 AN	M	Medicaid Provider ID

PROVIDER VALIDATION

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
INFORMATION RECEIVER REQUEST VALIDATION		O	*****
Yes/No Condition or Response Code Loop 2100B AAA01 DED 1073	1/1 ID	M	Values of “N” No Or “Y” yes
Reject Reason Code Loop 2100B AAA03 DED 901	2/2 ID	M	“43” – Invalid/missing Provider ID “50” Provider Ineligible for Inquiries “51” provider Not on File
Follow-up Action Code Loop 2100B AAA04 DED 889	1/1 ID	M	Constant “C “ Please Correct and Resubmit
SUBSCRIBER LEVEL		O	*****
Hierarchical ID Number Loop 2000C HL01 DED 628	1/12 AN	M	Constant “3”
Hierarchical Parent ID HL02 DED 734	1/12 AN	M	Constant “2”
Hierarchical Level Code HL03 DED 735	1/2 ID	M	Constant “22”
Hierarchical Child Code HL04	1/1 ID	M	“0” –No subordinate HL segment in this hierarchical structure

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
DED 736			“1” –Additional subordinate HL segment in this Hierarchical Structure
SUBSCRIBER TRACE NUMBER		O	*****
Trace Type Code Loop 2000C TRN01 DED 481	1/2 ID	M	Any trace numbers received in the 270 request must be returned in the 271 response with a value of “2” – Referenced Transaction Trace Numbers. Maximum of two.
Reference Identification Loop 2000C TRN02 DED 127	1/30 AN	M	Trace number from 270 transaction. (LA MEVS envelope Trace Number)
Originating Company Identifier Loop 2000C TRN03 DED 509	10/10 AN	M	The value received in the original 270 transaction.
SUBSCRIBER TRACE NUMBER – TRACKING NBR		O	*****
Trace Type Code Loop 2000C TRN01 DED 481	1/2 ID	M	Payor assigned trace numbers are designated with a value of “1” Current Transaction Trace Numbers
Reference Identification Loop 2000C TRN02 DED 127	1/30 AN	M	Tracking Number
Originating Company Identifier Loop 2000C	10/10 AN	M	Use this information to identify the organization that assigned this trace number. The 10 digit-number will begin with a “9” indicating a user assigned identifier is used.

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
TRN03 DED 509			

RECIPIENT DEMOGRAPHIC INFORMATION

HIPAA - 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT	NOTES
RECIPIENT DEMOGRAPHIC INFORMATION – SUBSCRIBER NAME		M	***** ****
Entity Identifier Code Loop 2100C NM101 DED 98	2/3 ID	M	Constant "IL" Insured or Subscriber
Entity Type Qualifier Loop 2100C NM102 DED 1065	1/1 ID	M	Constant '1' Person
Name Last or Organization Name Loop 2100C NM103 DED 1035	1/35 AN	M	Required unless a rejection response is generated and this element was not valued in the request.
Name First Loop 2100C NM104 DED 1036	1/25 AN	M	Required unless a rejection response is generated and this element was not valued in the request.
Name Middle	1/25	O	Recipient's Middle Initial, if available, unless

<p>HIPAA - 271 DATA ELEMENT</p>	<p>SIZE MIN/ MAX</p>	<p>MAND /OPT</p>	<p>NOTES</p>
<p>Loop 2100C NM105 DED 1036</p>	<p>AN</p>		<p>a rejection response is generated and this element was not valued in the request</p>
<p>Name Suffix Loop 2100C NM107 DED 1036</p>	<p>1/10 AN</p>	<p>O</p>	
<p>Identification Code Qualifier Loop 2100C NM108 DED 66</p>	<p>1/2 ID</p>	<p>M</p>	<p>Constant "MI" Member Identification Number</p>
<p>Identification Code Loop 2100C NM109 DED 67</p>	<p>2/80 AN</p>	<p>M</p>	<p>Current Recipient ID = Identification Code Corrected or new Identification Number is returned in NM109.</p>
<p>SUBSCRIBER ADDITIONAL IDENTIFICATION SSN/Card Control Number/Original Recipient ID</p>		<p>O</p>	<p>*****</p>
<p>Reference Identification Qualifier Loop 2100C REF01 DED 128</p>	<p>2/3 ID</p>	<p>M</p>	<p>This data element allows an additional Recipient ID to be returned. For example, both the current and original IDs will be returned if they are not the same. "Q4" Indicates that the originally submitted Identification Number is to be returned in REF02, if the submitted Identification Number was not the current Recipient ID. "SY" Social Security Number, if entered in the</p>

HIPAA - 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT	NOTES
			270 “HJ” – Identity Card Number for Card Control Number, if entered in the 270
Reference Identification Loop 2100C REF02 DED 127	1/30 AN	M	Subscriber Supplemental Identifier SSN, Card Control Number, or originally submitted Identification Number, if the submitted ID was not the current

RESPONSE RETURN CODES

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
SUBSCRIBER REQUEST VALIDATION		O	**** RESPONSE RETURN CODES ****
Yes/No Condition or Response Code Loop 2100C AAA01 DED 1073	1/1 ID	M	Valid values are ‘N’ or ‘Y’

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Reject Reason Code Loop 2100C AAA03 DED 901	2/2 ID	M	“58” – Invalid/Missing Date of Birth; “57” – Invalid/missing DOS; “61” – Date of Death precedes DOS; “63” – Date of Service in Future – Service Date may not exceed last day of current month; “62” – DOS not within allowable inquiry period ”75” - Subscriber/Insured Not Found ; “73” - Invalid/Missing Subscriber/Insured Name; “72”- Invalid/Missing Subscriber/Insured ID; “15” – Required application data missing – SSN missing/invalid; “56” – Inappropriate Date (Date Format Qualifier); “76” –Duplicate Subscriber/Insured ID Number
Follow-up Action Code Loop 2100C AAA04 DED 889	1/1 ID	M	Constant ‘C’ Please Correct and Resubmit
SUBSCRIBER DEMOGRAPHIC INFORMATION		O	*****
Date Time Period Format Qualifier Loop 2100C DMG01 DED 1250	2/3 ID	O	“D8” Date Expressed in Format CCYYMMDD

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Date Time Period Loop 2100C DMG02 DED 1251	1/35 AN	O	Recipient Date of Birth
Gender Code Loop 2100C DMG03 DED 1068	1/1 ID	O	“F” Female “M” Male
SUBSCRIBER RELATIONSHIP – INSURED BENEFIT		O	Use when REF01 = “Q4” – Sending back current recipient ID when original or a prior recipient ID was submitted
Yes/No Condition or Response Code Loop 2100C INS01 DED 1073	1/1 ID	M	“Y” = Yes
Individual Relationship Code Loop 2100C INS02 DED 1069	2/2 ID	M	“18” = Self
Maintenance Type Code Loop 2100C INS03 DED 875	3/3 ID	O	“001” = Change

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Maintenance Reason Code Loop 2100C INS04 DED 1203	2/3 ID	O	“25” = Change in Identifying Data Elements

RESPONSE DATES

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
SUBSCRIBER DATE - DOS		O	*****
Date/Time Qualifier Loop 2100C DTP01 DED 374	3/3 ID	M	Constant “472” Service
Date Time Period Format Qualifier Loop 2100C DTP02 DED 1250	2/3 ID	M	Constant “D8” Date Expressed in Format CCYYMMDD
Date Time Period Loop 2100C DTP03 DED 1251	1/35 AN	M	Date of Service
SUBSCRIBER DATE – DATE OF DEATH		O	*****

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND /OPT.	NOTES
Date/Time Qualifier Loop 2100C DTP01 DED 374	3/3 ID	M	Constant “442” – Date of Death
Date Time Period Format Qualifier Loop 2100C DTP02 DED 1250	2/3 ID	M	Constant “D8” Date Expressed in Format CCYYMMDD
Date Time Period Loop 2100C DTP03 DED 1251	1/35 AN	M	Date of Death in Format CCYYMMDD

MEDICAID ELIGIBILITY - SPECIAL PROGRAM MESSAGES

HIPAA – 271 DATA ELEMENT	SIZEMIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATIO N		M	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	“1” – Active Coverage (Recipient is eligible on date of service) “6” – Inactive (Recipient not eligible on date of service) “D” – Benefit Description “V” – Cannot process (Dual eligibility)

HIPAA – 271 DATA ELEMENT	SIZEMIN/ MAX	MAND/ OPT.	NOTES
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	“IND” = Individual
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	Constant “30” - Health Benefit Plan Coverage
Insurance Type Code Loop 2110C EB04 DED 1336	1/2 ID	O	“MC” – Medicaid “HM” = Health Maintenance Organization (HMO)
Plan Coverage Description Loop 2110C EB05 DED 1204	1/50 AN	O	Special program message(s) (If EB01 = 6 or V, EB05 will not be returned): 01ELIGIBLE FOR MEDICAID 01ELIGIBLE FOR CAPITATED PAYMENTS ONLY 01FAMILY PLANNING WAIVER SVS 01RECIP ENTITLED TO LIMITED BENEFITS 02SERV LIMIT TO AMBU PRENATAL CARE ONL 03ELIG FOR OUTPAT TB RELATED SERV ONLY 04SPENDDOWN RECIP, FILE FORM 110MNP 05ELIG FOR ER SERV FOR ILLEGAL ALIENS 06LONG TERM CARE SERVICES AUTHORIZED 07ELIG PAY OF DED/CO-INS COVD BY

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
			MCARE 08RESTRICTED MEDICAID-RECIP WAIVER SERV 09RECIPIENT HAS PRIVATE INSURANCE 10MEDICARE PART A 10MEDICARE PART B 10MEDICARE PART A & B 10ELIGIBLE FOR MEDICARE PART D 11ADULT SERVICE LIMITS APPLY 12PREFERRED LANGUAGE: XXXXXXXXXXXXXXXX

LOCK IN ELIGIBILITY

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	“N” – Services restricted to following Provider “V” – Cannot process (Provider Not Found)
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	Benefit Coverage Level Code: “IND” = Individual

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	“96” – Physician “88” – Pharmacy “45” - Hospice
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	Constant “OT” - Other
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	<p>“ELIGIBLE FOR HOSPICE SERVICES:”</p> <p>“SERVICES MUST BE PROVIDED/AUTHORIZED BY HOSPICE PROVIDER”</p> <p>If recipient also is enrolled in Community Care, the message “SERVICES MUST BE COORDINATED WITH HOSPICE PROVIDER" is returned instead.</p> <p>If a lock-in or hospice provider is not found for the associate recipient, one of the following message segments will be issued:</p> <p>“LOCK-IN INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE”</p> <p>“HOSPICE INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE”</p> <p>“CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”</p>

SUBSCRIBER RESPONSE RETURN CODES

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
SUBSCRIBER REQUEST VALIDATION		O	**** RESPONSE RETURN CODES ****
Yes/No Condition or Response Code Loop 2110C AAA01 DED 1073	1/1 ID	M	'Y' - Yes
Reject Reason Code Loop 2110C AAA03 DED 901	2/2 ID	M	"15" – Required application data missing. This edit code will be returned if required data is missing in TPL info)
Follow-up Action Code Loop 2110C AAA04 DED 889	1/1 ID	M	Constant 'N' Resubmission Not Allowed
LS – LOOP HEADER		O	
Loop Identification Code Loop 2110C LS01 DED 447	1/6 AN	M	Constant "2120"
Entity Identifier Code Loop 2120C NM101 DED 98	2/3 ID	M	Constant "1P" - Provider

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Entity Type Qualifier Loop 2120C NM102 DED 1065	1/1 ID	M	Constant ‘1’ Person ‘2’ – Non-person entity
Name Last or Organization Name Loop 2120C NM103 DED 1035	1/35 AN	M	Provider’s last name or Organization Name
Name First Loop 2120C NM104 DED 1036	1/25 AN	O	Provider First name, if NM101 = “1”
Name Middle Loop 2120C NM105 DED 1036	1/25 AN	O	Provider Middle name, if NM101 = “1”
Name Suffix Loop 2120C NM107 DED 1036	1/10 AN	O	
SUBSCRIBER BENEFIT RELATED ENTITY CONTACT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Contact Function Code Loop 2120C PER01 DED 366	2/2 ID	M	Constant 'IC' Information Contact
Communication Number Qualifier Loop 2120C PER03 DED 365	1/60 AN	O	Constant 'TE' Telephone
Communication Number Loop 2120C PER04 DED 364	1/80 AN	M	Lock-in Provider Telephone Number
LS Loop Trailer Loop 2110C LE01 DED 447	1/6 AN	M	Constant of "2120"

HMO ELIGIBILITY

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	“MC” – Managed Care Coordinator “V” – Cannot Process (Provider Not Found)
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	Benefit Coverage Level Code: “IND” = Individual
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	“1” – Medical Care
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	“HM” = Health Maintenance Organization (HMO)
Plan Coverage Description Loop 2110C EB05 DED 1204	1/50 AN	O	HMO Plan Name –LOUISIANA PACE PROGRAM
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	Up to 72 characters of the PACE Exceptions message: "PACE ENROLLEE. SERVICES MUST BE AUTHORIZED/PAID BY THE PACE PROVIDER"

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	If an HMO provider is not found for the associated recipient, the following message segment will be issued: “PACE PROVIDER INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE” “CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”
LS – LOOP HEADER		O	
Loop Identification Code Loop 2110C LS01 DED 447	1/6 AN	M	Constant “2120”
Entity Identifier Code Loop 2120C NM101 DED 98	2/3 ID	M	Constant “PR” - Payor
Entity Type Qualifier Loop 2120C NM102 DED 1065	1/1 ID	M	Constant ‘1’ Person ‘2’ – Non-person entity
Name Last or Organization Name Loop 2120C NM103 DED 1035	1/35 AN	M	Provider’s Last Name or Organization Name

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Name First Loop 2120C NM104 DED 1036	1/25 AN	O	Provider First Name, if NM101 = “1”
Name Middle Loop 2120C NM105 DED 1036	1/25 AN	O	Provider Middle Name, if NM101 = “1”
Name Suffix Loop 2120C NM107 DED 1036	1/10 AN	O	
SUBSCRIBER BENEFIT RELATED ENTITY CONTACT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	
Contact Function Code Loop 2120C PER01 DED 366	2/2 ID	M	Constant ‘IC’ Information Contact
Communication Number Qualifier Loop 2120C PER03 DED 365	1/60 AN	O	Constant ‘TE’ Telephone

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Communication Number Loop 2120C PER04 DED 364	1/80 AN	M	HMO Provider Telephone Number
LS Loop Trailer Loop 2110C LE01 DED 447	1/6 AN	M	Constant of “2120”

COMMUNITY CARE ELIGIBILITY

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	“L” – Primary Care Provider “V” – Cannot Process(Provider Not Found)
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	Benefit Coverage Level Code: “IND” = Individual

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	Constant “1” – Medical Coverage
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	Constant “MC” – Medicaid
Plan Coverage Description Loop 2110C EB05 DED 1204			Constant ”LOUISIANA COMMUNITYCARE PROGRAM”
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	Up to 72 characters of the Community Care basic message
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	Up to 72 characters of the Community Care Exceptions message
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	If a PCP provider is not found for the associated recipient, the following message segment will be issued: “COMMUNITYCARE PCP INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE” “CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
LS – LOOP HEADER		O	
Loop Identification Code Loop 2110C LS01 DED 447	1/6 AN	M	Constant “2120”
Entity Identifier Code Loop 2120C NM101 DED 98	2/3 ID	M	Constant “1P” - Provider
Entity Type Qualifier Loop 2120C NM102 DED 1065	1/1 ID	M	Constant ‘1’ Person ‘2’ – Non-person entity
Name Last or Organization Name Loop 2120C NM103 DED 1035	1/35 AN	M	Provider’s Last Name or Organization Name
Name First Loop 2120C NM104 DED 1036	1/25 AN	O	Provider First Name, if NM101 = “1”
Name Middle Loop 2120C NM105 DED 1036	1/25 AN	O	Provider Middle Name, if NM101 = “1”

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Name Suffix Loop 2120C NM107 DED 1036	1/10 AN	O	
SUBSCRIBER BENEFIT RELATED ENTITY CONTACT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Contact Function Code Loop 2120C PER01 DED 366	2/2 ID	M	Constant 'IC' Information Contact
Communication Number Qualifier Loop 2120C PER03 DED 365	1/60 AN	O	Constant 'TE' Telephone
Communication Number Loop 2120C PER04 DED 364	1/80 AN	M	CC PCP Provider Telephone Number
LS Loop Trailer Loop 2110C LE01 DED 447	1/6 AN	M	Constant of "2120"

CASE MANAGEMENT ELIGIBILITY

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	“D” – Benefit Description “V” – Cannot Process(Provider Not Found)
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	Benefit Coverage Level Code: “IND” = Individual
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	Constant “30” – Health Benefit Plan Coverage
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	Constant “MC” – Medicaid
Plan Coverage Description Loop 2110C EB05 DED 1204			Constant ”CASE MANAGEMENT AGENCY”

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Free-form Message Text Loop 2110C MSG01 DED 933	1/264 AN	O	If a Case Manager is not found for the associated recipient, the following message segment will be issued: “CASE MANAGER INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE” “CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”
LS – LOOP HEADER		O	
Loop Identification Code Loop 2110C LS01 DED 447	1/6 AN	M	Constant “2120”
Entity Identifier Code Loop 2120C NM101 DED 98	2/3 ID	M	Constant “1P” - Provider
Entity Type Qualifier Loop 2120C NM102 DED 1065	1/1 ID	M	Constant ‘1’ Person ‘2’ – Non-person entity
Name Last or Organization Name Loop 2120C NM103 DED 1035	1/35 AN	M	Case Manager’s Last Name or Organization Name

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Name First Loop 2120C NM104 DED 1036	1/25 AN	O	Case Manager’s First Name, if NM101 = “1”
Name Middle Loop 2120C NM105 DED 1036	1/25 AN	O	Case Manager’s Middle Name, if NM101 = “1”
Name Suffix Loop 2120C NM107 DED 1036	1/10 AN	O	
SUBSCRIBER BENEFIT RELATED ENTITY CONTACT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Contact Function Code Loop 2120C PER01 DED 366	2/2 ID	M	Constant ‘IC’ Information Contact
Communication Number Qualifier Loop 2120C PER03 DED 365	1/60 AN	O	Constant ‘TE’ Telephone

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Communication Number Loop 2120C PER04 DED 364	1/80 AN	M	Case Manager’s Telephone Number
LS Loop Trailer Loop 2110C LE01 DED 447	1/6 AN	M	Constant of “2120”

SERVICE LIMITS REMAINING

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	Constant “F” – Limitations
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	Benefit Coverage Level Code: “IND” = Individual

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	“98” – Physician Office Visits “44” – Home Health Visits “86” – Emergency Outpatient
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	“MC” – Medicaid
HEALTH CARE SERVICES DELIVERY		O	*****
Quantity Qualifier Loop 2110C HSD01 DED 673	2/2 ID	M	Constant “FL” – Units
Quantity Loop 2110C HSD02 DED 380	1/15 R	M	Number of Service Limits Remaining
Unit or Basis for Measurement Code Loop 2110C HSD03 DED 355	2/2 ID	O	Constant “VS” - Visits

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Time Period Qualifier Loop 2110C HSD05 DED 615	1/2 ID	O	Constant “29” - Remaining

PRIVATE INSURANCE

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	Constant “R” – Other or additional Payor
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	Benefit Coverage Level Code: “IND” = Individual
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	“1” = Medical Care

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	“C1” = Commercial
SUBSCRIBER ADDITIONAL IDENTIFICATIO N – INSURANCE NUMBER		O	***** *****
Reference Identification Qualifier Loop 2110C REF01 DED 128	2/3 ID	M	Constant “N6” – Plan Network Identification Number
Reference Identification Loop 2110C REF02 DED 127	1/30 AN	M	Insurance Number
LS – LOOP HEADER		O	***** *****
Loop Identification Code Loop 2110C LS01 DED 447	1/6 AN	M	Constant “2120”

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
SUBSCRIBER BENEFIT RELATED ENTITY NAME – INSURANCE COMPANY NAME		O	***** *****
Entity Identifier Code Loop 2120C NM101 DED 98	2/3 ID	M	Constant “PR” - Payor
Entity Type Qualifier Loop 2120C NM102 DED 1065	1/1 ID	M	Constant “2” – Non-Person Entity
Name Last Loop 2120C NM103 DED 1035	O	1/35	Insurance Company Name
SUBSCRIBER BENEFIT RELATED ENTITY ADDRESS – INSURANCE CO. ADDRESS	O		***** *****

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Address Information Loop 2120C N301 DED 166	M	1/55 AN	Insurance Company Street Address
SUBSCRIBER BENEFIT RELATED CITY/ STATE/ZIP CODE – INSURANCE CO. ADDRESS	O		***** *****
City Name Loop 2120C N401 DED 19	O		Insurance Company City Name
State Loop 2120C N402 DED 156	O	2/2 ID	Insurance Company State Name
Postal Code Loop 2120 C N403 DED 116	O	3/15 ID	Insurance Company Zip Code
LE – LOOP TRAILER	O		***** *****

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Loop Identifier Code Loop 2110C LE01 DED 447	M	1/6 AN	Constant “2120”
ELIGIBILITY OR BENEFIT INFORMATION	SIZE MIN/ MAX	MAND/ OPT.	***** *****
Eligibility or Benefit Information Loop 2110C EB01 DED 1390	1/2 ID	M	Constant “R” – Other or additional Payor
Coverage Level Code Loop 2110C EB02 DED 1207	3/3 ID	O	“IND” = Individual
Service Type Code Loop 2110C EB03 DED 1365	1/2 ID	O	“1” = Medical Care
Insurance Type Code Loop 2110C EB04 DED 1336	1/3 ID	O	“IP” = Individual Policy

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
SUBSCRIBER ADDITIONAL IDENTIFICATIO N – POLICY INFO		O	***** *****
Reference Identification Qualifier Loop 2110C REF01 DED 128	2/3 ID	M	“IG” – Insurance Policy Number “6P” – Group Number
Reference Identification Loop 2110C REF02 DED 127	1/30 AN	M	Insurance Policy number, if REF01 = “IG” Group Number, if REF01 = “6P”
Description Loop 2110C REF03 DED 352	1/80 AN	O	Policy Scope Coverage Text 1, if REF01 = “IG” Policy Scope Coverage Text 2, if REF01 = “6P” (optional, only if available)
LS – LOOP HEADER		O	***** *****
SUBSCRIBER BENEFIT RELATED ENTITY NAME – POLICY HOLDER NAME		O	***** *****

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Entity Identifier Code Loop 2120C NM101 DED 98	2/3 ID	M	Constant “IL” - Insured or Subscriber
Entity Type Qualifier Loop 2120C NM102 DED 1065	1/1 ID	M	Constant “1” – Person
Name Last Loop 2120C NM103 DED 1035	O	1/35	Policy Holder Last Name
Name First Loop 2120C NM104 DED 1036	O	1/25	Policy Holder First Name
Name Middle Loop 2120C NM105 DED 1037	O	1/25	Policy Holder Middle Initial
LE – LOOP TRAILER	O		***** *****
TRANSACTION SET TRAILER		<u>M</u>	***** ***

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Number of Included Segments SE01 DED 96	1/10 N0	M	Total number of segments included in a transaction set including the ST and SE segments
Transaction Set Control Number SE02 DED 329	4/9 AN	M	Must match ST02
Loop Identifier Code Loop 2110C LE01 DED 447	M	1/6 AN	Constant “2120”
TRANSACTION SET TRAILER		M	***** *****
Number of Included Segments SE01 DED 96	1/10 N0	M	Total number of segments included in a transaction set including the ST and SE segments
Transaction Set Control Number SE02 DED 329	4/9 AN	M	Must match ST02
FUNCTIONAL GROUP TRAILER		M	***** *****
Number of Transaction Sets Included GE01	1/6 N0	M	Total number of transaction sets in the functional group or interchange group terminated by the trailer containing this data element

HIPAA – 271 DATA ELEMENT	SIZE MIN/ MAX	MAND/ OPT.	NOTES
Group Control Number GE02	1/9 N0	M	Assigned number originated and maintained by the sender. Must match GS06.
INTERCHANGE CONTROL TRAILER		M	
Number of Included Functional Groups IEA01 DED I16	1/5 N0	M	Constant of “1”
Interchange Control Number IEA02 DED I12	9/9 N0	M	A control number assigned by the interchange sender

7.0 DATA ELEMENTS CROSSWALK

The data elements crosswalk is shown below in Table 7-1, *MEVS Input Data Structure*.

7.1 MEVS Input Data Structure (270 Transaction)

Field Name	ASC X12 Data Map v. 4010	Data Type	Size	Req	X12 Values Version 4010
Vendor ID	ISA06/GS02	A/N	3	M	
BIN Number	ISA08/GS03	A/N	15	M	610551
Control Number	BHT03	A/N	15	O	
		A/N	1	O	
Information Source Name	2100A NM103	A/N	35	O	UNISYS LMMIS
	2100A NM109	A/N	2/80	M	610551
Provider ID/NPI	2100B NM109	A/N	7	M	SV=Service Provider Number (for atypical providers. May be used by any provider prior to DHH compliance date for NPI) XX=NPI
	2100B NM108	A/N	2	M	
Provider Medicaid ID	2100B REF02	A/N	7	O	Medicaid ID
	2100B REF01	ID	2	C	1D=Medicaid ID Number
Provider Zip Code	2100B N403	A/N	9	O	Zip Code
	2100B N402	ID	2	C	State
	2100B N401	A/N	2/30	C	City Name
Provider Taxonomy Code	2100B PRV03	A/N	10	O	Taxonomy Code
	2100B PRV02	ID	2	C	ZZ=Taxonomy Code
	2100B PRV01	ID	2	C	SB=Submitting
Recipient Last Name	2100C NM103	A/N	25	C	
Recipient First Name	2100C NM104	A/N	20	C	
Recipient Name Initial	2100C NM105	A/N	1	O	
Recipient Name Suffix	2100C-NM107	A/N	3	O	SR”, “JR” or “III, etc
Recipient ID	2100C NM109	A/N		C	Size = 80
	2100C NM108	A/N	2	C	MI=Member Identification Nr
	2100C NM101	A/N	3	C	IL=Insured or Subscriber
Recipient SSN	2100C	A/N	9	C	

Field Name	ASC X12 Data Map v. 4010	Data Type	Size	Req	X12 Values Version 4010
	REF02	A/N	2	C	SY=SSN
	2100C REF01	A/N	2	C	
Card Control Number	2100C REF02	A/N	16	C	HJ=Identity Card Number
	2100C REF01	A/N	2	C	
Recipient DOB	2100C DMG02	A/N	8	C	CCYYMMDD D8=Format CCYYMMDD
	2100C DMG01		2	C	
Date of Service	2100C DTP03	A/N	8	M	CCYYMMDD 472=Service D8=Format CCYYMMDD
	2100C DTP01	A/N	3	M	
	2100C DTP02	A/N	2	M	

7.2 MEVS Output Data Structure (271 Transaction)

Control Number	BHT03	A/N	15	O	
		A/N	1	O	
Source Information Name	2100A NM103	A/N	35	M	610551
	2100A NM101	A/N	2	M	
	2100A NM102	A/N	1	M	
	2100A NM109	A/N	2/80	M	
Eligibility Indicator	2000A AAA01	A/N	1	M/O	Y or N
	2100A AAA01				
	2100B AAA01				
	2100C AAA01				
Error Code	2000A AAA03	A/N	3/2	O	Two Character X12 value (no longer proprietary)
	2100A AAA03	A/N	2	O	
	2100B AAA03				
	2100C AAA03				
Tracking Nbr	2000C TRN02	A/N	15	M	Date + esn
	2000C TRN03	A/N	2	M	9000610551
Clarification Message		A/N	80	O	Not Used
Provider ID/NPI	2100B NM109	A/N	7	M	SV=Service Provider Number (for atypical providers. May be used by any provider prior to DHH compliance date for NPI) XX=NPI
	2100B NM108				
Provider Last	2100B NM103	A/N	13	M	

Name					
Provider First Name	2100B NM104	A/N	11	M	
Provider Middle Initial	2100B NM105	A/N	1	O	
Provider Title	2100B NM107	A/N	5	O	
Provider Phone Number	2100B REF02 2100B REF01	A/N	10	M	EO=Submitter ID Number
Provider Taxonomy/Zip Code	2100B REF02	A/N	1/30	O	Taxonomy Code or Zip Code
	2100B REF01	ID	2	O	JD=User Identification
Provider Medicaid ID	2100B REF02	A/N	7	O	Medicaid ID
	2100B REF01	ID	2	O	1D=Medicaid Provider Number
Subscriber Trace Number (Optional)	2000C TRN02	A/N	30	M	Unique ID for transaction 1=Current Trans Trace Number User assigned Number, beginning with '9' to ID the originating company
	2000C TRN01	ID	2	M	
	2000C TRN03	A/N	10	M	
Recipient Last Name	2100C NM103	A/N	25	M	
Recipient First Name	2100C NM104	A/N	20	M	
Recipient Middle Initial	2100C NM105	A/N	1	O	
Recipient Name Suffix	2100C-NM107	A/N	3	O	SR", "JR" or "III, etc
Recipient ID	2100C NM109	A/N	13	M	Current ID MI=Member ID Number
	2100C NM108				
Original (entered) Recipient ID	2100C REF02	A/N	13	O	Original (entered) ID. Send back if different than current Q4=Prior Identification Number
	2100C REF01	ID	2/3	O	
Recipient SSN	2100C REF02	A/N	9	C	
Card Control Number	2100C REF02	A/N	16	C	HJ=Identity Card Number
	2100C REF01				
Recipient DOB	2100C DMG02	A/N	8	C	CCYYMMDD
Recipient Sex Code	2100C DMG03	A/N	1	M	F, M
Insured Benefit	2100C INS01	ID	1	O	Y=Yes
	2100C INS02	ID	2	O	18=Self
	2100C INS03	ID	3	O	001=Change
	2100C INS04	ID	2/3	O	25=Change in identifying data elements

Date of Service	2100C DTP03	A/N	8	M	CCYYMMDD
Recipient DOD	2100C DTP03	A/N	8	O	CCYYMMDD
Special Program Eligibility	EB01				1=Active 6=Inactive D=Benefit Description V=Cannot Process
	EB02 2110C EB03 2110C EB04	A/N	2	M	30=Health Benefit Plan Coverage MC=Medicaid HM=HMO
One or more Message(s): - 01 Medicaid 01ELIGIBLE FOR CAPITATED PAYMENTS ONLY 01FAMILY PLANNING WAIVER SVS 01RECIP ENTITLED TO LIMITED BENEFITS - 02 Presumptive Eligibility - 03 TB Outpatient - 04 Spenddown - 05 Illegal Aliens - 06 Long Term Care - 07 QMB - 08 Waiver - 09 Private (TPL) - 10 Medicare - 11 EPSDT Eligibility - 12 Preferred Language	2110C EB05	A/N	38	M	If EB01=6 or V, EB05 will not be returned
Lock In Eligibility	2110C EB04 2110C EB03	A/N A/N	2 2	M M	OT 96=Physician (up to 4) 88=Pharmacy

	2110C EB01	ID	2	M	(up to 2) N=Services Restricted to Following Provider 45= Hospice (up to 1) V – Cannot Process
Lock In Message	2110C MSG01	A/N	72	O	If a Lock-in provider is not found for the associated recipient the following message segment will be issued: “LOCK-IN INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE” “CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”
Hospice Message	2110C MGS01	A/N	72	O	“ELIGIBLE FOR HOSPICE SERVICES:” “SERVICES MUST BE PROVIDED/AUTHORIZED BY HOSPICE PROVIDER” If a hospice provider is not found for the associated recipient, the following message segment will be issued: “HOSPICE INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE” “CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”
Lock In Last Name	2120C NM103	A/N	13	M	
Lock In First Name	2120C NM104	A/N	11	O	
Lock In Middle Initial	2120C NM105	A/N	1	O	
Lock In Title	2120C NM107	A/N	5	O	
Lock In Phone Number	2120C PER04 2120C PER01	A/N	10	M	IC=Information Contact

HMO Eligibility	2110C EB04 2110C EB03 2110C EB05 2110C EB01	A/N A/N	2 1/2	M M M M	HM 1=Medical Care LOUISIANA PACE PROGRAM PR-Payor V-Cannot Process (Provider Not Found) MC=Manage Care Coordinator
HMO Message	2110C MSG01	A/N	72	0	"PACE ENROLLEE. SERVICES MUST BE AUTHORIZED/PAID BY THE PACE PROVIDER")
HMO Message	2110C MSG01	A/N	72	O	If a HMO provider is not found for the associated recipient, the following message segment will be issued: "PACE PROVIDER INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE" "CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS"
HMO Primary Care Phys. Last Name	2120C NM103	A/N	13	M	
HMO PCP First Name	2120C NM103	A/N	11	O	
HMO PCP Middle Initial	2120C NM105	A/N	1	O	
HMO PCP Title	2120C NM107	A/N	5	O	
HMO Plan Name	2110C EB05	A/N	35	M	
HMO PCP Phone Nbr	2120C PER04 2120C PER01	A/N	10	M	IC=Information Contact
Community Care	2110C EB04 2110C EB03 2110C EB05 2110C EB01	A/N A/N	2 1/2	M M M M	MC 1=Medical Care LOUISIANA COMMUNITYCARE PROGRAM L-Primary Care Provider V-Cannot Process (Provider Not Found)

Community Care Message	2110C MSG01	A/N	72	O	If a PCP provider is not found for the associated recipient, the following message segment will be issued: “COMMUNITYCARE PCP INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE” “CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS”
PCP Last Name	2120C NM103	A/N	13	M	
PCP First Name	2120C NM104	A/N	11	O	
PCP Middle Initial	2120C NM105	A/N	1	O	
PCP Title	2120C NM107	A/N	5	O	
PCP Phone	2120C PER04 2120C PER01	A/N	10	M	IC=Information Contact
CC Message (basic)	2110C MSG01	A/N	72	M	
CC Message (except)	2110C MSG01	A/N	72	O	
Case Manager	2110C EB04 2110C EB03 2110C EB05 2110C EB01	A/N A/N	2 1/2	M M M M	MC 30-Health Benefit Plan Coverage CASE MANAGEMENT AGENCY D-Benefit Description V-Cannot Process (Provider Not Found)
Clarification Message	2110C MSG01	A/N	72	O	If a Case Manager is not found for the associated recipient, the following message segment will be issued: CASE MANAGER INFORMATION FOR THIS RECIPIENT IS UNAVAILABLE CONTACT UNISYS PROVIDER RELATIONS FOR DETAILS
Case Manager’s Last Name	2120C NM103	A/N	13	M	
Case Manager’s First Name	2120C NM104	A/N	11	O	

Case Manager's Middle Initial	2120C NM105	A/N	1	O	
Case Manager's Title	2120C NM107	A/N	5	O	
Case Manager's Phone	2120C PER04 2120C PER01	A/N	10	M	IC=Information Contact
Physician Office	2110C EB03	A/N	2	M	98
	2110C EB04	A/N	3	O	MC - Medicaid
	2110C EB01	A/N	2	M	"F"-Limitations
Home Health	2110C EB03	A/N	2	M	44
	2110C EB04	A/N	3	O	MC-Medicaid
	2110C EB01	A/N	2	M	F-Limitations
Emergency	2110C EB03	A/N	2	M	86
	2110C EB04	A/N	3	O	MC-Medicaid
	2110C EB01	A/N	2	M	F-Limitations
Quantity for each Above Services	2110C HSD02	A/N	4	M	FL=Units
	2110C HSD01	A/N	2	M	
	2110C HSD03	A/N	2	M	VS=Visits
	2110C HSD05	A/N	2	M	29=Remaining
Private Insurance (Company Information)	2110C EB04 2110C EB01	A/N	2	M	C1=Commercial R=Other or Additional Payor
Insurance Number	2110C REF02	A/N	6	M	N6=Secondary Health Insurance Identification #
	2110C REF01	A/N	2	M	
Insurance Company Name	2120C NM103	A/N	12	M	PR=Payor
	2120C NM101	A/N	2	M	
Insurance Co. Street	2120C N301	A/N	25	M	
Insurance Co. City	2120C N401	A/N	20	M	
Insurance Co. State	2120C N402	A/N	2	M	
Insurance Co. Zip	2120C N403	A/N	9	M	

Code					
Occurs up to 4 times after each TPL loop above:					
Private Insurance (Policy Information)	2110C EB04 2110C EB01	A/N A/N	2 1	M M	R=Other or Additional Payor
Policy Number	2110C REF02 2110C REF01	A/N A/N	13 2	M M	IG=Insurance Policy Number
Policy Group Number	2110C REF02 2110C REF01	A/N A/N	15 2	M M	6P=Group Number
Policy Scope Coverage Txt 1	2110C REF03	A/N	36	M	Displayed in REF segment which has REF01=IG
Policy Scope Coverage Txt 2		A/N	36	O	Displayed in REF segment which has REF01=6P (optional)
Policy Holder Last Name	2120C NM103 2120C NM101	A/N A/N	12 2	M M	IL=Insured or Subscriber
Policy Holder First Name	2120C NM104	A/N	7	M	
Policy Holder Middle Initial	2120C NM105	A/N	1	O	

8.0 MEVS EDIT (REJECT) CODES CROSSWALK

The MEVS Edit (reject) codes crosswalk is shown below in Table 8-1, *MEVS Edit (Reject) Codes Crosswalk*.

8.1 MEVS Edit (Reject) Codes Crosswalk

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
Any X12 error	2000A	N	42	C
System not up processing	2000A	Y	42	R
SQL Error in RECIPIENT_ELIGIBILITY table or PROVIDER table (for EPSDT provider)	2100C	Y	42	R
SQL Error in MANAGED_CARE table or PROVIDER table	2100C	Y	42	R
SQL Error in TPL_MEDICARE table or PROVIDER table	2100C	Y	42	R
SQL error in VENDOR BILLING table	2000A	Y	42	R

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
SQL error in MEVS_STATISTICS table	2100C	Y	42	R
SQL error in PROVIDER_STATISTICS table	2100C	Y	42	R
SQL error in QUALIFIED_MCARE_BEN table	2100C	Y	42	R
SQL error in ALLOWED_CLAIMS table, SERVICE_LIMITS table, DEFAULT_LIMITS table	2100C	Y	42	R
SQL error in SPECIAL_PG_M_ELIGIBILITY table	2100C	Y	42	R
SQL error in POLICY_INFORMATION table, PRIVATE_INSURANCE table, or SCOPE_COVERAGE table	2100C	Y	42	R
SQL error in	2100C	Y	42	R

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
RECIPIENT_X REF table				
Card Control Number entered, but no Date of Birth or Social Security Number	2100C	N	58	C
	2100C	N	72	C
Recipient ID entered, but no Date of Birth, Social Security Number or Last Name Entered	2100C	N	58	C
	2100C	N	72	C
	2100C	N	73	C
Last Name entered, but no Date of Birth or Social Security Number entered.	2100C	N	58	C
	2100C	N	72	C
No Card Control Number, Recipient ID, Last Name or Social Security Number Entered	2100C	N	72	C
	2100C	N	73	C
Social Security Number entered, but no Date of Birth.	2100C	N	58	C

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
No unique match on name.	2100C	N	73	C
Query (of RECIPIENT table) returns more than one record.	2100C	N	76	C
Query returned no records	2100C	Y	42	R
Vendor ID is invalid	2100A	N	79	C
Provider number missing or not numeric	2100B	N	43	C
Provider ID must begin with '1'	2100B	N	43	C
NPI not length of 10	2100B	N	43	C
Zip code not length of 9	2100B	N	43	C
NPI/NPI + Taxonomy/NPI + Zip Code/ NPI + Medicaid ID not on file	2100B	N	43	C

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
Provider/ Attending Provider not on file	2100B	Y	51	C
Provider not eligible on dates of service	2100B	Y	50	C
Card Control Number missing/invalid	2100C	N	72	C
Recipient Number invalid or less than 13 digits	2100C	N	72	C
Recipient Name missing Last or First Name	2100C	N	73	C
Social Security Number missing/invalid	2100C	N	15	C
Date of Birth missing or invalid	2100C	N	58	C
Date of Birth must not be prior to year 1875	2100C	Y	58	C
Service date missing/invalid	2100C	N	57	C

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
Service Date not within allowable inquiry period	2100C	Y	62	C
Service date may not exceed last day of current month	2100C	Y	63	C
Inappropriate Date (Date Format Qualifier)	2100C	Y	56	C
Recipient not on file (this will be returned for any query combination that results in the recipient not found on Recipient table)	2100C	Y	75	C
Recipient ineligible/deceased (when DOD < Date of Service)	2100C	Y	61	C
Recipient not eligible on Date of Service		No edit code to be returned. Instead, EB01 will be set to '6' - Inactive (Loop 2110C)		
Dual Eligibility		No edit code		

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
message in clarification message		to be returned. Instead, EB01 will be set to 'V' – Cannot Process (Loop 2110C)		
Lock In Provider not on file in clarification message		No edit code to be returned. Instead, EB01 will be set to 'V' – Cannot Process (Loop 2110C)		
PCP Provider not on file (HMO) in Clarification message		No edit code to be returned. Instead, EB01 will be set to 'V' – Cannot Process (Loop 2110C)		
PCP Provider not on file (CC) in Clarification message		No edit code to be returned. Instead, EB01 will be set to 'V' – Cannot Process (Loop 2110C)		

Error Condition	4010 Definition			
	Loop	Valid Request Indicator (AAA01)	Reject Reason Code (AAA03)	Follow-up Action Code (AAA04)
Insurance Number, Company Name, Company Address, or Policy Holder Name Insurance Number not on file	2110C	Y	15	N

9.0 DISPLAY OF MEVS INFORMATION

MEVS information will be presented to providers through vendor Personal computer (PC) or Point of Service (POS) applications. A prototype of typical PC displays and POS printed format for MEVS applications are provided; however the actual presentation formats will be dependent on each vendor company.


9.1 Personal computer (pc) software screens

Louisiana MEVS vendors may offer a PC eligibility verification solution to the provider community. All MEVS PC applications should meet the following requirements:

- Menu screens will enable intuitive, rapid navigation through the system's functions. These menus will enable access to recipient eligibility by the access methods defined in the vendor specification document. Since a third-party vendor is developing these screens, the navigation will be displayed on the screen, but may not conform to MMIS standards.
- Screens will allow users to enter the information needed to initiate MEVS transactions. These screens will contain data entry fields needed to support recipient eligibility transactions.
- Display screens will enable users to view the information contained in MEVS response transactions. These screens will contain the fields needed to display recipient eligibility transaction data and reflect the processing status of the transaction.
- A 'Setup' option on the PC screens may be provided to allow the users to adjust the Com port and assign the User ID.
- Help screens will provide additional information.

The following *prototypes* of MEVS PC screens are intended to show how screens may be designed.

9.2 MEVS Main Menu Screen



Prototype of the MEVS Main Menu Screen. The screen displays a welcome message and a main menu with three options: 0) Exit, 1) Recipient Eligibility Information, and 2) Setup. At the bottom left, it shows function key shortcuts: F1-Help and F2-Exit.

```

Welcome to the
Louisiana Recipient Eligibility Verification System

MAIN MENU

0) Exit
1) Recipient Eligibility Information
2) Setup

F1-Help  F2-Exit

```

9.3 Recipient Eligibility Information Request

LOUISIANA MEDICAID RECIPIENT ELIGIBILITY INFORMATION REQUEST			
NPI/Provider Number: <u>0000000000</u> Taxonomy/ Zip Code/ Provider Number: <u>0000000000</u> Date of Service <u>00/00/0000</u>			
CHOOSE ONE OF THE FOLLOWING VERIFICATION OPTIONS			
Card Control Number: <u>777-00000000000-00</u> AND Recipient's Date of Birth: <u>00/00/0000</u> OR Recipient's Social Security Number: <u>000-00-0000</u>			
Recipient's Medicaid Number: <u>00000000000000</u> AND Recipient's Date of Birth: <u>00/00/0000</u> OR Recipient's Social Security Number: <u>000-00-0000</u>			
Recipient's Name (first and last): <u>xxxxxxx , xxxxxxxxxxxxxx</u> AND Recipient's Date of Birth: <u>00/00/0000</u> OR Recipient's Social Security Number: <u>000-00-0000</u>			
Recipient's Social Security Number: <u>000-00-0000</u> Date of Birth: <u>00/00/0000</u>			
F1-Help F2-Exit F3-Main Menu F6-Send			

9.4 Recipient Eligibility Information Response

```

                                LOUISIANA MEDICAID
                                RECIPIENT ELIGIBILITY INFORMATION RESPONSE
                                00/00/0000

Tracking Number: XXXXXXXXXXXXXXXXXX           Message
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
PATIENT INFORMATION                       XXXXXXXXXXXXXXXXXXXXXXXXXXXX
Last Name:           XXXXXXXXXXXXXXXX          XXXXXXXXXXXXXXXXXXXXXXXXXXXX
First Name:         XXXXXXXX X                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
Recipient on File:   XXX
Recipient ID:       0000000000000            Recipient Date of Birth  00/00/0000
Recipient Sex       XXXXXXXX                 Recipient Date of Death  00/00/0000
                                                Preferred Language:  English

PATIENT INSURANCE DATA
Eligibility Status:  XXXXXXXXXXXXXXXX Insurance Type: XXXXXXXXXXXXXXXXXXXXXXXXXXXX
Date of Service:    00/00/0000                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
EPSDT Elig. Ind:   XXXXXXXXXXXXXXXX  EPSDT PROV: XXXXXXXX X XXXXXXXXXXXXXXXX XXXXX
Managed Care:    XXXXXXXXXXXXXXXX  Lock-In:      XXX
Service Limits Apply : XXX

                                Press ENTER to Continue
F2-Exit   F3-Main Menu   F5-Print   F6-TPL   F7-Lock-in   F8-CC   F9-HMO   F10-SRV_LIM
    
```

Insurance Type values are:

	Code	Associated Message
• Medicaid	01	Eligible for Medicaid
• Presumptive Eligibility	02	Serv Limit to AMBU Prenatal Care Onl
• Tuberculosis Outpatient	03	Elig for Outpat TB Related Serv Only
• Spenddown	04	Spenddown Recip, File Form 110MNP
• Illegal Aliens	05	Elig for ER Serv for Illegal Aliens
• Long Term Care	06	Long Term Care Serv Authorized
• QMB (qualified Medicare Beneficiary)	07	Elig Pay of DED/CO-INS Covd by MCARE
• Waiver	08	Restricted Medicaid- Recip waiver serv
• Private (TPL)	09	Recipient has Private insurance
• Medicare	10	Medicare Part A Medicare Part B Medicare Part A and B Eligible for Medicare Part D
• EPSDT	11	Eligible for EPSDT PROV XXXXXXXXXXXXXXXX
• Preferred Language	12	Preferred Language: English

Eligibility Status values are:

- Eligible
- Not Eligible

EPSDT Eligibility Status values are:

- Eligible
- Not Eligible

Lock-In values are:

- Yes
- No

Managed Care values are:

- Eligible
- Not Eligible

Tracking Number format is
where

YYYYMMDDXXXXXXXX

YYYY= Year

MM = Month

DD = Day

XXXXXXXX = Extended Sequential Number (ESN)

Service Limits Apply:

- Yes
- NO

9.5 Recipient Eligibility Information Response (continued)

LOUISIANA MEDICAID
RECIPIENT ELIGIBILITY INFORMATION RESPONSE
00/00/0000

SUBMITTING PROVIDER:

NPI/Provider Number: 0000000000
Taxonomy/ Zip Code/ Provider Number: 0000000000
From Date of Svc: 00/00/0000
Provider on File? XXX
Provider Authorized: XXX

PROVIDER REQUEST INFORMATION:

Card Control Number: XXX-XXXXXXXXXXXX-XX
Recipient Number: 000000000000
Recipient DOB: 00/00/0000
Recipient SSN: 000-00-0000
Recipient Name: XXXXXX , XXXXXXXXXXXXXXX

End of Report

F2-Exit F3-Main Menu F5-Print F6-TPL F7-Lock-in F8-CC F9-HMO F10-SRV_LIM

9.6 Recipient Eligibility Information Response – TPL Optional Display

```

                                LOUISIANA MEDICAID
                                RECIPIENT ELIGIBILITY INFORMATION TPL RESPONSE
                                00/00/0000

Recipient ID:      0000000000000      Message
# of TPL Policies: 00                XXXXXXXXXXXXXXXXXXXXXXXX
THIRD PARTY COVERAGE                XXXXXXXXXXXXXXXXXXXXXXXX
                                      XXXXXXXXXXXXXXXXXXXXXXXX
                                      XXXXXXXXXXXXXXXXXXXXXXXX

Insurance Num/Name: XXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Address:           XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
                  XXXXXXXXXXXXXXXXXXXXXXXX XX XXXXXXXXXXXX

POL Holder Name:   XXXXXXXX X XXXXXXXXXXXXXXXX

POLICY INFORMATION:
Policy ID:         XXXXXXXXXXXXXXXX Group ID/Name:  XXXXXXXXXXXXXXXX
Type Coverage(1): XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
                  XXXXXXXXXXXXXXXXXXXXXXXX
Type Coverage(2): XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
                  XXXXXXXXXXXXXXXXXXXXXXXX

                                Press ENTER to Continue
F2-ExitF3-Main Menu  F5-Print  F6-Elig  F7-Lock-in  F8-CC  F9-HMO  F10-SRV_LIM

```

A total of four (4) segments of policy information will repeat as necessary.

9.7 Recipient Eligibility Information Response – TPL Optional Display
(continued)

```
                                LOUISIANA MEDICAID
                                RECIPIENT ELIGIBILITY INFORMATION TPL RESPONSE
                                00/00/0000

Insurance Num/Name: XXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Address:                XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
                        XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXX
POL Holder Name:       XXXXXXXX X XXXXXXXXXXXXXXXX

POLICY INFORMATION:
Policy ID:              XXXXXXXXXXXXXXXX Group ID/Name:  XXXXXXXXXXXXXXXX
Type Coverage(1):      XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
                        XXXXXXXXXXXXXXXXXXXXXXXX
Type Coverage(2):      XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
                        XXXXXXXXXXXXXXXXXXXXXXXX

End of Report

F2-Exit  F3-Main Menu  F5-Print  F6-Elig  F7-Lock-in  F8-CC  F9-HMO  F10-SRV_LIM
```

This page only appears if there is more than one TPL occurrence.

9.8 Recipient Eligibility Information Response – Lock-In Optional Display

```

                                LOUISIANA MEDICAID
                                RECIPIENT ELIGIBILITY INFORMATION LOCK-IN RESPONSE
                                00/00/0000

Recipient ID:          0000000000000      Message
Number of LOCK-IN:    00                  XXXXXXXXXXXXXXXXXXXXXXXXXXXX
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
LOCK-IN INFORMATION
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX
1. Name: XXXXXXXXXXXXXXXXXXXXXXXX
  Provider Phone #:   (999) 999-9999
  Provider Type:      XXXXXXXXXXXXX
                                                XXXXXXXXXXXXXXXXXXXXXXXXXXXX

2. Name: XXXXXXX X XXXXXXXXXXXXXXXX
  Provider Phone #:   (999) 999-9999
  Provider Type:      XXXXXXXXXXXXX

End of Report

F2-Exit      F3-Main Menu  F5-Print  F6-TPL  F7-Elig  F8-CC  F9-HMO  F10-SRV_LIM
    
```

A maximum of four (4) physician Lock-In segments may be reported.
 A maximum of two (2) pharmacy Lock-In segments may be reported.
 Second, and subsequent, listings of Lock-In segments occur only if there is more than one Lock-In.

9.9 Recipient Eligibility Information Response – HMO Optional Display

LOUISIANA MEDICAID
RECIPIENT ELIGIBILITY INFORMATION HMO RESPONSE
00/00/0000

Recipient ID:	0000000000000	<u>Message</u>
Number of HMO:	00	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
		XXXXXXXXXXXXXXXXXXXXXXXXXXXX
		XXXXXXXXXXXXXXXXXXXXXXXXXXXX
		XXXXXXXXXXXXXXXXXXXXXXXXXXXX

HMO INFORMATION

1. HMO Plan Name: XX
Primary Care Phy: XX
PCP Phone #: (999) 999-9999

F2-Exit F3-Main Menu F5-Print F6-TPL F7-Lock-in F8-CC F9-Elig F10-SRV_LIM

9.10 Recipient Eligibility Information Response – Community Care Optional Display

LOUISIANA MEDICAID
RECIPIENT ELIGIBILITY INFORMATION CC RESPONSE
00/00/0000

Recipient ID:	0000000000000	Message
Number of CC:	00	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
		XXXXXXXXXXXXXXXXXXXXXXXXXXXX
<u>CC INFORMATION</u>		XXXXXXXXXXXXXXXXXXXXXXXXXXXX
		XXXXXXXXXXXXXXXXXXXXXXXXXXXX
1.Primary Care Physician:	XXXXXXXXXXXXXXXXXXXXXXXXXXXX	
Phone Number:	(999) 999-9999	
End of Report		

F2-Exit F3-Main Menu F5-Print F6-TPL F7-Lock-in F8-Elig F9-HMO F10-SRV_LIM

9.12 POS DEVICE SCREENS

As a result of the unique architecture of Point of Service (POS) devices, key designations, and overlay templates may be used in lieu of menus. The MEVS POS device objectives are:

- Key designations will enable access to recipient eligibility by manually entering information on the POS device keypad. POS devices will provide ID card access to recipient eligibility by interpreting data, encoded on the magnetic strip of the card, captured in a card swipe process.
- Input screens are required to enable users to enter the information needed to initiate MEVS transactions. The POS displays will contain prompts allowing the provider to enter the provider Medicaid ID or NPI (along with Taxonomy or Zip Code, and in rare cases, Medicaid ID), the Date of Service of the request, and the entry option. The entry option will indicate whether the provider will manually enter additional information or swipe the Recipient's ID card.
- POS transaction responses will not be displayed on screens; instead, they will be printed out by the device.
- The tape format may be altered, but it must maintain all the required data.

*Below is an enlarged sample of the 36-character hardcopy output of a
POS device*

LOUISIANA MEDICAID	
RECIPIENT ELIGIBILITY INFORMATION RESPONSE	
TRACKING NUMBER:	199602271234567
<u>PROVIDER INFORMATION</u>	
PROVIDER TYPE:	PHYSICIAN
PROVIDER NUMBER/NPI:	1234567000
TAXONOMY/ZIP CODE/PROVIDER NUMBER AB12345678	
PROVIDER ON FILE IND:	Y
PROVIDER AUTHORIZED:	Y
INQUIRY DATE OF SERVICE:	19960201
<u>RECIPIENT INFORMATION</u>	
RECIPIENT ID:	1234567890123
RECIPIENT ON FILE INDICATOR:	Y
ELIGIBLE FOR DATE:	Y
INSURANCE TYPE/MSG:	TB OUTPATIENT
XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
RECIPIENT NAME:	TEST , IMA
*DATE OF BIRTH:	1950/05/05
RECIPIENT SEX:	FEMALE
RECIPIENT DATE OF DEATH:	00/00/0000
*RECIPIENT SOC. SEC. NUMBER:	000-00-0000
*CARD CONTROL NUMBER:	777- 00000000001-01
EPSDT ELIGIBILITY IND:	Y
EPSDT MED PRIM PROV	XXXXXXXX X XXXXXXXXXXXXXXXX
XXXXX	
SERVICE LIMITS APPLY	YES

Fields preceded with an asterisk are displayed only if entered in the request.

LOCK-IN ELIGIBILITY IND:	Y
MEDICARE ELIGIBILITY IND:	PART A & B & D
COMMUNITY CARE IND:	Y
HMO IND:	Y
NUM TPL:	1
NUM LOCK-IN:	1
CC PRI CARE PHY :	LESS FIXEM MD
CC PRI CARE PHY PHONE:	000-000-0000
CC MESSAGE :	XXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX
HMO PLAN NAME :	TAKE CARE OF NOW
HMO PRI CARE PHY :	DO LITTLE MD
HMO PRI CARE PHY PHONE:	000-000-0000
TPL INSURANCE NUM:	123456
TPL INSURANCE NAME:	BEST INSURANCE
TPL ADDRESS:	PO BOX 999 SMALLVILE UU 12345-1234
TPL NUM OF POLICIES:	01
TPL GROUP NUMBER:	123456789012345
TPL POLICY NUMBER:	1234567890123
TPL HOLDER NAME:	MORGAN MALACHIL
TYPE COV(1):	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
*TYPE COV(2):	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
LOCK-IN NAME:	WILLIAM J SMITH MD
LOCK-IN PROVIDER PHONE:	123-123-1234
LOCK-IN TYPE :	PHYSICIAN

10.0 MEVS VENDOR TESTING REQUIREMENTS

Application testing of the network vendors must be scheduled one at a time, due to the complexity of potential network or application problems. Vendors should contact the Unisys MEVS Team if there are any questions regarding the data in the MEVS response. The Unisys MEVS Team will supply the network vendor with test cases and data. Unisys will also supply a test recipient ID card (maximum of two) for the purpose of testing ID card swipe capability.

The network vendor must complete the test cases and send hardcopies or E-mail of the responses to Unisys. This is necessary in order to demonstrate that the appropriate responses to the inquiries are returned to the POS device or the PC screen. The test cases will demonstrate editing procedures and error handling, as well as the return of valid data. Maximum tolerance and stress testing will be conducted after the initial test cases are correctly processed.

10.1 Testing Objectives

The following is a list of objectives for the MEVS application level testing:

- Validate syntax edits for data elements of input transaction.
- Validate business rule edits for data elements of input transaction.
- Validate that data in the transaction response reflects inquiry specifications.
- Validate that data in the transaction response correctly reflects data values from the database.
- Test that all business and syntax edits have been correctly applied to data elements in the transaction response.
- Test all access methods
- Test all optional segments of information for accuracy and volume

A test will also be designed to validate that network connectivity processes are functioning properly.

10.2 Confidentiality During Application Testing

Regulations concerning confidentiality are addressed in the telecommunications contract between the vendor and Unisys.

11.0 MARKETING

11.1 Provider Information Available To Vendors

Information regarding Louisiana Medicaid providers will be available to vendors on a “one time” basis. A signed contract for Louisiana MEVS is required in order to receive provider information. Vendors may indicate their desire for this information on the registration form provided in this document. The provider information will include:

- Provider Name
- Provider Address
- Provider Telephone Number
- Provider Type.

Provider information selection will be based on claim volume within the last twelve months.

11.2 Vendor Marketing Material Approval

The following procedures are suggested for Vendor marketing material approval to ensure a timely and consistent response.

- Prerequisite -
 - ♦ Signed contract for LA MEVS between the Vendor and Unisys
 - ♦ Communications link to WRSC must be established or in process
 - ♦ Vendor must demonstrate ability to provide MEVS information to the Provider community, through completion of testing process, or reasonable progress in the test phase.
- Materials must be submitted thirty (30) days prior to the Vendor production implementation date.
- Materials must be submitted to Unisys Louisiana staff and a designated person from DHH, and may be in electronic or “hard copy” form.
- The vendor must designate a contact and the preferred method of obtaining the decision on materials (i.e., e-mail, letter).
- Unisys and DHH staff will have two (2) weeks from the receipt of the materials to review the documents.
- If changes to the materials are necessary, Unisys and DHH reserve the option to review the materials after recommended changes have been made.
- NO marketing materials may be released to the provider community without DHH approval.

12.0 PROBLEM RESOLUTION

12.1 MEVS Availability

The MEVS application will be available on a six (6) day per week, twenty-four hours per day. The application will be available twenty hours on Sunday with scheduled downtime is from one (1:00) AM Central time until five (5:00) AM Central time. In additional Unisys downtime is from ten (10:00) PM Central time until twelve (12:00) PM Central time each Saturday.

12.2 Problem Escalation Procedures

In the event of problems involving the MEVS application, a problem resolution procedure will be followed to ensure that the problem is resolved as quickly and effectively as possible. Unisys WRSC personnel are available 7 X 24 and are familiar with various MEVS applications. The WRSC operations telephone number will be published to Vendors. Certain details are helpful when notifying WRSC of a problem:

When reporting the problem, please specify:

- 1) application by state and type (for instance, LAMEVS or LAPOS)
- 2) vendor ID (ENVOY is ENV, National Data Corp is NDC, etc)
- 3) time the problem began and ended or ongoing
- 4) effect the problem is having on other applications, if any (MEVS transactions for a state other than Louisiana)
- 5) any data related problem, if any (a particular provider is experiencing a problem).

13.0 GLOSSARY

ANSI	American National Standards Institute
ASC	Accredited Standards Committee
BIN	Banking Identification number.
CC	Community Care
WRSC	Western Regional Services Center
CCN	Card Control Number
CMS	Centers for Medicare and Medicaid Services
DHH	Department of Health and Hospitals
DOB	Date of Birth
DOS	Date of Service
EPSDT	Early Periodic Screening and Diagnostic Treatment
HCFA	Health Care Financing Administration (obsolete: now CMS Centers for Medicare and Medicaid Services)
HCPCS	HCFA/CMS Healthcare Common Procedure Coding System
HIPAA	Health Insurance Portability and Accountability Act of 1996
HMO	Health Maintenance Organization
MEVS	Medicaid Eligibility Verification System
MMIS	Medicaid Management Information System
NPI	National Provider Identification
PACE	Program of All-Inclusive Care for the Elderly
PC	Personal Computer
PCP	Primary Care Physician
POS	Point of Service
PID	Plastic Eligibility Identification Card
RAD	Requirements Analysis Document
REVS	Recipient Eligibility Verification System
RID	Recipient Identification Number
SSN	Social Security Number
TPL	Third Party Liability
WIS	Welfare Information System

Definition
 HEALTH INSURANCE X(02)
 SCOPE OF COVERAGE

POLICY-SCOPE-COVERAGE CODE EXPLANATION

<u>Code</u>	<u>Meaning</u>
01	Major Medical
02	Medicare Supplement
03	Hospital, Physician, Dental & Drugs
04	Hospital, Physician, Dental
05	Hospital, Physician, Drugs
06	Hospital, Physician
07	Hospital, Dental & Drugs
08	Hospital, Dental
09	Hospital, Drugs
10	Hospital Only
11	Inpatient Hospital Only
12	Outpatient Hospital Only
13	Physician, Dental and Drugs
14	Physician and Dental
15	Physician and Drugs
16	Physician Only
17	Dental and Drugs Only
18	Dental Only
19	Drugs Only
20	Nursing Home Only
21	Cancer Only
22	Champus/Champva
23	Veterans Administration
24	Transportation
25	HMO
26	Carrier declared bankruptcy Court case pending
27	Major Medical - No Maternity
28	HMO/Ins Prem Paid by Medicaid GHIPP
29	Skilled Nursing Care
30	Medicare HMO
31	Physician Only HMO
Default Message is Policy scope coverage undetermined	

14.0 CONTACT INFORMATION

Registration:

Gloria Gardner	(225) 216-6290	Central Time Zone
Fax	(225) 924-6179	

Contract Status:

Kermit Patty	(225) 216-6241	Central Time Zone
--------------	----------------	-------------------

Testing Procedures/Validation:

Gloria Gardner	(225) 216-6290	Central Time Zone
Fax	(225) 924-6179	

Marketing Materials:

Gloria Gardner	(225) 216-6290	Central Time Zone
Fax	(225) 924-6179	

Establishing Communication:

Salt Lake City Help Desk	(801) 594-6540	Mountain Time Zone
	(800) 428-6411	Mountain Time Zone

Problem Resolution:

Salt Lake City Help Desk	(801) 594-6540	Mountain Time Zone
	(800) 428-6411	Mountain Time Zone

Unisys Provider Services:

8:00 AM – 5:00 PM	(800) 473-2783	Central Time Zone
-------------------	----------------	-------------------

Unisys MEVS Team:

Kermit Patty	(225) 216-6241	Central Time Zone
Karen Olson	(757) 431-6023	Eastern Time Zone