


LABINO NDT 2014



NEW PRODUCTS 2014!

LED BENCH LIGHT GALAXY •
BIGBEAM HELIOS LED • MIDBEAM LED •
SUPERXENON UV 50 W OR UV 35 W •
RADIOMETER/PHOTOMETER APOLLO



TABLE OF CONTENTS

INTRODUCTION	2
NEW PRODUCTS 2014!	3
LABINO LED LAMPS	4
NEW! LED BENCH LIGHT GALAXY	5
BIGBEAM LED	6
NEW! BIGBEAM HELIOS LED	7
NEW! MIDBEAM LED	8
LED TORCHES	9
KITS WITH LED TORCHES	10
LED HEAD LIGHTS	11
LABINO MPXL LAMPS	12
NEW! SUPERXENON	13
COMPACT AND DUO	14
TRAC LIGHT AND TRAC LIGHT PRO	15
ACCESSORIES	16
NEW! RADIOMETER/PHOTOMETER APOLLO	17
LABINOIL DYE	18
DISTRIBUTOR LIST	19-20

DEAR NDT PROFESSIONAL,

Thank you for your interest in the Labino products. In this catalogue you will find all our latest product launches as well as our best-selling NDT products based on LED and MPXL technology. We are known to be the “black lights” specialists. Our products serve not only the needs of non-destructive testing professionals but also non-industrial groups like forensic experts in crime scene investigation, crime laboratories and medical laboratories.

All of us at Labino strive to make our world safer and your job easier by constantly developing and manufacturing stronger and better lamps with new features that can help you uncover even the most hard to find defects. Our guiding values embrace our desire to continuously innovate, commit to excellent service, listen to customer needs, and be able to deliver.

Our future focus is to continue to work closely with our business partners globally. Innovate to new solutions and launch new premium products, involving users and distributors in the process by encouraging collaboration. Quality has always been our key strength. Our commitment to our clients is that we will never compromise on quality. We fully respect and appreciate the investments our clients make in our products and the trust they show to the Labino brand.

The year 2014 marks an important milestone for Labino, our 20-year anniversary. Labino prides itself in that its steady growth and achievements over the years has been purely organic and the outcome of hard work and strong in-house engineering skills. Our position in the global market has strengthened considerably during this time as a result of intense product development, close collaboration with our distributors in over 55 countries and continuous feedback from end users. Thank you! It is your feedback that led to the development of our new generation of products that you can read about in this catalogue. We offer you what you asked for, less weight and more power!

Be part in this process. Help us to understand your future needs, give us your feedback. Feel free to e-mail me directly for any comments that you may have, at lisel.athanasiadis@labino.com.

My kindest regards to you and your team,




Lisel Athanasiadis
Managing Director



NEW PRODUCTS 2014

NEW PRODUCTS 2014!


NEW PRODUCT!
BENCH LIGHT
GALAXY PAGE 5



NEW PRODUCT!
MIDBEAM LED
BATTERY OR MAINS PAGE 8



NEW PRODUCT!
RADIOMETER
/PHOTOMETER APOLLO PAGE 10



NEW PRODUCT!
BIGBEAM
HELIOS PAGE 7



NEW PRODUCT!
SUPERXENON
UV 50 W OR UV 35 W PAGE 13



LABINO LED LAMPS

The new generation of Labino LED products weigh much less than many comparable products in the market today

Labino is expanding its product range of LED lamps with three new launches, the bench light “Galaxy”, MidBeam and BigBeam Helios. These new products are part of a new generation of Labino products that weigh less, than many comparable products in the market today. They are available with a variety of features; and operators of black lights have an opportunity to choose what best suits their needs.

Labino’s new LED benchlight, Galaxy, has 12 LEDs, weighs just 2.2 kg and its modular design makes it possible to mount together up to 6 units or 72 LEDs. Each MidBeam carries 4 LEDs and weighs 560 grams, making its battery version a useful tool for inspecting even the most difficult structures.

Labino’s best-selling product, BigBeam, offers operators more power as it is equipped with 9 LEDs and its battery model weighs just 1.7 kg. Depending on the model, choose between battery operated or mains operated or choose both (BigBeam DUO). Our newly launched BigBeam Helios is equipped with a new generation LED that generates 40-60% higher intensity than the regular BigBeam, depending on the beam. BigBeam, BigBeam Helios and MidBeam are all available in midlight and floodlight.

Our torches (UVG2/3) and headlights (UVG4/5) carry one LED each and provide the choice of a white light block filter (UVG3 and UVG5) or simply more visible light with clear glass filter (UVG2 and UVG4). Torches are offered in spotlight, midlight or floodlight and headlights are available in midlight or floodlight. Each LED has an estimated life of 30 000 hours. Voltage can be adjusted for use anywhere in the world.

Available features	Bench Light Galaxy New!	BigBeam	BigBeam Helios New!	MidBeam New!	Torches UVG2 / UVG3	Headlights UVG4 / UVG5
Number of LEDs	12-72	9	9	4	1	1
Weight	2.2kg	Mains: 1.2 kg Battery: 1.7 kg	Mains: 1.2 kg Battery: 1.7 kg	Mains: 440 grams Battery: 560 grams	211 grams	271 grams
No handle		✓	✓			
Top handle						
Pistol handle		✓	✓	✓		
Battery		✓	✓	✓		✓
Mains	✓	✓	✓	✓		
White light block filter	✓	✓	✓	✓	No / Yes	No / Yes
Spotlight Intensity *					>25 000 µW/cm ² >20 000 µW/cm ²	>25 000 µW/cm ² >20 000 µW/cm ²
Midlight Intensity *	1 500 – 7 000 µW/cm ²	>6 000 µW/cm ²	>8 500 µW/cm ²	>5 000 µW/cm ²	>10 000 µW/cm ² >8 000 µW/cm ²	>10 000 µW/cm ² >8 000 µW/cm ²
Floodlight Intensity		>3 500 µW/cm ²	>5 500 µW/cm ²	>4 000 µW/cm ²	>2 500 µW/cm ² >2 000 µW/cm ²	
Spotlight beam >1 200 µW/cm ² *					30 mm	30 mm
Midlight beam >1 200 µW/cm ² *	300 x 250 mm	270 mm	275 mm	200 mm	100 mm	100 mm
Floodlight beam >1 200 µW/cm ² *		310 mm	330 mm	250 mm	130 mm	
100 V – 230 V	✓	✓	✓	✓	✓	✓
Available as a kit		✓	✓	✓	✓	

* At a distance of 38 cm (15 inches)

LED BENCH LIGHT GALAXY

As light as it gets!

Supersize it – choose from 12 up to 72 LEDs

The Labino Bench Light Galaxy is part of a new generation of products that Labino is introducing to the market. These unique new lights have one common characteristic: they weigh less, than many comparable products on the market today. Galaxy weighs just 2.2 kilos (4.85 lbs)!

It is not just easy to mount. It is easy for the user of the bench to operate and move around the bench. Bench operators typically conduct repetitive inspections for long hours on a daily basis. Now they have the luxury of working with a super light product.

Galaxy is also compact in size with 7.87 inches (20 cm) long, 5.9 inches (15 cm) wide and 1.6 inches (4.1 cm) high. The user can choose to expand the area that needs to be covered by connecting together up to six Galaxy lights (72 LEDs). Galaxy offers an intensity of 7 000 $\mu\text{W}/\text{cm}^2$ at 38 cm and is filtered to emit almost no visible light – 1 Lux / 0.09 Foot Candle (380-780 nm).

Each Galaxy consists of 12 LEDs offering a very even beam. It is also equipped with a white light LED for after inspection. Each LED has an estimated life of 30 000 hours.

This powerful stationery overhead light designed for Non-Destructive Testing offers numerous useful features such as:

(a) Dimmer – the UV light can be dimmed down up to 20% of its full capacity and intensity varying from 1 500 $\mu\text{W}/\text{cm}^2$ to 7 000 $\mu\text{W}/\text{cm}^2$ depending on your needs;

(b) Timer – unnecessary burning time is avoided through a timer (five steps: 0.5h,1.0h, 2.0h,4.0h,8.0h);

(c) Cooling system – The heat generated from the LEDs is managed via a mechanical cooling system – no fans necessary!;

(d) Remote control – used to remotely operate the dimmer of the UV light, the white light and the timer;

(e) Modular design – able to connect up to six units together. One Mother unit can operate maximum three units. If you connect more than tree units, two Mother units are required.

Full power is achieved instantly with the start button. The Galaxy is 100% free from UV-B and the LEDs emit almost no visible light due to a white light block filter. It is compliant with ASTM UV-A intensity and wavelength specifications for FPI and MPI. IP65 approved for dust and water jet.



BENCH LIGHT GALAXY



3 GALAXY MOUNTED TOGETHER



6 GALAXY MOUNTED TOGETHER

LED: 12 up to 72	Length: 7.87 inches (20 cm)
Wavelength: 365 nm (peak)	Width: 5.9 inches (15 cm)
Estimated LED life time: 30 000 hours	Height: 1.6 inches (4.1 cm)
100% free from UV-B	Weight: 2.2 kilos (4.85 lbs)
White light block filter	Modular design: 1–6 units
Intensity: 1 500–7 000 $\mu\text{W}/\text{cm}^2$ at 38 cm	Dimmer: 5 steps
Visible light: <1 Lux (0.09 fc)	Timer: 5 steps
	Cooling system: Mechanical without fan
	Remote control



BIGBEAM BATTERY (DUO)



BIGBEAM MAINS



BIGBEAM IN CASE

BIGBEAM LED

*Large beam, compact size and light weight = perfection!
Midlight or Floodlight • Battery and/or Mains operated*

A large beam, compact size and light weight provide the key characteristics to the perfect portable UV tool. BigBeam has it all!

The Labino BigBeam is designed to provide its users with a smooth and large light beam. This hand held lamp is based on LED technology and offers you very narrow spectra with a peak wavelength of 365 nm. Each unit consists of 9 LEDs offering a very even beam. Each LED's life is estimated at 30,000 hours. All electronics as well as LEDs are placed in a single housing with the diameter not exceeding 6.1 inches (15.5 cm).

This product is available as Battery and Mains (DUO) or just Mains. The DUO is battery operated, but it is possible to run the unit via mains while charging the battery. The battery has a running time of 2.5 hours (+/- 5%). Each DUO unit is equipped with a current regulator to keep the intensity steady when the battery fades. The mains model is equipped with a 2 meter long extendable cord. Total weight of the DUO model is 1.7 kilos (3.74 lbs) and of the Mains model is 1.2 kilos (2.64 lbs).

BigBeam compact size and light weight makes it easy to use around complex inspection areas but also on benches. The start function provides full power instantly. Both models come with a pistol handle.

BigBeam is 100% free from UV-B. Each BigBeam is equipped with a white light block filter which helps the lamp emitting almost no visible light. It is compliant with ASTM UV-A intensity and wavelength specifications for FPI and MPI. IP65 approved for dust and water jet.

BigBeam is available in two different beams, Floodlight and Midlight. bigBeam is also available on a cable winder for your convenience.

BIGBEAM IS AVAILABLE IN TWO DIFFERENT BEAMS

	BigBeam	
	Floodlight	Midlight
Intensity *	>3 500 $\mu\text{w}/\text{cm}^2$	>6 000 $\mu\text{w}/\text{cm}^2$
Visible light *	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	310 mm	270 mm

* At a distance of 38 cm (15 inches)

LED: 9
Wavelength: 365 nm (peak)
Estimated LED life time:
30 000 hours
100% free from UV-B
White light block filter
Power supply:
Battery and Mains (DUO) or just
Mains (AC)

Housing diameter:
6.1 inches (15.5 cm)
Weight DUO: 1.7 kilos (3.74 lbs)
Weight Mains: 1.2 kilos (2.64 lbs)
Battery running time:
2.5 hours (+/- 5%)

****For accurate orders please indicate to your distributor your choice of Model (Mains or Duo), beam (Midlight or Floodlight) and the country to be used in****

BIGBEAM HELIOS LED

Increase BigBeam intensity by 40-60% with Helios LED
Midlight or Floodlight • Battery and/or Mains operated

Labino Helios LED is the latest generation of LEDs offered by Labino. If your objective is to maximize intensity, in addition to the compact size and light weight benefits BigBeam offers, this is it.

BigBeam Helios provides a much higher intensity, up to 60% higher intensity on the floodlight and 40% higher intensity on the midlight. All other specifications are the same as on page 6.

BigBeam Helios is offered at the same price as the regular BigBeam.

COMPARISON OF INTENSITY AND VISIBLE LIGHT IN BIGBEAM AND BIGBEAM HELIOS

	BigBeam		BigBeam Helios	
	Floodlight	Midlight	Floodlight	Midlight
Intensity *	>3 500 $\mu\text{W}/\text{cm}^2$	>6 000 $\mu\text{W}/\text{cm}^2$	>5 500 $\mu\text{W}/\text{cm}^2$	>8 500 $\mu\text{W}/\text{cm}^2$
Visible light *	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	310 mm	270 mm	330 mm	275 mm

* At a distance of 38 cm (15 inches)

BigBeam is available with a case as well for your convenience of carrying it at the inspection area.

NEW PRODUCT!



BIGBEAM HELIOS BATTERY (DUO)



BIGBEAM HELIOS MAINS



BIGBEAM HELIOS ON A LABINO CABLE WINDER

LED: 9
Wavelength: 365 nm (peak)
Estimated LED life time:
30 000 hours
100% free from UV-B
White light block filter
Power supply:
Battery and Mains (DUO) or just
Mains (AC)

Housing diameter:
6.1 inches (15.5 cm)
Weight DUO: 1.7 kilos (3.74 lbs)
Weight Mains: 1.2 kilos (2.64 lbs)
Battery running time:
2.5 hours (+/- 5%)

For accurate orders please indicate to your distributor your choice of Model (Mains or Duo), beam (Midlight or Floodlight), LEDs (with or without Helios) and the country to be used in

NEW PRODUCT!



MIDBEAM BATTERY



MIDBEAM MAINS

- LED: 4
- Wavelength: 365 nm (peak)
- Estimated LED life time: 30 000 hours
- 100% free from UV-B
- White light block filter
- Power supply: Battery or Mains
- Housing diameter: 3.15 inches (8 cm)
- Weight battery: 560 grams (1.23 lbs)
- Weight Mains: 440 grams (0.97 lbs)
- Battery running time: 1.5 hours (+/- 5%)
- White light LED: 1
- Cooling system: Mechanical without fan
- Current regulator

MIDBEAM LED

Ultra compact and ultra light
Midlight or Floodlight • Battery or Mains operated

The Labino MidBeam Light is part of a new generation of products that Labino is introducing to the market. These unique new lights have one common characteristic; they weigh less, than many comparable products in the market today. MidBeam in particular is a hand held lamp, extremely compact in size, with a housing diameter of just 3.15 inches (8 cm)! MidBeam is available as Battery or Mains. The mains operated model weigh just 440 grams (0.97 lbs) and the battery operated model weigh 560 grams (1.23 lbs)! The light weight and compact size makes it extremely easy for the user to operate and carry around even the most difficult inspection areas and structures. This is made possible without compromising the performance of the lamp.

Each MidBeam consists of 4 LEDs offering a very even beam. It is also equipped with a white light LED for after inspection. The start button provides instant power and the light is operated with a multifunctional switch – UV / OFF / White Light – on the handle for ease of use. It is easy for the battery version to switch batteries. The batteries are located inside the pistol handle, making the ergonomics of the unit stable. Four batteries are supplied with each unit and two are needed to operate. The design of the mains version makes it easy to support the light with a common stand on a bench. The location of the cable (coming out from below the handle) makes it easy to operate.

The heat generated from the LEDs is managed via a mechanical cooling system – no fans necessary! MidBeam is 100% free from UV-B and the lamp emits almost no visible light – 1 Lux / 0.09 Foot Candle (380-780 nm) – due to a visible light filter. It is compliant with ASTM UV-A intensity and wavelength specifications for FPI and MPI. IP43 approved for water spray and external bodies. MidBeam comes standard with a carrying case.

MIDBEAM IS AVAILABLE IN TWO DIFFERENT BEAMS

	Midlight	Floodlight
Intensity *	>5 000 $\mu\text{w}/\text{cm}^2$	>4 000 $\mu\text{w}/\text{cm}^2$
Visible light *	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	250 mm	200 mm

* At a distance of 38 cm (15 inches)

For accurate orders please indicate to your distributor your choice of Model (Mains or Battery), beam (Midlight or Floodlight), and the country to be used in

LED TORCHES

Small and light

Spotlight, Midlight or Floodlight

The Labino UVG2 is a small-sized, lightweight, UV-A LED torch designed for quick inspections in “hard-to-reach” spots. The Labino UVG3 is the same torch equipped with a unique filter for applications where the amount of visible light is critical. This filter eliminates the white light from the lamp and reduces the glare reflected from aluminum when you use the lamp along with UV block goggles.

Both torches reach full power instantly. Therefore, the on/off button is positioned at the back of the lamp to prevent accidental activation. The length of the lamp is 6.3 inches (15.9 cm) and weighs 211 grams (7.4 oz), including battery. The torch contains one ultraviolet light emitting diode (LED) that peaks at 365 nm. The life of each LED is estimated at 30,000 hours. The battery has a running time of 3 hours (+/- 5%) and can be recharged from a normal outlet or vehicle. The torch is also equipped with a current regulator that keeps the UV intensity constant even when the battery fades. Certifications: IP65 approved for dust and temporary water jet.

COMPARISON OF INTENSITY AND VISIBLE LIGHT IN UVG2 AND UVG3

	UVG2			UVG3		
	Spotlight	Midlight	Floodlight	Spotlight	Midlight	Floodlight
Intensity *	>25 000 $\mu\text{w}/\text{cm}^2$	>10 000 $\mu\text{w}/\text{cm}^2$	>2 500 $\mu\text{w}/\text{cm}^2$	>20 000 $\mu\text{w}/\text{cm}^2$	>8 000 $\mu\text{w}/\text{cm}^2$	>2 000 $\mu\text{w}/\text{cm}^2$
Visible light *	<8 Lux / 1.86 fc	<5 Lux / 0.46 fc	<2 Lux / 0.18 fc	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	30 mm	100 mm	130 mm	30 mm	100 mm	130 mm

* At a distance of 38 cm (15 inches)

Available as a kit with a customized carrying case for your convenience and to protect the lamp, see page 10.

For accurate orders please indicate to your distributor your choice of beam (Spotlight, Midlight or Floodlight), type of torch (UVG2, UVG3 or White light) and the country to be used in



UVG2
(CLEAR GLASS FILTER)



UVG3
(WHITE LIGHT BLOCK FILTER)

LED: I
 Wavelength: 365 nm (peak)
 Estimated LED life time: 30 000 hours
 100% free from UV-B
 Clear glass filter or white light block filter
 Length: 6.3 inches (15.9 cm)
 Weight: 211 grams (7.4 oz)
 Battery running time: 3 hours (+/- 5%)
 Recharge from normal outlet or vehicle
 Current regulator



UVG DOUBLE KIT



UVG SINGLE KIT

KITS WITH LED TORCHES

Design your own kit based on your needs and protect your equipment with a carrying case

DESIGN YOUR OWN UVG KIT – SINGLE OR DOUBLE TORCH

You can design your own kit based on your needs. Choose one or two torches in your kit. The Single Torch UVG LED kits contain the torch of your choice, one UVG2 LED torch or one UVG3 LED torch with your choice of Spotlight, Midlight or Floodlight; one Charger for use from electrical outlet; one Charger for use in vehicle via cigarette lighter connection; Two batteries (1+1 extra); A belt holster; A carrying case; and UV Block glasses (only included in the single kit).

The double Torch UVG LED kit can combine one UVG2 LED torch and one UVG3 LED torch with the beam of your choice (Spotlight, Midlight or Floodlight) OR two UVG2 LED torches with the beams of your choice OR two UVG3 LED torches with the beams of your choice. All other accessories are the same as with the single kit including an extra battery (3 in total for double kits).

ADD A WHITE LIGHT TORCH

The Labino white light torch is a small-sized, lightweight, white light torch. This torch is perfect for general industrial post inspection use. It is equipped with one LED. The LED creates more than 10 000 Lux (930 fc) at a distance of 1 meter (39.37 inches). The lamp is 6.3 inches (15.9 cm) long and weighs 211 gram (7.4 oz), including battery. At full charge the battery provides up to 4 hours of use. Recharge from a normal outlet or vehicle with included chargers.

Design your own UVG plus White light kit: Combine your own Labino Torch kit based on your needs. The combination kit contains the torch of your choice, one UVG2 LED torch or one UVG3 LED torch with your choice of Spotlight, Midlight or Floodlight, combined with the Labino White light torch in a high quality water proof case. Additional items include one charger for use from electrical outlet; one charger for use in vehicle via cigarette lighter connection; three batteries (2+1 extra); a belt holster; and a carrying case.

****For accurate orders please indicate to your distributor your choice of beam (Spotlight, Midlight or Floodlight), kit (Optional: Double or Single), type of torch(es) (UVG2, UVG3, White light) and the country to be used in****

LED HEAD LIGHTS

*Adjustable and light frees your hands during inspection!
Spotlight or Midlight*

The Labino UVG4 is a LED Head Lamp designed to free the user's hands during an inspection. The lamp can be adjusted in three different angles. The operator can switch the angles of the light during the inspection. The rubber bands are adjustable and fit helmets as well as heads. The battery is located in the back of the structure and there are no cables hanging from the lamp. The Labino UVG5 is the exact same lamp equipped with a unique filter for applications where the amount of visible light is critical. This filter eliminates the white light from the lamp and reduces the glare reflected from aluminum when you use the lamp along with UV block goggles.

Both UVG4 and UVG5 reach full power instantly. The on/off button is positioned at the back of the lamp to prevent accidental activation. Each head light weights 271 grams (9.4 oz). The lamp contains one ultraviolet light emitting diode (LED) that peaks at 365 nm. The life of each LED is estimated at 30,000 hours. The battery has a running time of 3 hours (+/- 5%) and can be recharged from a normal outlet or vehicle via cigarette lighter connection. The lamp is also equipped with a current regulator that keeps the UV intensity constant even when the battery fades. Each unit comes with an extra battery.

The Labino Head Light is also available as white light. This small but powerful tool creates more than 10,000 lux (930 foot Candles) within a distance of one meter. The distribution angle is spotlight.

COMPARISON OF INTENSITY AND VISIBLE LIGHT IN UVG4 AND UVG5

	UVG4		UVG5	
	Spotlight	Midlight	Spotlight	Midlight
Intensity *	>25 000 $\mu\text{w}/\text{cm}^2$	>10 000 $\mu\text{w}/\text{cm}^2$	>20 000 $\mu\text{w}/\text{cm}^2$	>8 000 $\mu\text{w}/\text{cm}^2$
Visible light *	<8 Lux / 1.86 fc	<5 Lux / 0.46 fc	<1 Lux / 0.09 fc	<1 Lux / 0.09 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	30 mm	100 mm	30 mm	100 mm

* At a distance of 38 cm (15 inches)

****For accurate orders please indicate to your distributor your choice of beam (Spotlight or Midlight), type of lamp (UVG4, UVG5 or White light) and the country to be used in****



LED HEAD LIGHTS



BATTERY BOX



HEADLIGHT BATTERY OPEN

LED: I
Wavelength: 365 nm (peak)
Estimated LED life time: 30 000 hours
100% free from UV-B
Clear glass filter or white light block filter
Weight: 271 grams (9.4 oz)
Battery running time: 3 hours (+/- 5%)
Recharge from normal outlet or vehicle
Current regulator

LABINO MPXL LAMPS

More power, less weight and easy to operate designs to make your job easier and more efficient

Labino MPXL lamps are available with a variety of features to give operators of black lights the opportunity to choose what best suits their needs. The choice of a model depends on the conditions under which an operator is using these lamps. Does an inspection need to cover small areas or large areas? Does it involve difficult structures and therefore a lighter lamp is required? Do they simply need more power or less power can suffice? We can accommodate all needs! Simply choose among the available features below.

Labino MPXL lights utilize 50 W and 35 W lamps. Depending on the model, choose between battery operated or mains operated or choose both (SuperXenon). Labino's new model, the SuperXenon, can carry a powerful 50 W lamp generating very high intensity and the docking battery can be switched into mains, two separate power supplies. Most models are less than 3 kg and are available with your choice of "no handle" (for easy mounting on benches or other areas), a "top handle" or a "pistol handle". All Labino MPXL models are available with spotlight, midlight or floodlight beam. Voltage can be adjusted for use anywhere in the world. To protect your equipment we recommend you purchase a carrying case for your lamp.

UV is dangerous – don't forget to protect yourself. UV block goggles are included in all MPXL lights. You can also purchase faceshields for better protection (see page 16).

Available features	SuperXenon New!	Compact	DUO	TrAc Light	TrAc Light PRO
50W	✓				
35W	✓	✓	✓	✓	✓
One housing	✓	✓		✓	
Two housings (luminary / ballast)			✓		✓
Weight	Mains 1.4 kg Battery 1.9 kg	2.25 kg	Luminary part 1.2 kg Ballast part 1.5 kg	2.32 kg	Luminary part 1.1 kg Ballast part 2.4 kg
No handle	✓	✓	✓	✓	✓
Top handle	✓	✓	✓	✓	✓
Pistol handle	✓	✓	✓	✓	✓
Battery	✓			✓	✓
Mains	✓	✓	✓		
Spotlight Intensity *	45 000 $\mu\text{W}/\text{cm}^2$ (35 W) 60 000 $\mu\text{W}/\text{cm}^2$ (50 W)	45 000 $\mu\text{W}/\text{cm}^2$	45 000 $\mu\text{W}/\text{cm}^2$	45 000 $\mu\text{W}/\text{cm}^2$	45 000 $\mu\text{W}/\text{cm}^2$
Midlight Intensity *	12 000 $\mu\text{W}/\text{cm}^2$ (35 W) 17 000 $\mu\text{W}/\text{cm}^2$ (50 W)	12 000 $\mu\text{W}/\text{cm}^2$	12 000 $\mu\text{W}/\text{cm}^2$	12 000 $\mu\text{W}/\text{cm}^2$	12 000 $\mu\text{W}/\text{cm}^2$
Floodlight Intensity *	4 000 $\mu\text{W}/\text{cm}^2$ (35 W) 5 800 $\mu\text{W}/\text{cm}^2$ (50 W)	4 000 $\mu\text{W}/\text{cm}^2$	4 000 $\mu\text{W}/\text{cm}^2$	4 000 $\mu\text{W}/\text{cm}^2$	4 000 $\mu\text{W}/\text{cm}^2$
Spotlight beam >1 200 $\mu\text{W}/\text{cm}^2$ *	125 mm (35 W) 140 mm (50 W)	125 mm	125 mm	125 mm	125 mm
Midlight beam >1 200 $\mu\text{W}/\text{cm}^2$ *	200 mm (35 W) 230 mm (50 W)	200 mm	200 mm	200 mm	200 mm
Floodlight beam >1 200 $\mu\text{W}/\text{cm}^2$ *	250 mm (35 W) 290 mm (50 W)	250 mm	250 mm	250 mm	250 mm
100 V – 230 V	✓	✓	✓	✓	✓
Available as kit	✓	✓	✓	✓	✓

* At a distance of 38 cm (15 inches)

SUPERXENON UV 50 W OR UV 35 W

*A light handheld device producing an extremely high intensity
Spotlight, Midlight or Floodlight • 50 W or 35 W • Battery or Mains*

Labino SuperXenon 50 W UV lamp is based on MPXL technology and is one of the most powerful handheld UV lamps on the market! The 50 W Xenon bulbs generate an extremely high UV intensity, providing a very clear excitation of fluorescent material. This lamp makes it possible to search very large areas. You can use a floodlight reflector and still see excitations in daylight and at great distances.

The Labino SuperXenon lamp contains the electronics and bulb in a single housing and is available with no handle (SXNH), a pistol handle (SXPH) as well as a top handle (SXH). This product can be operated by two different power systems – battery as well as via a power supply unit (PSU). The PSU model weighs just 1.4 kilos (3.1 lbs) and the battery operated model weighs 1.9 kilos (4.2 lbs). The battery is a docking battery. You can easily replace to a new battery and charge the used one. You can also switch between a battery and mains power supply unit (PSU) on the same lamp by switching the docking devices – both fit to the same lamp. The mains model is equipped with a 2.8 meter (9 feet) long extendable cord. The Labino SuperXenon is also available with a 35 W UV bulb.

Both models are available in three important distinctions – floodlight, midlight or spotlight, each giving different beams and intensities. Each lamp obtains full power in 5-15 seconds and can be switched on and off whenever used, without pre-cooling. It is unaffected by magnetic fields and can be used outdoors, even in the rain, as the lamp is IP65 certified. Labino SuperXenon are available with a handle of your choice – top, pistol or no handle (add a mounting bracket instead). Available with a carrying case.

The SuperXenon is equipped with the same filter, filter frame, reflectors and pistol handle as the 135-series.

COMPARISON OF INTENSITY AND VISIBLE LIGHT IN SUPERXENON UV 50 W AND SUPERXENON UV 35 W

	SuperXenon UV 50 Watt			SuperXenon UV 35 Watt		
	Spotlight	Midlight	Floodlight	Spotlight	Midlight	Floodlight
Intensity *	>60 000 $\mu\text{w}/\text{cm}^2$	>17 000 $\mu\text{w}/\text{cm}^2$	>5 800 $\mu\text{w}/\text{cm}^2$	>45 000 $\mu\text{w}/\text{cm}^2$	>12 000 $\mu\text{w}/\text{cm}^2$	>4 000 $\mu\text{w}/\text{cm}^2$
Visible light *	<13 Lux / 1.3 fc	<5 Lux / 0.5 fc	<2 Lux / 0.2 fc	<10 Lux / 1.0 fc	<3 Lux / 0.3 fc	<2 Lux / 0.2 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	140 mm	230 mm	290 mm	125 mm	200 mm	250 mm

* At a distance of 38 cm (15 inches)

Power: 50 W or 35 W
Wavelength: 365 nm (peak)
Estimated bulb life time:
2 000 hours
Power supply:
Battery or Mains (AC)
Length: 25 cm (9.8 inches)
Housing diameter: 15.5 cm
(6.1 inches)

Weight Mains: 1.4 kilos (3.1 lbs)
Weight Battery: 1.9 kilos (4.2 lbs)
Battery running time:
1 hours (+/- 5%)
Current regulator
Top handle, No handle or
Pistol handle

NEW PRODUCT!



SXH (TOP HANDLE)



SXNH (NO HANDLE)



SXPH (PISTOL HANDLE)



BATTERY

For accurate orders please indicate to your distributor your choice of Model (Battery or PSU or both), beam (Spotlight, Midlight or Floodlight), and the country to be used in



COMPACT 135 UV
(MOUNTING BRACKETS)



COMPACT HI35 UV
(TOP HANDLE)



COMPACT PH135 UV
(PISTOL HANDLE)



DUO S135 UV
(MOUNTING BRACKETS)



DUO OSHI35 UV
(TOP HANDLE SHORT)



DUO PSI35 UV
(PISTOL HANDLE SHORT)

COMPACT AND DUO UV 35 W

High intensity and great convenience

Spotlight, Midlight or Floodlight • 35 W • Mains operated

Labino Compact and Duo UV lamps are based on MPXL technology and are operated via mains. These 35 W UV lamps carry a very high UV intensity, creating extreme excitation of fluorescent material, which makes it possible to see things, in daylight and at great distances. The Labino Compact lamp contains the trigger ballast (electronics) and bulb in a single housing, making it easier for the operator to use and move around large inspection areas – it weighs 2.25 kilos (5 lbs).

The Labino Duo is a two-part lamp consisting of a light weight luminary unit and a ballast (electronics) unit. The luminary unit weighs just 1.2 kilos (2.6 lbs) and works best for time consuming and repetitive inspections within the same location. The ballast unit weighs 1.5 kilos (3.3 lbs). This product is accompanied with two cables, a 3.0 meter cable that connects the luminary unit with the ballast unit and a 2.0 meter cable for the mains.

Both models are available in three important distinctions – floodlight, midlight or spotlight, each giving different beams and intensities. Each lamp obtains full power in 5-15 seconds and can be switched on and off whenever used, without pre-cooling. It is unaffected by magnetic fields and can be used outdoors, even in the rain, as the lamp is IP65 certified.

Compact and DUO are both available with a handle of your choice – top, pistol or no handle (add mounting brackets instead, see page 16).

INTENSITY AND VISIBLE LIGHT IN COMPACT & DUO

	Labino Compact & Duo		
	Spotlight	Midlight	Floodlight
Intensity *	>45 000 $\mu\text{W}/\text{cm}^2$	>12 000 $\mu\text{W}/\text{cm}^2$	>4 000 $\mu\text{W}/\text{cm}^2$
Visible light *	<10 Lux / 1.0 fc	<3 Lux / 0.3 fc	<2 Lux / 0.2 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	125 mm	200 mm	250 mm

* At a distance of 38 cm (15 inches)

Power: 35 W	Housing diameter: 15.5 cm (6.1 inches)
Wavelength: 365 nm (peak)	Weight Compact: 2.25 kilos (5 lbs)
Estimated bulb life time: 2 000 hours	Weight DUO: Luminary 1.2 kilos (2.6 lbs)
Power supply: Mains operated	Ballast 1.5 kilos (3.3 lbs)
Length Compact: 24 cm (9.4 inches)	Top handle, No handle or Pistol handle
Length DUO: Luminary: 15 cm (5.9 inches)	
Ballast: 19 cm (7.5 inches)	

For accurate orders please indicate to your distributor your choice of beam (Spotlight, Midlight, Floodlight), handle (top handle, pistol handle, or no handle) and the country to be used in

TRAC LIGHT AND TRAC LIGHT PRO UV 35 W

High intensity and portability!

Spotlight, Midlight or Floodlight • 35 W • Battery operated

Labino TrAc Light and TrAc Light PRO are based on MPXL technology and are battery operated. Each unit is equipped with a 35 W lamp that creates a very robust UV intensity.

The Labino TrAc Light lamp contains the trigger ballast (electronics), battery and bulb in a single housing. The light weight characteristic of this product – 2.32 kilos (5.1 lbs) – as well as the advantage of battery operation, removes any constraints to the user who can move freely around large inspection areas, up and down ladders and difficult structures. The battery has a running time of 1.3 hours and each unit is equipped with a current regulator to keep the intensity stable when the battery fades.

The Labino TrAc Light PRO is a two-part lamp consisting of a light weight luminary unit and a ballast (electronics) unit. The luminary unit weighs just 1.1 kilos (2.4 lbs) and the ballast unit weighs 2.4 kilos (5.3 lbs). The battery has a running time of 2.5 hours, almost twice as much as the TrAc Light.

Both models are available in three important distinctions – floodlight, midlight or spotlight, each giving different beams and intensities. Each lamp obtains full power in 5-15 seconds and can be switched on and off whenever used, without pre-cooling. It is unaffected by magnetic fields and can be used outdoors, even in the rain, as the lamp is IP65 certified. Labino TrAc Light and TrAc Light Pro are both available with a handle of your choice – top, pistol or no handle (add mounting brackets instead, see page 16).

INTENSITY AND VISIBLE LIGHT IN TRAC LIGHT & TRAC LIGHT PRO

	Labino TrAc Light & TrAc Light PRO		
	Spotlight	Midlight	Floodlight
Intensity *	>45 000 $\mu\text{W}/\text{cm}^2$	>12 000 $\mu\text{W}/\text{cm}^2$	>4 000 $\mu\text{W}/\text{cm}^2$
Visible light *	<10 Lux / 1.0 fc	<3 Lux / 0.3 fc	<2 Lux / 0.2 fc
Beam >1 200 $\mu\text{W}/\text{cm}^2$ *	125 mm	200 mm	250 mm

* At a distance of 38 cm (15 inches)

Power: 35 W
 Wavelength: 365 nm (peak)
 Estimated bulb life time:
 2 000 hours
 Power supply: Battery
 Length TrAc Light:
 24 cm (9.4 inches)
 Length TrAc Light PRO:
 Luminary: 15 cm (5.9 inches)
 Ballast: 19 cm (7.5 inches)
 Housing diameter: 15.5 cm
 (6.1 inches)

Weight TrAc Light:
 2.32 kilos (5.1 lbs)
 Weight TrAc Light PRO:
 Luminary 1.1 kilos (2.4 lbs)
 Ballast 2.4 kilos (5.3 lbs)
 TrAc Light battery running
 time: 1.3 hours (+/- 5%)
 TrAc Light PRO battery running
 time: 2.5 hours (+/- 5%)
 Current regulator
 Top handle, No handle or
 Pistol handle

For accurate orders please indicate to your distributor your choice of beam (Spotlight, Midlight, Floodlight), handle (top handle, pistol handle, or no handle) and the country to be used in



TRAC LIGHT



TRAC LIGHT PRO



TRAC LIGHT
IN CASE



TRAC LIGHT PRO
IN CASE

ACCESSORIES AVAILABLE FOR EACH LIGHT

Accessories	MPXL Lights	LED BigBeam	LED MidBeam	LED Torches	LED Head Lights
UV Block Visor 	✓	✓	✓	✓	✓
UV Block Goggles Santa Cruz 	✓	✓	✓	✓	✓
UV Block Goggles Armamax * 	✓	✓	✓	✓	✓
UV Block Goggles XC 	✓	✓	✓	✓	✓
Belt Holster 				✓	
Friction Arm 	✓	✓	✓		
Tripod 				✓	
Mounting Yolk and Brackets for stationary mounting 	✓	✓			
Cable Winder 		✓			
Protection Clear Glass Filter 	✓	✓			
Customized Carrying Case 	✓	✓	✓	✓	

* Included with all MXPL Lights, Galaxy, BigBeam and MidBeam

APOLLO METER

Radiometer and Photometer in one instrument

– small enough to fit in a pocket

Labino Apollo Radiometer and Photometer is an instrument for accurate measurement of UV-A irradiation and visible illumination. Extra engineering effort is taken to make an accurate measurement of visible light emission from a UV-A lamp by incorporating a superior band pass filter stack containing only non-fluorescent filters. The instrument provides fast measurement as it offers auto ranging and concurrent measuring of visible light and UV-A irradiation.

COMPACT & LIGHT

The Apollo Meter is ergonomic and easy to use due to its light weight chassis, separate cable connected sensor unit and compact size.

- Dimensions Meter: 168x74x35mm
- Dimensions Sensor: 96x47x24mm
- Total weight, including sensor: 350 gram (12.3 oz)
- Sensor cable length: 1 meter (39 inches)

DESIGNED FOR NON DESTRUCTIVE TESTING

The Apollo meter is engineered for use in Non Destructive Testing. The visible light sensor is specially designed to measure visible light at short wavelengths (near UV) and starts measuring at 380 nm. The spectral sensitivity of the Apollo visible light sensor closely relates to the reception of the human eye (CIE Standard Observer). The visible light sensor has got a non-fluorescent silicone photodiode.

ACCURATE AND RELIABLE

The visible light meter is extremely accurate as it is designed according to the CIE Standard Observer. The sensor is designed without any fluorescent filters and the sensor is a non-fluorescent silicone photodiode.

- Accuracy Visible light: +/- 3 %
- Accuracy UV light: +/- 4 %

EASY TO OPERATE

The back light in the display comes on automatically when measuring in a dark area and it provides an auto ranging for both visible light and UV light. The meter features both hold and peak functions.

- Hold function: Push “hold button” to store the value
- Peak function: The sensor automatically stores the highest value measured

LOW ENERGY – LONG BATTERY LIFE

Due to the low energy required to operate the instrument the batteries lasts long.

- Running time without using back light: Approximately 350 hours
- Running time using the back light: Approximately 35 hours
- Standby life time: Minimum 1 year



RADIOMETER/PHOTOMETER
APOLLO

LCD display
Automatic back light
High contrast
LCD 2 × 16 character alphanumeric display
Read update: 1.7 Hz
Sampling rate: 15 Hz
Units: Provides measurements in both metric (lux) and imperial (foot candle)
UV-A sensor
Spectral range: 315-390 nm*
Measurement range: 1-100 000 μw/cm2 (0.01-1000w/m2)
Visible light sensor
Spectral range: 380-700 nm**
Measurement range: 0.1-5000 lux (0.009-464.5 fc)
Battery operated: 2 × 1.5 V R6 (AA Battery)

*Complies with ISO 3059, ASTM E1444 and E1417

**Complies with CIE Standard Observer



6 BOTTLES
LABINOIL 25 ML



UVG2 SPOTLIGHT
TORCH



LABINOIL DYE KIT



LABINOIL 1 LITRE

LABINOIL DYE

Leak detection made fast and easy!

A complete leak detection kit with fluorescent dye and UV torch

Labinoil dye is a fluorescent dye and should be used with petroleum based lubricants. The fluorescence in the Labinoil is a reaction that is activated by irradiating with UV-light. You neither need to clean the engine before or after the engine leakage test, nor to empty the engine oil.

Labino UVG2 Spotlight Torch is a powerful LED light source used together with Labinoil and it aids to activate such reaction.

The kit includes six 25 ml bottles of Labinoil dye and one UVG2 Spotlight LED torch (specifications on page 9) as well as accessories (two chargers including vehicle charger, UV block goggles, belt holster and three batteries) and a carrying case.

The Labinoil dye can be purchased in different volumes:

- 25 ml (six bottles in one package)
- 1 litre
- 5 litre
- 25 litre

Other sizes are also available upon request. Please contact your distributor for a quote.

DISTRIBUTOR LIST

NORTH AMERICA

CANADA

AVOFIX NDT LTD. (Service Center)
7490 Bath Road
MISSISSAUGA L4T 1L2, Ontario
Tel: +1 9 056 774 430
Fax: +1 9 056 775 440
www.avofix.com

CANADIAN NDE TECH.

Toronto Office
124 Skyway Avenue
TORONTO, Ontario, M9W 4Y9
Tel: +1 416 213 8000
Fax: +1 416 213 8004
1140 Rue Leger

Quebec Office
VALLEYFIELD, Quebec J6S 5B9
Tel: +1 450 373 8580
Fax: +1 450 373 6297
www.candet.ca

QUALITY NDE (Service Center)

Quebec Office
164 St-jean Baptiste
MERCIER, Quebec J6R 2C2
Tel: +1 450 691 9090
Fax: +1 450 691 6101

Ontario Office
275 Sheldon Drive, Unit 3
CAMBRIDGE, Ontario N1T 1A3
Tel: 519-894-9069
Fax: 519-622-9413
www.qualitynde.com

NDT VISIONS INC.

Montreal Office
8100 Trans Canada Highway
Suite K, Bay 25
ST-LAURENT, QC H4S 1M5
TEL: 514-745-2445
FAX: 514-745-2440
www.ndtvisions.com

Alberta Office
41, 4612-62 Street
RED DEER, AB T4N 6T3
TEL: 403-342-7777
FAX: 403-342-7711

UNITED STATES OF AMERICA

BERG ENG. & SALES, CO. Inc.
(Service Center)
3893 Industrial Ave.
ROLLING MEADOWS, IL 60008
Tel: +1 847 577 3980
Fax: +1 847 577 0474
www.bergeng.com

EASTERN NDT (Service Center)
1404 City Point Rd.
HOPEWELL, VA 23860
Tel: +1 804 458 1661
Fax: +1 804 458 1780
www.easternndt.com

FEOLE TECHNOLOGIES INC.
2220 Plainfield Pike
CRANSTON R.I. 02921
Tel: +1 401 943 3141
Cell: +1 401 640 9579
Fax: +1 401 942 5322
www.feole.com

HOCKER INCORPORATED
(Service Center)
13402 Weiman Road
HOUSTON, TX 77041
Tel: +1 713 464 5829
Fax: +1 713 464 3192
www.hockerinc.com

MAGWERKS

501 Commerce Dr.
DANVILLE, IN 46122
Tel: +1 317 241 8011
Fax: +1 317 241 8015
www.magwerks.com

MPM PRODUCTS

California Office (Service Center)
1718 East Grevillea Court
ONTARIO, CA 91761
Phone: 909.947.8464
Toll Free: 800.429.0128
Fax #: 909.947.3257
www.mpmproducts.com

MPM Texas Office
415 Lillard Road
ARLINGTON, Tx 76012
Phone: 817.261.5566
Toll Free: 800.262.5567
Fax #: 817.261.5555

MPM Oregon Office
6521-B Southeast Crosswhite Way
PORTLAND, OR 97206
Phone: 503.775.0400
Fax #: 503.775.0200

MPM Utah Office
1596 West 2650 South Unit 104
OGDEN, UT 84401
Phone: 801.392.5008
Fax #: 801.392.5199

MPM Minnesota Office
10305 West 70th Street
EDEN PRAIRIE, MN 55344
Phon 918 740-0290

NEWCO INC. (Service Center)
2811 West Palmetto Street
FLORENCE, SC 29501
Tel: +1 843 669 2988
Fax: +1 843 664 0197
www.newcoinc.com

TEST EQUIPMENT DIST. LLC.
CUSTOMER CARE CENTER
(Service Center)
1959-D Parker Court
STONE MOUNTAIN, Georgia 30087
Toll Free: +1 800 962 1788
Tel: +1 770 978 0083
Fax: +1 770 978 0115
www.tedndt.com

TED Michigan Office
1370 Piedmont
TROY, Michigan 48083-1917

TED California Office
1844 West 11th (Unit E)
UPLAND, California 91786

TED Portland Office
5476 S.E. International Way
MILWAUKIE, OR 97222

TED Georgia Office
1959-D Parker Court
STONE MOUNTAIN, Georgia 30087

TED New Jersey Office
220 West Parkway (Unit 11B)
POMPTON PLAINS,
New Jersey 07444-1060

TED Utah Office
3072 South 300 West
SALT LAKE CITY, UT 84115

QSA

Baton Rouge Office
6765 Langley Drive
70809 Baton Rouge, LA
Tel: +1 225 751 5893
Fax: +1 225 756 0365

Houston Office (Service Center)
3200 Awesome Lane LaPorte,
TX 775 71
Tel: +1 713 944 32 00
Fax: +1 713 944 38 00
www.sentinelndt.com

EUROPE

AUSTRIA

MITTLI
Hegergasse 7
1030 WIEN
Tel: +43 1 798 66 11 0
Fax: +43 1 798 661 131
www.mittli.at

BELGIUM

CHIELENS BVBA
Adelaarstraat 8
9051 GENT
Tel: +32 9 222 22 60
Fax: +32 9 222 60 48
www.chielens.be

SADECHAF

Campus Blairon 30
B-2300 TURNHOUT
Tel: +32 14 41 11 19
Fax: +32 14 43 98 33
www.sadechaf.be

BULGARIA

NEXUS
P.O. Box 50
1330 SOFIE
Tel: +359 8 885 509 74
Fax: +359 2 971 83 74
www.nexus-bg.com

CROATIA

IDEF (Service Center)
Kranjceviceva 30
10000 ZAGREB
Tel: +385 1 364 663 7
Fax: +385 1 364 663 5
www.idef.hr/kontakt.htm

CZECH REPUBLIC

ENERGOSERVIS SPOL
(Service Center)
Dukelska 1111
43001 CHOMUTOV
Tel: +420 474 628 954
Fax: +420 474 628 954
www.defektoskopie.cz

DENMARK

FOXDAL NDT (Service Center)
Gadagervej 15
DK-2620 ALBERTSLUND
Tel: +45 4364 4300
Fax: +45 4364 4307
www.foxdal.com

FINLAND

SINTROL (Service Center)
Ruosilantie 15
00390 HELSINKI
Tel: +358 9 5617 360
Fax: +358 9 5617 3680
www.sintrol.fi

FRANCE

CEGELEC SA
TSA 30000
72, avenue de la Liberté
927 39 NANTERRE CEDEX
Tel: +33 1 69 88 67 67
Fax: +33 1 69 88 67 68
www.ndt.cegelec.com

GERMANY

AB ANGELIKA BUSCH e.K.
(Service Center)
Brummgasse 18
97877 WERTHEIM
Tel: +49 9342 8561 0
Fax: +49 9342 8561 60
www.ab-busch.de

HUNGARY

GRIMAS Kft.
Pulí Sétány 2-4
1214 BUDAPEST
Tel +361 420 5883
Fax +361 276 0557
www.grimas.hu

ITALY

C.G.M. CIGIEMME S.P.A.
Via Adda 21
20090 OPERA (MI)
Tel: +39 02 57 600 400
Fax: +39 02 57 603 618
www.cgm-cigiemme.it

LITHUANIA

UAB VEGASTEL
Pavasario str. 41-72
LT-89162 MAZEKIAI
Tel: +370 443 21389
Fax: +370 443 21383
www.vegastel.eu

NETHERLANDS

MATCON
Insulindeweg 15
NL-1462 MJ MIDDENBREMSTER
Tel: +31 299 684 468
Fax: +31 299 684 374
www.matcon.com

NORWAY

HOLGER TEKNOLOGI AS
(Service Center)
P.O.Box 122 Holmlia
1202 OSLO
Tel: +47 23 1694 60
Fax: +47 22 6110 30
www.holger.no

POLLAND

NDT SYSTEM
ul. S. Twardowskiego 21
01643 WARSZAWA
Tel: +48 228 325 030
Fax: +48 22 8339 677
www.ndt-system.com.pl

PORTUGAL

WELDNDDT
Rua Bartolomeu Velho nº 689 – Hab 63
4150-124 PORTO
Tel: +351 618 179939423
Fax: +351 618 1799
www.weldndt.pt

ROMANIA

TOTAL CONTROL SRL
Calea Calarasi nr 38 (B)
RO-030624 BUCHAREST 3
Tel: +4031 4256155
Fax: +4021 2123151
www.tcontrol.ro

NAMICON

Str. Emil Racovita
35-39, Vila AD 01
077190 VOLUNTARI, jud. ILFOV
Tel: + 40 21 528 0151 / 0152
Fax: + 40 21 528 0150
www.namicon.com

RUSSIA

EXPERT NK (Service Center)
Altufevskoe shosse, d. 41A
127410, MOSKVA
Tel. +7(495) 660-94-49
Fax. +7(495) 660-94-49
www.expertnk.ru

SLOVAKIA
SLOVCERT
Podunajská 36
821 07 BRATISLAVA, Slovakia
Tel: +421 2 455 257 09/710
Fax: +421 2 456 421 82/183
www.slovcert.sk

SLOVENIA
LITOSTROJ
Litostrojska 50
SI -1515 LJUBLJANA
Tel: +386 1 5824 100
Fax: +386 1 5824 41 76

SPAIN
UTILILES Y MÁQUINAS INDUSTRIALES
S.A. (Service Center)
Bilbao Office
c/ José M. Ugarteburu, 2
48007 BILBAO
Tel: +34 944 46 62 50
Fax: +34 944 46 05 41
www.umi.es

Madrid Office
Avda de Madrid 43 Local
28850 TORREJON DE ARDOZ
Tel: +34 90 210 70 20
Fax: +34 91 678 43 66
www.umi.es

SWEDEN
AB KONTROLLMETOD
(Service Center)
Södra Långebergsgatan 18
421 32 VÄSTRA FRÖLUNDA
Tel: +46 31 748 52 50
Fax: +46 31 748 52 60
www.kontrollmetod.se

KARL DEUTSCH NORDISKA
Allmogeplatsen 33
724 80 VÄSTERÅS
Tel: +46 21 35 70 00
Fax: +46 21 35 90 10
www.kdn.se

SWITZERLAND
FISCH UND PARTNER AG (Service
Center)
Postfach 624
8600 DUBENDORF
Tel: +41 44 821 01 15
Fax: +41 44 821 10 16
www.fischundpartner.ch

TURKEY
KTM LTD. (Service Center)
Cevad Dundar Cad.
Kavacikh Is Merkezi No: 15/12
OSTIM-06370 Ankara
Tel: +90 3 123 544 676
Fax: +90 3 123 544 797
www.ktm.com.tr

UNITED KINGDOM
ADVANCED NDT
(Service Center)
Orchard House
Orchard Close Severn Stoke
WORCESTER WR8 9JJ
Tel: +44 1 905 371 460
Fax: +44 1 905 371 477
www.advanced-ndt.co.uk

RSL NDT (Service Center)
Unit 9, Murcar Ind. Estate
Bridge of Don
ABERDEEN AB23 8JW
Tel: +44 1 224 822 600
Fax: +44 1 224 823 491
www.rslndt.com

ASIA

CHINA
BEIJING DEYUPANA NDT Co.
(Service Center)
Room 1601/7, Graceful Garden
No. 20, Shouti South Road
100044 Haidian Dist. BEIJING
Tel: +86 10 8835 5151
Fax: +86 10 8835 5137
www.deyupana.com.cn

PU HUI INSPECTION TECH.
Room 108A, No.413, West Meilong Rd,
Minhang District, SHANGHAI 200241
Tel: +86 21 5102 8113
Fax: +86 21 5102 8113-806
www.ph-tek.com

INDIA
SQUAREMAG SYSTEMS
Plot No.91, Prashanthnagar;
Industrial Estate, KUKATPALLY
Hyderabad – 500072
Tel: +91 98 49 64 71 07
www.squaremagsystems.com

FERROCHEM NDT SYSTEMS LTD
Plot No. C-98, Additional Jejuri Industrial
Area, MIDC., Jejuri
PUNE, Maharashtra
Zip Code: 412303
Tel: +91-8888649870
www.ferrochemndt.com

INDONESIA
PT. NDT INSTRUMENTS
Jalan Mandala Raya No. 11
JAKARTA Barat 11440
Tel: +62 21 5695 4188
Fax: +62 21 5695 8379
www.ndt-instruments.co.id

JAPAN
NIHON DENJI SOKKI Co.
8-59-2, Sunagawa-cho
Tachikawa-city
TOKYO
Tel: +81 425 373 511
www.j-ndk.co.jp

NIHON MATECH Corp.
3 rd. FL., Ichibancho West Bldg.
10 Ichibancho, Chiyodaku
102-0082 TOKYO
Tel: +81 3 3221 7531
Fax: +81 3 3221 7240
www.matech.co.jp

KOREA
INFOTECH INC.
664-Ho, Jinsung Praza 6th floor,
533-7, Sang3-Dong,
Wonmi-Gu, Bucheon-Si,
KYUNGGI-DO, 420-861
Tel: +82 32 612 8252
Fax: +82 32 232 0431
www.infotc.co.kr

MALAYSIA
NDT INSTRUMENTS PTE LTD.
50 Ubi Avenue 3, #05-20
Frontier, Singapore 408866
SINGAPORE
Tel: +65 6571 0668
Fax: +65 6571 0647/0669
www.ndt-instruments.com

PHILIPPINES
NDT INSTRUMENTS INC.
Room 203 GEDCOR Square Building,
Ninoy Aquino Avenue, Corner Irasan
Street,
SAN DIONISIO, Philippines 1705
Tel: +632 826 26 69
Fax: +632 822 7130
www.ndt-instruments.com

SINGAPORE
NDT INSTRUMENTS PTE LTD
(Service Center)
50 Ubi Avenue 3, #05-20
Frontier, SINGAPORE 408866
Tel: +65 6571 0668
Fax: +65 6571 0647/0669
www.ndt-instruments.com

TAIWAN
AI-KWANG TECH CO. LTD
(Service Center)
No. 88, Alley 28, Lane 369
Fong Ren Road
REN WU TOWNSHIP
Kaohsiung County
Tel: +886 7 3757 377
Fax: +886 7 375 7378

THAILAND
NDT INSTRUMENTS
44/156 Soi Nimitmai 6/2 Minburi
Minburi, BANGKOK, Thailand 10510
Tel: +66 2 181 0208
Fax: +66 2 914 62 67
www.ndtthailand.com

VIETNAM
KIM TÀI LINH Co. Ltd
58, 20 Street, Ward 5, Dist Go Vap.
HO CHI MINH CITY
Tel: +84 8 39 847 477
Fax: +84 8 39 847 478
www.kimtailinh-ndt.com.vn

OCEANIA

AUSTRALIA
CHEMETALL (AUSTRALIA)
17 Turbo Drive
3153 BAYSWATER NORTH
Tel: +61 3 9729 6253
Fax: +61 3 9720 1711

NEW ZEALAND
CHEMETALL (NEW ZEALAND)
664 Rosebank Road
AVONDALE, Auckland
New Zealand, 1026
Tel: +64 9 820 3888
Fax: +64 9 820 3979
www.chemetall.com

MIDDLE EAST

IRAN
PARTO NAMAYE
(Service Center)
P.O Box 14198364
No.17, Zand Ave.,
North Jamalzadeh St. TEHRAN
Tel: +98 21 66 43 59 76
Fax: +98 21 66 92 72 76

ISRAEL
R.B.M. Ltd.
21st Atir-Yeda St.
KFAR-SABA
Tel: +972 9 7674431
Fax: +972 9 7676898
www.rbmtd.co.il

SAUDI ARABIA
SAMIR PHOTOGRAPHIC
P.O Box 599
21421 JEDDAH
Tel: +966 2 682 8219
Fax: +966 2 683 0820
www.samir-photo.com

UNITED ARAB EMIRATES
NON-DESTRUCTIVE TESTING CO.
(LLC)
P.O Box 41879
DUBAI
Tel: +971 4 3979 585
Fax: +971 4 3979 586

PETRO MAT FZCO
P.O. Box 261812, Jebel Ali Free Zone, ,
DUBAI, UAE
Tel: 00971-4-8808983
Cell: 00971-50 4771836
Fax: 00971-4-8808984
www.petroamat.ae

LATIN AMERICA

ARGENTINA
DV INGENIERIA SRL
Migueletes 1117 pb "A"
CAP FED I426
Tel: +54 11 4772-7254
Fax: +54 11 4772-7254

BRAZIL
KUBIKA COMERCIAL LTDA
Kubika Comercial Ltda
Rua Sta Veridiana, 340-A
02128-000 SAO PAULO-SP Brazil
Tel: + 55 11 69091302
www.kubika.com.br

AFRICA

SOUTH AFRICA
GAMMATEC NDT
13 King Street
DUNCANVILLE, Ext. 3
Vereeniging, 1936
Republic of South Africa
Tel: +27 16 454 – 0260
Fax: +27 16 423 – 3442
www.gammatecsa.com

LABINO CONTACTS

Corporate Mailing Address:

LABINO AB Industrivägen 17 171 48 Solna SWEDEN

Visiting Address:

LABINO AB Industrivägen 17 171 48 Solna SWEDEN

Manufacturing Address:

LABINO Manufacturing & Service, Vågsnäsvägen 8, 892 42 Domsjö SWEDEN

Fax: +46 660 148 15

Customer Service & Sales:

Phone: +46 8 83 90 70

Fax: +46 8 83 90 23

labino@labino.com

Technical Support:

Phone: +46 8 83 90 70

Fax: +46 8 83 90 23

technicalsupport@labino.com

Accounting and Finance:

Phone: +46 8 83 90 70

Fax: +46 8 83 90 23

accounting@labino.com

www.labino.com