Los Angeles County Department of Public Health Comprehensive Perinatal Services Program 600 S. Commonwealth Ave., Suite 800 Los Angeles, CA 90005 (213)639-6419 Fax (213) 639-1034

Joanne Roberts, PHN Perinatal Services Coordinator (213)639-6427 E-mail address: jroberts@ph.lacounty.gov

Otilia Elszy, PHN Assistant Coordinator South LA, Southeast LA Co. (213) 639-6428 E-mail address: <u>otelszy@ph.lacounty.gov</u>

I Jean Floyd, PHN Assistant Coordinator North LA Co., San Gabriel Valley (213) 639-6429 E-mail address: jfloyd@ph.lacounty.gov

Carol Phillips, PHN

Assistant Coordinator Southwest LA.Co., So.Bay, Downtown LA (213)639-6437 E-mail address: <u>cphillips@ph.lacounty.gov</u>

Jenny Morales, PHN

Assistant Coordinator Hollywood, SF Valley, Antelope Valley (213) 639-6437 E-mail address: jmorales@ph.lacountygov

Thelma B. Hayes, MA, RD,CLE Nutrition Consultant (213)639-6423 E-mail address: <u>thayes@ph.lacounty.gov</u>

Paula Binner, LCSW Clinical Social Work Consultant (213)639-6424 E-mail address: <u>pbinner@ph.lacounty.gov</u>

Christian Murillo, MPH

Health Education Assistant (213) 639-6422 Office (323) 246-5487 Cell E-mail address: <u>cmurillo@ph.lacounty.gov</u>

Bertha Solis

Staff Assistant (213)639-6445 E-mail address: <u>bsolis@ph.lacounty.gov</u>

City of Long Beach Dept. of Health & Human Services Alyssa Hartlaub, PHN Perinatal Services Coordinator 2525 Grand Ave. Room 250 (562)570-7986/ (562)570-4099Fax alyssa.hartlaub@longbeach.gov

Pasadena City Health Dept. Geraldine Perry-Williams., PHN Perinatal Services Coordinator 1845 Fair Oaks Ave. 2nd Floor (626)744-6092/(626)744-6112 Fax gperry-williams@cityofpasadena.net

Los Angeles County CPSP Web Site Address www.publichealth.lacounty.gov/mch

CPSP ORIENTATION CHECKLIST

Provider: _____

Patient: _____ DOB: _____ EDD: _____

| Date Discussed | | | | | | | |
|-------------------|--|-----|----|--|--|--|--|
| | | Yes | No | | | | |
| | Perinatal services to be provided (including CPSP) Name of Handout: <u>*See Handout STT/HE-7</u> | | | | | | |
| | Who will provide services Name of Handout or N/A | | | | | | |
| | Where services will be provided Name of Handout or N/A | | | | | | |
| | Danger signs of pregnancy-what to do if they occur Name of Handout: *See Handout STT/HE-9 Dationt Pights and Posponsibilities | | | | | | |
| | Patient Rights and Responsibilities Name of Handout:* See Handout STT/HE-11 HIV information/counseling given & HIV testing offered | | | | | | |
| | Name of Handout:* See Handout STT/HE-35 Substances to avoid during pregnancy | | | | | | |
| | Name of Handout or N/A Group Classes available | | | | | | |
| | Name of Handout or N/A Fetal movement monitoring (24-28 wks.) Name of Handout: | | | | | | |
| | ☐ Integrated Prenatal Screening (a)^{1st} Trimester lab: 10 wks/ 0days 13 wks/6days (b) 2nd Trimester lab: 15-wks/ 0 days- 20-wks/0 days. | | | | | | |
| | Name of Handout: | | | | | | |
| | Name of Handout or N/A | | | | | | |
| <u></u> | Name of Handout or N/A Financial Responsibility Name of Handout or N/A | | | | | | |
| | □ Other Subject/s | | | | | | |
| | | | | | | | |

The information checked above has been reviewed with me and I have had the opportunity to ask questions. I understand that as an active participant in my perinatal care, it is my responsibility to ask questions when I have a concern or problem.

| Date | | Client Signature | Practitioner /CPHW Signature | Total Minutes |
|------|-------------------------------|------------------|---------------------------------|------------------|
| | Initial Client Orientation | | | |
| | Follow-Up Orientation | | | |
| | Follow-Up Orientation | | | |
| | Follow-Up Orientation | | | |

COMPREHENSIVE PERINATAL SERVICES PROGRAM

Prenatal Combined Assessment / Reassessment Tool

| Initial// (1st OB) Date | | mester //////////////////////////////////// | Weeks (28 | Trimester weeks-Delivery) Date | / Weeks |
|--|-------------------------------|---|-----------------------|-----------------------------------|------------|
| This Prenatal Combined As approval and <u>MAY NOT Bl</u> | | | d California State D | | Services |
| Patient Name: | | | Date Of | Birth: | |
| Health Plan: | | | Identificatio | n No.: | |
| Provider: | Hospital: | | Loc | ation: | |
| Case Coordinator/Manager | | | ED | C: | |
| Dx. OB High Risk | | | | | |
| Condition: Personal Information | | | | | |
| 1. Patient age: O Les | s than 12 years 🕊 | 0 12-17 years 🕊 | 0 18-34 years | O 35 years or older | |
| 2. Are you: O Married | O Single O Divorced/ | /Separated O W | /idowed O Other | | |
| 3. How long have you lived i | this area? | yrs./mos. F | Place of birth: | | |
| 4. Do you plan to stay in this | area for the rest of your pro | egnancy? O Ye | es O No | | |
| 5. Years of education comple | eted: O 0-8 years | O 9-11 years | О 12-16 уе | ears O 16+ years | 6 |
| 6. What language do you pre | fer to speak: O Englis | sh O Spanisł | n O Other: | | |
| 7. What language do you pre | fer to read: O Englis | sh O Spanisł | | | |
| 8. Which of the following bes | t describes how you read: | | | | |
| O Like to read and read o | ten O Can rea | d, but read slowly or r | not very often | o Do not read | t |
| 9. Father of baby: (name) | | His preferred lang | luage: | Education: | Age: |
| 10. Was this a planned pregn | ancy? O Yes | ONo | | | |
| 11. How do you feel about b | eing pregnant now? | | | | |
| <u>0-13 wks:</u> 0 Good | O Troubled, plea | ase explain: | | | |
| <u>14-27 wks:</u> 0 Good | | ase explain: | | | |
| <u>28-40 wks:</u> O Good | O Troubled, plea | ase explain: | | | |
| 12. Are you considering (circl | e)adoption/abortion? 0 | No O If Yes, D | Do you need informati | on/referrals? ONo | O Yes |
| 13. How does the father of the | e baby feel about this preg | nancy? | | | |
| Your family? | | | | | |
| Your friends? | | | | | |

3

| conomic Resources 4. a) Are you currently working or going to | asheel? | 0. Vez. 1 | 1000 8 haters | <i></i> | 0-1 | | |
|--|-----------------|------------------|----------------------------|---------------------|---------------|------------------|----------------------|
| , , , , , , , | | | ype & hr/weel | | | Learn? O Y | res ONo ONo |
| b) Do you plan to work or go to schoolc) Do you plan to return to work or go to | - | | O Yes - | | | ow long? | ONO ONO |
| c) Do you plan to return to work of go to | o school alter | the baby is | DOIN? | O Yes type: | | | |
| . Will the father of the baby provide financi Other sources of financial help? | al support to | you and/or | the baby? | O Yes | O No | | |
| Are you receiving any of the following? | (check all the | at apply) | | | | | |
| | <u>0-1</u> | <u>3 wks:</u> | <u>14-2</u> | 7 wks: | <u>28-40</u> | wks: <u>F</u> | Referral Date |
| | Yes | No | Yes | No | Yes | No | |
| a. WIC | 0 | 0 | 0 | 0 | 0 | 0 | |
| b. Food Stamps | 0 | 0 | 0 | 0 | 0 | 0 | |
| c. AFDC/TANF | 0 | 0 | 0 | 0 | 0 | 0 | |
| d. Emergency Food Assistance | 0 | 0 | 0 | 0 | 0 | 0 | |
| e. Pregnancy-related disability insurance benefits | 0 | 0 | 0 | 0 | 0 | 0 | |
| f. Other: | 0 | 0 | 0 | ο | 0 | 0 | |
| _ | | | | | | | |
| Do you have enough of the following for | ſ | | ? | | | | |
| <u>0-13 wks:</u> | <u>14-27 w</u> | <u>ks:</u> | <u>28-40 wł</u> | <u>(S:</u> | | | |
| Yes No | Yes | No | Yes | No | | | |
| Clothes O O | 0 | 0 | 0 | 0 | | | |
| Food O O | 0 | 0 | 0 | 0 | | | |
| What type of housing do you currently li O Hotel/Motel O Farm Worker Any Changes? O No O Yes <u>14-27</u> | Camp | O House O Eme | O Apartme rgency Shelte | | • O Oth | | lousing |
| | | | | _ | _ | | |
| . Do you have the following where you liv | | | <u>0-13 wks</u> | 0 Yes <u>14-27</u> | | Yes <u>28-40</u> | |
| | /place to cooki | | | | refrig. 🕊 | O hot/cold | • |
| | /place to cooki | | | , | refrig. 🕊 | O hot/cold | • |
| 8-40 wks: No: O toilet O stove | /place to cooki | C tub | /shower O | electricity O | refrig. 🕊 | O hot/cold | water O phone |
| Do you feel your current housing is ade | quate for you | · 0 ` | Yes O No | , please explain: | | | |
| | 4 | • | | , prodoc expression | | | |
| Do you feel your home is safe for you a O No 0-13 wks, please explain: O No 14-27 wks, please explain: O No 28-40 wks, please explain: | | | | | | | |
| . If there are guns in your home, how are | they stored? | | | | | | o N/A |
| Do any of your children or your partner O If Yes, please | | | one else? | O N/A | O No | | |
| | | | | | D (| | |
| | | | | | | | |
| | | | | | Date of Bir | th | |
| | | | | | Health Plar | n: | |
| | | | | | Identificatio | on No.: | |

Transportation

| 24. | Will you have pr | oblems keep | ing your appoint | ments/attending | classes? | O No <u>0-13 wks</u> | <u>s:</u> O No <u>14</u> | <u>4-27 wks:</u> 0 | No <u>28-40 wł</u> | <u>(S:</u> |
|-----|--------------------------------|-----------------|---------------------|----------------------|-----------------|----------------------|--------------------------|-----------------------------------|--------------------|------------|
| | 0 Yes 0-13 | wks: 0 | Transportation | O Child care | O Work | O School | O Other: | | | |
| | 0 Yes <u>14-27</u> | <u>wks:</u> 0 | Transportation | O Child care | O Work | O School | O Other: | | | |
| | 0 Yes 28-40 | <u>wks:</u> O | Transportation | O Child care | O Work | O School | O Other: | | | |
| 25. | When you ride in | a car, do you | use seatbelts? | O Nev | ver | O Sometime | S | O Always | | |
| 26. | Do you have a o 0-13 weeks: | | - | -27 weeks: (| O Yes O | No <u>28-4</u> | <u>0 weeks:</u> C | D Yes O N | lo | |
| 27. | How will you ge | t to the hospi | tal? <u>14-27 v</u> | weeks: | | 28-40 | 0 weeks: | | | |
| Cu | rrent Health | Practices | 6 | | | | | | | |
| 28. | Do you know ho | w to find a d | octor for you and | your family? | O Yes | O No, | explain: | | | |
| 29. | Do you have a d | octor for you | r baby? <u>14</u> | <u>-27 wks:</u> O Ye | o No | <u>28-40 wks:</u> | O Yes O | No Who? | | |
| 30. | Have you been | to a dentist ir | the last year? | O Yes C | No Ar | y dental proble | ms? O No | O Yes, p | lease descri | be: |
| 31. | On average, how | v many total | hours at night do | you sleep? | <u>0-13 w</u> | <u>ks: 1</u> 4 | 4-27 wks: | <u>28-40 w</u> | ks: | |
| | - | - | hours do you na | | <u>0-13 w</u> | | 4-27 wks: | <u>28-40 w</u> | | |
| 32. | Do you exercise | e? O N | o O Yes, wh | at kind? | | How often? | Minutes/day | (| days/week | |
| 33. | Are vou smokin | a/usina chew | ing tobacco now | ? K O No | <u>0-13 wks</u> | O No <u>14-2</u> | 7 wks | O No <u>28-40 wł</u> | s | |
| | <u>0-13 wks:</u> | O If Yes, | for how many y | | | per day? | | | O Yes | O No |
| | <u>14-27 wks:</u> | O If Yes, | how much per | day? | Have you t | ried to quit duri | ng this pregna | ancy? | O Yes | O No |
| | <u>28-40 wks:</u> | O If Yes, | how much per | day? | Have you t | ried to quit duri | ng this pregna | ancy? | O Yes | O No |
| 34. | Are you exposed | to second-ha | and smoke? 🖌 at | home? 0 | 0 No 0 Y | es | at work | O No</td <td>O Yes</td> <td></td> | O Yes | |
| 35. | Do you handle o | or have expo | sure to chemical | s? (examples: | glue, bleach, | ammonia, pest | icides, fertilize | ers, cleaning s | olvents, etc. |) |
| | <u>0-13 wks:</u> (circl | e) At wo | rk – home – hob | bies? O No | O Yes, | | | | | |
| | <u>14-27 wks:</u> (circ | cle) At wo | rk – home – hob | bies? O No | O Yes, | | | | | |
| | 28-40 wks: (circ | cle) At wo | rk – home – hob | bies? O No | O Yes, | | | | | |
| 36. | In your home, h | ow do you ste | ore the following | ? | 0 Vita | mins: | | | | |
| | O Medications: | | | | O Clea | aning agents: | | | | |
| | | | | | | | | | | |
| | | | | | | | Pt. Name | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | <u> </u> |

Identification No.: _____

| 37. | Are you taking any prescription, over-the-counter, herbal or street drugs? | |
|-----|---|---------------------------|
| | O None <u>0-13 weeks</u> O None <u>14-27 weeks</u> O None <u>29-40 weeks</u> | |
| | Examples : Tylenol [®] , Tums [®] , Sudafed [®] , laxatives, appetite suppressants, aspirin, prenatal vitamins, in Prozac [®] , ginseng, manzanilla, greta, magnesium, yerba buena, marijuana, cocaine, PCP, crack, speed, | |
| | O Yes, <u>0-13 weeks</u> : | |
| | | |
| | O Yes, <u>14-27 weeks</u> : | |
| | O Yes, <u>28-40 weeks</u> : | |
| | | |
| | | |
| 38. | How much of the following do you drink per day? 🕊 Water Milk | Juice Decaf Coffee |
| | Coffee Punch, Kool-Aid, Tang Soda I Beer Wine Wine Coolers Hard L | Diet Soda Herb tea |
| | 14.27 when the shared? O No. O Yee how? | |
| | <u>28-40 wks:</u> Has this changed? O No O Yes, how? | |
| | | |
| 39. | If you use drugs and/or alcohol, are you interested in quitting? O Yes O No | |
| | Have you tried to quit? O Yes O No comments: | |
| Pre | gnancy Care | |
| 40 | Posidos baving a boalthy baby, what are your goals for this programav? | |
| 40. | Besides having a healthy baby, what are your goals for this pregnancy? | |
| | | |
| 41. | Do you plan to have someone with you: <u>14-27 weeks:</u> | <u>28-40 weeks:</u> |
| | 5 | Yes O No O Unsure |
| | When you first come home with the baby?O YesO NoO UnsureO | Yes O No O Unsure |
| 42. | If you had a baby before, where was that baby(ies) delivered? O N/A O Hospita | O Clinic O Home |
| | O Other: Were there any problems? O No O Yes, please | explain: |
| | | |
| 43. | Have you lost any children? O No O If Yes, please explain: | |
| 44. | Do you have any traditions, customs or religious beliefs about pregnancy? ONo | O If Yes, please explain: |
| | | |
| | | |
| 45 | Does the doctor say there are any problems with this pregnancy? | |
| | 14-27 wks: 0 No 0 Yes please describe: 28-40 wks: 0 No 0 Yes please describe: | |
| | <u>26-40 WKS.</u> O No O Yes please describe. | |
| 46. | Are you scheduled for any tests? | |
| | <u>14-27 wks:</u> O No O If Yes, what: | |
| | 28-40 wks: O No O If Yes, what: | |
| | Do you have any questions? O No O If Yes, what: | <u></u> |
| | | Pt. Name |
| | | Date of Birth |
| | | Health Plan: |
| | | |
| | | Identification No.: |

| 47. | Have you experienced any of the following discomforts during this pregnancy? |
|-----|--|
| | |

| There you experienced any of the following disconnoits during this pregnancy: | | | | | | | | |
|---|------------------|-------------------|-------------------|--|--|--|--|--|
| If Yes, check box: | <u>0-13 wks:</u> | <u>14-27 wks:</u> | <u>28-40 wks:</u> | | | | | |
| Edema (swelling of hands or feet) 🕊 | 0 | 0 | 0 | | | | | |
| Diarrhea 🕊 | 0 | 0 | 0 | | | | | |
| Constipation 🕊 | 0 | 0 | 0 | | | | | |
| Nausea/vomiting | 0 | 0 | 0 | | | | | |
| Leg cramps 🕊 | 0 | 0 | 0 | | | | | |
| Hemorrhoids | 0 | 0 | 0 | | | | | |
| Heartburn | 0 | 0 | 0 | | | | | |
| Vaginal Bleeding | 0 | 0 | 0 | | | | | |
| Varicose veins | 0 | 0 | 0 | | | | | |
| Headaches | 0 | 0 | 0 | | | | | |
| Backaches | 0 | 0 | 0 | | | | | |
| Abdominal cramping/contractions | 0 | 0 | 0 | | | | | |
| Other: | | Other: | Other: | | | | | |
| | | | | | | | | |

48. In comparison to your previous pregnancies, is there anything you would like to change about the care you receive this time? O N/A O No O If Yes, please explain:

49. Who has given you the most advice about your pregnancy?

50. What are the most important things they have told you?

51. Are you planning to use birth control after this pregnancy?

| <u>14-27 wks:</u> | ONo | O Undecided | If Yes, O what method? | | | |
|-------------------|---------------------|------------------|------------------------|----------|-----------------|-------------|
| (circle) | Birth control pills | | Diaphragm Norplant | | IUD | Abstinence |
| | Foam | n and/or condoms | Natural family plan | ning | Tubal/Vasectomy | Depoprovera |
| <u>28-40 wks:</u> | O No | O Undecided | If Yes, O what method? | | | |
| (circle) | Birth | control pills | Diaphragm | Norplant | IUD | Abstinence |
| | Foam and/or condoms | | Natural family plan | ning | Tubal/Vasectomy | Depoprovera |

52.

Your current or past behaviors, or the current or past behaviors of your sexual partner(s) may place you at risk for being / becoming infected with HIV, the virus which causes AIDS. Since 1979 have you or any of your sexual partner(s):

| (check all that apply) | self | partner(s) | unknown | no |
|---|------|------------|---------|----|
| Had sex with more than one partner? | | | | |
| Had sex with someone you/they didn't know well? | | | | |
| Been treated for trichomonas, chlamydia, genital warts, syphilis, gonorrhea, or other | | | | |
| sexually transmitted infections? | | | | |
| Had sex with someone who used drugs? | | | | |
| Had hepatitis B? | | | | |
| Shared needles? | | | | |
| Had a blood transfusion since1979? | | | | |

Is there any other reason you think you might be at risk for HIV/AIDS? O No O If Yes, please explain:

| Pt. Name | | | | | |
|---------------------|--|--|--|--|--|
| Date of Birth | | | | | |
| Health Plan: | | | | | |
| Identification No.: | | | | | |

| | Change in HIV risk status? | | us? <u>14-27 weeks:</u> | O No | O Yes, | what? | | | | |
|-----|---|------|---|---|--------|-------|--|--|--|--|
| | | | 28-40 weeks: | O No | O Yes, | what? | | | | |
| 53. | 3. Have you been offered counseling/information on the benefits of HIV testing and been offered a blood test for HIV? | | | | | | | | | |
| | <u>0-13 wks:</u> | O No | (Refer to OB provider) | Refer to OB provider) | | | | | | |
| | <u>14-27 wks:</u> | O No | (Not applicable if previous | (Not applicable if previous Yes answer) | | | | | | |
| | <u>28-40 wks:</u> | O No | (Not applicable if previous Yes answer) | | | | | | | |
| | O If Yes, do you have any questions? | | | | | | | | | |

Educational Interests

54. If you have had experience or received education/information in any of the following topics check Column A. If would you like more information check Column B.

| TOPIC | 0-13 | WKS | 14-2 | 7 WKS | 28-40 WKS | | Educational Materials Provided | | |
|--|------------------|-----|------|----------------------|-------------------|-----------|--------------------------------|-------------|-------------|
| | Α | В | Α | В | Α | В | Date | Code* | Initials |
| How your baby grows (fetal development) | | | | | | | | | |
| How your body changes during pregnancy | | | | | | | | | |
| Healthy habits for a healthy pregnancy/baby | | | | | | | | | |
| Assistance with cutting down/quitting smoking | | | | | | | | | |
| Assistance with cutting down/quitting alcohol or drugs | | | | | | | | | |
| What happens during labor and delivery | | | | | | | | | |
| Hospital Tour | | | | | | | | | |
| Helping your child(ren) get ready for a new baby | | | | | | | | | |
| How to take care of yourself after the baby comes | | | | | | | | | |
| Breastfeeding | | | | | | | | | |
| How to take care of your baby/infant safety | | | | | | | | | |
| Infant development | | | | | | | | | |
| How to avoid sexually transmitted infections/HIV | | | | | | | | | |
| Circumcision | | | | | | | | | |
| * Teaching Codes: A = Answered questions W = Written material provided E = Explained verbally S = Visual aids shown V = Video shown I = Interpreter used 55. Is there anything special you would like to learn? O No O Yes, what? | | | | | | | | | |
| 56. How do you like to learn new things? O F O Watch a Video O Pictures and O Other: | Read d diagra | | | ne-on-on Being sh | | | • | on/classes | |
| 57. Will someone be able to attend classes with you | ? | O N | 0 | O Yes, w | vho? | | | | |
| 58. Do you have any physical, mental, or emotional hearing or vision problems that may affect the w | | | | arning di O No | sabilitie O Ye | | ntion Defic | it Disorder | depression, |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | Identific | ation No.: . | | |
| | | | | | l | | | | |

| Nu | trition | - A copy o | f this page | should I | be sent v | with th | e clien | t to WI | C | [| Date: | | | | | |
|-------------|-------------|----------------|--------------------------------|------------|------------------|--------------------|---------------------|--------------------|---------------|------------|----------|---------------|-------------|------------|-----------|-------|
| <u>Ant</u> | hropom | <u>etric:</u> | | E | DC: | | WKS | GA: _ | | Heigł | ht: | | Curr | ent we | ight: | |
| 59. | Weight g | gain in previo | ous pregnanci | ies: 1s | st: | | O Unk | nown | | 2nd: | | | _ O Unl | known | | O N/A |
| | | | | F | Recomm | ended | weigh | t gain d | luring pr | eana | ancv (| check o | ne) | | | |
| 60. | Preprean | ant weight: | lk | | or underw | | | | | | | | women 25- | -35 lbs. | | |
| | Net weigh | - | | | or overwe | - | | | | | | - | ht women | | 5 | |
| • | O Adeq | • | O Inadequa | | | cessive | | 20 1.00 | O Weigh | | | ereneig | | Veight gr | | h |
| Bio | chemica | | | ie | ULA | 5633146 | | | O Weigh | 1055 | • | | 0 0 | veigint gi | iu piotie | iu . |
| | Urine-Da | | (| circle + o | r-) G | lucose: | + | - 1 | Ketones: | - | + - | F | Protein: | + - | | |
| 63. | Blood-Da | ite drawn: | | Hgb: | (< | 10.5) | Hct: | | (< 32) | Ν | /CV: | | Glucose |): | | |
| <u>Clir</u> | nical Dat | <u>a</u> : | | | | | | | | | | | _ | | | |
| 64. | 0 | None releva | nt | | 65. | O Age | e 17 or l | ess (#1) | | 66. | 0 | Pregnan | cy interval | < 1 yr. | | |
| 67. | 0 | High Parity | (<u>></u> 4 births) | | 68. | o Mu | Itiple Ge | estation | | 69. | 0 | Currently | y Breastfee | ding | | |
| 70. | 0 | Dental Prob | lems (#30) | | 71. | O Sei | rious Inf | ections | | 72. | 0 | Anemia | | | | |
| 73. | 0 | Diabetes (ci | rcle) Prep | reg | Past | oreg | | Cu | rent preg | C | commer | nts: | | | | |
| 74. | 0 | Hypertensio | n (circle) Prep | oreg | Past p | oreg | | Cu | rent preg | С | commer | nts: | | | | |
| 75. | 0 | Hx. of poor | oregnancy ou | tcome (e. | g., preter | m delive | ery, fetal | /neonata | al loss): | | | | | | | |
| 76. | 0 | | al/obstetrical | problems | (low birth | n weight | , large | for gest. | age, PIH): | | Pas | st: | | | | |
| | _ | Present: | | | | | | | | | | | | | | |
| 77. | _ | | Health Educa | | | - | disorde | | 0 Psychia | | | | O Abus | se (# 102 | 2-106) | |
| | | omelessness | s (#18) | O De | ev. disabili | ity (#58) |) | O Low | education | (#5) | | O Other: | | | | |
| | tary: | | | | | | | | | | | | | | | |
| 78.7 | Any discor | mforts? (#47 |) O No O Consti | O If Yes, | | e check g cramp | | Nausea D Other: | | 'omiti | ng | O Swe | lling (| 0 Diarrh | ea | |
| 70 | _ | | | | - | | | | | 0.0 | | | | | | |
| 79.1 | O lce | o Paste | any of the foll O Freezer F | - | O No O Corns | | If Yes, | aundry | e check | O D | laster | D Paint ch | Other: | Clay | | |
| ~~ | | | | | | | | | | | | | | | | |
| | | | lay : | | als often | | ? (| D No | O Yes | | | per of sna | cks/day: | | | |
| | | | ng in your hor | | a) buys fo | | | | | | oares fo | | | | - | |
| 82. | - | | wing in your | | | | place to | | O No | 0 | Yes | b) refrig | erator? | O No | 0 | |
| | - | on any spec | | | O If yes, | - | ise expl | anı | | | | | | | | |
| 84. | | - | ? O No | | - | | - | | | | | | | | | |
| 05 | | - | es you avoid | | | - | - | e explair | | 0 N | | | | | | |
| | - | - | | | | | шк Prod gs (#37) | | | | | | eans O (| | | |
| 00. | | ceuse? C | | cohol (#3 | 0) | O Diug | JS (#37) | | D Tobacco |) (#33 |) | USeco | ndhand sm | IOKE (# 3 | 94) | |
| 07 | 0 Prese | | O Nore | 0.0 | | | 0.1- | | 0 Past: | | | | | | | |
| 87. | | . , | O None | 0 Pie | enatal vita O | | | on pills | | | | minerals: | | | | |
| 00 | | I remedies: | adina avaaria | | | Antacid | | | katives | | U Othe | er medicir | | 1 month | | |
| 00. | | | eding experie | ence ? | O N/A | O No | 0 | li res, i | now long? | | | | 0、 | : 1 month | I | |
| 00 | | you stop? | g plans: | O Broom | ,+ 0 | Propot. | & Formı | | 0 Formu | ulo | _ | Undecid | ad | | | |
| | | | g plans. nt Summary | |) 24 hour | | | | d frequenc | | | Undecid | eu | | | |
| 50. | | od Group | | ervings/ | Suggest | | nges | | Food Gro | | uayo) | Servings | / Sugges | sted | | |
| | , | | | oints | 00 | - | 0 | | | | | Points | Change | | | |
| | Protein | | | | + - | | | Vit. A- | rich fruit/ve | a | | | + - | | | |
| | Milk produ | icts | | | + - | | | Other | fruit/vea | | | | + - | | | |
| | | reals/grains | | | + - | | | Fats/S | | | | | + - | | | |
| | Vit. C-rich | | | | + - | | | l | | | | l to Regis | tered Diet | itian | | |
| | b) Diet a | adequate as | assessed: | 0 Yes | S O N | 0 | c) Exc | essive | O Caffe | eine (| #38) | | | | | |
| С | ompleted by | | | | | | | | | | Pt. Na | me | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | _ | |
| Fa | 10111ty: | | | | I eleph | one: | | | | | | | | | - | - |
| CPS | P Prenatal | Combined As | sessment/Reas | sessment | 1/98 | _ | _ | _ | _ | | Identifi | cation No.: - | | | | |

| CPSP Prenatal Combined Assessment/Reassessmer | it 1/98 |
|---|---------|
|---|---------|

| GROUP | FOOD | POINTS NEEDED | SERVINGS/DAY | MAJOR NUTRIENTS |
|-------|-------------------|---------------|--------------|-----------------------------|
| 1 | PROTEINS | 21 | 3 | PROTEIN, IRON, ZINC |
| 2 | MILK | 21 | 3 | CALCIUM, PROTEIN, VITAMIN D |
| 3 | BREADS, GRAINS | 49 | 7 | CARBOHYDRATES, |
| | | | | B VITAMINS, IRON |
| 4 | FRUITS/VEGETABLES | 7 | 1 | VITAMIN C, FOLIC ACID |
| 5 | FRUITS/VEGETABLES | 7 | 1 | VITAMIN A, FOLIC ACID |
| 6 | FRUITS/VEGETABLES | 21 | 3 | CONTRIBUTES TO INTAKE OF |
| | | | | VITAMINS A & C |
| OTHER | FATS AND SWEETS | N/A | 3 | VITAMIN E |

Refer to Protocols for instructions on completing the dietary assessment using the point system above.

90. (continued)

14-27 weeks:

28-40 weeks:

| a) Food Group | Servings/ Points | Sug Cha | | | Food Group | | Servings/ Points | | Suggested Changes | | |
|---------------------------|---------------------|------------|---|------|------------|------------------------------------|-----------------------|------------|----------------------|---|----|
| Protein | | + | - | | | | Protein | | + | - | |
| Milk products | | + | - | | | | Milk products | | + | - | |
| Breads/cereals/grains | | + | - | | | | Breads/cereals/grains | | + | - | |
| Vit. C-rich fruit/veg | | + | - | | | | Vit. C-rich fruit/veg | | + | - | |
| Vit. A-rich fruit/veg | | + | - | | | | Vit. A-rich fruit/veg | | + | - | |
| Other fruit/veg | | + | - | | | | Other fruit/veg | | + | - | |
| Fats/Sweets | | + | - | | | | Fats/Sweets | | + | - | |
| b) Diet adequate as as: | sessed: O | Yes | | O No | | b) | Diet Adequate as ass | essed: (|) Yes | 0 | No |
| c) Excessive: O Ca | ffeine (#38) | | | | | c) | Excessive: | O Caffeine | (#38) | | |
| O Referred to Registe | ered Dietitian | | | | | O Referred to Registered Dietitian | | | | | |

| <u>14-27 we</u> | eks: | Date: | | | | <u>28-</u> 4 | 0 weeks: | Date: | | | |
|-----------------|-----------------|------------|-------|-----|---|--------------|--------------------------|-------|----------|------|---|
| Anthropometric: | BP: | Biochemic | al: | | | Anthropomet | ric: BP: | Bioch | nemical: | | |
| Weight: | | Urine: Glu | cose: | - | + | Weight: | | Urine | Glucose | - | + |
| Net wt. gain: | (61) | Pro | tein: | - | + | Net wt. | (61) | | Protein: | - | + |
| O Adequate | | Ket | ones: | - | + | O Adequate | | | Ketones | s: - | + |
| O Inadequate | <u>Blood</u> dr | awn: date: | | | | O Inadequate | e <u>Blood d</u> rawn: o | date: | | | |
| O Excessive | Hgb: | Hct: | M | CV: | | O Excessive | Glucose | Hgb: | Hct: | MCV: | |

91. O 3 Hr GTT: Fasting: _____ 1 Hr: _____ 2 Hr: _____ 3 Hr: _____ O N/A (1 Hr < 140 dl/ml.)

| Pt. Name |
|---------------------|
| Date of Birth |
| Health Plan: |
| Identification No.: |

| 92. | Are you on any special diet? | <u>14-27 weeks:</u> | O No | O If Yes, | please explain: | | | |
|------|---------------------------------------|----------------------------|------------------|-----------------|--------------------|-------------------|---------------|-----------------------|
| | | <u>28-40 weeks;</u> | O No | O If Yes, | please explain: | | | |
| 93. | Have your eating habits change | d since you've been | pregnant? | | · | | | _ |
| | | O Fat mara | | tablaa O Fruit | 0 Drotoin | O Mills O Droad | _ | <u>4-27 wks:</u> O No |
| | O If Yes, how: | O Eat more: O Eat less: | - | | | | | |
| | 29.40 wks: O No. O If Yos how: | O Eat nore: | - | | | | | |
| | <u>28-40 wks:</u> O No O If Yes, how: | O Eat less: | - | | | | | |
| Coj | oing Skills | U Lat less. | 0 vegt | | OFICIEIT | O WIIK O Dieau | | |
| 94. | Are you currently having proble | ems/concerns with a | nv of the fo | ollowing? (che | ck all that a | oply) | | |
| 01. | rae yea canonay naming proble | | <u>)-13 wks:</u> | | <u>7 wks:</u> | 28-40 wks | 5 | |
| | None | - | 0 | | 0 | 0 | - | |
| | Divorce/separation | | 0 | | 0 | 0 | | |
| | Recent death | | ο | | 0 | 0 | | |
| | Illness (TB, cancer, abn. pap sm | ear) | 0 | | 0 | 0 | | |
| | Unemployment | | ο | | 0 | 0 | | |
| | Immigration | | ο | | 0 | 0 | | |
| | Legal | | ο | | 0 | 0 | | |
| | Probation/parole | | 0 | | 0 | 0 | | |
| | Child Protective Services | | 0 | | 0 | 0 | | |
| | Other: | Other: | | | | Other: | | |
| 95. | What things in your life do you fe | el good about? | | | | | | |
| 96. | What things in your life would yo | u like to change? | | | | | | |
| 97. | What do you do when you are up | oset? | | | | | | |
| | | | | | | | | |
| 98. | In the past month, how often hav | e you felt that you c | ould not co | ntrol the impor | tant things i | n your life? | O No | |
| | O Very often O O | ften O Sometim | es O l | Rarely | O Never | | • | |
| 99. | Have you ever attended group o | r individual meetings | for emotio | nal support or | counseling | ? | | |
| | O If Yes, when and why? | - | | | | | | |
| | O Yes Have you ever be | en prescribed drugs | for emotior | nal problems? | 0 \ | What? | | O No |
| | O Yes Have you ever be | en hospitalized for e | motional pr | oblems? | ٥ ١ | What year? | | O No |
| 100. | What do you do when you and | our partner have di | sagreemen | ts? | | | | |
| | | · | - | | | | | |
| 101. | O No O If Yes, Please explain | , | ugs and/or | alcohol? C | No O | If Yes, does this | create proble | ems for you? |
| 102. | Do you ever feel afraid of, or thr | eatened by your par | tner? (| O No O If | Yes, Ple | ease explain: _ | | |

| Pt. Name |
|---------------------|
| Date of Birth |
| Health Plan: |
| Identification No.: |

| 103. | Within the la O If Yes, b | - | - | een hit, slapped, kicked, c at apply) Husband Total Number of Times: | hoked or physic Ex-husband | ally hurt by so Boyfriend | meone? ⊭ Stranger | |) No Multiple | | |
|-------------|------------------------------|----------------------|-----------------|--|-------------------------------|------------------------------|-----------------------------|--|------------------|------------------|----|
| 104. | Since you | u have t | een pregna | nt, have you been hit, sla | pped, kicked, ch | noked or physi | cally hurt by | someone? 🖌 | : | | |
| | <u>0-13 wks:</u> | O No | O If Yes, | by whom (circle all that appl Total Number of Times: | y) Husband | Ex-husband | Boyfriend | Stranger | Other | Multiple | |
| | <u>14-27 wks:</u> | O No | O If Yes, | by whom (circle all that app Total Number of Times: | ly) Husband | Ex-husband | Boyfriend | Stranger | Other | Multiple | |
| | <u>28-40 wks:</u> | O No | O If Yes, | by whom (circle all that app Total Number of Times: | ly) Husband | Ex-husband | Boyfriend | Stranger | Other | Multiple | |
| 105. | Within the | e last ye | ar has anyc | one forced you to have se | kual activities? | ૮ O No | O If Ye | es, by w | hom (circle | e all that apply | y) |
| | <u>0-13 wks:</u> | O No | O If Yes, | by whom (circle all that app Total Number of Times: | ly) Husband | Ex-husband | Boyfriend | Stranger | Other | Multiple | |
| | <u>14-27 wks:</u> | O No | O If Yes, | by whom (circle all that app Total Number of Times: | ly) Husband | Ex-husband | Boyfriend | Stranger | Other | Multiple | |
| | <u>28-40 wks:</u> | O No | O If Yes, | by whom (circle all that app Total Number of Times: | ly) Husband | Ex-husband | Boyfriend | Stranger | Other | Multiple | |
| 107. | O If Yes, | olease e feel com | explain: | children ever been, a vict king to a counselor if you h | | r sexual abuse O No | 9? K O Yes | 0 No | | | |
| Name | e and Title | | | | Initials | Date | | | Mir | nutes | |
| <u>Sec</u> | ond Trimes | ster Re | assessme | nt Completed by: | | | | | | | |
| Name | e and Title | | | | Initials | Date | | | Mir | nutes | |
| <u>Thir</u> | <u>d Trimeste</u> | <u>r Reas</u> | <u>sessment</u> | Completed by: | | | | | | | |
| Name | e andTitle | | | | Initials | Date | | | Mir | nutes | |
| | | | | | | | Dat Hea | Name e of Birth alth Plan: ntification No.: _ | | | |

Instructions For Assessment of Prenatal Weight Gain

1. Find the Woman's Weight Category

- Measure her height without shoes.
- Ask the woman her weight before pregnancy (*known* as *pre-pregnancy weight*). If she does not know her pre-pregnancy weight, refer to health care provider and /or <u>calculate</u> the pre-pregnancy weight (see separate instructions).
- Find the woman's height on Table 1 and follow across the row to find her prepregnancy weight.
- The title of the column with her pre-pregnancy weight tells you her weight category and also the woman's "Body Mass Index" (BMI) range.

Example:

A woman is 5 feet 2 inches tall. She weighed 145 pounds before pregnancy. Her weight category is Overweight . . . Her **BMI range** = 25-29.9.

2. Find the Recommended Range and Rate of Weight Gain

- Find the Recommended Weight Gain Range for her weight category on Table 2.
- Research has shown that there is insufficient data to recommend rate of weight gain for the 1st trimester.
- Find the recommended $2^{nd}/3^{rd}$ trimester rate of gain per month for her weight category.

Example:

An Overweight woman should gain 15 to 25 pounds. A weight gain of 2 pounds per month is recommended during the 2nd and 3rd trimester.

3. Find the Right Weight Gain Grid

- The weight gain grid is a tool that helps you see if the woman is gaining within the recommended range.
- Choose the grid that matches her weight category. *There are four weight gain grids:* Underweight, Normal Weight, Overweight, and Obese. Document the pre-pregnancy weight and height on the correct grid.

• The Weight Gain Grid:

- The *horizontal zero line* starts at conception.
- The *vertical zero line* represents the woman's weight before pregnancy.
- Each horizontal line <u>above</u> the zero represents one pound gained.
- Each horizontal line <u>below</u> the zero represents one pound *lost*.
- Each vertical line represents one more week into the pregnancy (gestational age).

4. Plot the Weight Gain Grid

- Note: Record the woman's pre-pregnancy weight on the appropriate weight grid.
- If she does not know her pre-pregnancy weight, document the weight that was estimated or calculated.
- Take the woman's weight today and substract it from her pre-pregnant weight. This number equals the number of pounds she has gained (+) or lost (-).

Example:

A woman, 5 feet 2 inches weighed 145 pounds before pregnancy. At 18 weeks gestation she weighs 151 pounds (lbs).

$(151 \ lbs. -145 \ lbs. = 6 \ lbs.$

- She gained 6 lbs.
- Find the line that marks her weight change and the line that marks the number of weeks of gestation.
- Mark an **X** where these two lines meet.
- Check to see whether her total weight gain at this visit falls within her target weight gain range. In this example she is within the range for overweight women.
- Plot weight gain at <u>each prenatal</u> visit. <u>Always subtract the pre-pregnant weight</u> <u>from today's weight</u>.
- Show the woman where her weight is on the grid. Discuss her weight gain progress.

5. What the Weight Gain Grid Tells You

- The weight gain grid can tell you if the woman is gaining too fast, too slow, or just right. The pattern of weight gain is as important as the total gain.
- The grid is also a screening tool to identify women who need more in-depth assessment and counseling.
- When a woman's gain is outside the recommended range, assess factors that may affect her weight gain. See "*Low Weight Gain*" and "*High Weight Gain*" in the Nutrition section of <u>Steps to Take Guidelines</u>.

Some women may not follow the curves of the Weight Gain Grid or may be four or five pounds above or below the recommended line even though they are eating a nutritious diet. Other women may be eating too little or too much. It is important to find out what the woman is eating. Follow the guidelines for the <u>Perinatal Food Frequency Questionnaire</u> (PFFQ).

(A 24-hour food recall is also an acceptable dietary assessment tool, but is not recommended unless the assessor has received adequate training.)

Steps to Take for Appropriate Weight Gain

• If the woman is gaining above or below the recommended range, complete the Perinatal Food Frequency Questionnaire (or 24-Hour Food Recall) monthly.

Emphasize the <u>Daily Food Guide for Pregnancy</u> whether or not the pregnancy weight gain fits the recommended weight gain grid.

• If she is not eating enough or eating too much in any of the food groups, discuss with the woman the changes she needs to make in her diet.

Make a plan together that will bring about positive changes.

• If her weight gain is within the recommended range, assess her diet.

If her diet is fine, congratulate the woman and encourage her to continue eating well.

Review her diet intake each month and her weight at each prenatal visit.

• If her weight gain is below the recommended range, review "Low Weight Gain" in the Nutrition section of <u>Steps to Take Guidelines</u>.

Even if the woman is not eating enough of certain foods, look for other factors which may also explain the low weight gain.

• If her weight gain is above the recommended range, review "*High Weight Gain*" in the Nutrition section of <u>Steps to Take Guidelines</u>.

Do not restrict the diets of women who are gaining extra weight when they consume low fat foods within the recommended number of food groups.

Even if the woman is eating too much of certain foods, look for other factors which may also explain her excess weight gain.

• Continue to monitor weight gain at each prenatal visit.

Reference:

Adapted from Steps to Take, Comprehensive Perinatal Services Program – Program Guidelines for Enhanced Health Education, Nutrition, and Psychosocial Services, Steps to Take Guidelines, 1997 Edition, CDHS.

| Height | Under Weight | Normal Weight | OverWeight | Obese Weight |
|----------------|----------------|-------------------|---------------|--------------|
| () –)) | (BMI - < 18.5) | (BMI 18.5 – 24.9) | (BMI 25-29.9) | (≥30) |
| 4' 7" | < 80 | 80 -107 | 108-128 | >128 |
| 4' 8'' | < 83 | 83 -111 | 112-133 | >133 |
| 4' 9" | < 86 | 86 -115 | 116-138 | >138 |
| 4'10" | < 89 | 89 -119 | 120-143 | >143 |
| 4'11 | < 92 | 92 -123 | 124-148 | >148 |
| 5' 0" | < 95 | 95 -127 | 128-153 | >153 |
| 5' 1" | < 98 | 98 -132 | 133-158 | >158 |
| 5' 2" | <101 | 101-136 | 137-163 | >163 |
| 5' 3" | <105 | 105-140 | 141-169 | >169 |
| 5' 4" | <108 | 108-145 | 146-174 | >174 |
| 5' 5" | <111 | 111-149 | 150-179 | >179 |
| 5' 6" | <115 | 115-154 | 155-185 | >185 |
| 5' 7" | <118 | 118-159 | 160-191 | >191 |
| 5' 8" | <122 | 122-164 | 165-196 | >196 |
| 5' 9" | <125 | 125-168 | 169-202 | >202 |
| 5'10" | <129 | 129-173 | 174-208 | >208 |
| 5'11" | <133 | 133-178 | 179-214 | >214 |
| 6 '0" | <137 | 137-183 | 184-220 | >220 |
| 6' 1" | <140 | 140-189 | 190-227 | >227 |
| 6' 2" | <143 | 143-194 | 195-233 | >233 |
| 6' 3" | <148 | 149-199 | 200-239 | >239 |

Table 1: Weight Categories for Women According to Height and Pre pregnancy Weight *

Table 2: Recommended Range and Rate of Weight Gain

| * Recommended - Weight Gain Range | Underweight 28 - 40 lbs. | Normal Weight 25 - 35 lbs. | <u>Overweight</u> 15 – 25 lbs. | <u>Obese</u> 11 – 20 |
|--|-----------------------------|-------------------------------|-----------------------------------|-------------------------|
| Twins | N / A | 37–54 lbs. | 31–50 lbs | 25-42 lbs. |
| ** Recommended Rate of Weight Gain /mo. | | | | |
| *** 1 st Trimester | | | | |
| 2 nd /3 rd Trimester | 4lbs.ormore | 3-4 lbs. | about 2 lbs. | varies |

- * IOM, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, DC: National Academies Press.
- ** Steps to Take, Comprehensive Perinatal Services– Program Guidelines for Enhanced Health Education, Nutrition, and Psychosocial Services, Step to Take Guidelines, 1997 Edition, CDHS.
- *** Research to date concludes that there is insufficient data for recommendation for rate of weight for the 1st trimester.

INSTRUCTIONS WHEN PRE-PREGNANCY WEIGHT IS NOT KNOWN

At the first visit:

- 1. Estimate the woman's pre-pregnancy status (*underweight, normal weight, overweight or obese weight*) by considering her current height and weight. If uncertain, consider her to be within the normal range.
- 2. Determine the week of gestation at the time of the current weight.
- 3. Place a dot on the grid where the line representing the week of gestation crosses the lower line of the weight gain range estimated to be appropriate for the woman.
- 4. Subtract the number of pounds represented by the line at the dot from the current weight to determine an estimated pre-pregnancy weight. Record this estimated pre-pregnancy weight on the appropriate weight gain grid, noting that it is *"estimated"*, or *"calculated"*.

Example:

Pre-pregnancy Weight = Est. 150 lbs. - or Pre-pregnancy Weight = Calc.150 lbs.

When future weight measurements are available:

- 1. Determine the number of pounds gained or lost by comparing the current weight with the estimated pre-pregnancy weight.
- 2. Determine the week of gestation on the date of the current weight.
- 3. Place a dot on the grid where the line representing the number of pounds gained or lost crossed the line representing the week of gestation.
- 4. Compare the change in weight between measurements with the gain expected for the estimated pre-pregnancy status (*underweight, normal weight, overweight, or obese*).
- 5. Consider the results of this assessment with the results of the dietary and clinical (physical/medical) assessment to determine appropriate recommendations.

Reference:

Adapted from Maternal and Child Health Branch, WIC Supplemental Food Branch, California State Department of Health Services, Prenatal Weight Gain Grid, June 1991.

Rev. 6/9/10

Prenatal Weight Gain Grids*

- 1. Pre-pregnancy Under Weight Range
- 2. Pre-pregnancy Normal Weight Range
- 3. Pre-pregnancy Over Weight Range
- 4. Pre-pregnancy Obese Weight Range

^{*} Based on IOM (Institute of Medicine) 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, D.C. National Academies Press.

_

Weight Categories for Women According to Height and Pre-pregnancy Weight (Ibs)¹:

| Height | Under Weight (BMI <18.5) | Normal Weight (BMI 18.5- | Over Weight (BMI 25- 29.9) | Obese (BMI ≥ 30) |
|--------|-----------------------------------|-----------------------------------|-------------------------------------|------------------------|
| | | 24.9) | | |
| 4'7" | < 80 | 80-107 | 108-128 | > 128 |
| 4'8" | < 83 | 83-111 | 112-133 | > 133 |
| 4'9" | < 86 | 86-115 | 116-138 | > 138 |
| 4'10'' | < 89 | 89-119 | 120-143 | > 143 |
| 4'11'' | < 92 | 92-123 | 124-148 | > 148 |
| 5' | < 95 | 95-127 | 128-153 | > 153 |
| 5'1" | < 98 | 98-132 | 133-158 | > 158 |
| 5'2" | < 101 | 101-136 | 137-163 | > 163 |
| 5'3" | < 105 | 105-140 | 141-169 | > 169 |
| 5'4" | < 108 | 108-145 | 146-174 | > 174 |
| 5'5" | < 111 | 111-149 | 150-179 | > 179 |
| 5'6" | < 115 | 115-154 | 155-185 | > 185 |
| 5'7" | < 118 | 118-159 | 160-191 | > 191 |
| 5'8" | < 122 | 122-164 | 165-196 | > 196 |
| 5'9" | < 125 | 125-168 | 169-202 | > 202 |
| 5'10'' | < 129 | 129-173 | 174-208 | > 208 |
| 5'11'' | < 133 | 133-178 | 179-214 | > 214 |
| 6' | < 137 | 137-183 | 184-220 | > 220 |
| 6'1" | < 140 | 140-189 | 190-227 | > 227 |
| 6'2" | < 143 | 143-194 | 195-233 | > 233 |
| 6'3" | < 148 | 149-199 | 200-239 | > 239 |

BMI = Weight (lbs.)/Height (in.)² X 703

Recommended Weight Gain¹:


| Mark One: | Single | Twins |
|-------------|------------|------------|
| Underweight | 28-40 lbs. | N/A |
| Normal | 25-35 lbs. | 37-54 lbs. |
| Overweight | 15-25 lbs. | 31-50 lbs. |
| Obese | 11-20 lbs. | 25-42 lbs. |
| | | |

Pre-pregnancy Weight: _

Height: _____

¹IOM, 2009. *Weight Gain During Pregnancy: Reexamining the Guidelines*. Washington, DC: National Academies Press.

²Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines



Weeks in Gestation

Weight Gain (Pounds

_

Weight Categories for Women According to Height and Pre-pregnancy Weight (lbs)¹:

| Waget Waget <th< th=""><th>Height</th><th>Under</th><th>Normal</th><th>Over</th><th>Obese</th><th>]</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></th<> | Height | Under | Normal | Over | Obese |] | | | | | | | | | | | | | | | | | | | | |
|---|--------------------|-------------|---------------------------|---------------------|------------|------|-----|-----|------|-------|----|----------|-----------|-----------|-----------|------------------------|-----|------------------|-------|----------|------------------|------|------|------|-----|------------|
| Bit Chi Bit B | r ioigin | 1 | | | | | | | | | | | | | | | | | | | | | | | | |
| 100 200, 100 100 200 200, 100 200 200, 100 | | | | | · · | | | | | | | 90 - L- | Pr | e-p | ore | gna | inc | y N | or | ma | IV | Vei | gh | t Ra | ang | е |
| 47° <30 | | <18.5) | | 29.9) | | Date | v | Vt | WK G | jest. | in | illais | | | | | | | | | | | | | | |
| 188 | | | | | | | | | | | | | 18 | 20 |) 23 | 2 24 | 4 2 | 6 2 | 8 3 | 0 3 | 32 | 34 | 36 | 38 | 40 | 42 |
| 410° < | | | | | | | | | | | | | \square | | | | | | | | | | | | | - 54 |
| 410" < | | | | | | | | | | | | | - | | | | | | _ | | - | - | _ | | | - 52 |
| 4/10* < | | | | | | | | | | | | | | | | | | | | | | | | | | 50 |
| 111 122 24/10 14/ | | | | | | | | | | | | | 1 | + | | | | | | | - | - | - 63 | | | bere |
| 61" <88 | | | | | | | | | | | | | | | | | | | | | | | | | | 48 |
| 52' <101 | | | | | | | | | | | | | | | | | | | | | | | | | | - 46 |
| 53" < 105 | | | | | | | | | | | | | - | | | | | | _ | | | _ | _ | | | 44 |
| 33* <100 | | | | | | | | | | | | | | | | | | | | | | | | | | 42 |
| 1.4 1.00.1 100.11 110.14 | | | | | | | | | | | | | 1 | + | | + | | | | | $\left \right $ | | | | | benn |
| 66° <115 | | | | | | | - | | | | | | | | | | | | | | | | | | | 40 |
| 67" <118 | | | | | | | | | | | | | H | + | + | | | | | | | | | | | - 38 |
| 58° < 122 | | | | | | | | | | | | <u> </u> | H | | | | | | | | - | - | - | | | - 36 |
| bbc <1/2 | | | | | | | | | | | | | H | | | | | | | | | | | | 1 | 34 |
| 5/10" <129 | | | | | | | | | | | | | 1 | + | | + | | | | | $\left \right $ | | | / | 4 | 1000 |
| 5/11" 1/33 1/33-178 1/39-214 >2/14 <td< td=""><td></td><td></td><td></td><td></td><td></td><td>2725</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>1</td><td></td><td>32</td></td<> | | | | | | 2725 | | | | | | | | | | | | | | | | | 1 | 1 | | 32 |
| 6' <137 | | | | | | 30 | 111 | П | | | | TT | | | | | | | | | | | 4 | | - 0 | - 30 |
| 611 <140 | | | | | | 28 | | | - | | | | | | | | | | _ | | | 1 | _ | | - | 28 |
| 01" 140. 198 190-221 > 227 62" <143 | | | | | | 26 | | | | | | | | | | | | | | | / | | | | - | 26 |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | | | | | | 1.2 | | | | | | | | + | | + | | | | 1 | $\left \right $ | | | | | - |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | | | | | | 24 | | | | | | | | | | | | | / | | | | | / | | 24 6 |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | 6'3" | < 148 | 149-199 | 200-239 | > 239 | 22 | | | | | | | | | | | | 1 | - | | | | / | 1 | | 22 gh |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | BMI = | = Weight (I | bs.)/Height | (in.)² X 703 | 3 | 20 | | | | | | | | | | | 1 | | _ | | | / | - | | | 20 0 |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | | | | | | 18 | | | | | | | | | | | | | | | 1 | | | | | 18 5 |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | Reco | mmende | d Weight | Gain ¹ : | | 100 | | | 0 | | | | | | | $\boldsymbol{\lambda}$ | | | - | 1 | | - 0 | - 63 | | | - P |
| Underweight 28-40 lbs. N/A Normal 25-35 lbs. 37-54 lbs. Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | | | | | vins | 16 | | | | | | | | | / | | | | / | | | | | | | 16 S |
| Image: Section of the sec | | | - | | | 14 | | | | | | | | 1 | 1 | | | \boldsymbol{i} | | | | | | | | 14 ds |
| Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: Height: Height: IOM, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, DC: National Academise Press. Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines | | Underweig | ght 28-40 II | bs. N// | Ą | 12 | | _ | - | | | | 1 | | | | | | _ | | - | - | - | | | 12 |
| Overweight 15-25 lbs. 31-50 lbs. Obese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: Height: Meight: Gain During Pregnancy: Rexamining the Guidelines. Washington, DC: National Academies Press. Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines. | | Normal | 25-35 II | bs. 37 | -54 lbs. | 10 | | | | | | | / | \square | | / | | | | | | | | | | 10 |
| Dese 11-20 lbs. 25-42 lbs. Pre-pregnancy Weight: | | Overweigt | nt 15.25 II | hs 21 | -50 lbe | 12 | | | | ++ | | 1 | | + | | | | | | | + | | | | | age - |
| Pre-pregnancy Weight: Height: ¹ IOM, 2009. Weight Gain During Pregnancy: Reexamine IOM Pregnancy Weight Guidelines ² Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines ² A 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 | | | | | | 100 | | | | | | | | | | | | | | | | | | | | 8 |
| Pre-pregnancy Weight: Height: 1 IOM, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, DC: National Academies Press. 2 Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines | | Obese | 11-20 lt | os. 25- | -42 lbs. | 6 | | | | | 1 | | | | | | | | | | | | | | | 6 |
| Height: 1 Index of the communication with the Comm | Pre_pr | eqnancy | Weight [.] | | | 4 | | | / | | | / | | \square | \square | | | | | | | - | | | | - 4 |
| Height: | i ic-pi | egnancy | | | | 2 | | / | | | - | 1 | | | | | | | | | | | | | | 2 |
| ¹ IOM, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, DC: National Academies Press. ² Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines | | | Height: | | | | 4 | - | | | | | | | | | | | | | | | | | | 1953 |
| ¹ IOM, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, DC: National Academies Press. ² Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines | | | | | | 100 | | | | | | | | | | | | | | | | | | | | - Contract |
| ¹ IOM, 2009. Weight Gain During Pregnancy: Reexamining the Guidelines. Washington, DC: National Academies Press. ² Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines ² 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 | | | | | | -2 | | | | | | | | | | | | | | | | | | | | -2 |
| Reexamining the Guidelines. Washington, DC: National Academies Press. ² Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines ² 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 | 1 | | | | | 4 | | | | | + | | | + | + | | | | | | - | - | | | | -4 |
| Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 | IOM, 2 | 2009. Weig | ght Gain Du Guidelings | ring Pregna | ancy: | -6 | | | | | | | | | | | | | | | | | | | | -6 |
| ² Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 | | | | vvasningto | л, DC. | 1.2 | | | | | | | | + | + | | | | | | | | | | | Cons. |
| to Reexamine IOM Pregnancy Weight Guidelines 2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 | 2 ₀₀₇ 0 | oroonal C- | mmunicoti | n with the | Committe | | | | | | | | | | | | | | | | | | | | | -0 |
| | to Ree | xamine IO | M Pregnanc | y Weight G | Guidelines | | 2 4 | | R | 10 | 12 | 14 1 | 6 18 | 20 | 1 23 | 2 2 | 4 2 | 5 2 | 8 7 | 0 | 32 | 34 | 36 | 38 | 40 | 42 |
| | | | | | | | 25 | N S | 2 N | 1525 | 68 | | | | | | | | R 198 | 18 18 | 5 | 1993 | 1992 | 1996 | 235 | 192 |

5B

Weight Categories for Women According to Height and Pre-pregnancy Weight (Ibs)¹:

| Height | Under | Normal | Over | Obese |
|--------|--------|---------|----------|-------|
| | Weight | Weight | Weight | (BMI≥ |
| | (BMI | (BMI | (BMI 25- | 30) |
| | <18.5) | 18.5- | 29.9) | |
| | | 24.9) | | |
| 4'7" | < 80 | 80-107 | 108-128 | > 128 |
| 4'8" | < 83 | 83-111 | 112-133 | > 133 |
| 4'9" | < 86 | 86-115 | 116-138 | > 138 |
| 4'10'' | < 89 | 89-119 | 120-143 | > 143 |
| 4'11'' | < 92 | 92-123 | 124-148 | > 148 |
| 5' | < 95 | 95-127 | 128-153 | > 153 |
| 5'1" | < 98 | 98-132 | 133-158 | > 158 |
| 5'2" | < 101 | 101-136 | 137-163 | > 163 |
| 5'3" | < 105 | 105-140 | 141-169 | > 169 |
| 5'4" | < 108 | 108-145 | 146-174 | > 174 |
| 5'5" | < 111 | 111-149 | 150-179 | > 179 |
| 5'6" | < 115 | 115-154 | 155-185 | > 185 |
| 5'7" | < 118 | 118-159 | 160-191 | > 191 |
| 5'8" | < 122 | 122-164 | 165-196 | > 196 |
| 5'9" | < 125 | 125-168 | 169-202 | > 202 |
| 5'10'' | < 129 | 129-173 | 174-208 | > 208 |
| 5'11'' | < 133 | 133-178 | 179-214 | >214 |
| 6' | < 137 | 137-183 | 184-220 | > 220 |
| 6'1" | < 140 | 140-189 | 190-227 | > 227 |
| 6'2" | < 143 | 143-194 | 195-233 | > 233 |
| 6'3" | < 148 | 149-199 | 200-239 | > 239 |

BMI = Weight (lbs.)/Height (in.)² X 703

Recommended Weight Gain¹:


| Mark One: | Single | Twins |
|-------------|------------|------------|
| Underweight | 28-40 lbs. | N/A |
| Normal | 25-35 lbs. | 37-54 lbs. |
| Overweight | 15-25 lbs. | 31-50 lbs. |
| Obese | 11-20 lbs. | 25-42 lbs. |
| | | |

Pre-pregnancy Weight: ____


Height: _____

¹IOM, 2009. *Weight Gain During Pregnancy: Reexamining the Guidelines*. Washington, DC: National Academies Press.

²Per Personal Communication with the Committee to Reexamine IOM Pregnancy Weight Guidelines



Weight Categories for Women According to Height and Pre-pregnancy Weight (Ibs)¹:



| UNDERWEIGHT <18.5 | NORMAL 18.5 – 24.9 | OVERWEIGHT 25 - 29.9 | OBESE > 30 |
|--|---|---|---|
| (Prepregnant weight is below normal for height.) Possible results: greater chance of having a: Preterm birth. Small unhealthy baby. * Recommended weight gain: 28 to 40 pounds | (Prepregnant weight is normal for height.) Possible results: greater chance of Giving birth at term (37 weeks or more). Having a healthy baby weighing more than 5.5 pounds. * Recommended weight gain: 25 to 35 pounds | (Prepregnant weight is over normal for height.) Possible results: greater chance of having A baby who weighs more than 9 pounds More problems with delivery. * Recommended weight gain: 15 to 25 pounds | (Prepregnant weight is obese for height.) Possible results: greater chance of having A baby who weighs more than 9 pounds More problems with delivery. * Recommended weight gain: 11- 20 pounds |
| Provide advice to relieve discomforts of pregnancy if any are present. Explain how to follow the <i>Daily Food Guide for Pregnancy</i>. Emphasize extra servings from each group. Stress the importance of regular meals and snacks. Recommend a weight gain of at least 4 pounds or more each month. Explain the importance of gaining 28 to 40 pounds. | Provide advice to relieve discomforts of pregnancy if any are present. Explain how to follow the <i>Daily Food Guide for Pregnancy</i>. Advise her to eat regular meals and snacks. Recommend gaining about 3 to 4 pounds per month after her 16th week. Explain the importance of gaining 25 to 35 pounds | Provide advice to relieve discomforts of pregnancy if any are present Explain how to follow the <i>Daily Food Guide for Pregnancy</i>. Highlight the low-fat choices from each of the groups. Recommend regular meals and snacks. Recommend a weight gain of about 2 to 3 pounds per month after the 16th week. Explain importance of gaining 15 to 25 pounds. | Provide advice to relieve discomforts of pregnancy if any are present. Explain how to follow the <i>Daily Food</i> <i>Guide for Pregnancy</i>. Emphasize use of low fat choices and portion size control. Stress importance of regular meals and snacks. Recommend a weight gain of 2 ½ pounds per month after the 16th week. Explain the importance of gaining 11-20 pounds. |
| Check weight gain and rate of gain at each prenatal visit. Plot on Weight Gain Grid. If weight gain is too low, discuss the handout, <i>Tips to Gain Weight</i>. | Check weight gain and rate of gain at each prenatal visit. Plot on <i>Weight Gain Grid</i>. If weight gain is too low, discuss, <i>Low Weight Gain</i> and the Nutrition handout <i>Tips to Gain Weight</i>. If weight gain is too high, discuss, <i>High Weight Gain</i> and the Nutrition handout, <i>You Can Slow Weight Gain</i>. | Check weight gain and rate of gain at each prenatal visit. Plot on <i>Weight Gain Grid</i>. If weight gain is too low, discuss Low Weight Gain and the Nutrition handout <i>Tips to gain weight</i>. If weight gain is too high, discuss <i>High Weight Gain</i> and the Nutrition handout, <i>You can slow weight gain</i>. | Check weight gain and rate of gain at each prenatal visit. Plot on Weight Gain Grid. If weight gain is too low, discuss <i>Low Weig Gain</i> and the Nutrition handout <i>Tips to Gain Weight</i>. If weight gain is too high, discuss Height Weight Gain and the Nutrition handout: <i>Yo can slow gain weight</i>. |
| Refer to health care provider and registered dietitian if: Weight loss of more than 4 pounds in the first 12 weeks of pregnancy. No weight gain by 16 weeks. Weight gain is less than 14 pounds at 24 weeks. Gain of less than 3 pounds in any single month after 14 weeks. | Refer to health care provider and registered dietitian if: Weight loss of more than 5 pounds in the first 12 weeks of pregnancy. No weight gain by 16 weeks. Weight gain is less than 12 pounds at 24 weeks. Gain of more than 6.5 pounds in any month. Gain of less than 2 pounds in any single month after 14 weeks. | Refer to health care provider and registered dietitian if: Weight loss of more than 5 pounds in the first 12 weeks of pregnancy. No weight gain by 20 weeks. Weight gain is less than 8 pounds at 26 weeks. Gain of less than 2 pounds in single month after 14 weeks. Gain of more than 6.5 pounds in any month | Refer to health care provider and registered dietitian if: Weight loss of more than 8 pounds in the fin 12 weeks of pregnancy. No weight gain by 20 weeks. Gain of more than 6.5 pounds in any single month after 14 weeks. Gain of less than 1 pound in any single month after 14 weeks. |

Tak

recommendations for all maternal BMI categories, especially among <u>obese women</u>.

SE

Revised - 2/2010 Reference Source: Ster

Reference Source: Steps to Take: Comprehensive Perinatal Services Program, Nutrition Program Guidelines, 1997 Edition, and

*Daily Food Guide for Pregnant/Breastfeeding Women (All Ages) 6

| • | <u>U</u> | breastreeunig won | Recommended |
|--|---|--|---|
| Food Groups | One Serving Equals | | Minimum Servings |
| Protein Foods Provide protein, iron, zinc, and B-vitamins for growth of muscles, bone, blood, and nerves. Vegetable protein provides fiber to prevent constipation. | Animal Protein: 2-3oz Cooked chicken, turkey, lean beef, lamb, pork, or fish. 2 Eggs 2 Fish sticks or hot dogs 2 slices luncheon meat ¹ / ₄ cup canned tuna or other canned fish | Vegetable Protein: ¹ / ₂ cup cooked dry beans, lentils or split peas 3 oz Tofu ¹ / ₄ cup nuts or seeds 2 tbsp. peanut butter | 3 Include one serving of vegetable protein daily. |
| Milk Products Provide protein and calcium to build strong bones, teeth, healthy nerves and muscles, and to promote normal blood clotting. | 8 oz milk or yogurt 1 cup milk shake 1½ cup cream soup (made with milk) 1½ oz or 1/3 cup grated cheese (like cheddar, Monterey, mozzarella, or Swiss) | 1½ -2 slices pre-sliced American cheese 4 tbsp. parmesan cheese 2 cups cottage cheese 1 cup pudding, custard or flan 1½ cups ice milk, ice cream, or frozen yogurt | 3 |
| Breads, Cereals & Grains Provide carbohydrates and vitamins for energy and healthy nerves. Also provide iron for healthy blood and fiber to prevent constipation. | 1 slice bread or dinner roll ¹ / ₂ bun, bagel, English muffin or pita 1 small tortilla ³ / ₄ cup dry cereal ¹ / ₂ cup cooked cereal or granola | ¹/₂ cup rice, noodles or spaghetti ¹/₄ cup wheat germ 1 4-inch pancake or waffle 1 small muffin 8 medium crackers 4 graham cracker squares 3 cups popcorn | 7 Four servings of whole-grain products daily |
| Vitamin C-Rich Fruits and Vegetables Provide vitamin C to prevent infection and to promote healing and iron absorption. Also provide fiber to prevent constipation. | 6 oz orange, grapefruit, or fruit juice enriched with vitamin C 6 oz tomato juice or vegetable juice cocktail 1 orange, kiwi, mango ½ grapefruit, cantaloupe ½ cup papaya 2 tangerines | ¹ / ₂ cup strawberries ¹ / ₂ cup cooked or 1 cup raw cabbage ¹ / ₂ broccoli, Brussels sprouts, or cauliflower, snow peas, sweet peppers, or tomato puree 2 tomatoes | 1 |
| Vitamin A-rich Fruits and Vegetables Provide beta-carotene and vitamin A to prevent infection and promote wound healing and night vision. Also provide fiber to prevent constipation. | 6 oz apricot nectar, or vegetable juice cocktail 3 raw or ¼ cup dried apricots ¼ cantaloupe or mango 1 small or ½ cup sliced carrots 2 tomatoes | ½ cup cooked or 1 cup raw spinach ½ cup cooked greens (beet, chard, collards, dandelion, kale, mustard) ½ cup pumpkin, sweet potato, winter squash, or yams. | 1 |
| Other Fruits & Vegetables Provide carbohydrates for energy and fiber to prevent constipation. | 6 oz fruit juice (if not listed above) 1 medium or ½ cup sliced fruit (apple, banana, peach, pear) ½ cup berries (other than strawberries) ½ cup cherries, grapes, pineapple or watermelon | ¹ / ₄ cup dried fruit ¹ / ₂ cup sliced vegetable (asparagus, beets, green beans, celery, corn, eggplant, mushrooms, onion, peas, potato, summer squash, zucchini) ¹ / ₂ artichoke 1 cup lettuce | 3 |
| Unsaturated Fats Provide vitamin E to protect tissue. | 1/8 medium avocado 1 tsp. margarine, mayonnaise or vegetable oil | 2 tsp. salad dressing (mayonnaise- base) 1 tbsp. salad dressing (oil based) | 3 |

Note: The Daily Food Guide for Women may not provide all the calories you require. The best way to increase your intake is to include more than the minimum servings recommended.

*-Adapted for LAC/DHS-CPSP Trainings

LOS ANGELES COUNTY COMPREHENSIVE PERINATAL SERVICES PROGRAM

INSTRUCTIONS FOR THE PERINATAL FOOD FREQUENCY QUESTIONNAIRE

The Perinatal Food Frequency Questionnaire (PFFQ) is used to determine the different foods a patient eats each day or week. This dietary information is used together with anthropometric (height/weight), biochemical (labs), and clinical information to complete the nutrition component of the Prenatal Initial Combined Assessment/Reassessment Tool (ICA).

FOOD INTAKE & FREQUENCY

A nutrition assessment needs to be completed on every woman, initially and at least once each trimester, *using a Perinatal Food Frequency Questionnaire*. The questionnaire will help the evaluator:

- assess the patient's nutritional status;
- compare what and how much she eats to the Daily Food Guide recommendations;
- help her find foods she enjoys in food groups where she doesn't eat enough; and
- > learn about her food habits, culture, family, and lifestyle

HOW TO DO A PERINATAL FOOD FREQUENCY QUESTIONNAIRE - (PFFQ)

The Perinatal Food Frequency Questionnaire (PFFQ) uses the seven food groups from the *Daily Food Guide for Women*. Foods are grouped according to similar nutrients and one food can be exchanged for another within the same group. Eating the recommended number of servings in groups 1-6 assures that a pregnant or breastfeeding woman will eat at least 90% of the Recommended Dietary Allowances (RDA) for protein, vitamins, and minerals. Eating the recommended servings in the "Other Foods" group (identified with the triangle \blacktriangle symbol), assures appropriate intake of unsaturated fats and vitamin E.

Either the client or evaluator can complete the questionnaire. The client instructions are at the top of the page of the PFFQ. **Note:** although it states *"if you eat the food less than 1* time *per week, do not mark columns,"* this information must be reviewed and totaled by the evaluator who should fill in any blanks with a *"0"*. The "Other Foods" group is not scored, but is evaluated to capture the intake of unsaturated fats.

Record the final scores of the PFFQ in question #90 of the ICA- "Nutrition Assessment Summary". *A completed PFFQ is also required for each trimester reassessment and postpartum assessment and must remain in the chart.* Completing a PFFQ takes practice. Speed and accuracy will come as more questionnaires are completed.

The PFFQ uses a *point system* to determine if the diet is adequate. The points in the *bottom left corner* of each box – in parentheses - are equal to the recommended number of servings in the Daily Food Guide multiplied by 7 (*1 serving equals 7 points*). For example: In Group 1 (Protein), a patient needs 21 points. This is equal to 3 "servings." *Follow the Steps Below:*

1. Explain what you are going to do:

"I am going to read off a list of foods. For each food tell me the number of times you eat that food every day. If you do not eat that food daily, tell me how many times you eat that food each week."

2. Fill out the PFFQ:

As you read off the foods, write in the client's answers. If she eats the food every day, write down her answer in the **Daily** column. If she does not eat a food every day, write down her answer in the **Weekly** column. If she eats the food less than one time per week, document a zero.

3. Score the PFFQ:

After filling out the answers for all the food groups, go back and add up the totals for groups 1-6. For each group:

- a Add all the numbers in the **Daily** column and write that number on the **Subtotals** line, to the left of "_____x 7=". Multiply this number by 7 and write in the total to the right of the "x 7 =____".
- b Add all the numbers in the **Weekly** column and write that total on the **Subtotals** line.
- c Add the subtotals from the **Daily** column and **Weekly** column. Write the total on the last line next to **Total Points.**

4. **Discuss the changes she should make to her diet:** Review each food group and provide suggestions to help client meet her needs. Use the following information to help evaluate her needs:

- a Compare the **Total Points** of each group with the **Recommended Points** (found in *parentheses* in the lower left corner of each box (*shaded area*).
- b If the **Recommended Points** are greater than the **Total Points**, the client is not meeting her minimum needs for that group. To advise her on how many servings to add to her daily diet **subtract** the **Total Points** from the **Recommended Points** and divide the answer by 7. This number is the number of servings from that group the client needs to add to her diet every day.
- * The diet is low in total protein only if the combined points of groups 1 and 2 are less than 35.
- * A star (*) next to a food indicates that this food is high in folate. A diet may be low in folate if the total for all starred foods is less than 7.
- * A triangle (▲) next to a food indicates that it is high in unsaturated fats. A diet may be low in unsaturated fats if the total intake is less than 3.
- c If the **Total Points** is greater than the **Recommended Points** you will need to evaluate whether a decrease in servings is necessary. (Remember that the

Recommended Points is the minimum number suggested: a greater intake may be encouraged.) Use the following guidelines to advise the client:

Groups 1 & 2:

Encourage client to eat the lower fat sources from these groups (chicken, fish and beans from Group1; low-fat/nonfat dairy from Group 2). Determine whether a high intake of foods from these groups interferes with an adequate intake from other groups. If intake from these groups is very high, suggest replacing some servings from these groups with servings from the other groups that are deficient.

Group 3:

Encourage client to eat whole grains. Remind client to limit high fat additions to foods, like butter, margarine, or cream sauces. Determine whether a high intake of foods from this group interferes with an adequate intake from other groups. If intake from this group is very high, suggest replacing some servings from this group with servings from the other groups that are deficient.

Groups 4, 5, & 6:

A high intake from these groups should be encouraged. Remind client to eat a variety of foods from each group. Be sure fruit intake includes both juices and whole fruits. Remind client to limit intake of fried vegetables and limit higher fat additions to vegetables, like butter, cheese, or cream sauces.

"Other Foods" Group:

This group is not scored, but is important to evaluate the intake of unsaturated fats. In general, more than 3 servings per day of foods that are high in fat or sugar may lead to excess weight or displacement of more nutritious foods.

It is recommended that fat be limited to the items indicated with the triangle (\blacktriangle), which are high in unsaturated fat. Encourage clients to eat these foods in moderation. Determine whether a high intake of foods from this group interferes with an adequate intake from other groups. If intake from this group is very high, suggest replacing some servings from this group with servings from groups that are deficient. Check the client's weight. If she is overweight, or if she is gaining weight too quickly, advise her to limit these foods. If she is underweight, or if she is gaining weight too slowly, advise her to eat adequate amounts from all the food groups, and then add these extra foods.

Incorporating PFFQ Information Into Initial Combined Assessment/Reassessment Tool

The PFFQ information needs to be transferred to the "Nutrition Assessment Summary" section (question #90) of the ICA. Transfer the **Total Points** from each food group (1-6) to the corresponding food group line in question # 90. (Remember to put a check ☑ in the box for "Food Frequency (7 days)" to indicate that you used a PFFQ rather than a 24-hour diet recall. Circle the word **"points"** in **Part a** "Food Group"/ column 2 "Servings/Points."

- 1. If **Recommended** Points are greater than **Total Points**:
 - 1. Subtract Total Points from Recommended Points.
 - 2. Divide this total by 7. Write this number in the column under "Suggested Changes"
 - 3. Circle the "+" sign under "Suggested Changes."
- 3. If the **Total Points** are greater than **Recommended Points**:
 - a. Subtract Recommended Points from Total Points.
 - b. Divide this total by 7. Write this number in the column under "Suggested Changes"
 - c. Circle the "-" sign under "Suggested changes."
- 4. Complete Part b for initial assessment.
- 5. Repeat above steps for each reassessment and postpartum visit.

DIETARY ASSESSMENT SUMMARY

This section must be completed by the Evaluator for the Initial Combined Assessment (ICA), and for 2nd and 3rd trimester reassessments, and for postpartum assessment.

- Diet Inadequate/Excessive In:

Compare actual points with recommended points. Note which food groups/nutrients are inadequate or excessive and list them in appropriate areas. For initial assessment, transfer this information to the *"Nutrition Assessment Summary"* of the ICA.

- Comments /Needs:

Note any pertinent findings from Food Groups 1-6 and "Other Foods". This information may be useful in development of the Individualized Care Plan (ICP).

- Nutrition Intervention:

Summarize what you have done for the woman by checking the appropriate intervention(s) as follows:

>check when you have completed counseling for identified problems; check if you have given a brochure (*you may note which one*); check if you have referred high risk patients to the Registered Dietitian (R.D.) per protocols.

Sign and date tool; record the woman's name and ID/chart information.

Note: A 24-hour diet recall may be used instead of a Food Frequency Questionnaire, but the provider must demonstrate that staff have been adequately trained and knowledgeable in its use.

Please check one: _Initial Assessment _ 2nd Trimester Reassessment

_ 3rd Trimester Reassessment _ Postpartum Assessment Client Name: I.D. Number:

PERINATAL FOOD FREQUENCY QUESTIONNAIRE (PFFQ)

(Client Instructions)

How often do you eat the food listed below?

If you eat the food every day, mark the number of times per day in the daily column.

If you eat the food <u>one or more times per week (not every day)</u>, mark the number of times per week in the weekly column.

If you eat the food less than once per week. do not mark columns.

| Group 1 | Daily | Weekly |
|----------------------|-------|---------------|
| Meat/ carne | | |
| Chicken/ pollo | | |
| Fish/pescado | | |
| shell fish/marisco | | |
| Eggs/huevos | | |
| *beans/frijoles | | |
| peanut butter/creama | | |
| de cacahuate | | |
| Subtotals: | x7= | + |
| (21) | | Total Points: |

| Group 2 | Daily | Weekly |
|--------------|-------|---------------|
| Milk/leche | | |
| Cheese/queso | | |
| Yogurt/yogur | | |
| Subtotals: | x7= | + |
| (21) | | Total Points: |

| Group 3 | Daily | Weekly |
|------------------------|-------|---------------|
| Bread/pan (1 slice) | | |
| tortilla (1) | | |
| cooked cereal/ cereal, | | |
| cocida | | |
| dry cereal/cereal | | |
| seca | | |
| Rice/arros | | |
| pasta | | |
| Subtotals: | x7= | + |
| (49) | | Total Points: |

| Group 4 | Daily | Weekly |
|-----------------------|-------|---------------|
| *orange/naranja | | |
| *orange juice/jugo | | |
| De naranja | | |
| *tomato/tomate | | |
| Cabbage/col repollo | | |
| *broccoli/brocoli | | |
| *cauliflower/coliflor | | |
| Subtotals: | x7= | + |
| (7) | | Total Points: |










| Group 5 | Daily | Weekly |
|---------------------|-------|---------------|
| *spinache/greens | | |
| Espinaca/hojas de | | |
| verde | | |
| sweet potato/camote | | |
| Carrots/zanahoria | | |
| Cantaloupe/melon | | |
| mango | | |
| Subtotals: | x7= | + |
| (7) | | Total Points: |

| Group 6 | Daily | Weekly |
|---------------------|-------|---------------|
| Apple/manzana | | |
| Banana/platano | | |
| pineapple juice/ | | |
| jugo de pina | | |
| Corn/elote | | |
| Lettuce/lechuga | | |
| potatoes (white)/ | | |
| papas (blancas) | | |
| Zucchini/calabazita | | |
| other fruits & | | |
| vegetables/otras | | |
| frutas y verduras | | |
| Subtotals: | x7= | + |
| (21) | | Total Points: |

| Other Foods | Daily | Weekly |
|---------------------|-------|--------|
| fried foods | | |
| /comidas firtas | | |
| Butter/manteguilla | | |
| ▲ margarine | | |
| /margarina | | |
| sour cream/crema | | |
| agria | | |
| ▲ mayonnaise/ | | |
| mayonesa | | |
| ▲ salad dressing/ | | |
| Salad para ensalada | | |
| ▲ vegetable oil/ | | |
| Aceite vegetal | | |
| ▲ avocado/ | | |
| aquacate | | |
| Chips/papitas | | |
| Donuts/ | | |
| Candy/ | | |
| Carmelo/chocolate | | |
| soda | | |
| other sugar drinks/ | | |
| bebidas con azucar | | |
| Other sweets/ otros | | |
| dulces | | |

Client Name: I.D. Number:





DIETARY ASSESSMENT SUMMARY

Diet Inadequate In: (food groups/nutrients)

Diet Excessive In:

Comments/Needs:

□ Brochures Given

 \Box Referred to Nutritionist

Name and Title of Evaluator/ Date

Г

SUSPECTED CHILD ABUSE REPORT

To Be Completed by Mandated Child Abuse Reporters Pursuant to Penal Code Section 11166

CASE NAME:_

| | | | PLEASE PRI | NT OR T | YPE | | | (| CASENUM | BER: | | | | |
|-------------------------|-------------|------------------------|---------------------------|---------------|-----------------------|-----------|------------|-------------|------------------|-----------------|----------------------|--------------|-----------|-------------|
| Ű | | NAME OF MANDATED RE | EPORTER | | TITLE | | | | 1 | MANDATED F | REPORTER | R CATEGOR | Y | |
| A. REPORTING | PARTY | REPORTER'S BUSINESS | AGENCY NAME AND A | DDRESS | Street | | | City | | DID MANDAT | | RTER WITNE | ESS THE | INCIDENT? |
| REP | 2 | REPORTER'S TELEPHON | NE (DAYTIME) | SIGNATURE | E | | | | - | TODAY'S DAT | ΓE | | | |
| | z | LAW ENFORCEMENT | COUNTY PROBA | TION | AGENCY | | | | | | | | | |
| 2 | 2 | COUNTY WELFARE / | CPS (Child Protective Se | rvices) | | | | | | | | | | |
| REPORT | | ADDRESS | Street | | City | | | | Zip | | | DATE/TIM | E OF PH | IONE CALL |
| B. R | NUTFICATION | OFFICIAL CONTACTED - | TITLE | | | | | | | TELEPHO |) | | | |
| | | NAME (LAST, FIRST, MID | DLE) | | | | | | BIRTHDATE | OR APPROX. | AGE | SEX | ETHN | IICITY |
| 1 | | ADDRESS | Street | | City | | | | Zip | TELEPHO |) | | | |
| MIT | | PRESENT LOCATION OF | VICTIM | | | | SCHOOL | | | CLASS | | | | GRADE |
| VICTIM | port | PHYSICALLY DISABLED? | P DEVELOPMENTALLY | DISABLED? | OTHER DISABILIT | Y (SPEC | IFY) | | | | (LANGUA) IN HOME | GE | | |
| U S | 2 | IN FOSTER CARE? | IF VICTIM WAS IN OU | T-OF-HOME C | CARE AT TIME OF IN | ICIDENT | CHECK TY | PE OF CAF | RE: | TYPE OF | ABUSE (C | HECK ONE | OR MO | RE) |
| ć | 5 | □ YES | DAY CARE CH | IILD CARE CE | | FAMILY | HOME | FAMILY F | RIEND | D PHYSIC | | NTAL S | EXUAL | □ NEGLECT |
| | | □ NO | GROUP HOME OR | INSTITUTION | □ RELATIVE'S HO | DME | | | | | R (SPECIFY | () | | |
| | | RELATIONSHIP TO SUSF | PECT | | | | PHOTOS | TAKEN? | | DID THE | INCIDENT | RESULT IN | THIS | |
| | | | | | | | TYES C | J NO | | VICTIM'S | DEATH? | □YES □ | NO 🗆 | UNK |
| Ω | S | NAME | BIRTHDAT | E | SEX ETHNICITY | | 1 | | NAME | E | BIRTHDAT | Ξ | SEX | ETHNICITY |
| VICTIM'S | SIBLINGS | 1 | | | | | : | 3 | | | | | | |
| | SB | 2 | | | | | | 4 | | | | | | |
| TIES | NS | NAME (LAST, FIRST, MID | DLE) | | | | | | BIRTHDATE | OR APPROX. | AGE | SEX | ETHN | IICITY |
| PAR ^{M'S} | UARDIANS | ADDRESS | Street | City | Zip | номі (| E PHONE | | 1 | |) | 1 | | |
| INVOLVED PARTIES | PARENTS/G | NAME (LAST, FIRST, MID | DLE) | | | | | | BIRTHDATE | OR APPROX. | AGE | SEX | ETHN | IICITY |
| | PARE | ADDRESS | Street | City | Zip | ном | E PHONE | | 1 | | S PHONE | 1 | | |
| D. | + | SUSPECT'S NAME (LAST | , FIRST, MIDDLE) | | | | , | | BIRTHDATE (| OR APPROX. | AGE | SEX | ETHN | IICITY |
| | Ы | | | | | | | | | | | | | |
| | SUSPECT | ADDRESS | Street | | City | | | Zip | | TELEPHO |)) | | | |
| | S | OTHER RELEVANT INFO | RMATION | | | | | | | | | | | |
| | | IF NECESSARY, ATTA | ACH EXTRA SHEET(S |) OR OTHE | R FORM(S) AND (| HECK | THIS BOX | | IF MULTIPL | F VICTIMS | INDICAT | FNUMBE | R. | |
| | | DATE / TIME OF INCIDEN | | PLACE OF I | | | | | | , | | | | |
| SMA ⁻ | | NARRATIVE DESCRIPTIC | ON (What victim(s) said/w | hat the manda | ated reporter observe | d/what pe | rson accom | panying the | victim(s) said/s | similar or past | incidents in | nvolving the | victim(s) | or suspect) |
| FOF | | | | | | | | | | | | | | |
| ≦ ⊑ | | | | | | | | | | | | | | |
| E. INCIDENT INFORMATION | | | | | | | | | | | | | | |
| NI. | | | | | | | | | | | | | | |
| ш | | | | | | | | | | | | | | |
| SS 85 | 72 (| Rev. 12/02) | DEF | NITION | S AND INS | TRIJ | CTION | IS ON | REVER | SF | | | | |

DO NOT submit a copy of this form to the Department of Justice (DOJ). The investigating agency is required under Penal Code Section 11169 to submit to DOJ a Child Abuse Investigation Report Form SS 8583 if (1) an active investigation was conducted and (2) the incident was determined not to be unfounded. WHITE COPY-Police or Sheriff's Department; BLUE COPY-County Welfare or Probation Department; GREEN COPY- District Attorney's Office; YELLOW COPY-Reporting Party

DEFINITIONS AND GENERAL INSTRUCTIONS FOR COMPLETION OF FORM SS 8572

All Penal Code (PC) references are located in Article 2.5 of the PC. This article is known as the Child Abuse and Neglect Reporting Act (CANRA). The provisions of CANRA may be viewed at: http://www.leginfo.ca.gov/calaw.html (specify "Penal Code" and search for Sections 11164-11174.3). A mandated reporter must complete and submit the form SS 8572 even if some of the requested information is not known. (PC Section 11167(a).)

I. MANDATED CHILD ABUSE REPORTERS

Mandated child abuse reporters include all those individuals • and entities listed in PC Section 11165.7.

II. TO WHOM REPORTS ARE TO BE MADE ("DESIGNATED AGENCIES")

• Reports of suspected child abuse or neglect shall be made by mandated reporters to any police department or sheriff's department (not including a school district police or security department), the county probation department (if designated by the county to receive mandated reports), or the county welfare department. (PC Section 11165.9.)

III. REPORTING RESPONSIBILITIES

- Any mandated reporter who has knowledge of or observes a child, in his or her professional capacity or within the scope of his or her employment, whom he or she knows or reasonably suspects has been the victim of child abuse or neglect shall report such suspected incident of abuse or neglect to a designated agency immediately or as soon as practically possible by telephone and shall prepare and send a written report thereof within 36 hours of receiving the information concerning the incident. (PC Section 11166(a).)
- No mandated reporter who reports a suspected incident of child abuse or neglect shall be held civilly or criminally liable for any report required or authorized by CANRA. Any other person reporting a known or suspected incident of child abuse or neglect shall not incur civil or criminal liability as a result of any report authorized by CANRA unless it can be proven the report was false and the person knew it was false or made the report with reckless disregard of its truth or falsity. (PC Section 11172(a).)

IV. INSTRUCTIONS

SECTION A - REPORTING PARTY: Enter the mandated reporter's name, title, category (from PC Section 11165.7), business/agency name and address, daytime telephone number, and today's date. Check yes-no whether the mandated reporter witnessed the incident. The signature area is for either the mandated reporter or, if the report is telephoned in by the mandated reporter, the person taking the telephoned report.

- **IV. INSTRUCTIONS** (Continued)
- SECTION B REPORT NOTIFICATION: Complete the name and address of the designated agency notified, the date/ time of the phone call, and the name, title, and telephone number of the official contacted.
- SECTION C - VICTIM (One Report per Victim): Enter the victim's name, address, telephone number, birth date or approximate age, sex, ethnicity, present location, and, where applicable, enter the school, class (indicate the teacher's name or room number), and grade. List the primary language spoken in the victim's home. Check the appropriate yes-no box to indicate whether the victim may have a developmental disability or physical disability and specify any other apparent disability. Check the appropriate yes-no box to indicate whether the victim is in foster care, and check the appropriate box to indicate the type of care if the victim was in out-of-home care. Check the appropriate box to indicate the type of abuse. List the victim's relationship to the suspect. Check the appropriate yes-no box to indicate whether photos of the injuries were taken. Check the appropriate box to indicate whether the incident resulted in the victim's death.
- SECTION D INVOLVED PARTIES: Enter the requested information for: Victim's Siblings, Victim's Parents/ Guardians, and Suspect. Attach extra sheet(s) if needed (provide the requested information for each individual on the attached sheet(s)).
- SECTION E - INCIDENT INFORMATION: If multiple victims, indicate the number and submit a form for each victim. Enter date/time and place of the incident. Provide a narrative of the incident. Attach extra sheet(s) if needed.

V. DISTRIBUTION

- Reporting Party: After completing Form SS 8572, retain the yellow copy for your records and submit the top three copies to the designated agency.
- Designated Agency: Within 36 hours of receipt of Form SS 8572, send white copy to police or sheriff's department, **blue copy** to county welfare or probation department, and green copy to district attorney's office.

ETHNICITY CODES

- 1 Alaskan Native
- 2 American Indian
- 3 Asian Indian
- 4 Black
- 5 Cambodian
- Central American 7 8 Chinese 9 Ethiopian

6 Caribbean

10 Filipino

- 17 Laotian

16 Korean

- 18 Mexican
- 19 Other Asian
- 21 Other Pacific Islander
- 22 Polynesian 23 Samoan 24 South American 25 Vietnamese 26 White
- 27 White-Armenian
- 28 White-Central American
- 29 White-European
- 30 White-Middle Eastern
- 31 White-Romanian

13 Hispanic 14 Hmong 15 Japanese

11 Guamanian

12 Hawaiian

| CALIFORNIA EMERGENCY MANAGEMENT AGENCY |
|--|
| SUSPICIOUS INJURY REPORT |

Cal EMA 2-920 (4/1/09)



INFORMATION DISCLOSURE

This form is for law enforcement use only and is confidential in accordance with Section 11163.2 of the Penal Code. This form shall not be disclosed except by local law enforcement agencies to those involved in the investigation of the report or the enforcement of a criminal law implicated by this report. In no case shall the person identified as a suspect be allowed access to the injured person's whereabouts. The person making this report shall not be required to disclose his/her identity to their employer (PC 11160).

| Part A: PATIENT V | VITH SUSPIC | CIOUS I | NJURY | | | | | | |
|--|------------------|-----------|---------------|------------|-----------|-----------|------------|---------|----------|
| 1. PATIENT'S NAME (Last, First, Middle) | 2. BIRTH DATE | | 3. GENDER | | 4. SAFE F | PHONE NUM | BER | | |
| 5. PATIENT'S RESIDING ADDRESS (Number and Street / Apt - NO P.O. Box) | City | | | | | State | e Zip | | |
| 6. PATIENT SPEAKS ENGLISH | | 7. DATE | E AND TIME (| OF INJURY | | | | | |
| Y N – Identify language spoken: | | Date: | | Tin | ne: | am | pm | | Unknown |
| 8. LOCATION / ADDRESS WHERE INJURY OCCURRED, IF AVAILABLE – Check here if unkn | | | | | | Γ | | | |
| PATIENT'S COMMENTS ABOUT THE INCIDENT – Include any identifying information the injury and the names of any persons who may know about the incident. | about the perso | on the pa | itient allege | s caused | | | DITIONAL I | PAGES / | ATTACHED |
| 10. NAME OF SUSPECT - If identified by the patient | 11. RELATIONSH | IIP TO PA | TIENT, IF ANY | (| | | | | |
| 12. SUSPICIOUS INJURY DESCRIPTION – Include a brief description of physical findin | gs and the tinal | diagnosi | S. | | | | | PAGES / | ATTACHED |
| | | | | | | | | | |
| Part B: REQUIRED - AGENCIES RE | CEIVING PH | ONE A | | ND TIME R | | | | | |
| 13. LAW ENFORCEMENT AGENCY NOTIFIED BY PHONE (Mandated by PC 11160) | | | Date: | | Time: | | am | pm | |
| 15. NAME OF PERSON RECEIVING PHONE REPORT (First and Last) | 16. JOB TITLE | | 54101 | | - | IE NUMBER | | p | |
| 18. LAW ENFORCEMENT AGENCY RECEIVING WRITTEN REPORT (Mandated by PC 11160) | I | | 19. AGENC | Y INCIDENT | NUMBER | | | | |
| Part C: PER | SON FILING | REPOR | RT | | | | | | |
| 20. EMPLOYER'S NAME | | | 21. PHONE | NUMBER | | | | | |
| 22. EMPLOYER'S ADDRESS (Number and Street) | C | lity | | | | State | e Zip | | |
| 23. NAME OF HEALTH PRACTITIONER (First and Last) | 24. JOB TITLE | | | | | | | | |
| 25. HEALTH PRACTITIONER'S SIGNATURE: | | | | 26. DATE | SIGNED: | | | | |



Go to Form OCJP-920

Instructions To The Health Practitioner

Penal Code Section 11160 mandates the following regarding suspicious injuries:

- Internal procedures established to facilitate reporting and apprise supervisors and administrators of reports shall be consistent • with the reporting requirements of PC Section 11160. The internal procedures shall not require any employee who must make a report to disclose his or her identity to the employer.
- Report suspicious injuries to your local law enforcement agency by telephone **immediately**, or as soon as practically possible.
- Submit the required completed written report to your local law enforcement agency within two working days of discovering a suspicious injury, whether or not:
 - 1. The person has expired;
 - 2. The injury was a factor contributing to the person's death; or
 - Evidence of the conduct of the perpetrator is discovered during an autopsy. 3.
- Use this standard form or a form, developed and adopted by another state agency, that otherwise fulfills the requirements of this form, (see "Exceptions to using this form" below).
- Two or more health practitioners with knowledge of a suspicious injury may mutually select a team member to make the telephone report and one written report signed by the selected team member. A team member who knows that the selected team member has not made the telephone call or submitted the written report shall make the report(s).
- No supervisor or administrator shall impede or inhibit the required reporting duties, and no person making a report pursuant to this section shall be subject to any sanction for making the report.

Exceptions To Using This Form

Other state reporting mandates pre-empt the use of this form to report suspicious injuries, as follows:

| Incident | Form | Source of Form |
|-------------------------------|------------------------|--|
| Physical Child Abuse | SS 8572 | Call California Department of Justice at (916) 227-3285. |
| Dependent Adult / Elder Abuse | SOC 341 | Online: <u>http://www.dss.cahwnet.gov/pdf/SOC341.pdf</u> or contact your local County Adult Protective Services Dept. |
| Sexual Assault – Adult* | OCJP 923* | |
| Sexual Assault – Child* | OCJP 925* OCJP 930* | Online: <u>www.ocjp.ca.gov/publications.htm</u> or call OCJP at (916) 324-9100. |

*Use these forms to conduct a forensic examination of the victim. Otherwise, use this Suspicious Injury Report form.

Definitions

Health Practitioner - Provides medical services to a patient for a physical condition that he/she reasonably suspects is a suspicious injury as listed below, and is employed in a health facility, clinic, physician's office, local or state public health department, or a clinic or other type of facility operated by a local or state public health department.

Suspicious Injury – Includes any wound or other physical injury that either was:

- Inflicted by the injured person's own act or by another where the injury is by means of a firearm, OR
- Is suspected to be the result of assaultive or abusive conduct inflicted upon the injured person.

Injury - Shall not include any psychological or physical condition brought about solely through the voluntary administration of a narcotic or restricted dangerous drug.

Assaultive / Abusive Conduct – includes committing, or an attempt to commit, any of the following Penal Code violations:

- Abuse of spouse or cohabitant
- Aggravated mayhem
- · Administering controlled substances or anesthetic to aid in the commission of a felony
- Assault with a stun gun or taser
- Assault with a deadly weapon, • firearm, assault weapon or machine gun, or by means likely to produce great bodily injury
- Assault with intent to commit mayhem, rape, sodomy, or oral copulation
- Battery
- Child abuse or endangerment (including Statutory Rape)
- Elder abuse
- Incest
- · Lewd and lascivious acts with a child
- Murder
- Manslaughter
- Mayhem
- Oral copulation
- · Procuring any female to have sex with another man
- Rape
- · Sexual battery
- Sexual penetration

- Sodomy
- Spousal rape
- Throwing any vitriol, corrosive acid. or caustic chemical with intent to injure or disfigure
- Torture



When Sexual Intercourse* with a Minor Must Be Reported as Child Abuse: California Law

In California, health care practitioners are mandated to report any reasonable suspicion of child abuse. Sexual intercourse with a minor is reportable as child abuse *when*:

1. WHEN COERCED OR IN ANY OTHER WAY NOT VOLUNTARY

Mandated reporters must report any intercourse that was coerced or in any other way not voluntary, irrespective of the ages of the partners and even if both partners are the same age. Sexual activity is not voluntary, for example, when accomplished against the victim's will by means of force or duress, or when the victim is unconscious or so intoxicated that he or she cannot resist. *See* Penal Code § 261 for more examples. Irrespective of what your patient tells you, treating professionals should use clinical judgment and "evaluate facts known to them in light of their training and experience to determine whether they have an objectively reasonable suspicion of child abuse." 249 Cal. Rptr. 762.

2. BASED ON AGE DIFFERENCE BETWEEN PARTNER AND PATIENT IN A FEW SITUATIONS

Mandated reporters also must report based on the age difference between the patient and his or her partner in a few circumstances, according to the following chart:

KEY: M = *Mandated*. *A report is mandated based solely on age difference between partner and patient*.

CJ = Clinical Judgment. A report is not mandated based solely on age; however, a reporter must use clinical judgment and must report if he or she has a reasonable suspicion that act was coerced, as described above.

| Age of Partner \Rightarrow | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 and older | | |
|------------------------------|----|----|----|----|----|----|---|------------------------|----|----|-----------------|--|--|
| Age of Patient ↓ | | | | | | | | | | | | | |
| 11 | CJ | CJ | Μ | Μ | Μ | Μ | Μ | Μ | Μ | Μ | $M \Rightarrow$ | | |
| 12 | CJ | CJ | Μ | Μ | Μ | Μ | Μ | Μ | Μ | Μ | $M \Rightarrow$ | | |
| 13 | CJ | CJ | Μ | Μ | Μ | Μ | Μ | Μ | Μ | Μ | $M \Rightarrow$ | | |
| 14 | Μ | Μ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | Μ | $M \Rightarrow$ | | |
| 15 | Μ | Μ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | Μ | $M \Rightarrow$ | | |
| 16 | Μ | Μ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | | |
| 17 | Μ | Μ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | CJ | | |
| 18 | Μ | Μ | CJ | CJ | CJ | CJ | | esign by E egal sou | | | | | |
| 19 | Μ | Μ | CJ | CJ | CJ | CJ | (<i>The legal sources for this chart are as follows</i>: Pena Code §§ 11165.1; 261.5; 261; 259 Cal. Rptr. 762, 76 | | | | | | |
| 20 | Μ | Μ | CJ | CJ | CJ | CJ | (3 rd Dist. Ct. App. 1989); 226 Cal. Rptr. 361, 381 (1 st | | | | | | |
| 21 and older | М | М | Μ | Μ | CJ | CJ | Dist. Ct. App. 1986); 73 Cal. Rptr. 2d 331, 333 (1st Dist. Ct. App. 1998). | | | | | | |

Do I have a duty to ascertain the age of a minor's sexual partner for the purpose of child abuse reporting?

No statute or case obligates health care practitioners to ask their minor patients about the age of the minors' sexual partners for the purpose of reporting abuse. Rather, case law states that providers should ask questions as in the ordinary course of providing care according to standards prevailing in the medical profession. Thus, a provider's professional judgment determines his practice. 249 Cal. Rptr. 762, 769 (3rd Dist. Ct. App. 1988).

What do I do if I am not sure whether I should report something?

When you aren't sure whether a report is required or warranted, you may consult with Child Protective Services and ask about the appropriateness of a referral.

*This worksheet addresses reporting of consensual vaginal intercourse between **non-family members**. It is not a complete review of all California sexual abuse reporting requirements and should not be relied upon as such. For more information on other reporting rules and how to report in California and other states, check <u>www.teenhealthrights.org</u>

© National Center for Youth Law. Feb. 2010. For questions about this chart, contact us at www.teenhealthrights.org.

COUNTY OF LOS ANGELES Public Health Maternal, Child & Adolescent Health Programs



MENTAL HEALTH RESOURCES AND CRISIS HOTLINES

| If you need help right away or think you might hurt yourself, your baby, or someone else. | CALL 911 |
|--|---|
| Suicide Prevention Center Help available 24 hours a day, 7 days a week. | 1 (800) 784-2433 or 1 (877) 727-4747 |
| ACCESS Line Los Angeles County Mental Health phone referral services available 24 hours a day, 7 days a week. | 1 (800) 854-7771 |
| 211 Los Angeles Information Line Available 24 hrs a day, 7 days a week. Ask operator for maternal depression resources in your area. | Dial 211 |
| National Depression Hot Line Available 24 hrs a day, 7 days a week for information and referrals to mental health providers. | 1 (800) 773-6667 |
| National Hispanic Perinatal Help Line Available 6am-3pm: provides education and referrals to mental health providers. | 1 (800) 504-7081 www.hispanichealth.org |
| Postpartum Support International English and Spanish Help Line that offers support, education, and local resources. | 1 (800) 944-4PPD www.postpartum.net |
| Project Cuddle, Inc. 24-hour crisis hotline: assistance, support, transport to medical appointments, etc. Provides pregnant women alternatives to abandoning babies. | Crisis Number: 1-88TO CUDDLE 1 (888) 628-3353 www.projectcuddle.org |

| Los Angeles County Department of Mental Health | www.dmh.lacounty.gov |
|--|---|
| The Marce Society | |
| International research society on maternal mental | www.marcesociety.com |
| health. | |
| MedEd PPD | |
| English and Spanish postpartum depression | www.mededppd.org/sp/ |
| education and resources. | |
| Medline Plus Health Information | www.nlm.nih.gov/modlinonlug/nostnortumdonrossion.html |
| English and Spanish health information. | www.nlm.nih.gov/medlineplus/postpartumdepression.html |
| Postpartum Depression Online Support Group | |
| Information, support, and assistance for those dealing | www.ppdsupportpage.com |
| with postpartum mood disorders. | |
| Postpartum Progress | |
| Blog on depression and anxiety during pregnancy and | www.postpartumprogress.typepad.com |
| postpartum. | |
| Postpartum Dads | |
| Information and guidance through the experience of | www.postpartumdads.org |
| postpartum depression. | |
| Child Abuse Hot Line | |
| To report suspected child abuse. Social | 1 (800) 540-4000 |
| Workers are also available 24/7 for consult. | |
| Dependent Abuse Hot Line | |
| To report suspected abuse on the elderly or | 1 (877) 477-3646 |
| dependent adults. | |

Individualized Care Plan (ICP)

| Patient: | | Gravida: | _ Para: ED0 | D: | | |
|--------------------------------------|--|--------------------------------------|------------------------------------|------------------------------------|--|--|
| Provider Name:Case Coordinator Name: | | | | | | |
| Provider's Sig | nature: | | Date: | | | |
| Date: | ldentified Problem/ Risk/Concern | Teaching/ Counseling/ Referral | Follow-up Reassessment Date- | Follow-up Reassessment Date- | | |
| Strengths Identified: | | | Outcome/Plan | Outcome/Plan | | |
| | <u>Goal</u> : | | | | | |
| Date: | | | | | | |
| Strengths Identified: | | | | | | |
| | <u>Goal:</u> | | | | | |

First initial, last name, title and date required with every entry. May be used in conjunction with, or without a standardized prenatal/postpartum education/services checklist. Address obstetrical, nutrition, psychosocial, and health education problems/needs.

| Pt. name: |
|--------------|
| DOB: |
| Health Plan: |
| I.D.#: |

10

Individualized Care Plan

| i | i | i | i | i |
|--------------|---------------|-------------|--------------|---------------------|
| Date: | Identified | Teaching/ | Follow-up | Follow-up |
| | Problem | Counseling/ | Reassessment | Reassessment |
| | /Risk/Concern | Referral | Date- | Date- |
| Strengths | | | Outcome/Plan | Outcome/Plan |
| Identified: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | <u>Goal:</u> | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Date: | Identified | Teaching/ | Follow-up | Follow-up |
| | Problem | Counseling/ | Reassessment | Reassessment |
| | /Risk/Concern | Referral | Date- | Date- |
| Strengths | | | Outcome/Plan | <u>Outcome/Plan</u> |
| Identified: | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | <u>Goal</u> : | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

First initial, last name, title and date required with every entry. May be used in conjunction with, or without a standardized prenatal/postpartum education/services checklist. Address obstetrical, nutrition, psychosocial, and health education problems/needs.

Page ____of____

| Pt. name: |
|--------------|
| DOB: |
| Health Plan: |
| I.D.#: |

10

Individualized Care Plan

Keypoints for the Individualized Care plan

- The ICP must be developed in conjunction with the patient.
- For each identified problem develop a goal with the patient.
- Be sure to reinforce strengths with the patient in order to increase her self-esteem.
- Use identified CPSP problem list when developing a plan.
- Each problem must have a plan of proposed interventions.
- The plan includes interventions which are appropriate and are not in conflict with the patient's status, needs or wishes.
- The interventions may include action taken by CPSP staff or referrals to outside agencies.
- Referrals to outside resources should include name of agency, contact person and telephone number.
- The interventions should include persons responsible, methods, time frame, and outcome objectives.
- Clearly document when the intervention was done.
- The plan for high-risk patient may need to be further described in a progress note.
- Update plan with current changes throughout the pregnancy.
- The ICP should be utilized in case conferences.

11

COMPREHENSIVE PERINATAL SERVICES PROGRAM COMBINED POSTPARTUM ASSESSMENT

| Name: | | | DOB: | | Date: | | I.D. No | |
|-------------------------------|--------------------|---------------------|-------------|---------------|----------------|-------------|-------------------------|-------|
| Health Plan: | | _ Provider: _ | | | _ Delivery | Facility: | | |
| Anthropometric: | | | | | | | | |
| 1. Height 2. Desi | rable Body Wi | | . Total Pre | gnancy V | Vt. Gain | 4. | Wt. this visit | |
| 5. Prepregnant wt. | 6. Postpar Goal | tum Wt. | | 7. W Visit | eeks Postpa | rtum this | | |
| Biochemical: | | | | | | | | |
| Blood: Date Collect | ed: | | | | | | | |
| 8. Hemoglobin: | (<10.5) | 9. Hematocrit | : | (<32) | Other: | | | |
| Urine: Date Collecte | ed: | | | | | | | |
| 10. Glucose: + - | 11. Ketones | : + - 12. | Protein: | + - | Other: | | | |
| 13. Blood Pressure: | / Co | mments: | | | | | | |
| Clinical - Outcome o | of Pregnancy | /: | | | | | | |
| 14. Date of Birth: | | 15. Gestatio | nal Age: | | 16. Pregna | ancy/Delive | ery Complications | ; |
| 17. Birth Weight:(gms) | | 18. Birth Lei | ngth (cm): | | | - | | |
| 19. Current Weight: (gm | s) | 20. Current | Length(cm) |): | Apgar Sco | res: 1 min: | 5 min: | |
| 21. Type of Delivery: (ci | rcle) NSVD | VBAC Vacu | um Forcep | os C-Se | ction (Primar | y or Repeat |) (LTCS or Classic | cal) |
| Maternal: | | | | <u>Inf</u> a | ant: | | | |
| 22. Have you had your p | ostpartum che | eck up? OYe | s Date: | 24. | Has infant | had a newb | oorn check-up? | |
| Olf No, when sch | eduled? | | | | lf No, w | hen schedul | led? | |
| 23. Any health problems | since delivery | /? OY | es ONc |) | If Yes, any | Problems? | | |
| If YES , please explai | n: | | | 25. | Number of | NICU Days | : | |
| | | | | 26. | Infant expo | osure to: (| (circle all that apply) | |
| Nutrition: | | | | | Toba | ассо | Alcohol | Drugs |
| 27. Maternal Dietary As | ssessment: F | or | Dietary | Goals: | | | | |
| Day(s) | | | Clie | nt agrees | to: | | | |
| Food Group | Servs./ Points | Suggested Change | | | | | | |
| Protein | + | - | | | | | | |
| Milk Products | + | - | | | | | | |
| Breads/Cereals/Grains | + | - | | | | | | |
| Vit. C-rich fruit/veg | + | - | | | | | | |
| Vit. A-rich fruit/veg | + | - | REFERR | ALS: | 0 WICDat | e Enrolled: | | _ |
| Other fruit/veg | + | | O Food S | tamps C | Emergenc | y Food 🛛 🕻 | D AFDC | |
| Fats/Sweets | + | - | | | | | | |
| Diet adequate as assess | ed: O Yes | O No Ex | cessive: | O Cat | feine | | | |
| 28. Infant | | | | | | | | |
| Method of Feeding: | 0 | Breast O | | | st & Bottle | # Wet dia | · · · | |
| Type of Formula: | 1 | With Iron? O | Yes O | No | 0Z., | | times/day | |

| Psy | cho-Social | | | | | | |
|---------|---|------------|----------|-------|--------------------|-----------------------|---|
| 29. | Do you feel comfortable in your relationsl Any special concerns? | nip with y | our baby | /? (| O Yes | ONo | |
| 30. | Are you experiencing post-partum blues? | | OYes | ONo | | | |
| 31. | | | | | | ONo | |
| | | | | | | | |
| 32. | Has your relationship with the baby's fath | - | | | DYes | ONo | |
| 33. | Do you have the resources to assist in m | axımızıng | j the | | | | |
| | health of you and your baby? | | | | DYes | ONo | |
| | If "No", indicate where needs exist: OHo | - | OFinan | | OFood | I OFamily O O | ther: |
| 34. | Outstanding issues from Prenatal Assess | sment/Re | assessn | nent: | | | |
| Hea | th Education | | | | | | |
| 35. | If breast feeding: | | | 38. | Do you h | ave any questions | about |
| | Do you have enough milk? | OYes | ONo | | your bab | y's safety? | OYes ONo |
| * | Do you supplement with formula? | oYes | ONo | | lf "Yes", | please explain: | |
| | Does your baby take the breast | OYes | ONo | | | - | |
| | easily? | | | | | | |
| | Are your nipples cracked and/or sore? | OYes | ONo | 39. | Are you u birth | using, or planning to | o use, any method of |
| | Do you have any questions about | | | | control? | | OYes ONo |
| | breast feeding? | OYes | ONo | | If "Yes", v | which | ••••••••••••••••••••••••••••••••••••••• |
| | | 0.00 | 0110 | | one? | | |
| 36. | Do you have any questions about | | | | | ould you like furthe | r information? |
| 50. | mixing or feeding formula? | OYes | ONo | | 11 NO , W | | |
| 37. | | 0163 | UNU | - | | | |
| 57. | baby's health? | OYes | ONo | - | | | |
| | If "Yes", please explain: | 0165 | UNO | | | | |
| | | | | | | | |
| Plan | : | | | | | | |
| | t Goals, Interventions and Timeline | | | | | | |
| | t agree to: | | | | | | |
| Chon | | | | | | | |
| Refe | errals | | | | | | |
| | | | | | | | |
| Agen | cy: Date: | | A | genc | y: | | Date: |
| Mate | erials Given: | | | | | | |
| | | | t Cara | | Infont | Sofoty 0 | |
| 0 | | | | | Infant | | |
| 0 | 0 | 0 | | _ 0 | | O | |
| Sum | imary: | | | | | | |
| | | | | | | | |
| Date: | Interviewer: | | | | Title | | Minutes Spent: |
| | | | | | _ | | |
| 0 | | | (- | | 1 | -1 4:41 - \ | |
| Сору | of Individualized Care Plan sent to Patient's PC | P on: (dat | te) | _ by: | (name and | a title) | |

11

Maternal Child Adolescent Health Programs COMPREHENSIVE PERINATAL SERVICES PROGRAM Documentation Guidelines

The purpose of this section is to provide guidance to Comprehensive Perinatal Services Program (CPSP) providers regarding documentation of services provided and billed to Medi-Cal. These guidelines are complementary to other resources and rules regarding the CPSP requirements in statute, regulations, billing manuals, and Medi-Cal Services bulletins; these guidelines do not supersede the other requirements.

It is hoped that the CPSP Documentation Guidelines will assist providers in reducing billing problems and meeting program requirements. These Guidelines may be used by the Department of Health Services auditors in addition to the other documents mentioned above.

Basic Principles for CPSP Billing

All Services billed must be:

- 1. Provided by a Department of Health Services certified Comprehensive Perinatal Service Provider;
- 2. Provided in direct patient contact before they are billed;
- 3. Billed in accordance with the appropriate procedure codes;
- 4. Documented in writing. If there is no documentation, the assumption is that no services was given;
- 5. Patient services as specified in the CPSP regulations;
- 6. In accordance with the instructions in the Medi-Cal Training Syllabus for Medi-Cal obstetrics (OB/CPSP); and
- 7. Submitted no later than six months subsequent to the month in which the CPSP services was provided or in accordance with State Law.

CPSP BILLING INFORMATION

BONUSES

EARLY ENTRY INTO CARE (Z1032-ZL) - If the patient receives her initial pregnancyrelated exam within 16 weeks LMP (anytime up to 16 weeks), add modifier -ZL to the Initial Pregnancy-Related exam code Z1032 and add \$56.63 to your "usual and customary fees" for this service. Maximum allowance for Z1032-ZL is \$182.94 (\$126.31 + \$56.63).

Billing ZL Modifier when done by Non-Physician Medical Practitioner (multiple Modifier):

| CNM bills 99: | SB+ ZL |
|---------------|--------|
| NP bills 99: | SA+ ZL |
| PA bills 99: | U7+ ZL |

10TH ANTEPARTUM VISIT (Z1036) - may be billed <u>one time only</u> when the 10th antepartum visit is provided. Medi-Cal reimburses non-CPSP providers for the initial prenatal visit and 8 antepartum visits (9 visits total). CPSP providers are able to bill for one additional visit. Reimbursement is \$113.26.

CPSP SUPPORT SERVICES

Support services (health education, nutrition, and psychosocial) are billed in 15 minute units. A <u>minimum of 8 minutes</u> of service must be provided in order to bill.

| UNITS | TIME (Minutes) | RANGE (Minutes) |
|-------|----------------|-----------------|
| 1 | 15 | 8-22 |
| 2 | 30 | 23-37 |
| 3 | 45 | 38-52 |
| 4 | 60 | 53-67 |

Formula for determining time range is as follows:

Range = Time \pm 7 minutes

Example: 3 units = 45 minutes (3 x 15 min.) 45 minus 7 = 38 minutes 45 plus 7 = 52 minutes Range for 3 units = 38-52 minutes

- All entries should be written legibly in black ink.
- Be sure all blanks are filled in. If the question doesn't apply, write "N/A" for "Not Applicable."
- If the patient did not want to answer the question, make a brief note on the form, such as "patient declines."
- Use only abbreviations that are approved for use at your site.
- If an error is made, a single line with black ink should be drawn through the incorrect information, leaving the original writing legible, marked "error" and initialed and dated by the person who made the original entry. DO NOT attempt to erase, block out or use "white out."
- DO NOT alter another person's note under any circumstances
- All entries should be dated and signed with the first initial, last name and title.
- Time spent in minutes should be noted at the end of the assessment; indicated only time spent face to face with the patient, not time spent on phone calls, charting, etc. unless the patient is present during these activities.
- Each page contains a patient identifier, such as full name, birth date and medical record number.
- All referrals, including name of agency, contact person and phone numbers should be recorded in the chart.

DOC:KeyptseptsevieFM12 Cm09/12/2011

CLASS SIGN-IN SHEET

| TITLE: | | | |
|------------------|------|---------------------|------------|
| INSTRUCTOR:(Name | | (Signature) | |
| (Name | ;) | (Signature) | |
| DATE: | TIME | SPENT (in minutes): | |
| NAME | | PATIENT RECORD NUME | <u>BER</u> |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Summary of CPSP Medi-Cal Billing

| Name: | | D.O.B.: MR#: |
|--------------------------------------|-----------------|--|
| CPSP Patient Billing | Billing Code | Number of Units Used (1 Unit = 15 Minutes) Please Initial and Date Each Unit Used per Visit |
| Obstetrical (# Visits) | | |
| Initial Antepartum | Z1032 | Non-Additional State Sta |
| Early Entry Bonus (16 wks LMP) | ZL | Modifier for use with Z1032 only |
| Antepartum Visits | Z1034 | 1 2 3 4 5 6 7 8 |
| 10th Antepartum Visit | Z1036 | After initial visit and 8 antepartums |
| Postpartum | Z1038 | |
| Prenatal Vitamins (# 300) | Z6210 | |
| CPSP Services | | |
| Initial Comp Assess. | Z6500* | * All 3 completed within |
| 1. Health Education 30 Min - Indiv | Date: | |
| 2. Nutrition 30 Min - Indiv | Date: | |
| 3. Psychosocial 30 Min - Indiv | Date: | |
| Nutrition | | |
| Initial Assessment - Indiv 30 min | Z6200 | Don't use if Z6500 billed |
| Add'l Init Assess - Indiv 1.5 hrs | Z6202 | 1 2 3 4 5 6 |
| F/U Interven/Reassess - Indiv 2 hrs | Z6204 | 1 2 3 4 5 5 7 8 |
| F/U Intervention - Group 3 hrs | Z6206 | 1 2 3 4 5 8 7 8 9 10 11 1 |
| Postpartum - Indiv 1hr | Z6208 | 1 2 3 4 |
| Psychosocial | | |
| Initial Assessment - Indiv 30 min | Z6300 | Don't use if Z6500 billed |
| Add'I Init Assess - Indiv 1.5 hrs | Z6302 | 1 2 3 4 5 5 |
| F/U Interven/Reassess - Indiv 3 hrs | Z6304 | 1 2 3 4 5 6 7 8 9 10 11 1 |
| F/U Intervention - Group 4hrs | Z6306 | 1 2 3 4 5 5 7 8 9 10 11 1 |
| | | 13 14 15 16 |
| Postpartum - Indiv 1.5 hrs | Z6308 | 1 2 3 4 5 8 |
| Health Education | | |
| Client Orientation - Indiv 2 hrs | Z6400 | 1 2 3 4 6 6 7 8 |
| Initial Assessment - Indiv 30 min | Z6402 | Don't use if Z6500 billed |
| Additional Init Assess - Indiv 2 hrs | Z6404 | |
| F/U Interven/Reassess - Indiv 2 hrs | Z6406 | 1 2 3 4 5 6 7 8 |
| F/U Ed Assess/Interv Group 2 hrs | Z6408 | 1 2 3 4 5 6 7 8 |
| Postpartum - Indiv 1 hr | Z6414 | 1 2 3 4 |
| Perinatal Education - Indiv 4hrs | Z6410 | |
| | 20110 | 13 14 15 16 |
| Perinatal Education - Group 18 hrs | Z6412 | 1 2 3 4 5 6 7 8 9 10 11 1 |
| | | 13 14 15 16 17 18 19 20 21 22 23 2 |
| | | 26 26 27 28 29 30 31 32 33 34 36 3 |
| | | 37 38 39 40 41 42 43 44 45 45 47 4 |
| | | 49 60 51 52 53 54 65 56 57 58 59 6 |
| | | 61 62 63 64 65 66 67 68 69 70 71 7 |

COMPREHENSIVE PERINATAL SERVICES PROGRAM

Service Codes and Reimbursement Schedule

The following are the Comprehensive Perinatal Provider service codes effective August 1, 2000 for Nutrition, Health Education, and Psychosocial services.

| Procedure Code | Description | When to Use | Maximum Units of Service | Reimbursement per Unit of Service | Maximum Reimbursement ¹ |
|--------------------|---|---|--------------------------------|-----------------------------------|---------------------------------------|
| Z6500 ² | Initial Comprehensive Nutrition, Psychosocial, and Health Education Assessments and Development of Care Plan within 4 weeks of entry into care ³ , Individual, first 30 minutes of each Assessment (90 minutes total), including ongoing coordination of care. Initial Pregnancy-related exam (Z1032) must also be completed within this 4-week period. | Initial CPSP Assessment completed within 4 weeks of Initial Prenatal Exam (Z1032). This 90 minutes is for Health Educ., Nutrition, and Psychosocial initial assessment time only - does not include Client Orientation. | 1 | \$135.83 | \$135.83 |
| | | NUTRITION CODES | | | |
| Z6200 | Initial Nutrition Assessment and Development of Care Plan, Individual, first 30 minutes. | For first 30 minutes of Initial Nutrition Assessment when Initial CPSP Assessment not completed within 4 weeks of Initial Prenatal Exam (Z1032). | 1 | \$16.83 | \$16.83 |
| Z6202 | Initial Nutrition Assessment and development of Care Plan, Individual, each Subsequent 15 minutes (Maximum of 1 1/2 hours) | Time spent doing initial assessment exceeded 30 minutes in nutrition component (either Z6500 or Z6200 used); Entirely new problem@ diagnosed later in pregnancy requiring a new nutrition assessment, e.g. gestational diabetes. | 6 | \$8.41 | \$50.46 |
| Z6204 | Follow-up Antepartum Nutrition Assessment, Treatment, and/or Intervention, Individual, each 15 minutes | Trimester reassessments; <u>antepartum</u> counseling, such as by RD consultant. | 8 | \$8.41 | \$67.28 |

| Procedure Code | Description | When to Use | Maximum Units of Service | Reimbursement per Unit of Service | Maximum Reimbursement ¹ |
|-------------------|--|---|--------------------------------|-----------------------------------|---------------------------------------|
| | (Maximum of 2 hours) | | | | |
| Z6206 | Follow-up Antepartum Nutrition Assessment, Treatment, and/or Intervention, Group, per patient, each 15 minutes (Maximum of 3 hours) | Nutrition information provided in a group class. | 12 | \$2.81 | \$33.72 |
| Z6208 | Postpartum Nutrition Assessment, Treatment, and/or Intervention, including update of Care Plan, Individual, each 15 minutes (Maximum of 1 hour) | Postpartum nutrition assessment; Postpartum nutrition intervention, e.g. assistance with breastfeeding | 4 | \$8.41 | \$33.64 |
| S0197 | Prenatal Vitamins, 30 day supply | When provider dispenses prenatal vitamins | 10 | \$3.00 | \$30.00 |
| | | PSYCHOSOCIAL CODES | | | |
| Z6300 | Initial Psychosocial Assessment and Development of Care Plan, Individual, first 30 minutes | For first 30 minutes of Initial Psychosocial Assessment when Initial CPSP Assessment not completed within 4 weeks of Initial Prenatal Exam (Z1032). | 1 | \$16.83 | \$16.83 |
| Z6302 | Initial Psychosocial Assessment and Development of Care Plan, Individual, each subsequent 15 minutes (Maximum of 1 1/2 hours) | Time spent doing initial assessment exceeded 30 minutes in psychosocial component (either Z6500 or Z6300 used); AEntirely new problem@ diagnosed later in pregnancy requiring a new psychosocial assessment, e.g. domestic violence. | 6 | \$8.41 | \$50.46 |
| Z6304 | Follow-up Antepartum Psychosocial Assessment, Treatment, and/or Intervention, Individual, each 15 minutes (Maximum of 3 hours) | Trimester reassessment; <u>antepartum</u> counseling or other intervention, such as by social work consultant. | 12 | \$8.41 | \$100.92 |
| Z6306 | Follow-up Antepartum Psychosocial Assessment, Treatment, and/or Intervention, Group, per patient, each 15 | Psychosocial information provided in a group class. | 16 | \$2.81 | \$44.96 |

| Procedure Code | Description | When to Use | Maximum Units of Service | Reimbursement per Unit of Service | Maximum Reimbursement ¹ |
|-------------------|---|---|--------------------------------|-----------------------------------|---------------------------------------|
| | minutes (Maximum of 4 hours) | | | | |
| Z6308 | Postpartum Psychosocial Assessment, Treatment, and/or Intervention, including update of Care Plan, Individual, each 15 minutes (Maximum of 1 1/2 hours) | Postpartum psychosocial assessment; Postpartum psychosocial intervention, e.g. postpartum depression | 6 | \$8.41 | \$50.46 |
| | | HEALTH EDUCATION CODES | | | |
| Z6400 | Client Orientation, Individual, each 15 minutes (Maximum of 2 hours) | Initial <u>individual</u> orientation (required); orientation required during pregnancy, e.g. when patient is referred to hospital for non-stress test. | 8 | \$8.41 | \$67.28 |
| Z6402 | Initial Health Education Assessment and Development of Care Plan, Individual, first 30 minutes | For first 30 minutes of Initial Health Education Assessment when Initial CPSP Assessment not completed within 4 weeks of Initial Prenatal Exam (Z1032). | 1 | \$16.83 | \$16.83 |
| Z6404 | Initial Health Education Assessment and Development of Care Plan, Individual, each subsequent 15 minutes (Maximum of 2 hours) | Time spent doing initial assessment exceeded 30 minutes in health education component (either Z6500 or Z6402 used); AEntirely new problem@ diagnosed later in pregnancy requiring a new health education assessment. | 8 | \$8.41 | \$67.28 |
| Z6406 | Follow-up Antepartum Health Education Assessment, Treatment, and/or Intervention, Individual, each 15 minutes (Maximum of 2 hours) | Trimester reassessment; antepartum counseling or other intervention, such as by health education consultant. | 8 | \$8.41 | \$67.28 |
| Z6408 | Follow-up Antepartum Health Education Assessment, Treatment, and/or Intervention, Group, per patient, each 15 minutes | Health education provided in a group class. | 8 | \$2.81 | \$22.48 |

| Procedure Code | Description | When to Use | Maximum Units of Service | Reimbursement per Unit of Service | Maximum Reimbursement ¹ | | |
|---|--|--|--------------------------------|-----------------------------------|---------------------------------------|--|--|
| | (Maximum of 2 hours) | | | | | | |
| Z6414 | Postpartum Health Education Assessment, Treatment, and/or Intervention, including update of Care Plan, Individual, each 15 minutes (Maximum of 1 hour) | Postpartum health education assessment; Postpartum health education intervention. | 4 | \$8.41 | \$33.64 | | |
| PERINATAL EDUCATION CODES (Can be used antepartum or postpartum) | | | | | | | |
| Z6410 | Perinatal Education, Individual, each 15 minutes (Maximum of 4 hours) | Individual education provided prenatally or postpartum. | 16 | \$8.41 | \$134.56 | | |
| Z6412 | Perinatal Education, Group, per patient, each 15 minutes (Maximum 4 hours/day,18 hours/pregnancy) | Group education, e.g. childbirth education (Lamaze) | 72 | \$2.81 | \$202.32 | | |
| | | CPSP OB BONUSES | | | | | |
| Z1032-ZL | Initial Comprehensive Pregnancy-related office visit performed within 16 weeks of LMP | Initial prenatal exam done prior to 16 weeks LMP. <i>If non-physician</i> <i>practitioner (NP, PA, CNM) does</i> <i>exam, see M/C Provider Manual for</i> <i>appropriate modifier.</i> | 1 | \$56.63 | \$56.63 | | |
| Z1036 | Tenth Antepartum Office Visit | One time only when 10 th antepartum visit performed. | 1 | \$113.26 | \$113.26 | | |

¹ Additional reimbursement is subject to prior approval using a Medi-Cal Treatment Authorization Request (TAR).

² If Z6500 is used, codes Z6200, Z6300, and Z6402 cannot be used because the first 30 minutes of each assessment is already included in Z6500. However, additional initial assessment time can be billed under codes Z6202, Z6302, or Z6404.

³ Entry into care is the time of the first billable pregnancy-related office visit or initial support service assessment.

BillingCodeHandout.doc Los Angeles County CPSP Rev. 9/14/11

MCAH Division

Overview of National and State Resources for Electronic Health Record Adoption Updated March 30, 2011

This document provides an overview of current Federal and State efforts to implement Electronic Health Records (EHRs).

The Office of the National Coordinator is leading Federal efforts to implement Electronic Health Records. The Web site is: http://healthit.hhs.gov/portal/server.pt/community/healthit_hhs_gov_home/1204

http://healthit.hhs.gov/portal/server.pt/community/healthit_hhs_gov__home/1204

The Health Resources and Services Administration has an excellent Web site at <u>http://www.hrsa.gov/healthit/index.html</u> that includes helpful links to:

- EHR selection guidelines
- Webinars
- Regional Extension Centers
- Health IT and Quality
- Toolboxes

The Center for Medicare and Medicaid Services (CMS) is working to encourage providers to adopt EHRs by providing incentives and support to providers and supporting health IT workforce training. The goal is to achieve widespread adoption of EHRs by 2015. CMS adopted the EHR Incentive Rule in July 2010. This rule makes EHR incentives available to Medicare and Medicaid providers, but providers are not required to apply. Information on the EHR incentive program is available at http://www.cms.gov/EHRIncentivePrograms/#BOOKMARK2

Registration for the EHR incentive program began January 3, 2011. Providers may register before they have a system installed. Medicare providers may receive up to \$44,000, and Medicaid providers may receive up to \$63,750 over 6 years for implementing eligible systems. Providers may receive incentives under only one of the options and may switch programs only one time after they receive the first payment. Eligible professionals may qualify for incentive payments if they adopt, implement, upgrade or demonstrate meaningful use in their first year of participation. They must successfully demonstrate meaningful use in subsequent participation years to receive additional payments. **The Medicaid incentive program is dependent on individual states.** Medi-Cal is developing a system to manage incentive payments for California's eligible providers. **The most current information specific to California** is available at: <u>http://medi-cal.ehr.ca.gov/</u> and http://files.medi-cal.ca.gov/pubsdoco/newsroom/newsroom 11790.asp

Eligible EHR systems are listed on the Office of the National Coordinator Web site in a searchable format at: <u>http://onc-chpl.force.com/ehrcert</u>

Eligible systems must enable "meaningful use", which includes:

- 1. The use of a certified EHR in a meaningful manner, such as e-prescribing.
- 2. The use of certified EHR technology for electronic exchange of health information to improve quality of health care.
- 3. The use of certified EHR technology to submit clinical quality and other measures.

For more information on Meaningful Use, review the following Web site: <u>http://www.cms.gov/EHRIncentivePrograms/30_Meaningful_Use.asp</u>

To demonstrate that they are meeting meaningful use requirements, providers must demonstrate that they meet the core objectives and must report six quality measures. The core objectives are available at http://www.cms.gov/EHRIncentivePrograms/Downloads/EP-MU-TOC.pdf

In addition, providers must report three core quality measures and three additional measures that they choose from 38 measures. Specifications for the measures and information on the Quality Incentive Program is available at:

http://www.cms.gov/QualityMeasures/03_ElectronicSpecifications.asp

Core measures are:

- 1. Blood pressure measurement
- 2. Tobacco use and intervention
- 3. Adult weight screening and follow up.

An alternative core measure set is:

- 1. Weight assessment and counseling for children and adolescents
- 2. Flu shot for people over 50
- 3. Childhood immunizations

There are two prenatal care measures that providers may choose from the 38 optional measures:

NQF 0012 Prenatal Care: HIV Screening

Title: Prenatal Care: Screening for Human Immunodeficiency Virus (HIV) Description: Percentage of patients, regardless of age, who gave birth during a 12-month period who were screened for HIV infection during the first or second prenatal care visit.

NQF 0014 Prenatal Care: Anti-D immune Globulin

Title: Prenatal Care: Anti-D Immune Globulin Description: Percentage of D (Rh) negative, unsensitized patients, regardless of age, who gave birth during a 12-month period who received anti-D immune globulin at 26-30 weeks gestation.

Comprehensive Perinatal Services Program (CPSP) Electronic Health Record Functionality Basics

This document provides information that CPSP providers may want to consider when evaluating Electronic Health Record (EHR) functionality in CPSP practices.

The requirements for CPSP are the same whether a provider has electronic or paper records. These requirements are listed in Title 22 of the California Code of Regulations, and interpreted in the CPSP Provider Handbook, Steps to Take Guidelines, and each provider's protocols. It is important that the EHR facilitate the CPSP work flow in each provider office. Each provider should evaluate the content and functionality of the EHR system. The County Perinatal Services Coordinator (PSC) can assist by reviewing the EHR content using an approved set of CPSP forms as a guide. If a CPSP provider implements a CPSP EHR that is not functional, it may be difficult to conduct quality assurance (QA) to assure implementation of CPSP in accordance with Title 22. Forms that are scanned into an EHR will not allow sufficient functionality to meet federal Meaningful Use requirements, and may make it difficult to access the information to conduct CPSP QA activities. Please see the document, "Overview of National and State Resources for Electronic Health Record Adoption" for information on Meaningful Use.

The following questions can assist providers to evaluate the functionality of CPSP EHRs. If a provider has already implemented an EHR system, these questions can be useful for planning system upgrades.

- 1. Does the EHR document CPSP client orientation, initial assessments, 2nd and 3rd trimester reassessments, postpartum assessments, and Individualized Care Plans (ICPs) in all four domains (obstetric, psychosocial, nutrition, and health education) as required by Title 22?
- 2. Does the EHR generate reports that will enable the provider and County PSC to conduct QA to monitor delivery of services and outcomes?
- 3. Does the system recognize risk conditions from the assessments, reassessments, and postpartum assessments?
- 4. Will the system automatically populate the ICP with information from the assessment results/risks/problems and link to appropriate:
 - Site specific CPSP protocols
 - CPSP Steps To Take (STT) Guidelines
 - STT Patient handouts
 - Resources/Referrals
- 5. Will the system automatically populate applicable lab results in the CPSP assessments as well as other appropriate locations in the EHR?
- 6. When the height and weight are entered into the system, will the system automatically select and plot the correct weight gain grid?
- 7. Is the system user friendly to enable the provider to easily review previous assessment results, and the ICP before conducting a reassessment or postpartum assessment?
- 8. Does the system recognize CPSP services to enable correct billing and can it easily implement coding changes?